Morris, John R.

From: Ken Cargill kwcargill@earthlink.net Sent: Friday, July 22, 2016 3:40 PM

To: Morris, John R.

Subject: FW: OBDF - Well abandonment permit - MW-04

Attachments: GEOSYNTEC 0 WO 8287 - PERMIT 852617 AND RECEIPT pdf

John

Attached please fine permit for abandonment of MW-04 at the OBDF. I assume you need this for your files.

As you see in the email string below, the well was abandoned on 5 July 16 by Environmental Drilling Service and was monitored by Neil Stapley of Geosyntec.

Ken

Kenneth W. Cargill, P.E.

KW Cargill, P.A. Geotechnical/Environmental Consultant 6350 Riverside Drive Punta Gorda, FL 33982

Telephone: 941 276 2004 Email: kwcargill@earthlink.net

From: Neil Stapley [mailto:NStapley@Geosyntec.com]

Sent: Friday, July 22, 2016 2:59 PM

To: 'kwcargill@earthlink.net'
Cc: Matt Wissler; Michael Callahan

Subject: FW: OBDF - Well abandonment permit

Good afternoon Ken,

Attached is a scan of the MW-04 abandonment permit from the drillers. I guess the original scan became corrupted somewhere along the line. Thank you for the opportunity to help you out with the well installation and abandonment. Let us know if you need anything else and we'll try our best to help.

Have a nice weekend, Neil

From: Matt Wissler

Sent: Friday, July 22, 2016 2:51 PM

To: Neil Stapley

Subject: FW: OBDF - Well abandonment permit

From: Lisa Gordon [mailto:lisa@edsenvironmental.com]

Sent: Wednesday, July 13, 2016 10:54 AM **To:** Matt Wissler < MWissler@Geosyntec.com **Subject:** RE: OBDF - Well abandonment permit

Try this one

Lisa

From: Matt Wissler [mailto:MWissler@Geosyntec.com]

Sent: Wednesday, July 13, 2016 9:55 AM

To: lisa@edsenvironmental.com

Subject: FW: OBDF - Well abandonment permit

Hi Lisa,

I cannot open this file. Can you resend?

Thanks, Matt

From: Neil Stapley

Sent: Monday, July 11, 2016 12:17 PM

To: Matt Wissler < MWissler@Geosyntec.com>; Michael Callahan < MCallahan@Geosyntec.com>

Subject: Fwd: OBDF - Well abandonment permit

Sent from my iPhone

Begin forwarded message:

From: "Lisa Gordon" < lisa@edsenvironmental.com> To: "Neil Stapley" < NStapley@Geosyntec.com> Subject: RE: OBDF - Well abandonment permit

Good morning Neil,

Attached are your copies of the permit, receipt and well completion report for the well abandonment at Bannon Island Rd site.

Thank you,

Lisa Gordon **Environmental Drilling Service, Inc** 4712 Old Winter Garden Road Orlando, FL 32811 (407) 295-3532 phone (407) 296-3957 fax www.edsenvironmental.com

From: Neil Stapley [mailto:NStapley@Geosyntec.com]

Sent: Tuesday, July 05, 2016 11:56 AM

To: lisa@edsenvironmental.com

Cc: Michael Callahan < MCallahan@Geosyntec.com >

Subject: OBDF - Well abandonment permit

Good morning Lisa,

I had the pleasure of working with JR and Mitch this morning to abandon monitoring well MW-04 out at OBDF. Could you please send us the abandonment permit when you have some time so we can forward that along to the site Client.

Thanks in advance,

Neil Stapley, Site Manager II

50 South Belcher Road Suite 116 Clearwater, Florida 33765

Phone: 727.330.9960 Fax: 813.558.9726 Mobile: 813.468.6142 www.Geosyntec.com



This electronic mail message contains information that (a) is or may be LEGALLY PRIVILEGED, CONFIDENTIAL, PROPRIETARY IN NATURE, OR OTHERWISE PROTECTED BY LAW FROM DISCLOSURE, and (b) is intended only for the use of the Addressee(s) named herein. If you are not the intended recipient, an addressee, or the person responsible for delivering this to an addressee, you are hereby notified that reading, using, copying, or distributing any part of this message is strictly prohibited. If you have received this electronic mail message in error, please contact us immediately and take the steps necessary to delete the message completely from your computer system.

OF THE STATE OF TH

☐ South Florida ☐ Suwannee River ☐ DEP

STATE OF FLORIDA PERMIT APPLICATION TO CONSTRUCT, REPAIR, MODIFY, OR ABANDON A WELL

✗ Southwest
 ☐ Northwest
 ☐ St. Johns River
 PLEASE FILL OUT ALL APPLICABLE FIELDS
 (*Denotes Required Fields Where Applicable)

The water well contractor is responsible for completing this form and forwarding the permit application to the appropriate delegated authority where applicable.

Permit No	852617	
Florida Unique	ID	
Permit Stipulati 04	ons Required (See Attached)	No.
62-524 Quad N	o. Q3313 Delineation No.	MORRISHMA
CUP/WUP App	ication No.	

	CUP/WUP Application No
☐ Delegated Authority (If Applicable)	ABOVE THIS LINE FOR OFFICIAL USE ONLY
1. Clay Cut LLC PO BOX 1877 DUMPER	
*Owner, Legal Name if Corporation *Address *City	FL 33838
2. BANNON ISLAND RD	*State *ZIP *Telephone Number
Address, Road Name of Number, City	HAINES CITY
27280300000041050	
"Parcel ID No. (PIN) or Alternate Key (Circle One)	Lot Block Unit
3 28 27 POLK *Section or Land Grant *Township *Range *County Subdiv	Sint Sint
Douglas A Leonhardt	
*Water Well Contractor *License Number *Telephone Nu	
TI IZ OLD WINTER GARDEN ROAD	120,000
vide Well Contractor's Address	38211
*Type of Work: Construction Repair Modification X Abandonment	NO LONGER NEEDED
Number of Proposed Wells 1	*Reason for Repair, Modification, or Abandonment
*Specify Intended Use(s) of Well(s):	Date Stamp
	nSite Investigation Received:
Public Water Supply (Community or Non Community/DED) Commercial/Industri	ial Farth-Counled Geothermal
Class I Injection	nHVAC Supply
ass V Injection:RechargeCommercial/Industrial DisposalAquifer Storage	HVAC Return
emediation:RecoveryAir SpargeOther (Describe)	ge and RecoveryDrainage
/ Others a	Official Use Only
	ells are permitted by a given permitting authority)
*Distance from Septic System if ≤200 ft11. Facility Description*Estimated Well Depth30 ft. *Estimated Casing Depth ft. *Primary Casing Depth	12. Estimated Start Date 07/05/2016
- It. Filliary Casing	g Diameter 2 in. Open Hole: From To f
Zournated Golden Interval. FIGIT 10 ft.	
*Primary Casing Material:Black SteelGalvanizedX PVC	Stainless Steel
Not Cased Other:	
Secondary Casing:Telescope CasingLinerSurface Casing Dia	The state of the s
	ameter in.
Secondary Casing Material: Black Steel Galvanized PVC S	Stainless Stool Other
Secondary Casing Material: Black Steel Galvanized PVC S	Stainless Stool Other
Secondary Casing Material: Black Steel Galvanized PVC Semble Method of Construction, Repair, or Abandonment: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Reich Cont.)	Stainless SteelOtherSonic
Secondary Casing Material:Black SteelGalvanizedPVC _S Method of Construction, Repair, or Abandonment:AugerCable ToolCombination (Two or More Methods)Hand Driven (Well Point, Sand PoHorizontal Drillingx_Plugged by Approved MethodOther Describe	Stainless SteelOtherSonic
Secondary Casing Material:Black SteelGalvanizedPVCS Method of Construction, Repair, or Abandonment:AugerCable ToolCombination (Two or More Methods)Hand Driven (Well Point, Sand Point	Stainless SteelOtherSonic JettedRotarySonic pint)Hydraulic Point (Direct Push)
Secondary Casing Material:Black SteelGalvanizedPVCState	Stainless SteelOtherSonic JettedRotarySonic pint)Hydraulic Point (Direct Push)
Secondary Casing Material: Black Steel Galvanized PVC Semble Method of Construction, Repair, or Abandonment: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Polymore) Hand D	Stainless SteelOtherSonic JettedRotarySonic pint)Hydraulic Point (Direct Push)
Secondary Casing Material: Black Steel Galvanized PVC State Method of Construction, Repair, or Abandonment: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Pole Horizontal Drilling X Plugged by Approved Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material Bentonite X Neat Cement Othe From To Seal Material Bentonite Neat Cement Othe From To Seal Material Bentonite Neat Cement Othe From To Seal Material Bentonite Neat Cement Othe	Stainless SteelOtherSonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedSonic
Secondary Casing Material: Black Steel Galvanized PVC Sement Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Pole Horizontal Drilling X Plugged by Approved Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material (Bentonite X Neat Cement Othe From To Seal Material (Bentonite Neat Cement Othe Neat Cement	Stainless SteelOtherSonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedSonic JettedRotarySonic JettedSonic Jetted _
Secondary Casing Material: Black Steel Galvanized PVC State Method of Construction, Repair, or Abandonment: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Potential Drilling X Plugged by Approved Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material Bentonite X Neat Cement Othe From To Seal Material Bentonite Neat Cement Othe Indicate total number of existing wells on site 1	Stainless SteelOtherSonic JettedRotarySonic oint)Hydraulic Point (Direct Push) or) r) r) r) r) r)
Secondary Casing Material: Black Steel Galvanized PVC Secondary Casing Material: Black Steel Galvanized PVC Secondary Casing Material: Black Steel Galvanized PVC Secondary Casing Material (Mell Point, Sand Polymore Method Office (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material (Bentonite X Neat Cement Othe From To Seal Material (Bentonite Neat Cement Othe From To Seal Material (Bentonite Neat Cement Othe From To Seal Material (Bentonite Neat Cement Othe Indicate total number of existing wells on site 1 List number of existing secondary is contiguous property contiguous	Stainless SteelOtherSonic JettedRotarySonic oint)Hydraulic Point (Direct Push) or) r) r) ng unused wells on site 1 vered under a Consumptive/Water Use Permit (CUP/WUP)
Secondary Casing Material: Black Steel Galvanized PVC Set Method of Construction, Repair, or Abandonment: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Pole Horizontal Drilling X Plugged by Approved Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material Bentonite X Neat Cement Othe From To Seal Material Bentonite Neat Cement Othe Indicate total number of existing wells on site 1 List number of existing well or any existing well or water withdrawal on the owner's contiguous property co or CUP/WUP Application? Yes X No If yes, complete the following: CUP/W	Stainless SteelOtherSonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedPolicy
Secondary Casing Material: Black Steel Galvanized PVC Secondary Casing Material: Method of Construction, Repair, or Abandonment: Combination (Two or More Methods) Hand Driven (Well Point, Sand Polymore) Horizontal Drilling X Plugged by Approved Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material (Bentonite X Neat Cement Othe From To Seal Material (Bentonite Neat Cement Othe From To Seal Material (Bentonite Neat Cement Othe From To Seal Material (Bentonite Neat Cement Othe Indicate total number of existing wells on site 1 List number of existing Is this well or any existing well or water withdrawal on the owner's contiguous property co or CUP/WUP Application? Yes X No If yes, complete the following: CUP/W Latitude 28 04 36.86 Longitude 81 36 24.23	Stainless SteelOtherSonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedSonic JettedRotarySonic JettedSonic Jetted
Secondary Casing Material: Black Steel Galvanized PVC State Method of Construction, Repair, or Abandonment: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Poler (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material Bentonite X Neat Cement Other From To Seal Material Bentonite Neat Cement Other Indicate total number of existing wells on site 1 List number of existing Is this well or any existing well or water withdrawal on the owner's contiguous property coor CUP/WUP Application? Yes X No If yes, complete the following: CUP/W Latitude 28 04 36.86 Longitude 81 36 24.23	Stainless SteelOtherSonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedPointSonic JettedPointSonic JettedPointSonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedPointSonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedRotarySonic JettedPointSonic JettedPoint _
Secondary Casing Material: Black Steel Galvanized PVC Secondary Casing Material: Black Steel Galvanized PVC Secondary Casing Material: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Pole Horizontal Drilling X Plugged by Approved Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material Bentonite X Neat Cement Other From To Seal Material Bentonite Neat Cement Other From To Seal Material Bentonite Neat Cement Other From To Seal Material Bentonite Neat Cement Other Indicate total number of existing wells on site 1 List number of existing this well or any existing well or water withdrawal on the owner's contiguous property co or CUP/WUP Application? Yes X No If yes, complete the following: CUP/W Latitude 28 04 36.86 Longitude 81 36 24.23 Data Obtained From: GPS X Map Survey Datum:	Stainless SteelOtherSonic JettedRotarySonic JettedRotaryRotarySonic JettedRotaryRotar
Secondary Casing Material: Black Steel Galvanized PVC Set Method of Construction, Repair, or Abandonment: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Pole Horizontal Drilling X Plugged by Approved Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material (Bentonite X Neat Cement Other From To Seal Material (Bentonite Neat Cement Other Indicate total number of existing wells on site 1 List number of existing will son site 1 List number of existing this this well or any existing well or water withdrawal on the owner's contiguous property co or CUP/WUP Application? Yes X No If yes, complete the following: CUP/W Latitude 28 04 36.86 Longitude 81 36 24.23 Data Obtained From: GPS X Map State of Title 40, Florida Administration Code, and that a water surface of the following in the property with the applicable rules of Title 40, Florida Administration Code, and that a water surface of the following in the property of the property of the search of the following in the property of the proper	Stainless Steel
Secondary Casing Material: Black Steel Galvanized PVC Set Method of Construction, Repair, or Abandonment: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Pole Horizontal Drilling X Plugged by Approved Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material (Bentonite X Neat Cement Other From To Seal Material (Bentonite Neat Cement Other Indicate total number of existing wells on site 1 List number of existing will son site 1 List number of existing this this well or any existing well or water withdrawal on the owner's contiguous property co or CUP/WUP Application? Yes X No If yes, complete the following: CUP/W Latitude 28 04 36.86 Longitude 81 36 24.23 Data Obtained From: GPS X Map State of Title 40, Florida Administration Code, and that a water surface of the following in the property with the applicable rules of Title 40, Florida Administration Code, and that a water surface of the following in the property of the property of the search of the following in the property of the proper	Stainless SteelOtherSonic JettedRotarySonic JettedRotaryRotarySonic JettedRotaryRotar
Secondary Casing Material: Black Steel Galvanized PVC Set Method of Construction, Repair, or Abandonment: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Pole Horizontal Drilling X Plugged by Approved Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material Bentonite X Neat Cement Other From To Seal Material Bentonite Neat Cement Other Indicate total number of existing wells on site 1 List number of existing Wells on any existing well or water withdrawal on the owner's contiguous property co or CUP/WUP Application? Yes X No If yes, complete the following: CUP/W Latitude 28 04 36.86 Longitude 81 36 24.23 Data Obtained From: GPS X Map Survey Datum: I certify that I will comply with the applicable rules of Title 40, Florida Administration Code, and that a water stream of the carry approval from other federal, state, or local governments, if applicable. I agree to provide a well location report to be Dishet within 30 drays after completion of the construction, report in the Dishet within 30 drays after completion of the construction, report in the Dishet within 30 drays after completion of the construction, report in the Dishet within 30 drays after completion of the construction, report in the Dishet within 30 drays after completion of the construction, report in the Dishet within 30 drays after co	Stainless Steel
Secondary Casing Material: Black Steel Galvanized PVC Secondary Casing Material: Black Steel Galvanized PVC Secondary Casing Material: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Pole Horizontal Drilling X Plugged by Approved Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material (Bentonite X Neat Cement Other From To Seal Material (Bentonite Neat Cement Other From To Seal Material (Bentonite Neat Cement Other From To Seal Material (Bentonite Neat Cement Other Indicate total number of existing wells on site 1 List number of existing this well or any existing well or water withdrawal on the owner's contiguous property coor CUP/WUP Application? Yes X No If yes, complete the following: CUP/W Latitude 28 04 36.86 Longitude 81 36 24.23 Data Obtained From: GPS X Map Survey Datum: I confly that I will comply with the applicable rules of Title 40, Florida Administration Code, and that a water with or artificial recharge permit, if needed, has been or will be obtained prior to commencement of well and any approval from other federal paths or provided in this application; as accurate and that I will ectain any approval from other federal paths of recharge permit, if needed, has been or will be obtained prior to commencement of well any approval from other federal paths of recharge permit, if needed, has been or will be obtained prior to commencement of well any approval from other federal paths of recharge permit, if needed, has been or will be obtained prior to commencement of well any approval from other federal paths of recharge permit within a path of the own of the construction, repair, modification, or such construction, repair, modification, or the well site during the second of the constructio	Stainless Steel
Secondary Casing Material: Black Steel Galvanized PVC Secondary Casing Material: Black Steel Galvanized PVC Secondary Casing Method of Construction, Repair, or Abandonment: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Pole Horizontal Drilling X Plugged by Approved Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material Bentonite X Neat Cement Other From To Seal Material Bentonite Neat Cement Other Indicate total number of existing wells on site 1 List number of existing Its this well or any existing well or water withdrawal on the owner's contiguous property coor CUP/WUP Application? Yes X No If yes, complete the following: CUP/W Latitude 28 04 36.86 Longitude 81 36 24.23 Data Obtained From: GPS X Map Survey Datum: y ccritify that I will comply with the applicable rules of Title 40, Florida Administration Code, and that a water mild or artificial recharge permst, if needfort, has been or will be obtained prior to occumencement of well among any approval from other forteral, state, or floral governments, if applicable. I agree to provide a well action any approval from other forteral, state, or floral governments, if applicable. I agree to provide a well action any approval from other forteral, state, or floral governments, if applicable. I agree to provide a well action any approval from other forteral, state, or floral governments, if applicable. I agree to provide a well action any approval from other forters, state, or floral governments, if applicable. I agree to provide a well action any approval from other forters, state, or floral governments, if applicable. I agree to provide a well action any approval from other forters, state, or floral governments, if applicable. I agree to provide a well applicable for the owner application as a state of	Stainless Steel
Secondary Casing Material: Black Steel Galvanized PVC Secondary Casing Material: Black Steel Galvanized PVC Secondary Casing Method of Construction, Repair, or Abandonment: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Polymore) Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material (Bentonite X Neat Cement Othe From To Seal Material (Bentonite Neat Cement Othe From To Seal Material (Bentonite Neat Cement Othe From To Seal Material (Bentonite Neat Cement Othe Indicate total number of existing wells on site 1 List number of existing wells on site 1 List number of existing this well or any existing well or water withdrawal on the owner's contiguous property coor CUP/WUP Application? Yes X No If yes, complete the following: CUP/W Latitude 28 04 36.86 Longitude 81 36 24.23 Data Obtained From: GPS X Map Survey Datum: Continued Complete Continued Complete Continued Continue	Stainless Steel
Secondary Casing Material: Black Steel Galvanized PVC Set Method of Construction, Repair, or Abandonment: Auger Cable Tool Combination (Two or More Methods) Hand Driven (Well Point, Sand Pole Horizontal Drilling X Plugged by Approved Method Other (Describe Proposed Grouting Interval for the Primary, Secondary, and Additional Casing: From 0.0 To 30.0 Seal Material Bentonite X Neat Cement Other From To Seal Material Bentonite Neat Cement Other Indicate total number of existing wells on site 1 List number of existing well or water withdrawal on the owner's contiguous property co or CUP/WUP Application? Yes X No If yes, complete the following: CUP/W Latitude 28 04 36.86 Longitude 81 36 24.23 Data Obtained From: GPS X Map Survey Datum: Describe Indicate I	Stainless Steel

SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT 2379 BROAD STREET, BROOKSVILLE, FL 34604-6899 PHONE: (352) 796-7211 or (800) 423-1476 WWW.SWFWMD.STATE.FL.US

ST. JOHNS RIVER WATER MANAGEMENT DISTRICT 4049 REID STREET, PALATKA, FL 32178-1429 PHONE: (386) 329-4500 WWW.SJRWMD.COM

NORTHWEST FLORIDA WATER MANAGEMENT DISTRICT 152 WATER MANAGEMENT DR., HAVANA, FL 32333-4712 (U.S. Highway 90, 10 miles west of Tallahassee) PHONE: (850) 539-5999 WWW.NWFWMD.STATE.FL.US SOUTH FLORIDA WATER MANAGEMENT DISTRICT P.O. BOX 24680 3301 GUN CLUB ROAD WEST PALM BEACH, FL 33416-4680 PHONE: (561) 686-8800 WWW.SFWMD.GOV

SUWANNEE RIVER WATER MANAGEMENT DISTRICT 9225 CR 49 LIVE OAK, FL 32060 PHONE: (386) 362-1001 or (800) 226-1066 (Florida only) WWW.MYSUWANNEERIVER.COM

nments:		
	General Site Map of Proposed Well Location	4
		ı

SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT

STIPULATION # 4 - PLUGGING

- A. The well shall be examined from land surface to the original depth of construction for debris or obstructions. Any debris or obstruction shall be removed from the well prior to the commencement of plugging operations.
- B. The well shall be plugged from bottom to top by an approved method of grouting with either Portland neat cement grout or an approved Bentonite product as specified in 40D-3.517(2)(b) and described as follows:
- 1. A Bentonite grout shall consist of a high solid sodium montmorillonite. The grout shall yield solids ranging from 20 to 30 percent, with a minimum density equal to or greater than 9.4 pounds per gallon, and a permeability of approximately 1X10-7 centimeters per second or less.
- 2. Bentonite grout used for abandonment purposes is not restricted by well size but cannot be used to abandon a dry well and cannot be placed any higher in the well than the height of the static water level. Any unsealed remainder above the height of the static water level must be filled with neat cement. At a minimum, an upper ten feet of neat cement is required to prevent deterioration of or damage to the bentonite seal.
- C. Any other method of abandonment shall be approved in advance by the Southwest Florida Water Management District (SWFWMD) Well Construction Section Manager or Well Construction Section Geologist, in the District's Tampa Office, at (813)985-7481 or 1-800-836-0797.
- D. Well plugging operations shall be observed by a designated SWFWMD representative from the local Regulation Department. Arrangement for an observer shall be made a minimum of 24 hours in advance of these operations. A District representative will be available for assignment during normal working hours (8:00 AM 4:30 PM), Monday through Friday. Travel time must be taken into consideration. Exemptions may be made for extenuating circumstances. For scheduling, please contact the Field Service Supervisor, in the Bartow Office at (863) 534-1448.

Permit No. 852617

COPY TO OWNER TO BE PROVIDED BY CONTRACTOR

(11/03)

Southwest Florida Water Management District



Well Construction Permit Application

Home

New Permit

Search Permits

My Account

Renew License

Log Out

Payment Receipt

Your permit application will now be submitted to the Southwest Florida Water Management District for review. You may check the status next time you login.

You may not begin well construction until you receive your signed approved permit from the District.

Southwest Florida Water Management District

Date/Time: 6/28/2016 9:12:31 AM

Clerk: Online Payment

Type: Well Construction

Well Address: BANNON ISLAND RD

Well City: HAINES CITY

Permit No.: 852617

Receipt No.: N/A

There was no charge associated with this application.

Charges

Sub Total:

\$0.00

Convenience Fee:

\$0.00

Total:

\$0.00

Print Permit Application

Print Receipt