

Thursby, Kim

From: Curtis, Jeff [Jeff.Curtis@safety-kleen.com]
Sent: Monday, November 19, 2007 12:53 PM
To: Epost HWRS
Subject: RE: Safety Kleen, Inc.-Medley;FLD 984 171 694;56019/HO/006;First Notice of Deficiencies

Follow Up Flag: Follow up
Flag Status: Flagged

received

From: Epost HWRS [mailto:EpostHWRS@dep.state.fl.us]
Sent: Mon 11/19/2007 11:18 AM
To: Curtis, Jeff
Cc: pallas.jeff@epamail.epa.gov; Minhaj, Ghousuddin; Bahr, Tim; Kuncicky, Daniel; Griffin, John; Tripp, Anthony
Subject: Safety Kleen, Inc.-Medley;FLD 984 171 694;56019/HO/006;First Notice of Deficiencies

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Regulation Section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to epost_hwrs@dep.state.fl.us. If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at www.adobe.com/products/acrobat/readstep2.html.

Please note that our documents are sent virus free. However, if you use Norton Anti-virus software, a warning may appear when attempting to open the document. Please disregard this warning.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Tim Bahr
Environmental Administrator
Hazardous Waste Regulation

Department of Environmental Protection
E-Mail Address: epost_hwrs@dep.state.fl.us

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on [this link to the DEP Customer Survey](#). Thank you in advance for completing the survey.



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

November 19, 2007

SENT VIA EMAIL

Jeff.Curtis@safety-kleen.com

Jeff Curtis
Environmental Health & Safety Manager
Safety-Kleen Systems, Inc.
8755 Northwest 95th Street
Medley, Florida 33178

SUBJECT: Facility Name: Safety Kleen, Inc.
EPA ID Number: FLD 984 171 694
Operating Permit 56019/HO/006
Dade County
First Notice of Deficiencies

Mr. Jeff Curtis:

Your application for a hazardous waste permit has been reviewed and found to be incomplete. The required information and amendments necessary to complete your application are itemized as follows –

1. The total closure cost estimate proposed for the recent permit application is less than half that agreed upon for the 2002 permit. Justification for the reduced cost of closure needs to be specified before Department approval can be issued.
2. Facility personnel must successfully complete an approved training program within six (6) months of employment or assignment to a facility or to a new position at the facility pursuant to 40 CFR 265.16(a) & (b). The training guidelines and schedule are absent from the permit application.

When a permit application is incomplete, all processing of the application is suspended. You are hereby advised to provide us with the requested additional information pursuant to Florida Administrative Code (F.A.C.) Rule 62-730.220 and Chapter 403.722, Florida Statutes (F.S.).

If you cannot submit this information within thirty (30) days, you must provide a detailed schedule with dates when this information will be submitted. You are encouraged to contact this office to discuss the deficiencies noted by the application review. This exchange of ideas will assist you in developing a complete and adequate response. If you would like to arrange a meeting or have any questions, please call me at 850-245-8786.

Mr. Jeff Curtis
November 19, 2007
Page 2 of 2

Sincerely,

A handwritten signature in dark ink, reading "Daniel Kuncicky". The signature is fluid and cursive, with the first name "Daniel" and last name "Kuncicky" clearly legible.

Daniel Kuncicky
Hazardous Waste Regulation

cc:

Jeff Pallas, EPA/Region 4 pallas.jeff@epamail.epa.gov
Ghous Minhaj, DEP/South Florida District Office Ghousuddin.Minhaj@dep.state.fl.us