From:	McCaustland, TJ
To:	White, John
Subject:	Requested Information
Date:	Monday, July 25, 2011 12:18:34 PM
Attachments:	2009.01.16 - Analytical Results - Barium.pdf 20110719_141146.pdf AV61380.pdf

---

John,

Per you request I have attached the analytical for the barium. We have numerous more barium analytical data sets for other similar products if you wish to see them. Most of them do not fail TCLP for barium. There are a few that do but none on the shipments in question.

I have attached the profile that the nitroglycerin was shipped with. It was sent as a loose pack so there is not a packing list.

I have attached the packing lists for the two shipments of ethyl chloride.

T.J. M C Caustland
Environmental, Safety, and Health Manager
SSWSI-East Region
583 Highway 162
Covington, Georgia 30016
Cell: (770) 891-2531
Fax: (888) 240-4312
Office: (678) 342-4279

CONFIDENTIALITY NOTICE: The information in this Email is confidential and may be privileged. This Email is intended solely for the named recipient or recipients. If you are not the intended recipient, any use, disclosure, copying or distribution of this Email is prohibited. If you are not the intended recipient, please inform us by replying with the subject line marked "Wrong Address" and then deleting this Email and any attachments. Stericycle, Inc. uses regularly updated anti-virus software in an attempt to reduce the possibility of transmitting computer viruses. We do not guarantee, however, that any attachments to this Email are virus-free.

Nota de confidencialidad: La información que presenta este correo es confidencial, y puede ser de uso privilegiado. Este correo intenta ser enviado solo al destinatario, o a los destinatarios. Si usted no es el destinatario, no podrá usar, desglosar, copiar, o distribuir la información de este correo ya que está prohibido. Si usted no es el correcto destinatario, por favor infórmenos reenviándonos el mismo con el asunto ¨Dirección Incorrecta¨, y luego borre el correo y los adjuntos. Stericycle, Inc. usa regularmente actualizaciones de software anti-virus para así reducir posibles virus. De todas maneras, no garantizamos que los adjuntos estén libres de virus.