

Thursby, Kim

From: Schoepke, Robert [Robert.Schoepke@safety-kleen.com]
Sent: Tuesday, September 13, 2011 1:50 PM
To: Epost HWRS
Subject: RE: Safety-Kleen Systems, Inc.-Medley; FLD 984 171 694, Remedial Action Status Report, Safety-Kleen Systems, Inc., Medley, Florida dated August 4, 2011

Document received.

From: Epost HWRS [<mailto:EpostHWRS@dep.state.fl.us>]
Sent: Tuesday, September 13, 2011 10:44 AM
To: Schoepke, Robert
Cc: Bahr, Tim; Curtis, Jeff; Kantor, Karen E.; RStebnisky@ectinc.com; Winston, Kathy; Russell, Merlin; Tripp, Anthony
Subject: Safety-Kleen Systems, Inc.-Medley; FLD 984 171 694, Remedial Action Status Report, Safety-Kleen Systems, Inc., Medley, Florida dated August 4, 2011

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Regulation Section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to epost_hwrs@dep.state.fl.us. (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at www.adobe.com/products/acrobat/readstep2.html.

Please note that our documents are sent virus free. However, if you use Norton Anti-virus software, a warning may appear when attempting to open the document. Please disregard this warning.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Tim Bahr
Environmental Administrator
Hazardous Waste Regulation
Department of Environmental Protection
E-Mail Address: epost_hwrs@dep.state.fl.us

Please take a few minutes to share your comments on the service you received from the department by clicking on this link [DEP Customer Survey](#).



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Jennifer Carroll
Lt. Governor

Herschel T. Vinyard Jr.
Secretary

September 13, 2011

SENT VIA E-MAIL

Robert.Schoepke@safety-kleen.com

Attn: Mr. Bob Schoepke
Safety-Kleen Systems, Inc.
1502 East Villa Street, 2nd Floor
Elgin, Illinois 60120

Re: Safety-Kleen Systems, Inc. FLD 984 171 694, Operating Permit 56019/HO/006, *First Remedial Action Status Report, Safety-Kleen Systems, Inc., Medley, Florida* dated August 4, 2011

Dear Mr. Schoepke:

The Remedial Action Status Report referenced above is acceptable.

You notified us on June 10 of the sampling scheduled for June 21. It would be good to include the date of notification in future reports to memorialize this activity for permit compliance purposes. The subject report was received August 5, 2011, within the 180 days after permit issuance (the modification was issued February 9, 2011).

Section 5.3 of the RAP indicates submittal of the as-builts 120 days after initiating operation of active remediation. Active remediation began June 28, 2011. As-builts are due no later than October 26, 2011. Estimated time of completion is approximately December 28, 2012 (547 days).


The second and third quarterly sampling events must occur in September and December 2011. The report for these two events is due no later than February 29, 2012.

As previously mentioned in my September 2, 2010 comments only *one* hard copy of the Remedial Action Status Report (RASR) is needed.

As always, if you have questions, please feel free to contact me at (850) 245-8796 or e-mail me at merlin.russell@dep.state.fl.us.

Mr. Bob Schoepke
September 13, 2011
Page 2 of 2

Sincerely,

A handwritten signature in black ink, appearing to read "Merlin Russell", with a long horizontal flourish extending to the right.

Merlin D. Russell Jr., Professional Geologist II
Hazardous Waste Regulation

MR/mdr

e-mailed to:

Jeff Curtis, Safety-Kleen, Jeff.Curtis@safety-kleen.com
Karen Kantor, FDEP WPB, Karen.E.Kantor@dep.state.fl.us
Rick Stebnisky, ECT, RStebnisky@ectinc.com
Kathy Winston, FDEP WPB, Kathy.Winston@dep.state.fl.us