

Thursby, Kim

From: Patricia Shafer [PShafer@scrprecision.com]
Sent: Thursday, November 17, 2011 3:29 PM
To: Epost HWRS
Subject: RE: Safety-Kleen Systems, Inc. FLD 980 847 271,

Received email.

From: Epost HWRS [<mailto:EpostHWRS@dep.state.fl.us>]
Sent: Thursday, November 17, 2011 1:40 PM
To: Patricia Shafer
Cc: Bahr, Tim; Coates, John; Jeff.Curtis@Safety-Kleen.com; Dregne, James; Honey, Kelly; Russell, Merlin; Tripp, Anthony
Subject: Safety-Kleen Systems, Inc. FLD 980 847 271,

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Regulation Section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to epost_hwrs@dep.state.fl.us. (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at www.adobe.com/products/acrobat/readstep2.html.

Please note that our documents are sent virus free. However, if you use Norton Anti-virus software, a warning may appear when attempting to open the document. Please disregard this warning.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Tim Bahr
Environmental Administrator
Hazardous Waste Regulation
Department of Environmental Protection
E-Mail Address: epost_hwrs@dep.state.fl.us

Please take a few minutes to share your comments on the service you received from the department by clicking on this link. [DEP Customer Survey](#).



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Jennifer Carroll
Lt. Governor

Herschel T. Vinyard Jr.
Secretary

November 17, 2011

Sent Via Email

PShafer@scrprecision.com

Patricia M. Shafer
President
SCR Precision Tube Bending, Inc.
5407 24th Ave. South
Tampa, Florida 33619

**Subject: Safety-Kleen Systems, Inc. FLD 980 847 271, Operating Permit No. 34744-
HO-005, Hillsborough County**

Dear Ms. Shafer:

As a followup to our discussion today, we are currently unaware of any existing contamination at the Safety Kleen facility located at 5309 24th Avenue South in Tampa.

If you have any questions, please call me at 850-245-8796 or
merlin.russell@dep.state.fl.us

Sincerely,

Merlin D. Russell Jr.
Professional Geologist II
Hazardous Waste Regulation

MR/mdr

cc via e-mail:

Jeff Curtis, Safety-Kleen Systems, Inc. Jeff.Curtis@safety-kleen.com

Jim Dregne, FDEP Tampa, James.Dregne@dep.state.fl.us

Kelly Honey, DEP Tampa, Kelly.Honey@dep.state.fl.us