

Thursby, Kim

From: Curtis, Jeff [Jeff.Curtis@safety-kleen.com]
Sent: Tuesday, January 17, 2012 4:16 PM
To: Epost HWRS
Subject: RE: Safety-Kleen Systems, Inc.-Tampa;FLD 980 847 271;SWMU-21 Sampling and Analysis Plan dated January 12, 2012

Received.

Thanks,

Jeff Curtis
EHS Manager, Florida
Safety-Kleen Systems, Inc.
Office: (561) 738-3026
Cell: (561) 523-4719
Fax: (561) 731-1696
jeff.curtis@safety-kleen.com
www.safety-kleen.com

From: Epost HWRS [<mailto:EpostHWRS@dep.state.fl.us>]
Sent: Tuesday, January 17, 2012 7:57 AM
To: Curtis, Jeff
Cc: Bahr, Tim; Coates, John; Dregne, James; Honey, Kelly; Knauss, Elizabeth; Schoepke, Robert; RStebnisky@ectinc.com; Russell, Merlin; Tripp, Anthony
Subject: Safety-Kleen Systems, Inc.-Tampa;FLD 980 847 271;SWMU-21 Sampling and Analysis Plan dated January 12, 2012

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Regulation Section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to epost_hwrs@dep.state.fl.us. (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at www.adobe.com/products/acrobat/readstep2.html.

Please note that our documents are sent virus free. However, if you use Norton Anti-virus software, a warning may appear when attempting to open the document. Please disregard this warning.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Tim Bahr

Environmental Administrator
Hazardous Waste Regulation
Department of Environmental Protection
E-Mail Address: epost_hwrs@dep.state.fl.us

Please take a few minutes to share your comments on the service you received from the department by clicking on this link [DEP Customer Survey](#).



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Jennifer Carroll
Lt. Governor

Herschel T. Vinyard Jr.
Secretary

January 17, 2012

Sent Via E-mail

Jeff.Curtis@safety-kleen.com

Mr. Jeff Curtis
Safety-Kleen Systems, Inc.
5309 24th Avenue South
Tampa, Florida 33619

Subject: Safety-Kleen Systems, Inc. FLD 980 847 271, Operating Permit No. 34744-HO-005,
SWMU-21 *Sampling and Analysis Plan* dated January 12, 2012

Dear Mr. Curtis:

Your Sampling and Analysis Plan (SAP) is acceptable. On another note, I'd like to remind you of a number of items:

- ✚ Continue to keep Jim Dregne and Merlin Russell noticed as field activities are scheduled (Subsection 62-780.220(1), F.A.C.). E-mail notifications are acceptable.
- ✚ If offsite contamination is discovered, you will need to provide notices (Subsection 62-780.220(2), F.A.C.).
- ✚ If continued groundwater monitoring will be required, the WACS tables will need to be completed and sent to us.
- ✚ After the initial data are received, I will be more than willing to discuss the need for additional assessment if the data are borderline (slightly above or below Cleanup Target Levels).
- ✚ As stated in my January 4, 2012 letter, I'll also be happy to discuss the exclusion of certain Site Assessment Report (SAR) requirements that may not be applicable or appropriate for this site.
- ✚ If your SAR recommends an NFA, you must ensure that detection limits are equal to or less than the state's GCTLs and SCTLs.

As previously stated in my January 4, 2012 letter, the SAR is therefore due no later than September 3, 2012 (September 1 falls on a Saturday).

Mr. Jeff Curtis
Page 2 of 2
January 17, 2012

If you have any questions, please call me at 850-245-8796 or merlin.russell@dep.state.fl.us

Sincerely,

A handwritten signature in black ink, appearing to read "Merlin D. Russell Jr.", with a horizontal line extending to the right.

Merlin D. Russell Jr.
Professional Geologist II
Hazardous Waste Regulation

MR/mdr

cc via e-mail:

Jim Dregne, FDEP Tampa, James.Dregne@dep.state.fl.us
Kelly Honey, FDEP Tampa, Kelly.Honey@dep.state.fl.us
Beth Knauss, FDEP Tampa, Elizabeth.Knauss@dep.state.fl.us
Bob Schoepke, Safety Kleen, Robert.Schoepke@safety-kleen.com
Rick Stebnisky, ECT, RStebnisky@ectinc.com