



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Laboratory Report

Prepared For:

**Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin, IL 60120**

Attention: Mr. Bob Schoepke

Report Number: AVB0687

March 06, 2012

Project: Medley, FL

Project #:FLD984171694

We appreciate the opportunity to provide the analytical support for your project. The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Approved:


Project Manager

This report may not be reproduced, except in full, without written approval from Analytical Services, Inc. Analytical Services, Inc. certifies that the following analytical results meet all requirements of the National Environmental Laboratory Accreditation Conference(NELAC).
All test results relate only to the samples analyzed.



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-7 022112	AVB0687-01	Ground Water	02/21/12 11:18	02/23/12 09:10
MW-8 022112	AVB0687-02	Ground Water	02/21/12 11:36	02/23/12 09:10
MW-2R 022112	AVB0687-03	Ground Water	02/21/12 12:25	02/23/12 09:10
MW-3 022112	AVB0687-04	Ground Water	02/21/12 12:30	02/23/12 09:10
MW-6 022112	AVB0687-05	Ground Water	02/21/12 13:00	02/23/12 09:10
MW-4D 022112	AVB0687-06	Ground Water	02/21/12 13:58	02/23/12 09:10
MW-4 022112	AVB0687-07	Ground Water	02/21/12 14:13	02/23/12 09:10
MW-5 022112	AVB0687-08	Ground Water	02/21/12 14:28	02/23/12 09:10
MW-5D 022112	AVB0687-09	Ground Water	02/21/12 14:42	02/23/12 09:10
MW-1 022112	AVB0687-10	Ground Water	02/21/12 15:06	02/23/12 09:10
Trip Blank	AVB0687-11	Water	02/21/12 00:00	02/23/12 09:10



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-7 022112

Lab Number ID: AVB0687-01

Date/Time Sampled: 2/21/2012 11:18:00AM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
Acetone	ND	100	3.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Acrolein	ND	50	2.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Acrylonitrile	ND	50	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Allyl Chloride (3-Chloropropylene)	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Benzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Bromobenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Bromochloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Bromodichloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Bromoform	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Bromomethane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
n-Butylbenzene	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
sec-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
tert-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Carbon Disulfide	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Carbon Tetrachloride	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Chlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1-Chlorobutane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Chloroethane	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
2-Chloroethyl Vinyl Ether	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Chloroform	ND	2.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Chloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
2-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
4-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Dibromochloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,2-Dibromoethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Dibromomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,2-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,3-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,4-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
trans-1,4-Dichloro-2-butene	ND	5.0	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Dichlorodifluoromethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-7 022112

Lab Number ID: AVB0687-01

Date/Time Sampled: 2/21/2012 11:18:00AM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1-Dichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,2-Dichloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,1-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
cis-1,2-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
trans-1,2-Dichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,2-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,3-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
2,2-Dichloropropane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,1-Dichloropropene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
cis-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
trans-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Ethylbenzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Ethyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Hexachlorobutadiene	ND	2.0	1.0	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
p-Isopropyltoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Hexachloroethane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Iodomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Isopropylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Methacrylonitrile	ND	10	1.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Methyl Acrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Methyl Butyl Ketone (2-Hexanone)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Methylene Chloride	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Methyl Ethyl Ketone (2-Butanone)	ND	100	1.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Methyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
4-Methyl-2-pentanone (MIBK)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Methyl-tert-Butyl Ether	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Naphthalene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
2-Nitropropane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Propionitrile (Ethyl Cyanide)	ND	20	1.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
n-Propylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Styrene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,1,1,2-Tetrachloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-7 022112

Lab Number ID: AVB0687-01

Date/Time Sampled: 2/21/2012 11:18:00AM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1,2,2-Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Toluene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,2,3-Trichlorobenzene	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,2,4-Trichlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,1,1-Trichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,1,2-Trichloroethane	ND	2.0	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Trichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Trichlorofluoromethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,2,3-Trichloropropane	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,2,4-Trimethylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
1,3,5-Trimethylbenzene	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Vinyl Acetate	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Vinyl Chloride	ND	1.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
m+p-Xylene	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
o-Xylene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Xylenes, total	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:56	2020712 GCN	
Surrogate: Dibromofluoromethane	98 %		75-123		EPA 8260B			02/24/12 15:00	02/24/12 16:56	2020712	
Surrogate: 1,2-Dichloroethane-d4	96 %		72-120		EPA 8260B			02/24/12 15:00	02/24/12 16:56	2020712	
Surrogate: Toluene-d8	94 %		75-120		EPA 8260B			02/24/12 15:00	02/24/12 16:56	2020712	
Surrogate: 4-Bromofluorobenzene	98 %		80-120		EPA 8260B			02/24/12 15:00	02/24/12 16:56	2020712	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-8 022112

Lab Number ID: AVB0687-02

Date/Time Sampled: 2/21/2012 11:36:00AM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
Acetone	ND	100	3.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Acrolein	ND	50	2.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Acrylonitrile	ND	50	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Allyl Chloride (3-Chloropropylene)	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Benzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Bromobenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Bromochloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Bromodichloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Bromoform	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Bromomethane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
n-Butylbenzene	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
sec-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
tert-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Carbon Disulfide	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Carbon Tetrachloride	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Chlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1-Chlorobutane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Chloroethane	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
2-Chloroethyl Vinyl Ether	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Chloroform	ND	2.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Chloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
2-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
4-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Dibromochloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,2-Dibromoethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Dibromomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,2-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,3-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,4-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
trans-1,4-Dichloro-2-butene	ND	5.0	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Dichlorodifluoromethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-8 022112

Lab Number ID: AVB0687-02

Date/Time Sampled: 2/21/2012 11:36:00AM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1-Dichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,2-Dichloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,1-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
cis-1,2-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
trans-1,2-Dichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,2-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,3-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
2,2-Dichloropropane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,1-Dichloropropene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
cis-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
trans-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Ethylbenzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Ethyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Hexachlorobutadiene	ND	2.0	1.0	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
p-Isopropyltoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Hexachloroethane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Iodomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Isopropylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Methacrylonitrile	ND	10	1.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Methyl Acrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Methyl Butyl Ketone (2-Hexanone)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Methylene Chloride	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Methyl Ethyl Ketone (2-Butanone)	ND	100	1.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Methyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
4-Methyl-2-pentanone (MIBK)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Methyl-tert-Butyl Ether	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Naphthalene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
2-Nitropropane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Propionitrile (Ethyl Cyanide)	ND	20	1.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
n-Propylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Styrene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,1,1,2-Tetrachloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-8 022112

Lab Number ID: AVB0687-02

Date/Time Sampled: 2/21/2012 11:36:00AM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1,2,2-Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Toluene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,2,3-Trichlorobenzene	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,2,4-Trichlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,1,1-Trichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,1,2-Trichloroethane	ND	2.0	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Trichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Trichlorofluoromethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,2,3-Trichloropropane	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,2,4-Trimethylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
1,3,5-Trimethylbenzene	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Vinyl Acetate	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Vinyl Chloride	ND	1.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
m+p-Xylene	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
o-Xylene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Xylenes, total	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:25	2020712 GCN	
Surrogate: Dibromofluoromethane	98 %		75-123		EPA 8260B			02/24/12 15:00	02/24/12 17:25	2020712	
Surrogate: 1,2-Dichloroethane-d4	96 %		72-120		EPA 8260B			02/24/12 15:00	02/24/12 17:25	2020712	
Surrogate: Toluene-d8	94 %		75-120		EPA 8260B			02/24/12 15:00	02/24/12 17:25	2020712	
Surrogate: 4-Bromofluorobenzene	98 %		80-120		EPA 8260B			02/24/12 15:00	02/24/12 17:25	2020712	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-2R 022112

Lab Number ID: AVB0687-03

Date/Time Sampled: 2/21/2012 12:25:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
Acetone	ND	100	3.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Acrolein	ND	50	2.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Acrylonitrile	ND	50	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Allyl Chloride (3-Chloropropylene)	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Benzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Bromobenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Bromochloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Bromodichloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Bromoform	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Bromomethane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
n-Butylbenzene	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
sec-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
tert-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Carbon Disulfide	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Carbon Tetrachloride	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Chlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1-Chlorobutane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Chloroethane	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
2-Chloroethyl Vinyl Ether	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Chloroform	ND	2.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Chloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
2-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
4-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Dibromochloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,2-Dibromoethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Dibromomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,2-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,3-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,4-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
trans-1,4-Dichloro-2-butene	ND	5.0	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Dichlorodifluoromethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-2R 022112

Lab Number ID: AVB0687-03

Date/Time Sampled: 2/21/2012 12:25:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1-Dichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,2-Dichloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,1-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
cis-1,2-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
trans-1,2-Dichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,2-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,3-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
2,2-Dichloropropane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,1-Dichloropropene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
cis-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
trans-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Ethylbenzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Ethyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Hexachlorobutadiene	ND	2.0	1.0	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
p-Isopropyltoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Hexachloroethane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Iodomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Isopropylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Methacrylonitrile	ND	10	1.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Methyl Acrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Methyl Butyl Ketone (2-Hexanone)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Methylene Chloride	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Methyl Ethyl Ketone (2-Butanone)	ND	100	1.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Methyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
4-Methyl-2-pentanone (MIBK)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Methyl-tert-Butyl Ether	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Naphthalene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
2-Nitropropane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Propionitrile (Ethyl Cyanide)	ND	20	1.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
n-Propylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Styrene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,1,1,2-Tetrachloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-2R 022112

Lab Number ID: AVB0687-03

Date/Time Sampled: 2/21/2012 12:25:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1,2,2-Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Tetrachloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Toluene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,2,3-Trichlorobenzene	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,2,4-Trichlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,1,1-Trichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,1,2-Trichloroethane	ND	2.0	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Trichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Trichlorofluoromethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,2,3-Trichloropropane	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,2,4-Trimethylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
1,3,5-Trimethylbenzene	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Vinyl Acetate	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Vinyl Chloride	ND	1.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
m+p-Xylene	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
o-Xylene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Xylenes, total	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 17:54	2020712 GCN	
Surrogate: Dibromofluoromethane	99 %		75-123		EPA 8260B			02/24/12 15:00	02/24/12 17:54	2020712	
Surrogate: 1,2-Dichloroethane-d4	97 %		72-120		EPA 8260B			02/24/12 15:00	02/24/12 17:54	2020712	
Surrogate: Toluene-d8	94 %		75-120		EPA 8260B			02/24/12 15:00	02/24/12 17:54	2020712	
Surrogate: 4-Bromofluorobenzene	98 %		80-120		EPA 8260B			02/24/12 15:00	02/24/12 17:54	2020712	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-3 022112

Lab Number ID: AVB0687-04

Date/Time Sampled: 2/21/2012 12:30:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
Acetone	ND	100	3.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Acrolein	ND	50	2.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Acrylonitrile	ND	50	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Allyl Chloride (3-Chloropropylene)	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Benzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Bromobenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Bromochloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Bromodichloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Bromoform	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Bromomethane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
n-Butylbenzene	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
sec-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
tert-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Carbon Disulfide	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Carbon Tetrachloride	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Chlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1-Chlorobutane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Chloroethane	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
2-Chloroethyl Vinyl Ether	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Chloroform	ND	2.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Chloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
2-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
4-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Dibromochloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,2-Dibromoethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Dibromomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,2-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,3-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,4-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
trans-1,4-Dichloro-2-butene	ND	5.0	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Dichlorodifluoromethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-3 022112

Lab Number ID: AVB0687-04

Date/Time Sampled: 2/21/2012 12:30:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1-Dichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,2-Dichloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,1-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
cis-1,2-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
trans-1,2-Dichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,2-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,3-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
2,2-Dichloropropane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,1-Dichloropropene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
cis-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
trans-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Ethylbenzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Ethyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Hexachlorobutadiene	ND	2.0	1.0	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
p-Isopropyltoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Hexachloroethane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Iodomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Isopropylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Methacrylonitrile	ND	10	1.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Methyl Acrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Methyl Butyl Ketone (2-Hexanone)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Methylene Chloride	0.7	5.0	0.6	ug/L	EPA 8260B	J	1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Methyl Ethyl Ketone (2-Butanone)	ND	100	1.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Methyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
4-Methyl-2-pentanone (MIBK)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Methyl-tert-Butyl Ether	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Naphthalene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
2-Nitropropane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Propionitrile (Ethyl Cyanide)	ND	20	1.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
n-Propylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Styrene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,1,1,2-Tetrachloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-3 022112

Lab Number ID: AVB0687-04

Date/Time Sampled: 2/21/2012 12:30:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1,2,2-Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Tetrachloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Toluene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,2,3-Trichlorobenzene	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,2,4-Trichlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,1,1-Trichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,1,2-Trichloroethane	ND	2.0	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Trichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Trichlorofluoromethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,2,3-Trichloropropane	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,2,4-Trimethylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
1,3,5-Trimethylbenzene	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Vinyl Acetate	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Vinyl Chloride	ND	1.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
m+p-Xylene	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
o-Xylene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Xylenes, total	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:23	2020712 GCN	
Surrogate: Dibromofluoromethane	100 %		75-123		EPA 8260B			02/24/12 15:00	02/24/12 18:23	2020712	
Surrogate: 1,2-Dichloroethane-d4	97 %		72-120		EPA 8260B			02/24/12 15:00	02/24/12 18:23	2020712	
Surrogate: Toluene-d8	94 %		75-120		EPA 8260B			02/24/12 15:00	02/24/12 18:23	2020712	
Surrogate: 4-Bromofluorobenzene	97 %		80-120		EPA 8260B			02/24/12 15:00	02/24/12 18:23	2020712	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-6 022112

Lab Number ID: AVB0687-05

Date/Time Sampled: 2/21/2012 1:00:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
Acetone	ND	100	3.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Acrolein	ND	50	2.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Acrylonitrile	ND	50	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Allyl Chloride (3-Chloropropylene)	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Benzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Bromobenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Bromochloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Bromodichloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Bromoform	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Bromomethane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
n-Butylbenzene	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
sec-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
tert-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Carbon Disulfide	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Carbon Tetrachloride	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Chlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1-Chlorobutane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Chloroethane	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
2-Chloroethyl Vinyl Ether	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Chloroform	ND	2.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Chloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
2-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
4-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Dibromochloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,2-Dibromoethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Dibromomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,2-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,3-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,4-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
trans-1,4-Dichloro-2-butene	ND	5.0	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Dichlorodifluoromethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-6 022112

Lab Number ID: AVB0687-05

Date/Time Sampled: 2/21/2012 1:00:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1-Dichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,2-Dichloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,1-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
cis-1,2-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
trans-1,2-Dichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,2-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,3-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
2,2-Dichloropropane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,1-Dichloropropene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
cis-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
trans-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Ethylbenzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Ethyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Hexachlorobutadiene	ND	2.0	1.0	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
p-Isopropyltoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Hexachloroethane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Iodomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Isopropylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Methacrylonitrile	ND	10	1.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Methyl Acrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Methyl Butyl Ketone (2-Hexanone)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Methylene Chloride	0.7	5.0	0.6	ug/L	EPA 8260B	J	1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Methyl Ethyl Ketone (2-Butanone)	ND	100	1.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Methyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
4-Methyl-2-pentanone (MIBK)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Methyl-tert-Butyl Ether	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Naphthalene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
2-Nitropropane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Propionitrile (Ethyl Cyanide)	ND	20	1.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
n-Propylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Styrene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,1,1,2-Tetrachloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-6 022112

Lab Number ID: AVB0687-05

Date/Time Sampled: 2/21/2012 1:00:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1,2,2-Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Toluene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,2,3-Trichlorobenzene	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,2,4-Trichlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,1,1-Trichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,1,2-Trichloroethane	ND	2.0	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Trichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Trichlorofluoromethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,2,3-Trichloropropane	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,2,4-Trimethylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
1,3,5-Trimethylbenzene	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Vinyl Acetate	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Vinyl Chloride	ND	1.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
m+p-Xylene	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
o-Xylene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Xylenes, total	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 18:53	2020712 GCN	
Surrogate: Dibromofluoromethane	100 %		75-123		EPA 8260B			02/24/12 15:00	02/24/12 18:53	2020712	
Surrogate: 1,2-Dichloroethane-d4	99 %		72-120		EPA 8260B			02/24/12 15:00	02/24/12 18:53	2020712	
Surrogate: Toluene-d8	94 %		75-120		EPA 8260B			02/24/12 15:00	02/24/12 18:53	2020712	
Surrogate: 4-Bromofluorobenzene	98 %		80-120		EPA 8260B			02/24/12 15:00	02/24/12 18:53	2020712	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-4D 022112

Lab Number ID: AVB0687-06

Date/Time Sampled: 2/21/2012 1:58:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
Acetone	ND	100	3.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Acrolein	ND	50	2.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Acrylonitrile	ND	50	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Allyl Chloride (3-Chloropropylene)	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Benzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Bromobenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Bromochloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Bromodichloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Bromoform	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Bromomethane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
n-Butylbenzene	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
sec-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
tert-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Carbon Disulfide	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Carbon Tetrachloride	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Chlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1-Chlorobutane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Chloroethane	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
2-Chloroethyl Vinyl Ether	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Chloroform	ND	2.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Chloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
2-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
4-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Dibromochloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,2-Dibromoethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Dibromomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,2-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,3-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,4-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
trans-1,4-Dichloro-2-butene	ND	5.0	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Dichlorodifluoromethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-4D 022112

Lab Number ID: AVB0687-06

Date/Time Sampled: 2/21/2012 1:58:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1-Dichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,2-Dichloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,1-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
cis-1,2-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
trans-1,2-Dichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,2-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,3-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
2,2-Dichloropropane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,1-Dichloropropene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
cis-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
trans-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Ethylbenzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Ethyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Hexachlorobutadiene	ND	2.0	1.0	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
p-Isopropyltoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Hexachloroethane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Iodomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Isopropylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Methacrylonitrile	ND	10	1.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Methyl Acrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Methyl Butyl Ketone (2-Hexanone)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Methylene Chloride	0.8	5.0	0.6	ug/L	EPA 8260B	J	1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Methyl Ethyl Ketone (2-Butanone)	ND	100	1.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Methyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
4-Methyl-2-pentanone (MIBK)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Methyl-tert-Butyl Ether	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Naphthalene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
2-Nitropropane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Propionitrile (Ethyl Cyanide)	ND	20	1.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
n-Propylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Styrene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,1,1,2-Tetrachloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-4D 022112

Lab Number ID: AVB0687-06

Date/Time Sampled: 2/21/2012 1:58:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1,2,2-Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Tetrachloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Toluene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,2,3-Trichlorobenzene	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,2,4-Trichlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,1,1-Trichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,1,2-Trichloroethane	ND	2.0	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Trichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Trichlorofluoromethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,2,3-Trichloropropane	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,2,4-Trimethylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
1,3,5-Trimethylbenzene	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Vinyl Acetate	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Vinyl Chloride	ND	1.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
m+p-Xylene	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
o-Xylene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Xylenes, total	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:22	2020712 GCN	
Surrogate: Dibromofluoromethane	98 %		75-123		EPA 8260B			02/24/12 15:00	02/24/12 19:22	2020712	
Surrogate: 1,2-Dichloroethane-d4	97 %		72-120		EPA 8260B			02/24/12 15:00	02/24/12 19:22	2020712	
Surrogate: Toluene-d8	94 %		75-120		EPA 8260B			02/24/12 15:00	02/24/12 19:22	2020712	
Surrogate: 4-Bromofluorobenzene	97 %		80-120		EPA 8260B			02/24/12 15:00	02/24/12 19:22	2020712	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-4 022112

Lab Number ID: AVB0687-07

Date/Time Sampled: 2/21/2012 2:13:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
Acetone	ND	100	3.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Acrolein	ND	50	2.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Acrylonitrile	ND	50	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Allyl Chloride (3-Chloropropylene)	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Benzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Bromobenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Bromochloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Bromodichloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Bromoform	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Bromomethane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
n-Butylbenzene	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
sec-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
tert-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Carbon Disulfide	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Carbon Tetrachloride	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Chlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1-Chlorobutane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Chloroethane	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
2-Chloroethyl Vinyl Ether	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Chloroform	ND	2.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Chloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
2-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
4-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Dibromochloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,2-Dibromoethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Dibromomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,2-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,3-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,4-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
trans-1,4-Dichloro-2-butene	ND	5.0	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Dichlorodifluoromethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-4 022112

Lab Number ID: AVB0687-07

Date/Time Sampled: 2/21/2012 2:13:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1-Dichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,2-Dichloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,1-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
cis-1,2-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
trans-1,2-Dichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,2-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,3-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
2,2-Dichloropropane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,1-Dichloropropene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
cis-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
trans-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Ethylbenzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Ethyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Hexachlorobutadiene	ND	2.0	1.0	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
p-Isopropyltoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Hexachloroethane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Iodomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Isopropylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Methacrylonitrile	ND	10	1.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Methyl Acrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Methyl Butyl Ketone (2-Hexanone)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Methylene Chloride	0.6	5.0	0.6	ug/L	EPA 8260B	J	1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Methyl Ethyl Ketone (2-Butanone)	ND	100	1.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Methyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
4-Methyl-2-pentanone (MIBK)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Methyl-tert-Butyl Ether	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Naphthalene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
2-Nitropropane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Propionitrile (Ethyl Cyanide)	ND	20	1.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
n-Propylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Styrene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,1,1,2-Tetrachloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-4 022112

Lab Number ID: AVB0687-07

Date/Time Sampled: 2/21/2012 2:13:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1,2,2-Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Tetrachloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Toluene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,2,3-Trichlorobenzene	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,2,4-Trichlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,1,1-Trichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,1,2-Trichloroethane	ND	2.0	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Trichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Trichlorofluoromethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,2,3-Trichloropropane	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,2,4-Trimethylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
1,3,5-Trimethylbenzene	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Vinyl Acetate	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Vinyl Chloride	ND	1.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
m+p-Xylene	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
o-Xylene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Xylenes, total	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 19:51	2020712 GCN	
Surrogate: Dibromofluoromethane	100 %		75-123		EPA 8260B			02/24/12 15:00	02/24/12 19:51	2020712	
Surrogate: 1,2-Dichloroethane-d4	98 %		72-120		EPA 8260B			02/24/12 15:00	02/24/12 19:51	2020712	
Surrogate: Toluene-d8	94 %		75-120		EPA 8260B			02/24/12 15:00	02/24/12 19:51	2020712	
Surrogate: 4-Bromofluorobenzene	98 %		80-120		EPA 8260B			02/24/12 15:00	02/24/12 19:51	2020712	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-5 022112

Lab Number ID: AVB0687-08

Date/Time Sampled: 2/21/2012 2:28:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
Acetone	ND	100	3.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Acrolein	ND	50	2.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Acrylonitrile	ND	50	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Allyl Chloride (3-Chloropropylene)	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Benzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Bromobenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Bromochloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Bromodichloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Bromoform	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Bromomethane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
n-Butylbenzene	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
sec-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
tert-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Carbon Disulfide	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Carbon Tetrachloride	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Chlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
1-Chlorobutane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Chloroethane	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
2-Chloroethyl Vinyl Ether	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Chloroform	ND	2.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Chloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
2-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
4-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Dibromochloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
1,2-Dibromoethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Dibromomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
1,2-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
1,3-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
1,4-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
trans-1,4-Dichloro-2-butene	ND	5.0	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Dichlorodifluoromethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-5 022112

Lab Number ID: AVB0687-08

Date/Time Sampled: 2/21/2012 2:28:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1-Dichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
1,2-Dichloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
1,1-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
cis-1,2-Dichloroethene	2.2	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
trans-1,2-Dichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
1,2-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
1,3-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
2,2-Dichloropropane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
1,1-Dichloropropene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
cis-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
trans-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Ethylbenzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Ethyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Hexachlorobutadiene	ND	2.0	1.0	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
p-Isopropyltoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Hexachloroethane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Iodomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Isopropylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Methacrylonitrile	ND	10	1.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Methyl Acrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Methyl Butyl Ketone (2-Hexanone)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Methylene Chloride	0.8	5.0	0.6	ug/L	EPA 8260B	J	1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Methyl Ethyl Ketone (2-Butanone)	ND	100	1.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Methyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
4-Methyl-2-pentanone (MIBK)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Methyl-tert-Butyl Ether	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Naphthalene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
2-Nitropropane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Propionitrile (Ethyl Cyanide)	ND	20	1.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
n-Propylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
Styrene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	
1,1,1,2-Tetrachloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-5 022112

Lab Number ID: AVB0687-08

Date/Time Sampled: 2/21/2012 2:28:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1,2,2-Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
Tetrachloroethene	2.0	2.0	0.4	ug/L	EPA 8260B	J	1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
Toluene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
1,2,3-Trichlorobenzene	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
1,2,4-Trichlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
1,1,1-Trichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
1,1,2-Trichloroethane	ND	2.0	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
Trichloroethene	1.5	2.0	0.3	ug/L	EPA 8260B	J	1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
Trichlorofluoromethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
1,2,3-Trichloropropane	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
1,2,4-Trimethylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
1,3,5-Trimethylbenzene	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
Vinyl Acetate	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
Vinyl Chloride	ND	1.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
m+p-Xylene	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
o-Xylene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
Xylenes, total	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:21	2020712	GCN
Surrogate: Dibromofluoromethane	101 %		75-123		EPA 8260B			02/24/12 15:00	02/24/12 20:21	2020712	
Surrogate: 1,2-Dichloroethane-d4	99 %		72-120		EPA 8260B			02/24/12 15:00	02/24/12 20:21	2020712	
Surrogate: Toluene-d8	95 %		75-120		EPA 8260B			02/24/12 15:00	02/24/12 20:21	2020712	
Surrogate: 4-Bromofluorobenzene	97 %		80-120		EPA 8260B			02/24/12 15:00	02/24/12 20:21	2020712	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-5D 022112

Lab Number ID: AVB0687-09

Date/Time Sampled: 2/21/2012 2:42:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
Acetone	ND	100	3.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Acrolein	ND	50	2.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Acrylonitrile	ND	50	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Allyl Chloride (3-Chloropropylene)	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Benzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Bromobenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Bromochloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Bromodichloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Bromoform	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Bromomethane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
n-Butylbenzene	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
sec-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
tert-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Carbon Disulfide	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Carbon Tetrachloride	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Chlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1-Chlorobutane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Chloroethane	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
2-Chloroethyl Vinyl Ether	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Chloroform	ND	2.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Chloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
2-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
4-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Dibromochloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,2-Dibromoethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Dibromomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,2-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,3-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,4-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
trans-1,4-Dichloro-2-butene	ND	5.0	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Dichlorodifluoromethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-5D 022112

Lab Number ID: AVB0687-09

Date/Time Sampled: 2/21/2012 2:42:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1-Dichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,2-Dichloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,1-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
cis-1,2-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
trans-1,2-Dichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,2-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,3-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
2,2-Dichloropropane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,1-Dichloropropene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
cis-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
trans-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Ethylbenzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Ethyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Hexachlorobutadiene	ND	2.0	1.0	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
p-Isopropyltoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Hexachloroethane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Iodomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Isopropylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Methacrylonitrile	ND	10	1.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Methyl Acrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Methyl Butyl Ketone (2-Hexanone)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Methylene Chloride	0.7	5.0	0.6	ug/L	EPA 8260B	J	1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Methyl Ethyl Ketone (2-Butanone)	ND	100	1.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Methyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
4-Methyl-2-pentanone (MIBK)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Methyl-tert-Butyl Ether	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Naphthalene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
2-Nitropropane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Propionitrile (Ethyl Cyanide)	ND	20	1.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
n-Propylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Styrene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,1,1,2-Tetrachloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-5D 022112

Lab Number ID: AVB0687-09

Date/Time Sampled: 2/21/2012 2:42:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1,2,2-Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Tetrachloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Toluene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,2,3-Trichlorobenzene	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,2,4-Trichlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,1,1-Trichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,1,2-Trichloroethane	ND	2.0	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Trichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Trichlorofluoromethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,2,3-Trichloropropane	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,2,4-Trimethylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
1,3,5-Trimethylbenzene	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Vinyl Acetate	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Vinyl Chloride	ND	1.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
m+p-Xylene	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
o-Xylene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Xylenes, total	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 20:50	2020712 GCN	
Surrogate: Dibromofluoromethane	100 %		75-123		EPA 8260B			02/24/12 15:00	02/24/12 20:50	2020712	
Surrogate: 1,2-Dichloroethane-d4	98 %		72-120		EPA 8260B			02/24/12 15:00	02/24/12 20:50	2020712	
Surrogate: Toluene-d8	94 %		75-120		EPA 8260B			02/24/12 15:00	02/24/12 20:50	2020712	
Surrogate: 4-Bromofluorobenzene	98 %		80-120		EPA 8260B			02/24/12 15:00	02/24/12 20:50	2020712	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-1 022112

Lab Number ID: AVB0687-10

Date/Time Sampled: 2/21/2012 3:06:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
Acetone	ND	100	3.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Acrolein	ND	50	2.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Acrylonitrile	ND	50	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Allyl Chloride (3-Chloropropylene)	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Benzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Bromobenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Bromochloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Bromodichloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Bromoform	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Bromomethane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
n-Butylbenzene	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
sec-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
tert-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Carbon Disulfide	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Carbon Tetrachloride	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Chlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1-Chlorobutane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Chloroethane	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
2-Chloroethyl Vinyl Ether	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Chloroform	ND	2.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Chloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
2-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
4-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Dibromochloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,2-Dibromoethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Dibromomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,2-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,3-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,4-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
trans-1,4-Dichloro-2-butene	ND	5.0	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Dichlorodifluoromethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-1 022112

Lab Number ID: AVB0687-10

Date/Time Sampled: 2/21/2012 3:06:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1-Dichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,2-Dichloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,1-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
cis-1,2-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
trans-1,2-Dichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,2-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,3-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
2,2-Dichloropropane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,1-Dichloropropene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
cis-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
trans-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Ethylbenzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Ethyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Hexachlorobutadiene	ND	2.0	1.0	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
p-Isopropyltoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Hexachloroethane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Iodomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Isopropylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Methacrylonitrile	ND	10	1.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Methyl Acrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Methyl Butyl Ketone (2-Hexanone)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Methylene Chloride	0.8	5.0	0.6	ug/L	EPA 8260B	J	1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Methyl Ethyl Ketone (2-Butanone)	ND	100	1.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Methyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
4-Methyl-2-pentanone (MIBK)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Methyl-tert-Butyl Ether	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Naphthalene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
2-Nitropropane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Propionitrile (Ethyl Cyanide)	ND	20	1.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
n-Propylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Styrene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,1,1,2-Tetrachloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: MW-1 022112

Lab Number ID: AVB0687-10

Date/Time Sampled: 2/21/2012 3:06:00PM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Ground Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1,2,2-Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Tetrachloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Toluene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,2,3-Trichlorobenzene	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,2,4-Trichlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,1,1-Trichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,1,2-Trichloroethane	ND	2.0	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Trichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Trichlorofluoromethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,2,3-Trichloropropane	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,2,4-Trimethylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
1,3,5-Trimethylbenzene	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Vinyl Acetate	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Vinyl Chloride	ND	1.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
m+p-Xylene	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
o-Xylene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Xylenes, total	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 21:19	2020712 GCN	
Surrogate: Dibromofluoromethane	100 %		75-123		EPA 8260B			02/24/12 15:00	02/24/12 21:19	2020712	
Surrogate: 1,2-Dichloroethane-d4	99 %		72-120		EPA 8260B			02/24/12 15:00	02/24/12 21:19	2020712	
Surrogate: Toluene-d8	94 %		75-120		EPA 8260B			02/24/12 15:00	02/24/12 21:19	2020712	
Surrogate: 4-Bromofluorobenzene	97 %		80-120		EPA 8260B			02/24/12 15:00	02/24/12 21:19	2020712	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: Trip Blank

Lab Number ID: AVB0687-11

Date/Time Sampled: 2/21/2012 12:00:00AM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
Acetone	ND	100	3.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Acrolein	ND	50	2.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Acrylonitrile	ND	50	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Allyl Chloride (3-Chloropropylene)	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Benzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Bromobenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Bromochloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Bromodichloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Bromoform	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Bromomethane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
n-Butylbenzene	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
sec-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
tert-Butylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Carbon Disulfide	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Carbon Tetrachloride	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Chlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1-Chlorobutane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Chloroethane	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
2-Chloroethyl Vinyl Ether	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Chloroform	ND	2.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Chloromethane	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
2-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
4-Chlorotoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Dibromochloromethane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,2-Dibromoethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Dibromomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,2-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,3-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,4-Dichlorobenzene	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
trans-1,4-Dichloro-2-butene	ND	5.0	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Dichlorodifluoromethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: Trip Blank

Lab Number ID: AVB0687-11

Date/Time Sampled: 2/21/2012 12:00:00AM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1-Dichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,2-Dichloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,1-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
cis-1,2-Dichloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
trans-1,2-Dichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,2-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,3-Dichloropropane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
2,2-Dichloropropane	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,1-Dichloropropene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
cis-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
trans-1,3-Dichloropropene	ND	2.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Ethylbenzene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Ethyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Hexachlorobutadiene	ND	2.0	1.0	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
p-Isopropyltoluene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Hexachloroethane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Iodomethane	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Isopropylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Methacrylonitrile	ND	10	1.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Methyl Acrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Methyl Butyl Ketone (2-Hexanone)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Methylene Chloride	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Methyl Ethyl Ketone (2-Butanone)	ND	100	1.8	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Methyl Methacrylate	ND	10	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
4-Methyl-2-pentanone (MIBK)	ND	10	1.1	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Methyl-tert-Butyl Ether	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Naphthalene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
2-Nitropropane	ND	10	1.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Propionitrile (Ethyl Cyanide)	ND	20	1.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
n-Propylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Styrene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,1,1,2-Tetrachloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Project: Medley, FL

Client ID: Trip Blank

Lab Number ID: AVB0687-11

Date/Time Sampled: 2/21/2012 12:00:00AM

Date/Time Received: 2/23/2012 9:10:00AM

Matrix: Water

Analyte	Result	RL	MDL	Units	Method	Qual.	DF	Preparation Date	Analytical Date	Batch	Init.
Volatile Organic Compounds by EPA 8260											
1,1,2,2-Tetrachloroethane	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Tetrachloroethene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Toluene	ND	2.0	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,2,3-Trichlorobenzene	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,2,4-Trichlorobenzene	ND	10	0.5	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,1,1-Trichloroethane	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,1,2-Trichloroethane	ND	2.0	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Trichloroethene	ND	2.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Trichlorofluoromethane	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,2,3-Trichloropropane	ND	10	0.7	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,2,4-Trimethylbenzene	ND	10	0.4	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
1,3,5-Trimethylbenzene	ND	10	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Vinyl Acetate	ND	10	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Vinyl Chloride	ND	1.0	0.2	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
m+p-Xylene	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
o-Xylene	ND	5.0	0.3	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Xylenes, total	ND	5.0	0.6	ug/L	EPA 8260B		1	02/24/12 15:00	02/24/12 16:27	2020712 GCN	
Surrogate: Dibromofluoromethane	99 %		75-123		EPA 8260B			02/24/12 15:00	02/24/12 16:27	2020712	
Surrogate: 1,2-Dichloroethane-d4	97 %		72-120		EPA 8260B			02/24/12 15:00	02/24/12 16:27	2020712	
Surrogate: Toluene-d8	94 %		75-120		EPA 8260B			02/24/12 15:00	02/24/12 16:27	2020712	
Surrogate: 4-Bromofluorobenzene	97 %		80-120		EPA 8260B			02/24/12 15:00	02/24/12 16:27	2020712	



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Volatile Organic Compounds by EPA 8260 - Quality Control

Analyte	Result	RL	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2020712 - EPA 5030B											
Blank (2020712-BLK1)						Prepared & Analyzed: 02/24/12					
Acetone	ND	100	3.8	ug/L							
Acrolein	ND	14	2.4	ug/L							
Acrylonitrile	ND	50	1.3	ug/L							
Allyl Chloride (3-Chloropropylene)	ND	10	0.6	ug/L							
Benzene	ND	2.0	0.3	ug/L							
Bromobenzene	ND	10	0.4	ug/L							
Bromochloromethane	ND	10	0.4	ug/L							
Bromodichloromethane	ND	10	0.2	ug/L							
Bromoform	ND	10	0.5	ug/L							
Bromomethane	ND	10	1.3	ug/L							
n-Butylbenzene	ND	10	0.2	ug/L							
sec-Butylbenzene	ND	10	0.4	ug/L							
tert-Butylbenzene	ND	10	0.4	ug/L							
Carbon Disulfide	ND	10	0.4	ug/L							
Carbon Tetrachloride	ND	2.0	0.3	ug/L							
Chlorobenzene	ND	10	0.5	ug/L							
1-Chlorobutane	ND	10	0.5	ug/L							
Chloroethane	ND	5.0	0.6	ug/L							
2-Chloroethyl Vinyl Ether	ND	10	0.6	ug/L							
Chloroform	ND	2.0	0.6	ug/L							
Chloromethane	ND	10	0.4	ug/L							
2-Chlorotoluene	ND	10	0.4	ug/L							
4-Chlorotoluene	ND	10	0.4	ug/L							
Dibromochloromethane	ND	10	0.2	ug/L							
1,2-Dibromo-3-chloropropane	ND	10	1.3	ug/L							
1,2-Dibromoethane	ND	10	0.3	ug/L							
Dibromomethane	ND	10	0.5	ug/L							
1,2-Dichlorobenzene	ND	10	0.6	ug/L							
1,3-Dichlorobenzene	ND	10	0.6	ug/L							
1,4-Dichlorobenzene	ND	10	0.6	ug/L							
trans-1,4-Dichloro-2-butene	ND	5.0	1.2	ug/L							
Dichlorodifluoromethane	ND	10	0.5	ug/L							
1,1-Dichloroethane	ND	2.0	0.3	ug/L							
1,2-Dichloroethane	ND	2.0	0.4	ug/L							
1,1-Dichloroethene	ND	2.0	0.4	ug/L							
cis-1,2-Dichloroethene	ND	2.0	0.4	ug/L							
trans-1,2-Dichloroethene	ND	2.0	0.3	ug/L							
1,2-Dichloropropane	ND	2.0	0.3	ug/L							
1,3-Dichloropropane	ND	2.0	0.3	ug/L							



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Volatile Organic Compounds by EPA 8260 - Quality Control

Analyte	Result	RL	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2020712 - EPA 5030B											
Blank (2020712-BLK1)						Prepared & Analyzed: 02/24/12					
2,2-Dichloropropane	ND	10	0.2	ug/L							
1,1-Dichloropropene	ND	10	0.4	ug/L							
cis-1,3-Dichloropropene	ND	2.0	0.2	ug/L							
trans-1,3-Dichloropropene	ND	2.0	0.2	ug/L							
Ethylbenzene	ND	2.0	0.3	ug/L							
Ethyl Methacrylate	ND	10	0.6	ug/L							
Hexachlorobutadiene	ND	2.0	1.0	ug/L							
p-Isopropyltoluene	ND	10	0.4	ug/L							
Hexachloroethane	ND	10	1.2	ug/L							
Iodomethane	ND	10	0.5	ug/L							
Isopropylbenzene	ND	10	0.4	ug/L							
Methacrylonitrile	ND	10	1.4	ug/L							
Methyl Acrylate	ND	10	0.6	ug/L							
Methyl Butyl Ketone (2-Hexanone)	ND	10	1.1	ug/L							
Methylene Chloride	ND	5.0	0.6	ug/L							
Methyl Ethyl Ketone (2-Butanone)	ND	100	1.8	ug/L							
Methyl Methacrylate	ND	10	0.6	ug/L							
4-Methyl-2-pentanone (MIBK)	ND	10	1.1	ug/L							
Methyl-tert-Butyl Ether	ND	10	0.4	ug/L							
Naphthalene	2.3	10	0.4	ug/L							J
2-Nitropropane	ND	10	1.2	ug/L							
Propionitrile (Ethyl Cyanide)	ND	20	1.6	ug/L							
n-Propylbenzene	ND	10	0.4	ug/L							
Styrene	ND	5.0	0.3	ug/L							
1,1,1,2-Tetrachloroethane	ND	2.0	0.3	ug/L							
1,1,2,2-Tetrachloroethane	ND	2.0	0.4	ug/L							
Tetrachloroethene	ND	2.0	0.4	ug/L							
Toluene	ND	2.0	0.4	ug/L							
1,2,3-Trichlorobenzene	1.0	10	0.7	ug/L							J
1,2,4-Trichlorobenzene	0.7	10	0.5	ug/L							J
1,1,1-Trichloroethane	ND	2.0	0.3	ug/L							
1,1,2-Trichloroethane	ND	2.0	0.7	ug/L							
Trichloroethene	ND	2.0	0.3	ug/L							
Trichlorofluoromethane	ND	10	0.3	ug/L							
1,2,3-Trichloropropane	ND	10	0.7	ug/L							
1,2,4-Trimethylbenzene	ND	10	0.4	ug/L							
1,3,5-Trimethylbenzene	ND	10	0.3	ug/L							
Vinyl Acetate	ND	10	0.2	ug/L							
Vinyl Chloride	ND	1.0	0.2	ug/L							



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Volatile Organic Compounds by EPA 8260 - Quality Control

Analyte	Result	RL	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2020712 - EPA 5030B											
Blank (2020712-BLK1)						Prepared & Analyzed: 02/24/12					
m+p-Xylene	ND	5.0	0.6	ug/L							
o-Xylene	ND	5.0	0.3	ug/L							
Xylenes, total	ND	5.0	0.6	ug/L							
Surrogate: Dibromofluoromethane	49			ug/L	50.000		98	75-123			
Surrogate: 1,2-Dichloroethane-d4	48			ug/L	50.000		95	72-120			
Surrogate: Toluene-d8	47			ug/L	50.000		95	75-120			
Surrogate: 4-Bromofluorobenzene	49			ug/L	50.000		98	80-120			
LCS (2020712-BS1)						Prepared & Analyzed: 02/24/12					
Benzene	48			ug/L	50.000		96	80-120			
Chlorobenzene	49			ug/L	50.000		98	80-120			
1,1-Dichloroethene	42			ug/L	50.000		84	77-121			
Toluene	47			ug/L	50.000		95	78-120			
Trichloroethene	52			ug/L	50.000		105	80-122			
Surrogate: Dibromofluoromethane	48			ug/L	50.000		96	75-123			
Surrogate: 1,2-Dichloroethane-d4	47			ug/L	50.000		93	72-120			
Surrogate: Toluene-d8	48			ug/L	50.000		95	75-120			
Surrogate: 4-Bromofluorobenzene	49			ug/L	50.000		99	80-120			
Matrix Spike (2020712-MS1)						Source: AVB0687-01	Prepared & Analyzed: 02/24/12				
Benzene	48			ug/L	50.000	ND	96	80-123			
Chlorobenzene	46			ug/L	50.000	ND	93	75-120			
1,1-Dichloroethene	44			ug/L	50.000	ND	88	80-120			
Toluene	48			ug/L	50.000	ND	97	80-120			
Trichloroethene	52			ug/L	50.000	ND	104	80-125			
Surrogate: Dibromofluoromethane	48			ug/L	50.000		97	75-123			
Surrogate: 1,2-Dichloroethane-d4	48			ug/L	50.000		95	72-120			
Surrogate: Toluene-d8	47			ug/L	50.000		95	75-120			
Surrogate: 4-Bromofluorobenzene	49			ug/L	50.000		99	80-120			



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Report No.: AVB0687

Volatile Organic Compounds by EPA 8260 - Quality Control

Analyte	Result	RL	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2020712 - EPA 5030B											
Matrix Spike Dup (2020712-MSD1)				Source: AVB0687-01			Prepared: 02/24/12 Analyzed: 02/25/12				
Benzene	52			ug/L	50.000	ND	104	80-123	8	9	
Chlorobenzene	49			ug/L	50.000	ND	98	75-120	5	13	
1,1-Dichloroethene	47			ug/L	50.000	ND	94	80-120	7	9	
Toluene	51			ug/L	50.000	ND	102	80-120	5	9	
Trichloroethene	55			ug/L	50.000	ND	110	80-125	5	11	
Surrogate: Dibromofluoromethane	48			ug/L	50.000		97	75-123			
Surrogate: 1,2-Dichloroethane-d4	47			ug/L	50.000		95	72-120			
Surrogate: Toluene-d8	47			ug/L	50.000		94	75-120			
Surrogate: 4-Bromofluorobenzene	49			ug/L	50.000		98	80-120			



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Laboratory Certifications

Code	Description	Number	Expires
LA	Louisiana	02069	06/30/2012
NC	North Carolina	381	12/31/2012
NELAC	NELAC (Non-Potable Water, Solids)	E87315	06/30/2012
SC	South Carolina	98011001	06/30/2012
TX	Texas	T104704397-08-TX	03/31/2012
VA	Virginia	1340	12/14/2012



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Safety-Kleen Corporation - Elgin
1502 E. Villa Street
Elgin IL, 60120

Attention: Mr. Bob Schoepke

March 06, 2012

Legend

Definition of Laboratory Terms

- ND** - Not Detected at levels equal to or greater than the MDL
- BRL** - Not Detected at levels equal to or greater than the RL
- RL** - Reporting Limit **MDL** - Method Detection Limit
- SOP** - Method run per ASI Standard Operating Procedure
- CFU** - Colony Forming Units
- DF** - Dilution Factor **TIC** - Tentatively Identified Compound
- *** - Analyte not included in the NELAC list of certified analytes.

Sample Information

N-Nitrosodiphenylamine breaks down to diphenylamine in the GCMS; both analytes are reported as N-Nitrosodiphenylamine. ASI is not NELAC certified for N-Nitrosodiphenylamine.

Phthalic acid and phthalic anhydride are reported as dimethyl phthalate

Maleic acid and maleic anhydride are reported as dimethyl malate

1,2-Diphenylhydrazine breaks down to azobenzene in the GCMS; both analytes are reported as azobenzene

Definition of Qualifiers

- J** Estimated value less than Reporting Limit (RL) but greater than Method Detection Limit(MDL) (CLP J-Flag).

Note: Unless otherwise noted, all results are reported on an as received basis.



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

LOG-IN CHECKLIST

Printed: 3/6/2012 1:01:40PM

Attn: Mr. Bob Schoepke

Client: Safety-Kleen Corporation - Elgin

Project: Medley, FL

Date Received: 02/23/12 09:10

Work Order: AVB0687

Logged In By: Mohammad M. Rahman

OBSERVATIONS

#Samples: 11

#Containers: 33

Minimum Temp(C): 2.0

Maximum Temp(C): 2.0

Custody Seal(s) Used: No

CHECKLIST ITEMS

COC included with Samples	YES
Sample Container(s) Intact	YES
Chain of Custody Complete	YES
Sample Container(s) Match COC	NO
Custody seal Intact	NO
Temperature in Compliance	YES
Sufficient Sample Volume for Analysis	YES
Zero Headspace Maintained for VOA Analyses	YES
Samples labeled preserved (If Applicable)	YES
Samples received within Allowable Hold Times	YES
Samples Received on Ice	YES
Preservation Confirmed	YES

Comments:

The Trip Blank was listed as Temp. Blank. The container labels were used for login purposes. MMR