

**Thursby, Kim**

---

**From:** Schoepke, Robert [Robert.Schoepke@safety-kleen.com]  
**Sent:** Wednesday, May 23, 2012 11:10 AM  
**To:** Epost HWRS  
**Subject:** RE: Safety Kleen Systems, Inc. FLD 984 171 694,Post Active Remediation Monitoring Report #2 dated May 21, 2012

received

---

**From:** Epost HWRS [<mailto:EpostHWRS@dep.state.fl.us>]  
**Sent:** Wednesday, May 23, 2012 9:33 AM  
**To:** Schoepke, Robert  
**Cc:** Bahr, Tim; Coates, John; Curtis, Jeff; Kantor, Karen E.; [RStebnisky@ectinc.com](mailto:RStebnisky@ectinc.com); Winston, Kathy; Russell, Merlin; Tripp, Anthony  
**Subject:** Safety Kleen Systems, Inc. FLD 984 171 694,Post Active Remediation Monitoring Report #2 dated May 21, 2012

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Regulation Section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to [epost\\_hwrs@dep.state.fl.us](mailto:epost_hwrs@dep.state.fl.us). (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at [www.adobe.com/products/acrobat/readstep2.html](http://www.adobe.com/products/acrobat/readstep2.html).

Please note that our documents are sent virus free. However, if you use Norton Anti-virus software, a warning may appear when attempting to open the document. Please disregard this warning.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Tim Bahr  
Environmental Administrator  
Hazardous Waste Regulation  
Department of Environmental Protection  
E-Mail Address: [epost\\_hwrs@dep.state.fl.us](mailto:epost_hwrs@dep.state.fl.us)

Please take a few minutes to share your comments on the service you received from the department by clicking on this link. [DEP Customer Survey](#).



# Florida Department of Environmental Protection

Bob Martinez Center  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Rick Scott  
Governor

Jennifer Carroll  
Lt. Governor

Herschel T. Vinyard Jr.  
Secretary

May 23, 2012

SENT VIA E-MAIL

[Robert.Schoepke@safety-kleen.com](mailto:Robert.Schoepke@safety-kleen.com)

Mr. Bob Schoepke  
Safety-Kleen Systems, Inc.  
1502 East Villa Street, 2<sup>nd</sup> Floor  
Elgin, Illinois 60120

Re: Safety Kleen Systems, Inc. FLD 984 171 694, Operating Permit  
56019/HO/006, *Post Active Remediation Monitoring Report #2* dated May 21, 2012

Dear Mr. Schoepke:

Your PARM Report #2 is acceptable. As always, if you have questions, please feel free to contact me at (850) 245-8796 or e-mail me at [merlin.russell@dep.state.fl.us](mailto:merlin.russell@dep.state.fl.us).

Sincerely,

Merlin D. Russell Jr.  
Professional Geologist II  
Hazardous Waste Regulation

MR/mdr

e-mailed to:

Jeff Curtis, Safety Kleen, [Jeff.Curtis@safety-kleen.com](mailto:Jeff.Curtis@safety-kleen.com)  
Karen Kantor, FDEP WPB, [Karen.E.Kantor@dep.state.fl.us](mailto:Karen.E.Kantor@dep.state.fl.us)  
Rick Stebnisky, ECT, [RStebnisky@ectinc.com](mailto:RStebnisky@ectinc.com)  
Kathy Winston, FDEP WPB, [Kathy.Winston@dep.state.fl.us](mailto:Kathy.Winston@dep.state.fl.us)