

Thursby, Kim

From: Schoepke, Robert [Robert.Schoepke@safety-kleen.com]
Sent: Monday, June 18, 2012 9:28 AM
To: Epost HWRS
Subject: RE: Safety-Kleen Systems, Inc.-Medley;FLD 984 171 694,Post Active Remediation Monitoring Report #3 dated June 7, 2012

Received.

From: Epost HWRS [<mailto:EpostHWRS@dep.state.fl.us>]
Sent: Monday, June 18, 2012 8:06 AM
To: Schoepke, Robert
Cc: Bahr, Tim; Coates, John; Curtis, Jeff; Kantor, Karen E.; RStebnisky@ectinc.com; Winston, Kathy; Russell, Merlin; Tripp, Anthony
Subject: Safety-Kleen Systems, Inc.-Medley;FLD 984 171 694,Post Active Remediation Monitoring Report #3 dated June 7, 2012

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Regulation Section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to epost_hwrs@dep.state.fl.us. (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at www.adobe.com/products/acrobat/readstep2.html.

Please note that our documents are sent virus free. However, if you use Norton Anti-virus software, a warning may appear when attempting to open the document. Please disregard this warning.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Tim Bahr
Environmental Administrator
Hazardous Waste Regulation
Department of Environmental Protection
E-Mail Address: epost_hwrs@dep.state.fl.us

Please take a few minutes to share your comments on the service you received from the department by clicking on this link [DEP Customer Survey](#).



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Jennifer Carroll
Lt. Governor

Herschel T. Vinyard Jr.
Secretary

June 18, 2012

SENT VIA E-MAIL

Robert.Schoepke@safety-kleen.com

Mr. Bob Schoepke
Safety-Kleen Systems, Inc.
1502 East Villa Street, 2nd Floor
Elgin, Illinois 60120

Re: Safety-Kleen Systems, Inc. FLD 984 171 694, Operating Permit
56019/HO/006, *Post Active Remediation Monitoring Report #3* dated June 7, 2012

Dear Mr. Schoepke:

Your PARM Report #3 is acceptable. I did want to clarify one point I raised about the field notes that indicated that purge waters were drained onto concrete. Rick Stebnisky clarified that the purge water was from the previous event (PARM #2) and it was not poured onto the concrete until after ECT had received analytical results from that monitoring event. If you have questions, please feel free to contact me at (850) 245-8796 or e-mail me at merlin.russell@dep.state.fl.us.

Sincerely,

Merlin D. Russell Jr.
Professional Geologist II
Hazardous Waste Regulation

MR/mdr

e-mailed to:

Jeff Curtis, Safety-Kleen, Jeff.Curtis@safety-kleen.com
Karen Kantor, FDEP WPB, Karen.E.Kantor@dep.state.fl.us
Rick Stebnisky, ECT, RStebnisky@ectinc.com
Kathy Winston, FDEP WPB, Kathy.Winston@dep.state.fl.us