

**Thursby, Kim**

---

**From:** Curtis, Jeff [Jeff.Curtis@safety-kleen.com]  
**Sent:** Thursday, December 27, 2012 5:40 PM  
**To:** Epost HWRS  
**Subject:** RE: Safety-Kleen Systems, Inc. (Medley) FLD984171694, Permit application completeness letter

Received.

Thank you,

**Jeff Curtis** EHS Manager | Safety-Kleen | Boynton Beach, FL | [jeff.curtis@safety-kleen.com](mailto:jeff.curtis@safety-kleen.com)  
561.600.3076 (o) | 561.523.4719 (c) | 561.731.1696 (f) | [safety-kleen.com](http://safety-kleen.com)



---

**From:** Epost HWRS [<mailto:EpostHWRS@dep.state.fl.us>]  
**Sent:** Thursday, December 27, 2012 12:13 PM  
**To:** Curtis, Jeff  
**Cc:** Bahr, Tim; Goddard, Charles; Kantor, Karen E.; Winston, Kathy; [bob.fox@erm.com](mailto:bob.fox@erm.com); Russell, Merlin; Tripp, Anthony  
**Subject:** Safety-Kleen Systems, Inc. (Medley) FLD984171694, Permit application completeness letter

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Regulation Section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to [epost\\_hwrs@dep.state.fl.us](mailto:epost_hwrs@dep.state.fl.us). (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at [www.adobe.com/products/acrobat/readstep2.html](http://www.adobe.com/products/acrobat/readstep2.html).

Please note that our documents are sent virus free. However, if you use Norton Anti-virus software, a warning may appear when attempting to open the document. Please disregard this warning.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Tim Bahr  
Environmental Administrator  
Hazardous Waste Regulation

Department of Environmental Protection  
E-Mail Address: [epost\\_hwrs@dep.state.fl.us](mailto:epost_hwrs@dep.state.fl.us)

*Please take a few minutes to share your comments on the service you received from the department by clicking on this link. [DEP Customer Survey](#).*



**FLORIDA DEPARTMENT OF  
ENVIRONMENTAL PROTECTION**

BOB MARTINEZ CENTER  
2600 BLAIRSTONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

RICK SCOTT  
GOVERNOR

JENNIFER CARROLL  
LT. GOVERNOR

HERSCHEL T. VINYARD JR.  
SECRETARY

December 27, 2012

**Sent Via E-mail**

[Jeff.Curtis@safety-kleen.com](mailto:Jeff.Curtis@safety-kleen.com)

Mr. Jeff Curtis  
Safety-Kleen Systems, Inc.  
5610 Alpha Drive  
Boynton Beach, Florida 33426

Subject: Safety-Kleen Systems, Inc. FLD 984 171 694, Operating Permit No. 56019-HO-010, Miami-Dade County

Dear Mr. Curtis:

Thank you for your September 20, 2012 application for an operating permit. We have reviewed your application and additional information dated December 13, 2012, and determined that it is complete. We have begun processing it in accordance with our regulations and Florida law. We will make every effort to issue our final agency action as quickly as possible. In the meantime, if you have any questions, please feel free to call me at 850-245-8796 or [merlin.russell@dep.state.fl.us](mailto:merlin.russell@dep.state.fl.us).

Thank you,

Merlin D. Russell Jr.  
Professional Geologist II  
Hazardous Waste Regulation

MR/mdr

cc via e-mail:

Robert W. Fox, ERM, [bob.fox@erm.com](mailto:bob.fox@erm.com)

Karen Kantor, DEP [Karen.E.Kantor@dep.state.fl.us](mailto:Karen.E.Kantor@dep.state.fl.us)

Kathy Winston, DEP [Kathy.Winston@dep.state.fl.us](mailto:Kathy.Winston@dep.state.fl.us)