From: Kurt Fogleman
To: Kuncicky, Daniel;
cc: Tripp, Anthony;
Subject: RE: Implementation Solid Waste Contingency Plan
Date: Thursday, June 11, 2009 9:33:09 AM

Our plan for this particular waste stream is to store it inside the permitted CSU. We believe that heat from direct exposure to sunlight and availability of oxygen began the polymerization. Storage inside in the original unopened container will prevent future occurrence. It will be received and quickly shipped offsite for incineration (the manufacturer-recommended disposal method). It will no longer be bulked or solidified.

Thanks,
Kurt

From: Kuncicky, Daniel [mailto:Daniel.Kuncicky@dep.state.fl.us]
Sent: Thursday, June 11, 2009 9:18 AM
To: Kurt Fogleman
Cc: Tripp, Anthony
Subject: Implementation Solid Waste Contingency Plan

Kurt,

While reading the document entitled *Report to FDEP Relating to Implementation of the Solid Waste Contingency Plan on May 10th, 2009* I noticed you stated intent to store "Future shipments of Mhoromer BM-905 .. inside the warehouse area" I need to know if you were speaking of the permitted hazardous waste container storage unit? I need you to affirm if this is indeed your intent and if so how you plan on storing the solid waste and what special precautions you intend to take to prevent a reoccurrence of the incident.

R, Daniel

Daniel M. Kuncicky, PhD
Engineer Specialist IV
Hazardous Waste Regulation Section
(850) 245-8786

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on this link to the DEP Customer Survey. Thank you in advance for completing the survey.