Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Signature

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor Ismael Varges Date 12-28-12 Attendee Charles IX. ORRETT

(print) (print)

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor Ismael Varges Date 12-28-2012 Attendee Jean C. Dayla

(print)

Signature

Signature

(print)

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor Ismael Vorgas Date 12-28-12 Attendee Harold Leonard TR (print)

(print)

Signature Signature Signature

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor Jaquin Canamero Date 12-28-12 Attendee Adail Ristrang

(print)

(print)

Signatur

Cian d

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

`Determine th	e nature and	extent o	f the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor Wave Date 12-28-12 Attendee Audica S. Hopwood

(print)

Signature Signature

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor

dhusun Date 12-28-12 Attendee SEROIO SIWA

(print)

Signature

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life. health or environment, the following steps must be followed.

'Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor Ismae Vargas Date 12-28-12 Attendee ES

(print)

(print)

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed:

'Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor Volume Chinson D

Date 12 28 12 Attendee (EDIEU JULMIS

Signature

Signature

Godien Lum

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Josphin ann PD Date 1-2-2013 Attendee Donald SASAILE

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

'Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor Ismae Varges Date 2-28-12 Attendee 6 (STATIO MURILIO (print) (print)

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor <u>Joaquin Canquip</u> Date 1-2-2013 Attendee Minston Williams
(print) (print)

Signature

Signature /

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

'Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor Joaquin Oang Comez Java Date 1-1-2013 Attendee DAVIC Gomez
(print) (print)

Signature /

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

'Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor

14.2

Signature

(print)

Signature

Date/2-28-12 Attendee Michael

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

`Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Jayne Johnson Date 12/28/12 Attendee ENCIOUE SAME

Supervisor

Signature

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

'Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor

(nrint)

Signature

Cianatura

NASUN Date 12/28/12 Attendee MicciE

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

'Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor Dougus Guardo Date 12/28/12 Attendee Oscar Gavilla

(print)

Signature /

Signature Great Saine

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

'Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor

NSIN Date 12/28/02 Attendee

(print)

Signaturo

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

'Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor hag vin Granus Date 12/28/12 Attendee RENATO PEREZ

(print) (print)

Signature / C

Any unplanned or uncontrolled release or discharge of any hazardous or regulated material into the air, water or soil must be reported immediately to Ismael Vargas at 786-402-4073. If a release cannot adequately be controlled or contained or if it poses an immediate danger to life, health or environment, the following steps must be followed.

'Determine the nature and extent of the spill

Chemical(s) involved

Amount released

Any injured people involved

Source and cause of the release

Area of population affected

Other special considerations (weather, fire etc.)

The Emergency Coordinator will contact the fire department when the situation is serious. He will file a report with the Southeast District of the Florida Department of Environmental Protection in West Palm Beach at 561-681-6722.

In the event of fire, explosion, or other release that could threaten human health outside the facility, or if you know the spill has reached surface water: Call the National Response Center at (800) 424-8802.

End

This training reviewed with the appropriate personnel at least once each year.

Supervisor Vouquin (anamaro) Date 1-2-1013 Attendee Vintais Clisco
(print)

Signature Signat

Signature Walking Million