

RECEIVED

RCRA

FEB 08 2005

## FDEP WASTE MINIMIZATION SURVEY FOR LQGS

Hazardous Waste Regulation

Facility Name	UNIVAR USA INC
Facility Address	155 ELLIS ROAD SOUTH JAX FL 32254
EPA ID Number	FL0000596866
Contact Name	CLARENCE TAYLOR
Contact Phone	904-693-4815
Contact E-mail	CLARENCE.TAYLOR@UNIVARUSA.COM

*Instructions:* Please check the Yes or No column in response to the questions below.

	Question	Yes	No	Website Reference
1.	Does your facility have a written Waste Minimization Plan? Please mail a copy to the address below.	X <sub>51</sub>		<a href="http://www.flsenate.gov/Statutes">http://www.flsenate.gov/Statutes</a> [Search Statutes for 403.721]
2.	Do you have any particular waste streams for which you would like technical assistance with waste reduction?		X <sub>8</sub>	Please briefly describe the waste stream(s):
3.	Are you familiar with the National Waste Minimization Program?	X <sub>52</sub>		<a href="http://www.epa.gov/wastemin/">http://www.epa.gov/wastemin/</a>
4.	Are you a National Partnership for Environmental Priorities (NPEP) partner?		X <sub>78</sub>	<a href="http://www.epa.gov/epaoswer/hazwaste/minimize/partnership.htm">http://www.epa.gov/epaoswer/hazwaste/minimize/partnership.h tm</a>
5.	Are you a Performance Track member?		X <sub>79</sub>	<a href="http://www.epa.gov/performance-track/index.htm">http://www.epa.gov/performance-track/index.htm</a>
6.	Does your facility have an Environmental Management System (EMS)?	X <sub>34</sub>		<a href="http://www.epa.gov/ems/">http://www.epa.gov/ems/</a> <a href="http://www.peercenter.net/">http://www.peercenter.net/</a>
7.	Is the EMS ISO14001 certified?		X <sub>61</sub>	<a href="http://www.iso.ch/iso/en/iso9000-14000/index.html">http://www.iso.ch/iso/en/iso9000-14000/index.html</a>
8.	Are you interested in working on the Technical Advisory Group?		X <sub>47</sub>	For more information, contact Julie Abcarian at: 850-245-8713 or <a href="mailto:Julie.abcarian@dep.state.fl.us">Julie.abcarian@dep.state.fl.us</a>

Date survey completed: \_\_\_/\_\_\_/\_\_\_

Please return to FDEP in the enclosed envelope.