

Thursby, Kim

From: Curtis, Jeff [Jeff.Curtis@safety-kleen.com]
Sent: Friday, July 12, 2013 12:36 PM
To: Epost HWRS
Subject: RE: Safety-Kleen Systems, Inc. FLD 984 171 694, Notification of potential contamination dated May 8, 2013

Received.

Thank you,

Jeff Curtis EHS Manager | Safety-Kleen | A Clean Harbors Company | Boynton Beach, FL | jeff.curtis@safety-kleen.com
561.738.3026 (o) | 561.523.4719 (c) | 561.731.1696 (f) | safety-kleen.com



From: Epost HWRS [<mailto:EpostHWRS@dep.state.fl.us>]
Sent: Friday, July 12, 2013 12:33 PM
To: Curtis, Jeff
Cc: Bahr, Tim; Goddard, Charles; Kantor, Karen E.; MontaM@miamidade.gov; Schoepke, Robert; RStebnisky@ectinc.com; Winston, Kathy; Russell, Merlin; Tripp, Anthony
Subject: Safety-Kleen Systems, Inc. FLD 984 171 694, Notification of potential contamination dated May 8, 2013

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Regulation Section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to epost_hwrs@dep.state.fl.us. (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at www.adobe.com/products/acrobat/readstep2.html.

Please note that our documents are sent virus free. However, if you use Norton Anti-virus software, a warning may appear when attempting to open the document. Please disregard this warning.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Tim Bahr

Environmental Administrator
Hazardous Waste Regulation
Department of Environmental Protection
E-Mail Address: epost_hwrs@dep.state.fl.us

Please take a few minutes to share your comments on the service you received from the department by clicking on this link [DEP Customer Survey](#).



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

BOB MARTINEZ CENTER
2600 BLAIRSTONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

RICK SCOTT
GOVERNOR

HERSCHEL T. VINYARD JR.
SECRETARY

July 12, 2013

SENT VIA E-MAIL

Jeff.Curtis@safety-kleen.com

Mr. Jeff Curtis
EHS Manager, Florida
Safety-Kleen Systems, Inc.
5610 Alpha Drive
Boynton Beach, Florida 33426

Re: Safety-Kleen Systems, Inc. FLD 984 171 694, Operating Permit 56019/HO/006,
Notification of potential contamination dated May 8, 2013.

Dear Jeff:

We have read and discussed your May 8 letter and understand some of the uncertainties discussed in your letter. We will withhold making a determination until further analyses are conducted to address any concerns from the Miami-Dade Industrial Waste program. At this time we ask that you simply copy us on any reports or correspondence you have with the Miami-Dade County Department of Regulatory and Economic Resources (RER).

If you have questions, please feel free to contact me at (850) 245-8796 or e-mail me at merlin.russell@dep.state.fl.us.

Sincerely,

Merlin D. Russell Jr.
Professional Geologist II
Hazardous Waste Regulation

MR/mdr

e-mailed to: Karen Kantor, FDEP WPB, Karen.E.Kantor@dep.state.fl.us
Michael Montano, RER, MontaM@miamidade.gov
Bob Schoepke, Safety Kleen, Robert.Schoepke@safety-kleen.com
Rick Stebnisky, ECT, RStebnisky@ectinc.com
Kathy Winston, FDEP WPB, Kathy.Winston@dep.state.fl.us