South Carolina Department of Health and Environmental Control

NOV 15 1994

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. F L D 9 8 0 8 4 7 2 1 4 — MANIFEST DOCUMENT NO. 049193

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address
SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

A. State Manifest Document Number

B. State Generator's ID

4. Generator's Phone (904) 264-2607

5. Transporter 1 Company Name: SAFETY-KLEEN CORP. — 6. US EPA ID Number: F L D 9 8 4 9 0 8 2 0 2

C. State Transporter's ID

D. Transporter's Phone 803-359-2495

7. Transporter 2 Company Name — 8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073

10. US EPA ID Number: S C D 0 7 7 9 9 5 4 8 8

G. State Facility's ID

H. Facility's Phone (803) 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PGII (F005,F003,D001,D008,D018,D035,D039,D040)	002	D M	0916	P	F005 F003
b. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005,F003,D001,D035,D039)	012	D M	1250	P	F005 F003
c. WASTE COMPOUNDS, CLEANING LIQUID (MONOETHANOLAMINE) 8 NA1760 PGII (D006,D008,D018,D021,D027,D035,D039,D040	018	D M	1366	P	D006 D008
d.					

J. Additional Descriptions for Materials Listed Above

a. D001,D008,D018 D035,D039,D040 — SK 0 0 0 1 2 — 0 0 0 5 — e. D018,D021,D027 D035,D039,D040 — SK 0 0 0 1 2 — 0 0 0 2 — 0 0 1 1 (EM)

b. D001,D035,D039 — SK 0 0 0 1 2 — 0 0 0 5 — d.

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information
EMERGENCY RESP# 1-(708)-888-4660 24HR.
11a.SKDOT#523 11c. SKDOT#566
11b.SKDOT#524

71707954

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: ROY STEWART — Signature — Date: 08/15/94

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Kenny Skipper — Signature — Date: 08/15/94

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name — Signature — Date

FACILITY

19. Discrepancy Indication Space
12(A): 3 , 13(A): 96 , 13(B): 1150
Jc. Corrected by TSDF (EM) 8-10-94 8/15/94
a. lbs. c. lbs. b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: JEFF GODBEE — Signature — Date: 08/13/94

94-26

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

Safety-Kleen

LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest / sales service number 04333, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ✓ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☐ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water)
		Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium Solvent **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☒ Waste Compound Cleaning Liquid/ Immersion cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

GENERATOR

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

FORM 1339

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

PAINT REFINISHING SERVICE

1000 North Randall Road • Elgin, Illinois 60123-7857

safety-kleen®

WE CARE

DUNS NO. 05106-0408 FED. ID NO. 39-6090019

DEP	SCHEDULED SERVICE WEEK	SCHEDULED SERVICE TERRITORY	REFERENCE NUMBER
01	94-30	01	121463

FOR SERVICE CALL TRANSPORTER 226-2200

LDR REQ'D 904-264-2607 ROY STEWART

MANIFEST NUMBER 21463

REQ=6P

GENERATOR

3-079-41-7207-5
DUVAL FORD BODY SHOP
1616 CASSAT AVE

JACKSONVILLE FL 32210

BILL TO

SERVICE DATE	SALESMAN'S NO.	SALES SPECIALIST	SALES TAX EXEMPTION NUMBER	HANDLING CODE	CREDIT CODE	PAD P/S	PROD. P/S	PREVIOUS BALANCE	PORTION OVER 60 DAYS
09-09-94	6903	XXXX			B	001	001	814.08	.00

BUSINESS TYPE	CHAIN	CUSTOMER P.O. NUMBER	GENERATOR/CUSTOMER PHONE #	O.C.	PAD TAX	SVS TAX	PRODUCT TAX	NEXT SVS PAD/PROD.	SERVICE INTERVAL	CHANGE SERVICE
02	NO		(904)381-6530		.06000	.06000	.06000		04	

PAD RECONCILIATION

PAD TYPE	CONSIGNED		CLEAN		DIRTY		LOST/DAM		TOTAL
$000	0	=		+		+		=	0
$002	0	=		+		+		=	0
$003	0	=		+		+		=	0
TOTAL	0	=		+		+		=	0

INVENTORY CHANGE

+/-	NEW INVENTORY
	=
	=
	=
	=

PADS ON/OFF THE VAN

PAD CHANGE

PRICE	DIRTY QUANTITY	SALES AMOUNT
PAD CHARGE		
TAX		
TOTAL PAD CHARGE		

PREV. EXCH.

PAD TYPE	2 PRIOR	PRIOR	LAST	SUG. INV.
5000				
5002				

REMARKS AP 14-94 ON FILE
NEW CAR DEALER
10-280-3720

MACHINE INSPECTION SECTION

MACHINE NUMBER	SERVICE CHARGE	SALES TAX	TOTAL CHARGE	SERVICE TERM	CHANGE SERVICE TERM (WEEKS)	CHANGE SERVICE TERM (INITIAL)	CHANGE SCHEDULE DATE (YY WW)	REMARKS
070-34699	110.00	7.02	124.02	03			94-35	0006
TOTAL SERVICE SECTION								

MACHINE INSPECTION SECTION (PLEASE CHECK BOXES)

	GOOD	POOR
MACHINE CONDITION & CLEANLINESS	☑	☐
	YES	NO
DECALS IN PLACE AND LEGIBLE	☑	☐
LOCAL PHONE NO. STICKER AFFIXED TO MACHINE	☑	☐
DRUMS PROPERLY LABELED	☑	☐
MACHINE PROPERLY GROUNDED	☑	☐
SPENT SOLVENT MEETS ACCEPTANCE CRITERIA	☑	☐

WASTE INFORMATION SECTION

USEPA TRANSPORTER ID NO. ILD984908202 GENERATOR USEPA ID NO. FLD005921522 GENERATOR STATE ID NO.

	11. US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.)	12. CONTAINERS NO.	12. CONTAINERS TYPE	13. TOTAL QUANTITY	14. UNIT WT/VOL	SK DOT NUMBER	CONTAINER SIZE	
A.	WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005, F003, D001) (D008, D018, D035, D039, D040) (ERG#26)	1	DM	36	P	523	55	AL
B.	RQ WASTE PAINT RELATED MATERIAL 3 UN 1263 PG II (F005, F003, D001, D035, D039) (ERG #26)	4	DM	948	P	523	55	AL
C.								

I CERTIFY THAT MY TOTAL WASTE STREAMS ARE WITHIN ONE OF THE FOLLOWING CATEGORIES:

- 0 TO 220 LBS./MONTH — INITIALS
- 220 LBS. TO 2,200 LBS./MONTH — INITIALS .CF
- GREATER THAN 2,200 LBS./MONTH — INITIALS

DESIGNATED FACILITY NAME AND ADDRESS: SAFETY-KLEEN CORP.
161 INDUSTRIAL LOOP SOUTH ORANGE PARK, FL 32073

USA EPA ID NO. FLD980847214

STATE ID NO.

PRODUCT SALES SECTION

SOLD ON PREVIOUS SERVICES 2 PRIOR	PRIOR	LAST	PRODUCT NUMBER	DESCRIPTION	MSDS GIVEN	PRICE	U/M	QUANTITY DELIVERED	INV. CODE	SALES AMOUNT
	2		3336	PAINT-BOOT	☐	125.00	EA			
3	1		3362	DRUM, 16 CL	☐	71.00	EA	4		284.00
	3		83336	WASTE, PAIN	☐	NC	EA	4		NC
					☐					
					☐					

NAME	TITLE	SIGN	NAME (CHANGE)	TITLE	SIGN
1 TIM		Y			
2 GALE		Y			

PRODUCT TOTALS ▸ 8 — 284.00

PRODUCT TAX 17.04

TOTAL SERVICE CHARGE (FROM ABOVE) 124.02

TOTAL PAD CHARGE (FROM ABOVE)

TOTAL DUE 425.06

PAYMENT RECEIVED SECTION

CASH ☐ | TOTAL RECEIVED | APPLY PAYMENT TO

CHECK NUMBER | ☐ TODAYS SERVICE/SALE | ☐ PREVIOUS BALANCE AS FOLLOWS

INV # _____ AMOUNT $ _____

PREVIOUS CREDIT CARD NO.

CREDIT CARD NO. XXXXXXXXXXXXXXXX AMEX VISA MC EXP. DATE XXXXX

CONSUMER REFERENCE INFORMATION

CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. I HAVE ALSO NOTED THE NUMBER OF PADS CONSIGNED BY SAFETY-KLEEN CORP. ABOVE AND ACKNOWLEDGE THAT THEY ARE IN MY POSSESSION. ADDITIONAL TERMS AND CONDITIONS AND OTHER INFORMATION APPEARING ON THE REVERSE SIDE ARE MADE A PART HEREOF.

WASTES THAT DO NOT CONFORM TO THE FOLLOWING SPECIFICATIONS WILL BE SUBJECT TO ADDITIONAL CHARGES:

1. *LIQUID PUMPABLE AUTOMOTIVE* REFINISH PAINT RELATED MATERIALS. 2. *6" OR LESS OF SOFT* PENETRABLE SETTLING.

"This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation."

Print Name Christine FARMER X Christine Farmer
GENERATOR/DESIGNATED REPRESENTATIVE SIGNATURE

BRANCH COPY

3-079-41

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)

EPA ID NO. FLD980847214
(DESIGNATED FACILITY)

161 INDUSTRIAL LOOP SOUTH

ADDRESS: ORANGE PARK, FL 32073

Under manifest/sales service number 21463,
the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE CHECK THE APPROPRIATE BOXES

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
[X]	Waste Petroleum Naphtha (Sludges from Safety-Kleen Service Center Operations)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D018,	Benzene	Not Established
		D039,	Tetrachloroethylene	Not Established
[X]	Waste Petroleum Naphtha (Sludges from Safety-Kleen Service Center Operations)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D001,	All of the above, plus,	
		D006,	Cadmium	1.0 (non-waste water)
		D008,	Lead	5.6 (non-waste water)
		D039,	Tetrachloroethylene	Not Established
[X]	Waste Petroleum Naphtha (Sludges from Safety-Kleen Service Center Operations)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D001,	All of the above, plus,	
		D006,	Cadmium	1.0 (non-waste water)
		D007,	Chromium	5.0 (non-waste water)
		D008,	Lead	5.0 (non-waste water)
		D018,	Benzene	Not Established
		D021,	Chlorobenzene	Not Established
		D027,	1,4-Dichlorobenzene	Not Established
		D039,	Tetrachloroethylene	Not Established
		D040,	Trichloroethylene	Not Established
[X]	Waste Petroleum Naphtha (Sludges from Safety-Kleen Service Center Operations)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D001,	All of the above, plus,	
		D006,	Cadmium	1.0 (non-waste water)
		D007,	Chromium	5.0 (non-waste water)
		D008,	Lead	5.0 (non-waste water)
		D018,	Benzene	Not Established
		D021,	Chlorobenzene	Not Established
		D027,	1,4-Dichlorobenzene	Not Established
		D039,	Tetrachloroethylene	Not Established
		D040,	Trichloroethylene	Not Established
[ ]	Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
		~~D007~~	~~CHROMIUM~~	~~5.0 (NON-WASTE WATER)~~
[ ]	Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
[ ]	Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
[ ]	Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
[ ]	Waste Petroleum Naphtha (Dry Cleaning)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D039,	Tetrachloroethylene	Not Established
[✓]	Waste Paint Related Material	F003,	Acetone	160.0 (non-waste water)
		F005,	Methyl Ethyl Ketone	36.0 (non-waste water)
		F003,	Methyl Isobutyl Ketone	33.0 (non-waste water)
		F005,	Toluene	28.0 (non-waste water)
		F003,	Xylene	28.0 (non-waste water)
		F003,	Methanol	0.75(non-waste water)
		D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D006,	Cadmium	1.0 (non-waste water)
		D007,	Chromium	5.0 (non-waste water)
		D008,	Lead (TOC Subcategory)	5.0 (non-waste water)
[ ]	Waste Antifreeze	D008,	Lead	5.0 (non-waste water)
		D039,	Tetrachloroethylene	Not Established

D018 BENZENE
D035 MEK
D039 TETRACHLOROETHYLENE
D040 TRICHLOROETHYLENE
NOT ESTABLISHED

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

9430 3-079-41-7207 01 121463

Generator Company: DUVAL FORD BODY SHOP

EPA ID NO.: FLD006921522

MANF DOC: 21463

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

Part No. 1328 (3/94)

FACILITY

printed on recycled paper

PAINT REFINISHING SERVICE

Safety-Kleen®

1000 North Randall Road • Elgin, Illinois 60123-7857

DUNS NO. 05106-0408 FED. ID NO. 39-6090019

FOR SERVICE CALL TRANSPORTER: 0-220

LDR NOT REQ'D
904-264-2607 ROY STEWART

DEP	SCHEDULED SERVICE WEEK	SCHEDULED SERVICE TERRITORY	REFERENCE NUMBER
01	94-30	XX	121442

MANIFEST NUMBER: XXXXX

REQ=DP

CUSTOMER GENERATOR

3-079-41-1216-7
DEPENDABLE BODY SHOP
2121 4TH STREET
BRUNSWICK GA 31525

BILL TO

SERVICE DATE	SALESMAN'S NO.	SALES SPECIALIST	SALES TAX EXEMPTION NUMBER	HANDLING CODE	CREDIT CODE	PAD P/S	PROD. P/S	PREVIOUS BALANCE	PORTION OVER 60 DAYS
7-4-94	2412	XXXX	0633107877-7	T	H	001	001	376.91	368.55

BUSINESS TYPE	CHAIN	CUSTOMER P.O. NUMBER	GENERATOR/CUSTOMER PHONE #	O.C.	PAD TAX	SVS TAX	PRODUCT TAX	NEXT SVS PAD/PROD.	SERVICE INTERVAL	CHANGE SERVICE
01	NO		(912)265-2729		.05000	.05000	.05000		04	

PAD RECONCILIATION

PAD TYPE	CONSIGNED		CLEAN		DIRTY		LOST/DAM		TOTAL
5000	0	=		+		+		=	0
5002	0	=		+		+		=	0
5003	0	=		+		+		=	0
TOTAL	0	=		+		+		=	0

INVENTORY CHANGE

+/-		NEW INVENTORY
	=	
	=	
	=	
	=	

PADS ON/OFF THE VAN

PAD CHANGE

	PRICE	DIRTY QUANTITY	SALES AMOUNT
PAD CHARGE			
TAX			
TOTAL PAD CHARGE			

PREV. EXCH.

PAD TYPE	2 PRIOR	PRIOR	LAST	SUG. INV.
5000				
5002				

REMARKS: AP 14-85 ON FILE

11-315-1080

MACHINE INSPECTION SECTION

MACHINE NUMBER	SERVICE CHARGE	SALES TAX	TOTAL CHARGE	SERVICE TERM	CHANGE SERVICE TERM (WEEKS)	(INITIAL)	CHANGE SCHEDULE DATE (YY WW)	REMARKS
								0003
TOTAL SERVICE SECTION								

MACHINE INSPECTION SECTION (PLEASE CHECK BOXES)

	GOOD	POOR
MACHINE CONDITION & CLEANLINESS	☐	☐
	YES	NO
DECALS IN PLACE AND LEGIBLE	☐	☐
LOCAL PHONE NO. STICKER AFFIXED TO MACHINE	☐	☐
DRUMS PROPERLY LABELED	☐	☐
MACHINE PROPERLY GROUNDED	☐	☐
SPENT SOLVENT MEETS ACCEPTANCE CRITERIA	☐	☐

WASTE INFORMATION SECTION

USEPA TRANSPORTER ID NO. ILD984908202 | GENERATOR USEPA ID NO. | GENERATOR STATE ID NO.

11. US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.)	12. CONTAINERS NO.	TYPE	13. TOTAL QUANTITY	14. UNIT WT/VOL	SK DOT NUMBER	CONTAINER SIZE
WASTE PAINT RELATED MATERIAL						
3 UN1263 PG II (F005, F003, D001)	2	DM	224	P	~~503~~ 524	
(~~D006~~, ~~D007~~, D035, D039, ~~D040~~) (ERG#26)						

I CERTIFY THAT MY TOTAL WASTE STREAMS ARE WITHIN ONE OF THE FOLLOWING CATEGORIES:

- 0 TO 220 LBS./MONTH — INITIALS: CPR
- 220 LBS. TO 2,200 LBS./MONTH — INITIALS:
- GREATER THAN 2,200 LBS./MONTH — INITIALS:

WASTE Generated over 2 MO's

DESIGNATED FACILITY NAME AND ADDRESS: SAFETY-KLEEN CORP.
161 INDUSTRIAL LOOP SOUTH ORANGE PARK, FL 32073

USA EPA ID NO. FLD980847214

STATE ID NO.

PRODUCT SALES SECTION

SOLD ON PREVIOUS SERVICES 2 PRIOR	PRIOR	LAST	PRODUCT NUMBER	DESCRIPTION	MSDS GIVEN	PRICE	U/M	QUANTITY DELIVERED	INV. CODE	SALES AMOUNT
			10040	SIGN-UP CH	☐	25.00	EA			
	1	1	10063	PUMPABLE W	☐	125.00	EA	1		125.00
	1		10064	PUMPABLE W	☐	115.00	EA	1		115.00
					☐					
					☐					

NAME	TITLE	SIGN	NAME (CHANGE)	TITLE	SIGN
1 YVONNE	PC	Y			
2					

PRODUCT TOTALS

PRODUCT TAX	24.00
	17.90
TOTAL SERVICE CHARGE (FROM ABOVE)	—
TOTAL PAD CHARGE (FROM ABOVE)	—
TOTAL DUE	252.00

PAYMENT RECEIVED SECTION

CASH ☐ | CHECK NUMBER | TOTAL RECEIVED | APPLY PAYMENT TO: ☐ TODAYS SERVICE/SALE ☐ PREVIOUS BALANCE AS FOLLOWS

INV # _____ AMOUNT $ _____

PREVIOUS CREDIT CARD NO.

CREDIT CARD NO. XXXXXXXXXXXXXXXX EXP. DATE XXXX (AMEX VISA MC)

CONSUMER REFERENCE INFORMATION

CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. I HAVE ALSO NOTED THE NUMBER OF PADS CONSIGNED BY SAFETY-KLEEN CORP. ABOVE AND ACKNOWLEDGE THAT THEY ARE IN MY POSSESSION. ADDITIONAL TERMS AND CONDITIONS AND OTHER INFORMATION APPEARING ON THE REVERSE SIDE ARE MADE A PART HEREOF.

WASTES THAT DO NOT CONFORM TO THE FOLLOWING SPECIFICATIONS WILL BE SUBJECT TO ADDITIONAL CHARGES:

1. LIQUID PUMPABLE AUTOMOTIVE REFINISH PAINT RELATED MATERIALS. 2. 6" OR LESS OF SOFT PENETRABLE SETTLING.

"This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation."

Print Name: Charlotte Rocha X Charlotte R. Rocha
GENERATOR/DESIGNATED REPRESENTATIVE SIGNATURE

IN THE EVENT OF EMERGENCY CALL 1-708-888-4660 (24 hours)

SEE REVERSE SIDE FOR IMPORTANT INFORMATION

PADS SERVICE/SALES ACKNOWLEDGMENT

BRANCH -TSD

700-08-74 (6/94)

South Carolina Department of Health and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. F L D 0 8 0 8 4 7 2 1 4 — MANIFEST DOCUMENT NO. 049963

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address
SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

A. State Manifest Document Number

B. State Generator's ID

4. Generator's Phone (904) 264-2607

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.
6. US EPA ID Number: I L D 0 9 8 4 9 0 8 2 0 2

C. State Transporter's ID

D. Transporter's Phone 803-359-2495

7. Transporter 2 Company Name
8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073
10. US EPA ID Number: S C D 0 7 7 9 9 5 4 8 8

G. State Facility's ID

H. Facility's Phone (803) 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PGII (F005,F003,D001,D008,D018,D035,D039,D040)	003	D M	0916	P	F005 F003
b. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005,F003,D001,D035,D039)	016	D M	1250	P	F005 F003
c. WASTE COMPOUNDS, CLEANING LIQUID (MONOETHANOLAMINE) 8 NA1760 PGII (D006,D008,D018,D021,D027,D035,D039,D040	008	D M	1366	P	D006 D008
d.					

J. Additional Descriptions for Materials Listed Above
a. D001,D008,D018 D035,D039,D040 SK 0 0 0 1 2 0 0 0 5
b. D001,D035,D039 SK 0 0 0 1 2 0 0 0 5
c. D018,D021,D027 D035,D039,D040 SK 0 0 0 1 2 0 0 1 1 (EM) ~~0 0 0 2~~
d.

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information
EMERGENCY RESP# 1-(708)-888-4660 24HR.
11a.SKDOT#523 11c. SKDOT#566
11b.SKDOT#524
71707954

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR**, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: ROY STEWART — Signature — Date: Month 08 Day 1 Year 94

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Larry Skipper — Signature — Date: Month 08 Day 1 Year 94

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name — Signature — Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
12(A): 3 , 13(A): 96 , 13(B): 1150
Jc. Corrected by TSDF (EM) 8-10-94 8/13/94

a. lbs. c. lbs.
b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: JEFF GODBEE — Signature — Date: Month 08 Day 11 Year 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

safety-kleen

LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest / sales service number 04553, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ✓ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☐ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water)
		Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium Solvent **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☒ Waste Compound Cleaning Liquid/ Immersion cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

GENERATOR

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

FORM 1339

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

South Carolina Department of Health and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: F L D 9 8 0 8 4 7 2 1 4
MANIFEST DOCUMENT NO.: 38852
2. Page 1 of 1
Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address:
SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone: (904) 264-2607

A. State Manifest Document Number:
B. State Generator's ID:

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.
6. US EPA ID Number: F L D 9 8 4 9 0 3 2 0 2
C. State Transporter's ID:
D. Transporter's Phone: 803-359-2495

7. Transporter 2 Company Name:
8. US EPA ID Number:
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address:
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073
10. US EPA ID Number: S C D 0 7 7 9 9 5 4 8 8
G. State Facility's ID:
H. Facility's Phone: (803) 356-4061

GENERATOR

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ WASTE TETRACHLOROETHYLENE 6.1 UN1897 PGIII (F002,D007,D039)	17	DM	6615	P	F002 D007
b. RQ WASTE TETRACHLOROETHYLENE 6.1 UN1897 PG III (F002,D007,D039)	17	DF	1 1 0 5 0		F002 D007
c. WASTE TETRACHLOROETHYLENE 6.1 UN1897 PGIII (~~F002~~,D039)		DM			F002 D039
d.					

J. Additional Descriptions for Materials Listed Above
a. D039 SK 0 0 0 1 2 0 0 0 3 c. SK 0 0 0 1 2 0 0 0 3
b. D039 SK 0 0 0 1 2 0 0 0 3 d.

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information
EMERGENCY RESP# 1-(708)-888-4660 24HR.
11a. SKDOT#506 11c. SKDOT#906
~~11b. SKDOT#506~~
7062871/4

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR,** if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name	Signature	Date (Month Day Year)
Tim S. Windham	Tim S. Windham	7 13 94

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Date (Month Day Year)
MIKE TATUM	Mike Tatum	07 13 94

18. Transporter 2 Acknowledgement or Receipt of Materials

Printed/Typed Name	Signature	Date (Month Day Year)

FACILITY

19. Discrepancy Indication Space
Line 11, C; 12, C; 13, C; 14, C; I, C and Line 15, C, is Not Needed, and also 11, J, C is also not needed.
a. lbs. c. lbs.
b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Date (Month Day Year)
JEFF GODBEE		07 14 94

3-079

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY)

EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest/sales service number 38852, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE CHECK THE APPROPRIATE BOXES

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
	☒ Waste Petroleum Naphtha	D001	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN) fuels substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water)
			Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	INCIN (40 CFR 268.42) (non-waste water)
		D018	Benzene	Not Established
		D039	Tetrachloroethylene	Not Established
	☒ Waste Petroleum Naphtha	D001	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
	☒ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001	All of the above, plus	
		D006	Cadmium	1.0 (non-waste water)
		D008	Lead	5.0 (non-waste water)
		D039	Tetrachloroethylene	Not Established
	☒ Waste Compound Cleaning Liquid/ Immersion Cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42) (non-waste water)
		D006	Cadmium	1.0 (non-waste water)
		D007	Chromium	5.0 (non-waste water)
		D008	Lead	5.0 (non-waste water)
		D018	Benzene	Not Established
		D021	Chlorobenzene	Not Established
		D027	1,4-Dichlorobenzene	Not Established
		D039	Tetrachloroethylene	Not Established
		D040	Trichloroethylene	Not Established
	☐ Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
		D007	CHROMIUM	5.0 (NON-WASTE WATER)
	☐ Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
	☐ Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
	☐ Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
	☐ Waste Petroleum Naphtha (Dry Cleaning)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D039,	Tetrachloroethylene	Not Established
	☐ Waste Paint Related Material D018 D039 D039 D040	F003,	Acetone	160.0 (non-waste water)
		F005,	Methyl Ethyl Ketone	36.0 (non-waste water)
		F003,	Methyl Isobutyl Ketone	33.0 (non-waste water)
		F005,	Toluene	28.0 (non-waste water)
		F003,	Xylene	28.0 (non-waste water)
		F003,	Methanol	0.75(non-waste water)
		D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D006	Cadmium	1.0 (non-waste water)
		D007	Chromium	5.0 (non-waste water)
		D008,	Lead (TOC Subcategory)	5.0 (non-waste water)
	☐ Waste Antifreeze	D008,	Lead	5.0 (non-waste water)
		D039,	Tetrachloroethylene	Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

Part No. 1328 (3/94) FACILITY printed on recycled paper

South Carolina Department of Health and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: FLD980847214
MANIFEST DOCUMENT NO.: 74713
2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address:
SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone: (904) 264-2607

A. State Manifest Document Number:
B. State Generator's ID:
C. State Transporter's ID:
D. Transporter's Phone: 803-359-2495
E. State Transporter's ID:
F. Transporter's Phone:
G. State Facility's ID:
H. Facility's Phone: (803) 356-4061

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.
6. US EPA ID Number: ILD984908202
7. Transporter 2 Company Name:
8. US EPA ID Number:
9. Designated Facility Name and Site Address:
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073
10. US EPA ID Number: SCD077995488

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a. RQ WASTE TETRACHLOROETHYLENE 6.1 UN1897 PGIII (F002,D007,D039)	8	DF	1200	P	F002 D007
b. WASTE TETRACHLOROETHYLENE 6.1 UN1897 PGIII (F002, D039)	7	DM	420	(EM) P	F002 D039
c.					
d.					

J. Additional Descriptions for Materials Listed Above:
a. 0039 SK 00012 0003
b. SK 00012 0003
c. 74713
d.

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information
EMERGENCY RESP# 1-(708)-888-4660 24HR.
11a.SKDOT#506
11b.SKDOT#906

71055677

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR,** if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Roy Stewart
Signature: [signature]
Date: Month 07 Day 21 Year 94

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Mike Tatum
Signature: Mike Tatum
Date: Month 07 Day 21 Year 94

18. Transporter 2 Acknowledgement or Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

19. Discrepancy Indication Space
14b. Added by TSDF (EM) 7/26/94
a. lbs. c. lbs.
b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Jeff Bramble
Signature: Jeff Bramble
Month 07 Day 26 Year 94

GENERATOR / TRANSPORTER / FACILITY

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

3-079-41

safety-kleen

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)

EPA ID NO. SCD077995488
(DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest/sales service number 74713, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE CHECK THE APPROPRIATE BOXES

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
	☐ Waste Petroleum Naphtha	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN) fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.43) (non-waste water) Not Established Not Established
	☒ Waste Petroleum Naphtha	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
	☐ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D008, D039,	All of the above, plus Cadmium Lead Tetrachloroethylene	INCIN (40 CFR 268.43) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) Not Established
	☐ Waste Compound Cleaning Liquid Immersion cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's ≥ 1000 mg/l Cadmium Chromium Lead Benzene Chlorobenzene 1, 4 Dichlorobenzene Tetrachloroethylene Trichloroethylene	INCIN (40 CFR 268.43) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established Not Established Not Established Not Established Not Established Not Established
	☐ Waste Perchloroethylene	F002, D007	Tetrachloroethylene CHROMIUM	5.6 (non-waste water) 5.0 (NON-WASTE WATER)
	☐ Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
	☐ Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
	☐ Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
	☐ Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) Not Established
	☐ Waste Paint Related Material D018 D035 D039 D040	F003, F005, F003, F005, F003, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Chromium Chromium Lead (TOC Subcategory)	160.0 (non-waste water) 36.0 (non-waste water) 33.0 (non-waste water) 28.0 (non-waste water) 28.0 (non-waste water) 0.75(non-waste water) INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
	☐ Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

e constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
These treatment standards do not preclude reclamation prior to final disposition.

enerator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

fety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

FACILITY

printed on recycled paper

South Carolina Department of Health and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: FLD980847214
MANIFEST DOCUMENT NO.: 8162143
2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address:
SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone: (904) 264-2607

A. State Manifest Document Number:
B. State Generator's ID:

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.
6. US EPA ID Number: ILD984904802

C. State Transporter's ID:
D. Transporter's Phone: 803-359-2495

7. Transporter 2 Company Name:
8. US EPA ID Number:

E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address:
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073

10. US EPA ID Number: SCD077995488

G. State Facility's ID:
H. Facility's Phone: (803) 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ WASTE TETRACHLOROETHYLENE 6.1 UN1897 PGIII (F002,D007,D039)	110	DM	11950	P	F002 D007
b. RQ WASTE TETRACHLOROETHYLENE 6.1 UN1897 PG III (F002,D007,D039)		DF			F002 D007
c. WASTE TETRACHLOROETHYLENE 6.1 UN1897 PGIII (F002,D039)	16	DM	1360	P	F002 D039
d.					

J. Additional Descriptions for Materials Listed Above
a. D039 SK 00012 0003
c. SK 00012 0003
b. D039 SK 00012 0003
d.

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information
EMERGENCY RESP# 1-(708)-888-4660 24HR.
11a. SKDOT#506 11c. SKDOT#906
~~11b. SKDOT#505~~

3-079-01
70377452

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Roy STEWART
Signature:
Date: Month 06 Day 12 Year 94

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Lonny S Kippen
Signature:
Date: Month 07 Day 07 Year 94

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
Line 11, B: 12, B: 13, B: 14, B: I, B; Line 15, B:, and also 11, J-B are Not Needed for this Shipment.
#19: Signed in Error RS 7-7-94
a. lbs. c. lbs.
b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: JEFF GOLBEE
Signature:
Date: Month 07 Day 07 Year 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

South Carolina Department of Health and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: FLD980847214
MANIFEST DOCUMENT NO.: 37023
2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address: SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone: (904) 264-2607

A. State Manifest Document Number:
B. State Generator's ID:
C. State Transporter's ID:
D. Transporter's Phone: 803-359-2495
E. State Transporter's ID:
F. Transporter's Phone:
G. State Facility's ID:
H. Facility's Phone: (803) 356-4061

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.
6. US EPA ID Number: ILD984908202
7. Transporter 2 Company Name:
8. US EPA ID Number:
9. Designated Facility Name and Site Address: SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073
10. US EPA ID Number: SCD077995488

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PGII (F005,F003,D001,D008,D018,D035,D039,D040)	3	DM	96	P	F005 F003
b. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005,F003,D001,D035,D039)	7	DM	805	P	F005 F003
c. WASTE COMPOUNDS, CLEANING LIQUID (MONOETHANOLAMINE) 8 NA1760 PGIII (D006,D008,D018,D021,D027,D035,D039,D040	mj 6/30 014 ~~13~~	DM	mj 00630 ~~585~~	P	D006 D008
d. RQ WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PG III (D001,D006,D008,D018,D018,D039)	8	DM	800	P	D001 D006

J. Additional Descriptions for Materials Listed Above

a. D001,D008,D018 D035,D039,D040 SK 00012 0005
b. D001,D035,D039 SK 00012 0005
c. D018,D021,D027 D035,D039,D040 SK 00012 0002 11 LJ
d. D008,D018,D039 SK 00012 0013

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information
EMERGENCY RESP# 1-(708)-888-4660 24HR.
11a. SKDOT#523 11c. SKDOT#566
11b. SKDOT#524 11d. SKDOT#527

70271267

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR,** if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Tim S. Windham
Signature: Tim S. Windham
Date: Month 6 Day 28 Year 94

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: MIKE TATUM
Signature: Mike Tatum
Date: Month 06 Day 30 Year 94

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

19. Discrepancy Indication Space
12C 13C corrected by driver mj 6/30/94
JC should be SK-00012-0011 LJ.
a. lbs. c. lbs.
b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: David Barfield
Signature: [signature]
Month 07 Day 01 Year 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

safety-kleen

LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest / sales service number 33672 31023, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ☑ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☐ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water)
	D006,	Cadmium	INCIN (40 CFR 268.42)(non-waste water) 1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium Solvent **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☒ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☒ Waste Compound Cleaning Liquid/ Immersion cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

GENERATOR

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

FORM 1339

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

South Carolina Department of Health and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: F L D 9 8 0 8 4 7 2 1 4
MANIFEST DOCUMENT NO.:

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address:
SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone: (904) 264-2607

A. State Manifest Document Number:

B. State Generator's ID:

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.

6. US EPA ID Number: F L D 9 8 4 9 0 8 0 2

C. State Transporter's ID:

D. Transporter's Phone: 803-359-2495

7. Transporter 2 Company Name:

8. US EPA ID Number:

E. State Transporter's ID:

F. Transporter's Phone:

9. Designated Facility Name and Site Address:
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073

10. US EPA ID Number: S C D 0 7 7 9 9 5 1 8 8

G. State Facility's ID:

H. Facility's Phone: (803) 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PGII (F005,F003,D001,D008,D018,D035,D039,D040)	27 ~~14~~	D M	972 ~~1630~~	P	F005 F003
b. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005,F003,D001,D035,D039)	131	D M	13178	P	F005 F003
c. WASTE COMPOUNDS, CLEANING LIQUID (MONOETHANOLAMINE) 8 NA1760 PGIII (D006,D008,D018,D021,D027,D035,D039,D040	1 ~~14~~	D M	1630	P	D006 D008
d. RQ WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PG III (D001,D006,D008,D018,D018,D039)	8	D M	1800	P	D001 D006

J. Additional Descriptions for Materials Listed Above

a. D001,D008,D018 D035,D039,D040 — S K 0 0 0 1 2 0 0 0 5
c. D018,D021,D027 D035,D039,D040 — S K 0 0 0 1 2 0 0 0 2
b. D001,D035,D039 — S K 0 0 0 1 2 0 0 0 5
d. D008,D018,D039 — S K 0 0 0 1 2 0 0 1 3

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information
EMERGENCY RESP# 1-(708)-888-4660 24HR.
11a. SKDOT#523 11c. SKDOT#566
11b. SKDOT#524 11d. SKDOT#527

GENERATOR

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Roy STEWART — Signature: [signature] — Date: Month 06 Day 16 Year 94

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: Lanny Skipper — Signature: [signature] — Date: Month 06 Day 16 Year 94

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name: — Signature: — Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
#12(A): 27 6-16-94
#13(A): 972 6-16-94

a. lbs. c. lbs.
b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: Jeff Brumble — Signature: [signature] — Month 06 Day 16 Year 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

safety-kleen

LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest / sales service number 111 48 , the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ☑ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☐ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN), fuel substitution (FSUBS)
		Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	or recovery (RORGS) (40 CFR 268.42) (non-waste water)
			INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium Solvent **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☑ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☑ Waste Compound Cleaning Liquid/ Immersion cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

GENERATOR

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

FORM 1339

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

South Carolina Department of Health and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: F I D 9 8 0 8 4 7 2 1 4

MANIFEST DOCUMENT NO.: 1 1 2 2 3

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address:
SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone: (904) 264-2607

A. State Manifest Document Number:

B. State Generator's ID:

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.

6. US EPA ID Number: I I D 9 8 4 9 0 8 0 2

C. State Transporter's ID:

D. Transporter's Phone: 803-359-2495

7. Transporter 2 Company Name:

8. US EPA ID Number:

E. State Transporter's ID:

F. Transporter's Phone:

9. Designated Facility Name and Site Address:
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073

10. US EPA ID Number: S C D 0 7 7 9 9 5 4 8 8

G. State Facility's ID:

H. Facility's Phone: (803) 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PGII (F005,F003,D001,D008,D018,D035,D039,D040)	110	DM	3310	P	F005 F003
b. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005,F003,D001,D035,D039)	4	DM	1610	(EM) P	F005 F003
c. WASTE COMPOUNDS, CLEANING LIQUID (MONOETHANOLAMINE) 8 NA1760 PGIII (D006,D008,D018,D021,D027,D035,D039,D040	1	DM	315	(EM) G	D006 D008
d.					

J. Additional Descriptions for Materials Listed Above

a. D001,D008,D018 D035,D039,D040 — S K 0 0 0 1 2 0 0 0 5

c. D018,D021,D027 D035,D039,D040 — S K 0 0 0 1 2 0 0 0 2

b. D001,D035,D039 — S K 0 0 0 1 2 0 0 0 5

d.

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information

EMERGENCY RESP# 1-(708)-888-4660 24HR.
11a.SKDOT#523 11c. SKDOT#566
11b.SKDOT#523

69820884

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name	Signature	Date (Month Day Year)
ROY STEWART		6 21 94

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Date (Month Day Year)
Lanny Skipper		6 22 94

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Date (Month Day Year)

FACILITY

19. Discrepancy Indication Space

a. ___ lbs. c. 2488 lbs.
b. ___ lbs. d. ___ lbs.

14c. Added by TSDF. (EM) 6/22/94

19c. Added by TSDF

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Date (Month Day Year)
JEFF GOSSEE		6 22 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

safety-kleen

LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest / sales service number 11223, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ☑ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☐ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water)
		Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium Solvent **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☒ Waste Compound Cleaning Liquid/ Immersion cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

GENERATOR

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

FORM 1339

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

South Carolina Department of Health and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: FLD980847214
MANIFEST DOCUMENT NO.: 78123
2. Page 1 of 1
Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address
SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone (904) 264-2607

A. State Manifest Document Number
B. State Generator's ID

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.
6. US EPA ID Number: ILD984908202
C. State Transporter's ID
D. Transporter's Phone 803-359-2495

7. Transporter 2 Company Name
8. US EPA ID Number
E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073
10. US EPA ID Number: SCD077995488
G. State Facility's ID
H. Facility's Phone (803) 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No
a. RQ WASTE COMPOUNDS, CLEANING LIQUID CLASS 8 NA 1760 PG III (ERG#60) (D008)	18	DM	3610	P	D006 D007
b. RQ WASTE PAINT RELATED MATERIAL CLASS 3 UN1263 PG II (D008, F005) (ERG#26)	12	DM	1230	P	F005 F003
c. RQ WASTE TETRACHLOROETHYLENE CLASS 6.1 UN1897 PGIII (F002) (ERG#74)	17	DM	660	P	F002
d. RQ WASTE TETRACHLOROETHYLENE CLASS 6.1 UN1897 PG III (F002) (ERG#74)	14	DF	1780	P	F002

J. Additional Descriptions for Materials Listed Above
a. D008,D018,D021,D027,D039,D040 SK 000122011
c. SK 000122003
b. D001,D006,D007,D008 SK 000120005
d. SK 000122003

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information
EMERGENCY RESP# 1-(708)-888-4660 24HR.
11a. SKDOT#566
11b. SKDOT#523
11c. SKDOT#506
11d. SKDOT#506
67287722
3-079-01

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable International and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR,** if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name	Signature	Date (Month Day Year)
Tim S. Windham	Tim S. Windham	14 13 94

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Date (Month Day Year)
Larry S Kipper	Larry S Kipper	04 13 94

18. Transporter 2 Acknowledgement or Receipt of Materials

Printed/Typed Name	Signature	Date (Month Day Year)

FACILITY

19. Discrepancy Indication Space
a. lbs. c. lbs.
b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name	Signature	Date (Month Day Year)
David Barfield		04 14 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

GENERAL INFORMATION: Federal Regulations require generators and transporters of hazardous waste a... ...ecessary, the continuation sheet U.S. EPA Form ... 8700-22 Rev. 9/88 (DHEC 1988 (REV 5/89)) and ... State regulations also require generators and transporters of hazardous waste ... or disposal facilities to use the U.S. EPA Form ... for both inter-state and intra-state transportation. Transporters who transport hazardous waste into the United States ...

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)

EPA ID NO. SCD077995488
(DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road
Lexington, SC 29073

Under manifest/Sales service number 78023, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE CHECK THE APPROPRIATE BOXES

✓	WASTE NAME	EPA* WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
☐	Waste Petroleum Naphtha	D001,	Ignitable Liquid (High TOC subcategory)	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water)
			Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	INCIN (40 CFR 268.42) (non-waste water)
		D018,	Benzene	Not Established
		D039,	Tetrachloroethylene	Not Established
☐	Waste Petroleum Naphtha	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN. FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
☑	Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001,	All of the above, plus:	
		D006,	Cadmium	1.0 (non-waste water)
		D008,	Lead	5.0 (non-waste water)
		D039,	Tetrachloroethylene	Not Established
☑	Waste Compound Cleaning Liquid/ Immersion cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42) (non-waste water)
		D006,	Cadmium	1.0 (non-waste water)
		D007,	Chromium	5.0 (non-waste water)
		D008,	Lead	5.0 (non-waste water)
		D018,	Benzene	Not Established
		D021,	Chlorobenzene	Not Established
		D027.	1, 4-Dichlorobenzene	Not Established
		D039,	Tetrachloroethylene	Not Established
		D040,	Trichloroethylene	Not Established
☐	Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
☐	Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
☐	Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
☐	Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
☐	Waste Petroleum Naphtha (Dry Cleaning)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN. FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D039,	Tetrachloroethylene	Not Established
☑	Waste Paint Related Material	F003,	Acetone	160.0 (non-waste water)
		F005,	Methyl Ethyl Ketone	36.0 (non-waste water)
		F003,	Methyl Isobutyl Ketone	33.0 (non-waste water)
		F005,	Toluene	28.0 (non-waste water)
		F003,	Xylene	28.0 (non-waste water)
		F003,	Methanol	0.75 (non-waste water)
		D001,	Ignitable Liquid (High TOC Subcategory)	INCIN. FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D006,	Cadmium	1.0 (non-waste water)
		D007,	Chromium	5.0 (non-waste water)
		D008,	Lead (TOC Subcategory)	5.0 (non-waste water)
☐	Waste Antifreeze	D008,	Lead	5.0 (non-waste water)
		D039,	Tetrachloroethylene	Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
* *These treatment standards do not preclude reclamation prior to final disposition.*

Generator Company: Safety-Kleen Corporation

EPA ID NO.: FLD980847214

Generator's Signature X [signature]

Date: [illegible]

Printed Name and Title of Generator: Tim S. Windham (warehouseman)

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

PART NO. 1328 (11/93)

GENERATOR

South Car 'na Department of H[illegible]alth and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: FLD980847214
MANIFEST DOCUMENT NO.: 42916
2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address:
SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone: (904) 264-2607

A. State Manifest Document Number:
B. State Generator's ID:
C. State Transporter's ID:
D. Transporter's Phone: 803-359-2495
E. State Transporter's ID:
F. Transporter's Phone:
G. State Facility's ID:
H. Facility's Phone: (803) 356-4061

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.
6. US EPA ID Number: ILD984908202

7. Transporter 2 Company Name:
8. US EPA ID Number:

9. Designated Facility Name and Site Address:
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073

10. US EPA ID Number: SCD077995488

GENERATOR

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ WASTE TETRACHLOROETHYLENE 6.1 UN1897 PGIII (F002,D007,D039)	4	DM	380	P	F002 D007
b. RQ WASTE TETRACHLOROETHYLENE 6.1 UN1897 PG III (F002,D007,D039)		DF			F002 D007
c. WASTE TETRACHLOROETHYLENE 6.1 UN1897 PGIII (F002,D039)	4	DM	240	P (CM)	F002 D039
d.					

J. Additional Descriptions for Materials Listed Above:
a. D039 SK 00012 0003
c. SK 00012 0003
b. D039 SK 00012 0003
d.

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information
EMERGENCY RESP# 1-(708)-888-4660 24HR.
11a. SKDOT#506 11c. SKDOT#906
~~11b. SKDOT#506~~

69820918

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR,** if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Roy Stewart
Signature: [signature]
Date: Month 6 Day 21 Year 94

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Lanny Skipper
Signature: Lanny Skipper
Date: Month 06 Day 22 Year 94

18. Transporter 2 Acknowledgement or Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
Line 11;B, 12;B, 13;B, 14B. I;B are Not Needed and also J;B and 15 11,B are not needed, 14c. Added by TSDF (CM) 6/22/94

a. lbs. c. lbs.
b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: JEFF GODBEE
Signature: [signature]
Month 06 Day 22 Year 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

3-079-41

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

O: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)

EPA ID NO. SCD077995488
(DESIGNATED FACILITY)

130-A Frontage Road Lexington, SC 29073

DDRESS:

Under manifest/sales service number 42916, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE CHECK THE APPROPRIATE BOXES

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
	~~Waste Petroleum Naphtha~~	~~D001~~	~~Ignitable Liquid (High TOC Subcategory)~~	~~Incineration (INCIN), fuel substitution (FSUBS), recovery (RORGS) (40 CFR 268.42) (non-waste water)~~
			~~Halogenated Organic Compounds (HOC's) > 1000 mg/l~~	~~INCIN (40 CFR 268.42) (non-waste water)~~
		~~D018~~	~~Benzene~~	~~Not Established~~
		~~D039~~	~~Tetrachloroethylene~~	~~Not Established~~
☒	~~Waste Petroleum Naphtha~~	~~D001~~	~~Ignitable Liquid (High TOC Subcategory)~~	~~INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)~~
	~~Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)~~	~~D001~~	~~All of the above, plus~~	
		~~D006~~	~~Cadmium~~	~~1.0 (non-waste water)~~
		~~D008~~	~~Lead~~	~~5.0 (non-waste water)~~
		~~D039~~	~~Tetrachloroethylene~~	~~Not Established~~
			~~HOC's > 1000 mg/l~~	~~INCIN (40 CFR 268.42) (non-waste water)~~
	~~Waste Compound Cleaning Liquid/ Immersion cleaner 699~~	~~D006~~	~~Cadmium~~	~~1.0 (non-waste water)~~
		~~D007~~	~~Chromium~~	~~5.0 (non-waste water)~~
		~~D008~~	~~Lead~~	~~5.0 (non-waste water)~~
		~~D018~~	~~Benzene~~	~~Not Established~~
		~~D021~~	~~Chlorobenzene~~	~~Not Established~~
		~~D027~~	~~1, 4-Dichlorobenzene~~	~~Not Established~~
		~~D039~~	~~Tetrachloroethylene~~	~~Not Established~~
		~~D040~~	~~Trichloroethylene~~	~~Not Established~~
☐	Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
		~~D007~~	~~CHROMIUM~~	~~5.0 (NON-WASTE WATER)~~
☒	Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
☐	Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
☐	Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
☐	Waste Petroleum Naphtha (Dry Cleaning)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D039,	Tetrachloroethylene	Not Established
☐	Waste Paint Related Material D018 D035 D039 D040	F003,	Acetone	160.0 (non-waste water)
		F005,	Methyl Ethyl Ketone	36.0 (non-waste water)
		F003,	Methyl Isobutyl Ketone	33.0 (non-waste water)
		F005,	Toluene	28.0 (non-waste water)
		F003,	Xylene	28.0 (non-waste water)
		F003,	Methanol	0.75(non-waste water)
		D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		~~D006~~	~~Cadmium~~	~~1.0 (non-waste water)~~
		~~D007~~	~~Chromium~~	~~5.0 (non-waste water)~~
		D008,	Lead (TOC Subcategory)	5.0 (non-waste water)
☐	Waste Antifreeze	D008,	Lead	5.0 (non-waste water)
		D039,	Tetrachloroethylene	Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

South Carolina Department of Health and Environmental Control

3-079-01

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: FLD980847214
MANIFEST DOCUMENT NO.: 09894
2. Page 1 of 1
Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address
SAFETY-KLEEN CORP.
161 INDUSTRIAL LOOP SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone (904 264-2607

A. State Manifest Document Number
B. State Generator's ID

5. Transporter 1 Company Name: Safety-Kleen Corp
6. US EPA ID Number: FLD984790820 2
C. State Transporter's ID
D. Transporter's Phone: 803-356-4061

7. Transporter 2 Company Name
8. US EPA ID Number
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID

9. Designated Facility Name and Site Address 000630
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON SC 29073
10. US EPA ID Number: SCD079954888
H. Facility's Phone: 803 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ WASTE TETRACHLOROETHYLENE 6.1 UN1897 PG III (F002, D007, D039) (ERG#74)		DF		P	F002 D007
b. RQ WASTE TETRACHLOROETHYLENE 6.1 UN1897 PG III (F002, D039) (ERG#74)	4	DM	345	P	F002 D039
c.					
d.					

J. Additional Descriptions for Materials Listed Above
D039
e. SK 00012 0003
f. SK 00012 0003

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information
3-079-51 72687544
EMERGENCY RESP# 1-708-888-4660 (24 HR)
SKDOT# A: 506 B: 906 C: D:

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: ROY STEWART
Signature:
Date: Month 09 Day 09 Year 94

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: LARRY SKIPPER
Signature:
Date: Month 09 Day 09 Year 94

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

19. Discrepancy Indication Space: 11(A): NO PICK-UP 9-9-94
a. lbs. c. lbs.
b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name:
Signature:
Date: Month 09 Day 09 Year 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

SC00035

2-TSD-RETURN TO GENERATOR

Safety-Kleen

3-079-41

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY)

EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest/sales service number 09894, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE CHECK THE APPROPRIATE BOXES

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
		D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D039,	Tetrachloroethylene	Not Established
		D018,	Benzene	Not Established
		D039,	Tetrachloroethylene	Not Established
X	Waste Petroleum Naphtha	D001	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D001,	All of the above plus	
	Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D006,	Cadmium	1.0 (non-waste water)
		D008,	Lead	5.0 (non-waste water)
		D039	Tetrachloroethylene	Not Established
			TCLP > 1000 mg/l	INCIN (40 CFR 268.42) (non-waste water)
	Waste Solvent Cleaning Liquid Immersion cleaner 300	D006,	Cadmium	1.0 (non-waste water)
		D007,	Chromium	5.0 (non-waste water)
		D008,	Lead	5.0 (non-waste water)
		D018,	Benzene	Not Established
		D021,	Chlorobenzene	Not Established
		D027,	1,4 Dichlorobenzene	Not Established
		D039,	Tetrachloroethylene	Not Established
		D040	Trichloroethylene	Not Established
X	Waste Perchloroethylene D040	F002, D007	Tetrachloroethylene CHROMIUM	5.6 (non-waste water) 5.0 (NON-WASTE WATER)
	Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
	Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
	Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
	Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) Not Established
	Waste Paint Related Material D018 D039 D039 D040	F003,	Acetone	160.0 (non-waste water)
		F005,	Methyl Ethyl Ketone	36.0 (non-waste water)
		F003,	Methyl Isobutyl Ketone	33.0 (non-waste water)
		F005,	Toluene	28.0 (non-waste water)
		F003,	Xylene	28.0 (non-waste water)
		F003,	Methanol	0.75(non-waste water)
		D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D006,	Cadmium	1.0 (non-waste water)
		D007,	Chromium	5.0 (non-waste water)
		D008,	Lead (TOC Subcategory)	5.0 (non-waste water)
	Waste Antifreeze	D008,	Lead	5.0 (non-waste water)
		D039,	Tetrachloroethylene	Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

FACILITY

printed on recycled paper

South Carolina Department of Health and Environmental Control

3-079-01

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: FLD980847214
MANIFEST DOCUMENT NO.: 908914
2. Page 1 of 1
Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address
SAFETY-KLEEN CORP.
161 INDUSTRIAL LOOP SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone (904) 264-2607

5. Transporter 1 Company Name: Safety-KleenCorp
6. US EPA ID Number: FLD984908212

7. Transporter 2 Company Name:
8. US EPA ID Number:

9. Designated Facility Name and Site Address 000630
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON SC 29073
10. US EPA ID Number: SCD079954888

A. State Manifest Document Number:
B. State Generator's ID:
C. State Transporter's ID:
D. Transporter's Phone: 803-356-4061
E. State Transporter's ID:
F. Transporter's Phone:
G. State Facility's ID:
H. Facility's Phone: 803 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005, F003, D001) (D008, D018, D035, D039, D040) (ERG#26)	19	DM	288	P	F005 F003
b. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PGII (F005, F003, D001, D035) (D039) (ERG#26)	8	DM	920	P	F005 F003
c. WASTE COMPOUNDS, CLEANING LIQUID (MONOETHANOLAMINE) 8 NA1760 PGIII (ERG#60) (D006, D008, D018, D021, D027, D035, D039D040)	1/2	DM	540	P	D006 D008
d. RQ WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII (D001) (D006, D008, D018, D039) (ERG#27) 6.7LBS/GAL	8	DM	800	P	D001 D006

J. Additional Descriptions for Materials Listed Above

a. D001 D008 D018: SK 0 0 0 1 2 0 0 0 5
b. D001, D035, D039: SK 0 0 0 1 2 0 0 0 5
c. D018, D021, D027: SK 0 0 0 1 2 0 0 0 2 (CM)
d. D008, D018, D039: SK 0 0 0 1 2 0 0 1 3

K. Handling codes for wastes listed above

15. Special Handling Instructions and Additional Information

3-079-01 72687577

ITEM I/A(CONT)-D035 D039 D040, I/C(CONTD)D035 D039 D040
EMERGENCY RESP# 1-708-888-4660 (24 HR)
SKDOT# A: 523 B: 524 C: 566 D: 527

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: ROY STEWART
Signature:
Date: Month 09 Day 09 Year 94

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Larry Skipper
Signature:
Date: Month 09 Day 09 Year 94

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
Jc. Corrected to SK-00012-0011 by TSDF (CM) 9/9/94
a. lbs. c. lbs.
b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name:
Signature:
Date: Month 09 Day 09 Year 94

safety-kleen

LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A FRONTAGE Rd

Under manifest / sales service number 70894, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ✓ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☐ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water)
		Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium Solvent **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☑ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations 11 0	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☑ Waste Compound Cleaning Liquid/ Immersion cleaner 699 11c		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

GENERATOR

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

FORM 1339

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corp EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

South Carolina Department of Health and Environmental Control

3-079-01

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: FLD980847214
MANIFEST DOCUMENT NO.: 912891
2. Page 1 of 1
Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address
SAFETY-KLEEN CORP.
161 INDUSTRIAL LOOP SOUTH
ORANGE PARK, FL 32073

A. State Manifest Document Number:
B. State Generator's ID:

4. Generator's Phone (904) 264-2607

5. Transporter 1 Company Name: Safety-Kleen Corp
6. US EPA ID Number: ILD984900202
C. State Transporter's ID:
D. State Transporter's Phone: 803 359-2495

7. Transporter 2 Company Name:
8. US EPA ID Number:
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address 000630
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON SC 29073
10. US EPA ID Number: SCD079954888
G. State Facility's ID:
H. Facility's Phone: 803 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005, F003, D001) (D008, D018, D035, D039, D040) (ERG#26) MJ 9/25	008	DM	256	P	F005 F003
b. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PGII (F005, F003, D001, D035) (D039) (ERG#26)	010	DM	1150	P	F005 F003
c. WASTE COMPOUNDS, CLEANING LIQUID (MONOETHANOLAMINE) 8 NA1760 PGIII (ERG#60) (D006, D008, D018, D021, D027, D035, D039D040)	016	DM	1210	P	D006 D008
d. RQ WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII (D001) (D006, D008, D018, D039) (ERG#27) 6.7LBS/GAL	014	DM	140	P	D001 D006

J. Additional Descriptions for Materials Listed Above
a. SK 00012 0005 D001, D008, D018
c. SK 00012 0002 D018, D021, D027 (CM) 11
b. SK 00012 0005 D001, D035, D039
d. SK 00012 0013 D008, D018, D039

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information
3-079-01 7346952
ITEM I/A(CONT)-D035 D039 D040, I/C(CONTD)D035 D039 D040
EMERGENCY RESP# 1-708-888-4660 (24 HR)
SKDOT# A: 523 B: 524 C: 566 D: 527

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: ROY STEWART
Signature:
Date: Month 09 Day 29 Year 94

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: MIKE TATUM
Signature: Mike Tatum
Date: Month 09 Day 29 Year 94

18. Transporter 2 Acknowledgement or Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
129 139 correction by driver MJ 9/29/94
a. lbs. c. lbs.
b. lbs. d. lbs.
Jc. Corrected by TSDF (CM) 9/30

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Billy R. Grants
Signature:
Date: Month 09 Day 30 Year 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)
2-TSD-RETURN TO GENERATOR
SC000084

safety-kleen

LAND DISPOSAL RESTRICTION / WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SCD077954688
(DESIGNATED FACILITY)

ADDRESS: 130-1 FRONTAGE RD - LEXINGTON, SC

Under manifest / sales service number 92894, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ☑ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☐ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water)
		Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium Solvent **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☑ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations 110	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☑ Waste Compound Cleaning Liquid/ Immersion cleaner 699 11c		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

GENERATOR

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

FORM 1339

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corp EPA ID NO.: FD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

3-079-41

NOTICE OF LAND DISP[illegible]L RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY)

EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest/sales service number 92 894, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE CHECK THE APPROPRIATE BOXES

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
[illegible]	[illegible]	D001	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
[illegible]	[illegible]	[illegible]	Halogenated Organic Compounds (HOC) > 1000 mg/l	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
[illegible]	[illegible]	D001, D039	Ignitable Liquid (High TOC Subcategory), Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
[illegible]	[illegible]	D001, D006	Ignitable Liquid (High TOC Subcategory), Cadmium	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), 0.66 (non-waste water)
[illegible]	[illegible]	D001, D008	Ignitable Liquid (High TOC Subcategory), Lead	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), 5.0 (non-waste water)
[illegible]	[illegible]	D001, D039	Ignitable Liquid (High TOC Subcategory), Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001, D040	Ignitable Liquid (High TOC Subcategory), Trichloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
[illegible]	[illegible]	[illegible]	Halogenated Organic Compounds (HOC) > 1000 mg/l	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
[illegible]	[illegible]	D001, D039	Ignitable Liquid (High TOC Subcategory), Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001, D006	Ignitable Liquid (High TOC Subcategory), Cadmium	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), 0.66 (non-waste water)
[illegible]	[illegible]	D001, D008	Ignitable Liquid (High TOC Subcategory), Lead	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), 5.0 (non-waste water)
[illegible]	[illegible]	D001, D039	Ignitable Liquid (High TOC Subcategory), Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001, D040	Ignitable Liquid (High TOC Subcategory), Trichloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
[illegible]	[illegible]	[illegible]	Halogenated Organic Compounds (HOC) > 1000 mg/l	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
[illegible]	[illegible]	D001, D039	Ignitable Liquid (High TOC Subcategory), Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001, D006	Ignitable Liquid (High TOC Subcategory), Cadmium	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), 0.66 (non-waste water)
[illegible]	[illegible]	D001, D008	Ignitable Liquid (High TOC Subcategory), Lead	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), 5.0 (non-waste water)
[illegible]	[illegible]	D001, D039	Ignitable Liquid (High TOC Subcategory), Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001, D040	Ignitable Liquid (High TOC Subcategory), Trichloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
[illegible]	[illegible]	[illegible]	Halogenated Organic Compounds (HOC) > 1000 mg/l	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
[illegible]	[illegible]	D001, D039	Ignitable Liquid (High TOC Subcategory), Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001, D006	Ignitable Liquid (High TOC Subcategory), Cadmium	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), 0.66 (non-waste water)
[illegible]	[illegible]	D001, D008	Ignitable Liquid (High TOC Subcategory), Lead	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), 5.0 (non-waste water)
[illegible]	[illegible]	D001, D039	Ignitable Liquid (High TOC Subcategory), Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001, D040	Ignitable Liquid (High TOC Subcategory), Trichloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
[illegible]	[illegible]	[illegible]	Halogenated Organic Compounds (HOC) > 1000 mg/l	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
[illegible]	[illegible]	D001, D039	Ignitable Liquid (High TOC Subcategory), Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001, D006	Ignitable Liquid (High TOC Subcategory), Cadmium	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), 0.66 (non-waste water)
[illegible]	[illegible]	D001, D008	Ignitable Liquid (High TOC Subcategory), Lead	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), 5.0 (non-waste water)
[illegible]	[illegible]	D001, D039	Ignitable Liquid (High TOC Subcategory), Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
[illegible]	[illegible]	D001, D040	Ignitable Liquid (High TOC Subcategory), Trichloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
☐	Waste Perchloroethylene	F002, D007	Tetrachloroethylene, CHROMIUM	5.6 (non-waste water), 5.0 (NON-WASTE WATER)
☐	Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
☐	Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
☐	Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
☐	Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory), Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), Not Established
☑	Waste Paint Related Material (11A) D018 D039 D039 D040	F003, F005, F003, F005, F003, F003, D001, D006, D007, D008,	Acetone, Methyl Ethyl Ketone, Methyl Isobutyl Ketone, Toluene, Xylene, Methanol, Ignitable Liquid (High TOC Subcategory), Cadmium, Chromium, Lead (TOC Subcategory)	160.0 (non-waste water), 36.0 (non-waste water), 33.0 (non-waste water), 28.0 (non-waste water), 28.0 (non-waste water), 0.75(non-waste water), INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water), 0.66 (non-waste water), 5.0 (non-waste water), 5.0 (non-waste water)
☐	Waste Antifreeze	D008, D039,	Lead, Tetrachloroethylene	5.0 (non-waste water), Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

Printed on recycled paper

3-079-41

safety-kleen

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY)

EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest/sales service number 92894, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE CHECK THE APPROPRIATE BOXES

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
	[illegible]	D001	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN) [illegible]
	[illegible]		Halogenated Organic Compounds (HOCs) ≥ 1000 mg/l	[illegible] (RORGS) (40 CFR 268.42) (non-waste water)
	Naphtha			INCIN (40 CFR 268.43) (non-waste water)
		D018	Benzene	Not Established
		D039	Tetrachloroethylene	Not Established
	[illegible]	D001	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
	[illegible]	D001	All of the above, plus	
	[illegible]	D006	Cadmium	1.0 (non-waste water)
	Naphtha (sludges from	D008	Lead	5.0 (non-waste water)
	Safety-Kleen Service	D039	Tetrachloroethylene	Not Established
	Center Operations)			
			HOCs ≥ 1000 mg/l	INCIN (40 CFR 268.43) (non-waste water)
	[illegible]	D006	Cadmium	1.0 (non-waste water)
	Waste Compound	D007	Chromium	5.0 (non-waste water)
	Cleaning Liquid/	D008	Lead	5.0 (non-waste water)
	Immersion cleaner 699	D018	Benzene	Not Established
		D021	Chlorobenzene	Not Established
		D027	1,4-Dichlorobenzene	Not Established
		D039	Tetrachloroethylene	Not Established
		D040	Trichloroethylene	Not Established
	☐ Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
		D007	CHROMIUM	5.0 (NON-WASTE WATER)
	☐ Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
	☐ Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
	☐ Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
	☐ Waste Petroleum Naphtha (Dry Cleaning)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D039,	Tetrachloroethylene	Not Established
	11B	F003,	Acetone	160.0 (non-waste water)
		F005,	Methyl Ethyl Ketone	36.0 (non-waste water)
		F003,	Methyl Isobutyl Ketone	33.0 (non-waste water)
		F005,	Toluene	28.0 (non-waste water)
		F003,	Xylene	28.0 (non-waste water)
	☑ Waste Paint Related Material D018	F003,	Methanol	0.75(non-waste water)
	D039	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
	D039	D006	Cadmium	1.0 (non-waste water)
		D007	Chromium	5.0 (non-waste water)
	[illegible]	[illegible]	Lead (TOC Subcategory)	5.0 (non-waste water)
	☐ Waste Antifreeze	D008,	Lead	5.0 (non-waste water)
		D039,	Tetrachloroethylene	Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation

EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

FACILITY

printed on recycled paper

South Car[illegible]na Department of H[illegible]alth and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: F L D 9 8 0 8 4 7 2 1 4
MANIFEST DOCUMENT NO.: 68532
2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address:
SAFETY-KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone: (904) 264-2607

A. State Manifest Document Number:
B. State Generator's ID:

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.
6. US EPA ID Number: I L D 9 8 4 9 0 8 2 0 2

C. State Transporter's ID:
D. Transporter's Phone: 803-356-4061

7. Transporter 2 Company Name:
8. US EPA ID Number:

E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address:
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073

10. US EPA ID Number: S C D 0 7 7 9 9 5 4 8 8

G. State Facility's ID:
H. Facility's Phone: (803) 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a. RQ WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII (D001) (D006,D008, D018,D039) (ERG#27) 6.7 lbs/gal	001	TT	5326 ~~5500~~	G	D001 D006
b.					
c.					
d.					

J. Additional Descriptions for Materials Listed Above:
D008,D039,D018
a. SK 00012 0006
b.
c.
d.

K. Handling codes for wastes Listed Above:

15. Special Handling Instructions and Additional Information:
EMERGENCY RESP# 1-(708)-888-4660 24HR. 3-079-01
SKDOT# A: 527

70630652

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR,** if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Roy STEWART
Signature: [signature]
Date: Month 07 Day 13 Year 94

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: [illegible]
Signature: [signature]
Date: Month 07 Day 13 Year 94

18. Transporter 2 Acknowledgement or Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

19. Discrepancy Indication Space
a. 35684 lbs. c. lbs.
b. lbs. d. lbs.
13a. Corrected Volume/Weight Accepted

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: JOHN JORDAN
Signature: John Jordan
Month 07 Day 14 Year 94

GENERATOR / TRANSPORTER / FACILITY

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

LAND DISPOSAL RESTRICTIONS AND WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest / sales service number 18532, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ☑ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☒ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water)
		Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium Solvent **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Waste Compound Cleaning Liquid/ Immersion cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

FORM 1339

South Carolina Department of Health and Environmental Control

3-079-01

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: FLD980847214
MANIFEST DOCUMENT NO.: 09760
2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address
SAFETY-KLEEN CORP.
161 INDUSTRIAL LOOP SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone (904) 264-2607

A. State Manifest Document Number
B. State Generator's ID
C. State Transporter's ID
D. Transporter's Phone 803-356-4061
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID
H. Facility's Phone 803 356-4061

5. Transporter 1 Company Name: SAFETY KLEEN Corp
6. US EPA ID Number: ILD984908202

7. Transporter 2 Company Name
8. US EPA ID Number

9. Designated Facility Name and Site Address 000630
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON SC 29073

10. US EPA ID Number: SCD077995488

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII(D001) (D006, D008, D018, D039)(ERG#27) 6.7LBS/GAL	0001	TT	6223 6311	G	D001 D006
b.					
c.					
d.					

J. Additional Descriptions for Materials Listed Above
D008 D039 D018
a. SK 00012 0006
b.
c.
d.

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information
3-079-01
EMERGENCY RESP# 1-708-888-4660 (24 HR)
SKDOT# A: 527 B: C: D:
73469645

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR,** if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: KEVIN Hamilton
Signature: Kevin Hamilton
Date: Month 09 Day 29 Year 94

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Gerald Reaves
Signature: Gerald Reaves
Date: Month 09 Day 29 Year 94

18. Transporter 2 Acknowledgement or Receipt of Materials
Printed/Typed Name
Signature
Date: Month Day Year

19. Discrepancy Indication Space
14 Gallons
a. 41694 lbs. c. lbs.
b. lbs. d. lbs.
13a. Corrected Volume / Weight Accepted (T)

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Steve Hopkins
Signature: S. R. Hopkins
Month 09 Day 29 Year 94

GENERATOR / TRANSPORTER / FACILITY

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

SC00083

2-TSD-RETURN TO GENERATOR

safety-kleen

LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130A FRONTAGE RD LEXINGTON SC 29073

Under manifest / sales service number 09160, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ☑ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☑ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water)
	D006,	Cadmium	INCIN (40 CFR 268.42)(non-waste water) 1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium Solvent **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Waste Compound Cleaning Liquid/ Immersion cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

GENERATOR

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

FORM 1339

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste). These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: SAFETY KLEEN Corp EPA ID NO.: FLD 980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

South Carolina Department of Health and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: F L D 9 8 0 8 4 7 2 1 4
MANIFEST DOCUMENT NO.: 21436
2. Page 1 of 1
Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address:
SAFETY-KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone: (904) 264-2607

A. State Manifest Document Number:
B. State Generator's ID:

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.
6. US EPA ID Number: I L D 9 8 4 9 0 8 2 0 2
C. State Transporter's ID:
D. Transporter's Phone: 803-356-4061

7. Transporter 2 Company Name:
8. US EPA ID Number:
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address:
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073
10. US EPA ID Number: S C D 0 7 7 9 9 5 4 8 8
G. State Facility's ID:
H. Facility's Phone: (803) 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII (D001) (D006,D008, D018,D039) (ERG#27) 6.7 lbs/gal	00 1	T T	7100 6821	G	D 0 0 1 D 0 0 6
b.					
c.					
d.					

J. Additional Descriptions for Materials Listed Above:
D008,D039,D018
a. S K 0 0 0 1 2 0 0 0 6
b.
c.
d.

K. Handling codes for wastes Listed Above:

15. Special Handling Instructions and Additional Information:
EMERGENCY RESP# 1-(708)-888-4660 24HR. 3-079-01
SKDOT# A: 527

6928756

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable International and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Roy STEWART
Signature:
Date: Month 06 Day 15 Year 94

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Chuck Stillinger
Signature:
Date: Month 06 Day 15 Year 94

18. Transporter 2 Acknowledgement or Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

FACILITY

19. Discrepancy Indication Space
a. 45700 lbs.
b. lbs.
c. lbs.
d. lbs.
13a. Corrected Volume / Weight Accepted. (2)

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: Michael DuBose
Signature:
Date: Month 06 Day 16 Year 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

safety-kleen

LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

130-A Frontage Road
Lexington, SC 29073

ADDRESS:

Under manifest / sales service number 7136, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ☑ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☒ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN), fuel substitution (FSUBS)
		Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	or recovery (RORGS) (40 CFR 268.42) (non-waste water)
			INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium Solvent **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Waste Compound Cleaning Liquid/ Immersion cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

GENERATOR

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

FORM 1339

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

South Car ina Department of I alth and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: F L D 9 8 0 8 4 7 2 1 4
MANIFEST DOCUMENT NO.: 73215
2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address:
SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone: (904) 264-2607

A. State Manifest Document Number:
B. State Generator's ID:

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.
6. US EPA ID Number: I L D 9 8 4 9 0 8 2 0 2
C. State Transporter's ID:
D. Transporter's Phone: 803-359-2495

7. Transporter 2 Company Name:
8. US EPA ID Number:
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address:
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073
10. US EPA ID Number: S C D 0 7 7 9 9 5 4 8 8
G. State Facility's ID:
H. Facility's Phone: (803) 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PGII (F005,F003,D001,D008,D018,D035,D039,D040)		D M		P	F005 F003
b. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005,F003,D001,D035,D039)		D M		P	F005 F003
c. WASTE COMPOUNDS, CLEANING LIQUID (MONOETHANOLAMINE) 8 NA1760 PGIII (D006,D008,D018,D021,D027,D035,D039,D040	8	D M	3610	P	D006 D008
d.					

J. Additional Descriptions for Materials Listed Above.
a. D001,D008,D018 D035,D039,D040 S K 0 0 0 1 2 0 0 0 5
b. D001,D035,D039 S K 0 0 0 1 2 0 0 0 5
c. D018,D021,D027 D035,D039,D040 S K 0 0 0 1 2 0 0 0 2 (cm)
d.

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information
EMERGENCY RESP# 1-(708)-888-4660 24HR.
11~~a. SKDOT#523~~ 11c. SKDOT#566
11~~b. SKDOT#524~~

70377437

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR**, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Tim S. Windham
Signature: Tim S. Windham
Date: Month 7 Day 7 Year 94

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Lanny Skippen
Signature: Lanny Skippen
Date: Month 07 Day 07 Year 94

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

19. Discrepancy Indication Space
16: DATE, 7-7-94
11A&B: No Pick-up 7-7-94
Jc. Corrected by TSDF. (cm) 7/7
a. lbs. c. lbs.
b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: JEFF GODBEE
Signature:
Month 07 Day 07 Year 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

safety-kleen

LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest / sales service number 73125, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ☑ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☐ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN), fuel substitution (FSUBS)
		Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	or recovery (RORGS) (40 CFR 268.42) (non-waste water)
			INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium Solvent **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☒ Waste Compound Cleaning Liquid/ Immersion cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

GENERATOR

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

FORM 1339

Safety-Kleen

3-079-41

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY)

EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest/sales service number 73125, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE CHECK THE APPROPRIATE BOXES

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
☒	Waste Petroleum Naphtha (Solvent from Safety-Kleen Service Center Operations)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) Not Established
☐	Waste Petroleum Naphtha (Solvent from Safety-Kleen Service Center Operations)	D001, D006, D008, D039,	All of the above, plus Cadmium Lead Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) Not Established
☐	Waste Solvent Cleaning Liquid/ Immersion cleaner 999	D001, D006, D007, D008, D018, D021, D027, D039, D040,	Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead Benzene Chlorobenzene 1,4-Dichlorobenzene Tetrachloroethylene Trichloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established Not Established Not Established Not Established Not Established
☐	Waste Perchloroethylene	F002, D007	Tetrachloroethylene CHROMIUM	5.6 (non-waste water) 5.0 (NON-WASTE WATER)
☐	Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
☐	Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
☐	Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
☐	Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) Not Established
☒	Waste Paint Related Material D018 D035 D039 D040	F003, F005, F003, F005, F003, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	160.0 (non-waste water) 36.0 (non-waste water) 33.0 (non-waste water) 28.0 (non-waste water) 28.0 (non-waste water) 0.75(non-waste water) INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
☐	Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

FACILITY

printed on recycled paper

South Carolina Department of Health and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: FLD980847214
MANIFEST DOCUMENT NO.: 82194
2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address:
SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

4. Generator's Phone: (904) 264-2607

A. State Manifest Document Number:
B. State Generator's ID:
C. State Transporter's ID:
D. Transporter's Phone: 803-359-2495
E. State Transporter's ID:
F. Transporter's Phone:
G. State Facility's ID:
H. Facility's Phone: (803) 356-4061

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.
6. US EPA ID Number: ILD984908202
7. Transporter 2 Company Name:
8. US EPA ID Number:
9. Designated Facility Name and Site Address:
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073
10. US EPA ID Number: SCD077995488

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PGII (F005,F003,D001,D008,D018,D035,D039,D040)		DM		P	F005 F003
b. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005,F003,D001,D035,D039)		DM		P	F005 F003
c. WASTE COMPOUNDS, CLEANING LIQUID (MONOETHANOLAMINE) 8 NA1760 PGIII (D006,D008,D018,D021,D027,D035,D039,D040	16	DM	720	P	D006 D008
d. RQ WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PG III (D001,D006,D008,D018,D018,D039)		DM		P	D001 D006

J. Additional Descriptions for Materials Listed Above

a. D001,D008,D018 D035,D039,D040 SK 00012 0005
b. D001,D035,D039 SK 00012 0005
c. D018,D021,D027 D035,D039,D040 SK 00012 ~~0002~~ 0011 (cm)
d. D008,D018,D039 SK 00012 0013

K. Handling codes for wastes Listed Above

15. Special Handling Instructions and Additional Information
EMERGENCY RESP# 1-(708)-888-4660 24HR.
~~11a. SKDOT#523~~ 11c. SKDOT#566
~~11b. SKDOT#524~~ ~~11d. SKDOT#527~~

7105565

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR,** if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Roy STEWART
Signature: [signature]
Date: Month 07 Day 21 Year 94

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: MIKE TATUM
Signature: Mike Tatum
Date: Month 07 Day 21 Year 94

18. Transporter 2 Acknowledgement or Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

19. Discrepancy Indication Space
Jc Corrected by TSDF. (cm) 7/26
Line 11: A, B, & d, Line 12: A B d, Line 13: A, B, d Line 14: A, B, C and Line I, A B & C. also Section 15: "A, B, d are Not Needed. Section I, A B, d are Not Needed also.
a. lbs. c. lbs.
b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: [signature]
Signature: [signature]
Month 07 Day 26 Year 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

safety-kleen

3-079-41

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)

EPA ID NO. SCD077995488
(DESIGNATED FACILITY)

130-A Frontage Road Lexington, SC 29073

ADDRESS: _____

Under manifest/sales service number 82194,
the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE CHECK THE APPROPRIATE BOXES

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
☒	Waste Petroleum Naphtha (Safety-Kleen Service Center Operations)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D039,	Tetrachloroethylene	Not Established
☒	Waste Petroleum Naphtha (Immersion cleaner only)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D006,	Cadmium	1.0 (non-waste water)
		D008,	Lead	5.0 (non-waste water)
		D039,	Tetrachloroethylene	Not Established
☐	Waste Compound (Cleaning Liquid)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D006,	Cadmium	1.0 (non-waste water)
		D007,	Chromium	5.0 (non-waste water)
		D008,	Lead	5.0 (non-waste water)
		D018,	Benzene	Not Established
		D021,	Chlorobenzene	Not Established
		D027,	1,4 Dichlorobenzene	Not Established
		D039,	Tetrachloroethylene	Not Established
		D040,	Trichloroethylene	Not Established
☐	Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
		~~D007~~	~~CHROMIUM~~	~~5.0 (NON-WASTE WATER)~~
☐	Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
☐	Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
☐	Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
☐	Waste Petroleum Naphtha (Dry Cleaning)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D039,	Tetrachloroethylene	Not Established
☐	Waste Paint Related Material D018 D035 D039 D040	F003,	Acetone	160.0 (non-waste water)
		F005,	Methyl Ethyl Ketone	36.0 (non-waste water)
		F003,	Methyl Isobutyl Ketone	33.0 (non-waste water)
		F005,	Toluene	28.0 (non-waste water)
		F003,	Xylene	28.0 (non-waste water)
		F003,	Methanol	0.75(non-waste water)
		D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D006,	Cadmium	1.0 (non-waste water)
		D007,	Chromium	5.0 (non-waste water)
		D008,	Lead (TOC Subcategory)	5.0 (non-waste water)
☐	Waste Antifreeze	D008,	Lead	5.0 (non-waste water)
		D039,	Tetrachloroethylene	Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

FACILITY

printed on recycled paper

safety-kleen

LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SC0077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest / sales service number 52194, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ☑ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☐ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN), fuel substitution (FSUBS)
		Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	or recovery (RORGS) (40 CFR 268.42) (non-waste water)
			INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium *Solvent* **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha (sludges from *Safety-Kleen Service* Center Operations	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☒ Waste Compound Cleaning Liquid/ Immersion cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

GENERATOR

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

FORM 1339

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

South Carolina Department of Health and Environmental Control

Bureau of Solid & Hazardous Waste Mgt.
2600 Bull Street, Columbia, SC 29201
Phone: (803) 734-5200
Emergency & Holidays: (803) 253-6488

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: F L D 9 8 0 8 4 7 2 1 4
MANIFEST DOCUMENT NO.: 68904
2. Page 1 of 1
Information in the shaded areas is not required by Federal law, but is by State law.

3. Generator's Name and Mailing Address
SAFETY KLEEN CORPORATION
161 INDUSTRIAL LOOP, SOUTH
ORANGE PARK, FL 32073

A. State Manifest Document Number:
B. State Generator's ID:

4. Generator's Phone (904) 264-2607

5. Transporter 1 Company Name: SAFETY-KLEEN CORP.
6. US EPA ID Number: I L D 9 8 4 9 0 8 2 0 2
C. State Transporter's ID:
D. Transporter's Phone: 803-359-2495

7. Transporter 2 Company Name:
8. US EPA ID Number:
E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address
SAFETY-KLEEN CORP.
130-A FRONTAGE ROAD
LEXINGTON, SC 29073
10. US EPA ID Number: S C D 0 7 7 9 5 4 8 8
G. State Facility's ID:
H. Facility's Phone: (803) 356-4061

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PGII (F005,F003,D001,D008,D018,D035,D039,D040)	021	M	2846	P	F005 F003
b. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005,F003,D001,D035,D039)	012	M	00704	P	F005 F003
c. WASTE COMPOUNDS, CLEANING LIQUID (MONOETHANOLAMINE) 8 NA1760 PGIII (D006,D008,D018,D021,D027,D035,D039,D040	014	M	00672	P	D006 D008
d. RQ WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PG III (D001,D006,D008,D018,D018,D039)		M		P	D001 D006

J. Additional Descriptions for Materials Listed Above:
a. D001,D008,D018 D035,D039,D040 — S K 0 0 0 1 2 0 0 0 5
c. D018,D021,D027 D035,D039,D040 — S K 0 0 0 1 2 0 0 0 2
b. D001,D035,D039 — S K 0 0 0 1 2 0 0 0 5
d. D008,D018,D039 — S K 0 0 0 1 2 0 0 1 3

K. Handling codes for wastes Listed Above:

15. Special Handling Instructions and Additional Information
EMERGENCY RESP# 1-(708)-888-4660 24HR.
11a.SKDOT#523 11c. SKDOT#566
11b.SKDOT#524 ~~11d. SKDOT#527~~
70628706

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and the laws of the State of South Carolina.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name	Signature	Date (Month Day Year)
Tim S Windham	Tim S Windham	7 13 94

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Date (Month Day Year)
MIKE TATUM	Mike Tatum	07 13 94

18. Transporter 2 Acknowledgement or Receipt of Materials

Printed/Typed Name	Signature	Date (Month Day Year)

FACILITY

19. Discrepancy Indication Space
Line 11,D; 12,D: 13,D: 14,D: I D, and Line 15; 11d are Not Need for this Shipment out. and also Line 11,J-d are Not Needed. 12a 13a 13b 12c 13c corrections by driver MJ 7-13-94
a. lbs. c. lbs. b. lbs. d. lbs.

20. FACILITY Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Date (Month Day Year)
JEFF GOOSEE		07 14 94

EPA Form 8700-22 (REV. 9/88) Previous Editions are Obsolete (DHEC 1988 REV. 5/89)

2-TSD-RETURN TO GENERATOR

3-079-41

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY)

EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest/sales service number 68904, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE CHECK THE APPROPRIATE BOXES

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
	☒ Waste Petroleum Naphtha	D001,	Ignitable Liquid (High TOC Subcategory)	Incineration (INCIN), fuels substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water)
			Halogenated Organic Compounds (HOC's) > 1000 mg/l	INCIN (40 CFR 268.42) (non-waste water)
		D018,	Benzene	Not Established
		D039,	Tetrachloroethylene	Not Established
	☒ Waste Petroleum Naphtha	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
	☒ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001,	All of the above, plus:	
		D006,	Cadmium	1.0 (non-waste water)
		D008,	Lead	5.0 (non-waste Water)
		D039,	Tetrachloroethylene	Not Established
			HOC's > 1000 mg/l	INCIN (40 CFR 268.42) (non-waste water)
	☒ Waste Compound Cleaning Liquid/ Immersion cleaner 699	D006,	Cadmium	1.0 (non-waste water)
		D007,	Chromium	5.0 (non-waste water)
		D008,	Lead	5.0 (non-waste Water)
		D018,	Benzene	Not Established
		D021,	Chlorobenzene	Not Established
		D027,	1,4-Dichlorobenzene	Not Established
		D039,	Tetrachloroethylene	Not Established
		D040,	Trichloroethylene	Not Established
	☐ Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
		D007	CHROMIUM	5.0 (NON-WASTE WATER)
	☐ Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
	☐ Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
	☐ Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
	☐ Waste Petroleum Naphtha (Dry Cleaning)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D039,	Tetrachloroethylene	Not Established
	☒ Waste Paint Related Material D018 D035 D039 D040	F003,	Acetone	160.0 (non-waste water)
		F005,	Methyl Ethyl Ketone	36.0 (non-waste water)
		F003,	Methyl Isobutyl Ketone	33.0 (non-waste water)
		F005,	Toluene	28.0 (non-waste water)
		F003,	Xylene	28.0 (non-waste water)
		F003,	Methanol	0.75(non-waste water)
		D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
		D006,	Cadmium	1.0 (non-waste water)
		D007,	Chromium	5.0 (non-waste water)
		D008,	Lead (TOC Subcategory)	5.0 (non-waste water)
	☐ Waste Antifreeze	D008,	Lead	5.0 (non-waste water)
		D039,	Tetrachloroethylene	Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847214

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

FACILITY

printed on recycled paper

safety-kleen

LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY) EPA ID NO. SCD077995488 (DESIGNATED FACILITY)

ADDRESS: 130-A Frontage Road Lexington, SC 29073

Under manifest / sales service number 68904, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE ☑ THE APPROPRIATE BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
☐ Waste Petroleum Naphtha 105	D001,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	*Incineration (INCIN), fuel substitution (FSUBS)* or recovery (RORGS) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☐ Waste Petroleum Naphtha 140	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☐ Cyclonic, 150 Premium Solvent **OR** Actrel Solvent (If customer specific TCLP is not available)	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established
☒ Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water)
	D018,	Benzene	Not Established
	D039,	Tetrachloroethylene	Not Established
☒ Waste Compound Cleaning Liquid/ Immersion cleaner 699		HOC's ≥ 1000 mg/l	INCIN (40 CFR 268.42)(non-waste water)
	D006,	Cadmium	1.0 (non-waste water)
	D008,	Lead	5.0 (non-waste Water
	D018,	Benzene	Not Established
	D021,	Chlorobenzene	Not Established
	D027,	1, 4-Dichlorobenzene	Not Established
	D035,	Methyl Ethyl Ketone	Not Established
	D039,	Tetrachloroethylene	Not Established
	D040,	Trichloroethylene	Not Established

GENERATOR

OPTIONAL STATE INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(IC>1/3)(Y/N)	OFF - COLOR? (Y/N)	MORE THAN 30% SOLIDS?(Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES						

FORM 1339

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).
*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Safety-Kleen Corporation EPA ID NO.: FLD980847[illegible]4

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

TEXAS WATER COMMISSION
P.O. Box 13087, Capitol Station
Austin, Texas 78711-3087

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039 Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: CESQG
Manifest Document No.: 181243
2. Page 1 of
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: WINN-DIXIE 2720 BLANDING BLVD
4. Generator's Phone (904) 282-3818 MIDDLEBURG FL 32068

A. State Manifest Document Number: 756301
B. State Generator's ID: 99912

5. Transporter 1 Company Name: SAFETY-KLEEN
6. US EPA ID Number: ILD984908202

C. State Transporter's ID: 88888
D. Transporter's Phone: 204-744-9170 264-2607

7. Transporter 2 Company Name:
8. US EPA ID Number:

E. State Transporter's ID:
F. Transporter's Phone:

9. Designated Facility Name and Site Address: SAFETY-KLEEN 1722 COOPER CREEK RD DENTON TX 76208
10. US EPA ID Number: TXD077603371

G. State Facility's ID: 65124
H. Facility's Phone: 817-383-2611

11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)	HM		12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a.	X	RQ HAZARDOUS WASTE, LIQUID, N.O.S. 9NA 3082 PG III (D011) (ERG#31)	2	DF	100	P	D011
b.							
c.							
d.							

J. Additional Descriptions for Materials Listed Above
K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information: 3-079-51-10H/P P# M81243
EMERGENCY RESPONSE #708-888-4660 (24 HR.) SK DOT #A:629

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: DALE LIEB
Signature: Dale Lieb
Date: Month 11 Day 10 Year 94

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: MICHAEL O. NEELY
Signature: Michael O. Neely
Date: Month 11 Day 10 Year 94

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

19. Discrepancy Indication Space
ED CORRECTED AT FACILITY 904-264-2607 - MV 11-11-94

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name:
Signature:
Month Day Year

EPA Form 8700-22 (Rev. 9-88) Previous edition is obsolete. White - original Pink-TSD Facility Yellow-Transporter Green-Generator's first copy
TWC-0311 (Rev. 01/01/89)

NOTICE OF LAND DISPOSAL RESTRICTION OF IE

TO: Safety-Kleen EPA ID NO: TXD077603371

1722 Cooper Creek RD Denton TX 76208

Under manifest number 81243 line number 11a (enter 11a, 11b, 11c or 11d) the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted and the EPA waste code and the appropriate treatment standards are as follows:

EPA Waste Codes: D011

F001-F005 Spent Solvents	TREATMENT STANDARDS (total mg/l, except as noted by TCLP)				
Regulated Hazardous Constituent	Wastewater w/Solvents	Check All That Apply	All Other Solvent Wastes		Check All That Apply
Acetone	0.28		160		
Benzene	0.07		3.7		
n-Butyl alcohol	5.6		2.6		
Carbon disulfide	0.014		4.8	TCLP	
Carbon tetrachloride	0.057		5.6		
Chlorobenzene	0.057		5.7		
Cresol (m- and p-isomers)	0.77		3.2		
o-Cresol	0.11		5.6		
Cyclohexanone	0.36		0.75	TCLP	
o-Dichlorobenzene	0.088		6.2		
Ethyl acetate	0.34		33		
Ethyl benzene	0.057		6.0		
Ethyl ether	0.12		160		
Isobutyl alcohol	5.6		170		
Methanol	5.6		0.75	TCLP	
Methylene chloride	0.089		33		
Methylene chloride(from Pharm. Industry)	0.44		33		
Methyl ethyl ketone	0.28		36		
Methyl isobutyl ketone	0.14		33		
Nitrobenzene	0.068		14		
Pyridine	0.014		16		
Tetrachloroethylene	0.056		5.6		
Toluene	0.08		28		
1,1,1-Trichloroethane	0.054		5.6		
1,1,2-Trichloroethane	0.03		7.6		
1,1,2-Trichloro-1,2,2-trifluoroethane	0.057		28		
Trichloroethylene	0.054		5.6		
Trichloromonofluoromethane	0.02		33		
Xylenes (total)	0.32		28		

California List Prohibited Wastes	Level (mg/l)	Treatment Standard
Halogenated Organic Compounds	1000.0	Incineration*
Nickel (Ni)	134.0	None
Thallium (Tl)	130.0	None
Chlorinated Biphenyls (PCB's)	50.0	Incineration

*These treatment standards do not preclude solvent recovery or use as fuel prior to land disposal.

Waste Descriptions and/or Treatment Subcategory		Treatment Standards Reference in 40 CFR and Technology Codes for 40 CFR 268.42(a)			Check All That Apply
Waste Code	Description	Wastewaters		Nonwastewaters	
D001:	Wastewaters (<1.0 wt% TOC and TSS)	268.42(a) DEACT		NA	
	Low TOC Ignitable Liquids (<10 wt% TOC)	NA		268.42(a) DEACT	
	High TOC Ignitable Liquids (>10 wt% TOC)	NA		268.42(a) RORGS, FSUBS, or INCIN	
D002	Corrosives, all subcategories & CA list	268.42(a) DEACT		268.42(a) DEACT	
D004	Arsenic (As)	268.43(a)		268.41(a)	
D005	Barium (Ba)	268.43(a)		268.41(a)	
D006	Cadmium (Cd)	268.43(a)		268.41(a)	
D007	Chromium (Cr)	268.43(a)		268.41(a)	
D008	Lead (Pb)	268.43(a)		268.41(a)	
D009:	Low Mercury Subcategory (<260 ppm Hg)	268.43(a)		268.41(a)	
	High Mercury Subcategory (>=260 ppm Hg)	268.43(a)		268.42(a) RMERC	
D010	Selenium (Se)	268.43(a)		268.41(a)	
D011	Silver (Ag)	268.43(a)	X	268.41(a)	X
F005	2-Ethoxyethanol	268.42(a) INCIN*		268.42(a) INCIN*	
F005	2-Nitropropane	268.42(a) INCIN*		268.42(a) INCIN*	
Other Codes	See attachment for supplemental list				

This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45 for the above contaminants that are subject to treatment. (check if applicable)

Generator Name: WINN-DIXIE EPA ID: CESQG

Generator Signature: Dale Lieb Name & Title: DALE LIEB LAB MANAGER

Safety-Kleen Survey Number: SK DOT #629 Control Number:

NOTE: The USEPA has not determined treatment standards for the new TCLP EPA Waste Numbers: D018 through D043.