



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

345 COURTLAND STREET, N.E.
ATLANTA, GEORGIA 30365

DEC 08 1992

4WD-RCRA

Mr. Satish Kastury
Environmental Administrator
Hazardous Waste Regulation
Florida Department of Environmental
Regulation
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

RECEIVED

DEC 10 1992

RE: Draft RCRA Facility Assessment (RFA) Report
Industrial Water Services, Inc.
Jacksonville, Florida
EPA I.D. No. FLD 981 928 484

Dear Mr. Kastury:

The draft Resource Conservation and Recovery Act (RCRA) Facility Assessment (RFA) report for Industrial Water Services, Inc. located in Jacksonville, Florida, has been completed and is being forwarded to your office, the applicable District Office and the facility for review and comment prior to finalization. The findings of the Visual Site Inspection (VSI) conducted on April 29, 1992, are incorporated in this report and recommendations are made regarding the need for further investigation of the solid waste management units (SWMUs) at the facility.

Any corrections, questions or concerns that you or your staff may have will be considered along with those from the facility prior to our finalization of the document. Please submit any comments in writing within thirty (30) days of your receipt of this letter.

If you have any questions regarding this matter, please contact Ms. Donna Wilkinson of my staff at (404) 347-3433.

Sincerely yours,

G. Alan Farmer
Chief, RCRA Branch
Waste Management Division

Enclosure

cc: Mike Fitzsimmons, FDER, Northeast District (w/ enclosure)