



PHILIPS

PHILIPS

PH

FRAGILE



GLASS
HANDLE WITH CARE

HAND

GE Lighting
Fluorescent Lamp

48

F40T12/CW
SUPREME/ALTO

PHILIPS





PHILIPS

PHILIPS

EcoVantage
PROHIBITIONARY MARK

72w = 90w¹

Lasts 1 Year

Bright Light

Dimmable Flood

20%
ENERGY
SAVINGS¹

4 BULB
VALUE PACK



CASE PACK
RESALE UPC



PHILIPS

EcoVantage
PROHIBITIONARY MARK

72w = 90w¹

Lasts 1 Year

Bright Light

Dimmable Flood

4 BULB
VALUE PACK

20%
ENERGY
SAVINGS¹



¹For best results, see store.

Estimated Energy Cost
per Year (kWh)
1350
10.20

9278 620 03701

White for Kitchen

Fluorescent Lamps

Fluorescent

GLA
BAD LAMPS

Soft White for Kitchen &
Soft White for Kitchen &
Blanca Suave para la Cocina

30

ing
nt Lamps

Fluores

** Rated average life at 12 hours
engineering data with lamp

** Una vida promedio probada
rápido. Vida promedio bas
encendidas cada 12 horas

† Means this bulb meets Feet
† Este bulbo cumple con los

822510

Made in Mexico

Hecho en México

Philips Lighting Co.
200 Franklin Square D
Somerset, NJ 08873

Questions or Com
1-800-555-0050 or w



Corrugated
Packaging

FRAGILE



GLASS
HANDLE WITH CARE

BAD LAMPS

GE Lighting
Fluorescent Lam



T12

ATES
ION

48 Inch
Pulgadas

F40T12/CV
SUPREME

PHILIPS

F40T12/DAYLIGHT
DELUXE/ALTO



T12 40

Watts

48

Inch



FRAGILE

HANDLE WITH CARE
GLASS

FRAGILE



EYE WASH

EXIT

GRANDPRIX

GRANDPRIX



UNIVERSAL
WASTE







of florida, inc.

800-725-8711



NOT FORCE OR
OVERFILL CONTAINER

TE MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.
3 (6.1), UN3248, PGII

TOMER/GENERATOR

NAME:

EPA ID No.: FLD981022643
St. Joseph's Hospital
3001 W Dr Martin Luther King, Jr Blvd
Tampa, Florida 33607

UPW

(Unir



1-800-725-8711

DONOT FORCE OR
OVERTILL CONTAINER

WASTE MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.

WASTE MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.
3 (6Lb UN3248, PGII

EPA ID No.: FLD981022643

St. Joseph's Hospital
3001 W 17th Martin Luther King, Jr Blvd
Tampa, Florida 33607

CUSTOMER/GENERATOR

NAME:

UPW

(Universal Pharmaceutical Waste)

ACCUMULATION START DATE

3-6-15

WASTE CODES:

Waste Codes: D001 D002 D007 D009
D010 D011 D024 P001 P012 P075 P108
P188 U002 U010 U034 U035 U058
U059 U089 U105 U200 U201 U205
U206 U217 U248



RCRA EMPTY

"Empty" containers must meet ALL of the following conditions:

- Everything that can be removed has been removed using methods approved for that type of container (pouring, pouring, etc.)

AND:

- No more than 1% dry weight remains.

CAUTION: If liquid residue (or fumes) are empty only after triple rinsing. (Residue must be managed as hazardous waste.)

Waste Disposal Guide

Suggests the means of Disposal of the appropriate container.

Waste Type	Disposal Method	Waste Type	Disposal Method
HAZARDOUS	NONHAZARDOUS	HAZARDOUS	HAZARDOUS
Flammable Corrosive Reactive Toxic	Flammable Corrosive Reactive Toxic	Flammable Corrosive Reactive Toxic	Flammable Corrosive Reactive Toxic

UNIVERSAL
WASTE

Waste Disposal Guide

Segregate the wastes of Drugs & Dispose of in the appropriate containers.

<i>SHARPS Red Container</i>	<i>BIOHAZARDOUS Red Container</i>	<i>RCRA HAZARDOUS Black Container</i>	<i>Non-Regulated Trash</i>
SHARPS	BIOHAZ	UPW	TRASH
- Needles - Broken Glass - Ampules - Other Sharps	- Non-chemo vials - Chemotherapy bags - Chemotherapy infusion bags - Chemotherapy vials - Chemotherapy needles - Chemotherapy tubing - EMPTY Chemotherapy vials, syringes, IV bags and tubing - Gowns, gloves, wipes & other items associated with routine handling, preparation & administration of chemotherapy agents that are not visibly contaminated. Also includes chemo mats, closed-system devices	- Any partially used medication, including partial syringes containing medication - Empty Containers or packaging that used to contain drugs included on the P-List (identified by Pharmacy with a black sticker). - All unused chemotherapy preparations. - All partial chemotherapy vials, ampules and containers. - Chemo wipes and other cleaning materials used during routine cleaning and decontamination of the HSC (including alcohols and phenols). - No Controlled Substances	Everything else that is NOT CONTAMINATED. - Packaging - IV wraps - Syringe packaging - Closed-system packaging - Gauzes - Gowns - Masks - Head and facial covers - Shoe covers - Paper - Labels IV fluids which do not contain drug can be emptied into the sink and thrown away.

- Controlled substances should NOT be placed in any of the above waste streams
- Spill cleanup media should be contained and bagged. Contact EVS for proper disposal

TRASH

... ..

1997

Other subjects and other countries
include such Spring topics: American
and Sovietization of the West,
including students and professors.

Self-Administered Questionnaire

and suggest a number of

sekeepin

or skills right at

of unlabeled

materials
containers an

materials

ners are proper

sekeeping

or spills right away
of unlabeled and
materials
containers and old
materials
bers are properly marked

NFPA Rating Explanation Guide

SP-100-100-100

© 2000 NFPA



© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 103–110

Recognizing Hazards

- Pungent odor
- Eye irritation
- Review chemical labels and MSDSs
- Solution of 0.1% formaldehyde
- "Potential Cancer Hazard"



Symptoms of Exposure

Report signs or symptoms of exposure including:

- Report signs or symptoms of exposure:
 - Itching, burning in the throat or nose
 - Coughing, chest tightness, wheezing
 - Nausea, vomiting, stomach pain
 - Red, burning, or watery eyes
 - Skin rash, itching, hives





• **Hazard Class 1: Explosives**

- Substances and articles which have a mass explosion hazard
- Division 1.1: Substances and articles which have a mass explosion hazard but not a mass explosion hazard
- Division 1.2: Substances and articles which have a mass explosion hazard
- Division 1.3: Substances and articles which present no significant hazard
- Division 1.4: Substances and articles which present no significant hazard
- Division 1.5: Very insensitive substances which have a mass explosion hazard
- Division 1.6: Extremely insensitive articles which do not have a mass explosion hazard



• **Hazard Class 2: Gases**

- Division 2.1: Flammable gases
- Division 2.2: Non-flammable, non-toxic gases
- Division 2.3: Toxic gases



• **Hazard Class 3: Flammable Liquids**

• **Hazard Class 4: Flammable Solids (Flammable Solid, Spontaneously Combustible, Dangerous When Wet)**



- Division 4.1: Flammable solids, self-reactive substances and solid desensitized explosives
- Division 4.2: Substances liable to spontaneous combustion
- Division 4.3: Substances which in contact with water emit flammable gases



• **Hazard Class 5: Oxidizers and Organic Peroxides**

- Division 5.1: Oxidizing substances
- Division 5.2: Organic peroxides

• **Hazard Class 6: Toxic/Poisonous and Infectious Substances Labels (PG III, Inhalation Hazard, Poison, Toxic)**



- Division 6.1: Toxic substances
- Division 6.2: Infectious substances



• **Hazard Class 7: Radioactive Materials (I, II, III, and Except)**



• **Hazard Class 8: Corrosives**



• **Hazard Class 9: Miscellaneous**

Good Housekeeping

- Clean up drips or spills right away
- Properly dispose of unlabeled and contaminated materials
- Remove empty containers and old corrosive materials
- Ensure containers are properly marked



**PLEASE
SUPPORT**

**U LINE**[illegible]

Recognizing Hazards

- Pungent odor
- Eye irritation
- Review chemical labels and MSDSs
- Solution of 0.1% formaldehyde
- "Potential Cancer Hazard"





**EMERGENCY
EYE WASH**



**EMERGENCY
SPILL RESPONSE
EQUIPMENT**



4H2 / Y280 / S / 14
CAN / ABMC 2-2860

CLEANTECH
WASTE MANAGEMENT
SERVICES, INC.
UNION WASTE MANAGEMENT, A DIVISION OF TOWN OF NEW
HARTFORD, CT

CONTAINER TYPE: ☐ 55 GAL. DRUM ☐ 110 GAL. DRUM ☐ 200 GAL. DRUM
DATE: ☐ 1/1/15 ☐ 2/1/15 ☐ 3/1/15 ☐ 4/1/15 ☐ 5/1/15 ☐ 6/1/15 ☐ 7/1/15 ☐ 8/1/15 ☐ 9/1/15 ☐ 10/1/15 ☐ 11/1/15 ☐ 12/1/15

UPW *RX*
Universal Pharmaceutical Waste

DATE OF LABELING: *3/24/15*

WASTE CODES: ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10 ☐ 11 ☐ 12 ☐ 13 ☐ 14 ☐ 15 ☐ 16 ☐ 17 ☐ 18 ☐ 19 ☐ 20 ☐ 21 ☐ 22 ☐ 23 ☐ 24 ☐ 25 ☐ 26 ☐ 27 ☐ 28 ☐ 29 ☐ 30 ☐ 31 ☐ 32 ☐ 33 ☐ 34 ☐ 35 ☐ 36 ☐ 37 ☐ 38 ☐ 39 ☐ 40 ☐ 41 ☐ 42 ☐ 43 ☐ 44 ☐ 45 ☐ 46 ☐ 47 ☐ 48 ☐ 49 ☐ 50 ☐ 51 ☐ 52 ☐ 53 ☐ 54 ☐ 55 ☐ 56 ☐ 57 ☐ 58 ☐ 59 ☐ 60 ☐ 61 ☐ 62 ☐ 63 ☐ 64 ☐ 65 ☐ 66 ☐ 67 ☐ 68 ☐ 69 ☐ 70 ☐ 71 ☐ 72 ☐ 73 ☐ 74 ☐ 75 ☐ 76 ☐ 77 ☐ 78 ☐ 79 ☐ 80 ☐ 81 ☐ 82 ☐ 83 ☐ 84 ☐ 85 ☐ 86 ☐ 87 ☐ 88 ☐ 89 ☐ 90 ☐ 91 ☐ 92 ☐ 93 ☐ 94 ☐ 95 ☐ 96 ☐ 97 ☐ 98 ☐ 99 ☐ 100





UPW



CLEANWELLS
NEW YORK

DO NOT MIX OR
OVERFILL CONTAINER

ENDOWATE MEDICAL LIQUID CLEANABLE, 99% N/A,
1% G.P.C.

PREPARED BY:

FLORIANE

DATE:

11/20/2013

POMPADOUR, FL 33061

UPW

United Pharmaceutical

4081544

UPW CODE:

DO NOT MIX WITH OTHER
SOLVENTS OR WITH OTHER

[illegible]

① 13H4/X/0813/IND) 254708/2459/1366

1.004 40 1000



QUESTAR, INC.
(330) 966-2070

www.QuestarUSA.com



1058

1017



1086

1185

1185

CLEANFIELD



INTERNAL FORCE OR
OVERFILL CONTAINER

LIQUID, FLAMMABLE, TOXIC, N.O.S.
T.O. 11, UN248, PGH

FLO84171286
CLEAN FUELS OF FLORIDA, INC
1545 NE 4TH AVENUE
POMPAN0 BEACH, FL 33064

1015

101502

U025, U035, U058
U150, U205, U237

CLEANFUELS

1-800-333-4711

NOT FOR REUSE
FUEL ONLY

HAZARDOUS WASTE: MEDICINE, LIQUID, FLAMMABLE, TOXIC, CORROSIVE
UNIDENTIFIED

CUSTOMER/GENERATOR

NAME:

PLANT 141, 142
4. CLEANFUELS OF FLORIDA, INC.
2635 W. 43rd AVENUE
COMPANY BEACH, FL 33084

UPW

(Universal Pharmaceutical Waste)

CONTRACT NO. 30
4081530

WASTE CODES:

D001, U010, U028, U035, U058,
U059, U089, U150, U206, U237

DO NOT FORCE OR
OVERFILL CONTAINER

ULTRACLEAN LIQUID, FLAMMABLE, TOXIC, N.O.S.
UNCL 3

UNCL 3

FLD984171256
CLEAN FUELS OF FLORIDA, INC
2635 NE 4TH AVENUE
POMPANO BEACH, FL 33064

UPW

(Universal Pharmaceutical Waste)

WALSH

WASTE CODES:

U001, U010, U026, U035, U055,
U059, U089, U120, U206, U237





Kendall™

Universal Pharmaceutical Waste Container

For all pharmaceutical waste
except controlled substances and injectables

No Infectious Waste

Automatic Start Date



15.25 gal. 15.25 gal. 15.25 gal.
Capacity: 15.25 gal. (57.7 L)
Capacity: 15.25 gal. (57.7 L)
Capacity: 15.25 gal. (57.7 L)

LOT # 0000176

8617U



81-7 654321 1064 5



4H2/Y24.5/S/14

USA/M6094/12544.5



Kendall

Universal Pharmaceutical Corporation







UPW

Yale



1-800-725-8711



DO NOT FORCE OR
OVERFILL CONTAINER

UN3248 WASTE MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.
3 (6.1), PGII

CUSTOMER/GENERATOR

NAME:

FLR000202424
HARMONY ENVIRONMENTAL
1404 HAMLIN ROAD, UNIT J
ST CLOUD, FL 34771

UPW

(Universal Pharmaceutical Waste)

ACCUMULATION START DATE

1/9/15

WASTE CODES:

D001,D005,D007,D009,D010,D011,
D018,D024,D028,P001,P042,P075,
P188,U010,U035,U058,U129,U150,
U188,U200,U205,U206

CLEANFUELS

1-800-275-8711

DO NOT FORCE OR
OVERFILL CONTAINER

UNCLAR WASTE MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.
3 (B-1), PGH

CUSTOMER BENEFITS FOR

Summary

FLH0000204.24

HARMONY ENVIRONMENTAL
 4604 PARK BL. ROAD, UNIT 2
 ST. CLOUD, FL 34771

UPW

Abstract: This paper discusses the importance of the

ACCELERATION STANDARDS

WASTE CODES:

2000-2004, 2005-2006, 2007-2008, 2009-2010
 2011-2012, 2013-2014, 2015-2016, 2017-2018
 2019-2020, 2021-2022, 2023-2024, 2025-2026
 2027-2028, 2029-2030, 2031-2032, 2033-2034
 2035-2036, 2037-2038, 2039-2040, 2041-2042
 2043-2044, 2045-2046, 2047-2048, 2049-2050
 2051-2052, 2053-2054, 2055-2056, 2057-2058
 2059-2060, 2061-2062, 2063-2064, 2065-2066
 2067-2068, 2069-2070, 2071-2072, 2073-2074
 2075-2076, 2077-2078, 2079-2080, 2081-2082
 2083-2084, 2085-2086, 2087-2088, 2089-2090
 2091-2092, 2093-2094, 2095-2096, 2097-2098
 2099-2100, 2101-2102, 2103-2104, 2105-2106
 2107-2108, 2109-2110, 2111-2112, 2113-2114
 2115-2116, 2117-2118, 2119-2120, 2121-2122
 2123-2124, 2125-2126, 2127-2128, 2129-2130
 2131-2132, 2133-2134, 2135-2136, 2137-2138
 2139-2140, 2141-2142, 2143-2144, 2145-2146
 2147-2148, 2149-2150, 2151-2152, 2153-2154
 2155-2156, 2157-2158, 2159-2160, 2161-2162
 2163-2164, 2165-2166, 2167-2168, 2169-2170
 2171-2172, 2173-2174, 2175-2176, 2177-2178
 2179-2180, 2181-2182, 2183-2184, 2185-2186
 2187-2188, 2189-2190, 2191-2192, 2193-2194
 2195-2196, 2197-2198, 2199-2200, 2201-2202
 2203-2204, 2205-2206, 2207-2208, 2209-2210
 2211-2212, 2213-2214, 2215-2216, 2217-2218
 2219-2220, 2221-2222, 2223-2224, 2225-2226
 2227-2228, 2229-2230, 2231-2232, 2233-2234
 2235-2236, 2237-2238, 2239-2240, 2241-2242
 2243-2244, 2245-2246, 2247-2248, 2249-2250
 2251-2252, 2253-2254, 2255-2256, 2257-2258
 2259-2260, 2261-2262, 2263-2264, 2265-2266
 2267-2268, 2269-2270, 2271-2272, 2273-2274
 2275-2276, 2277-2278, 2279-2280, 2281-2282
 2283-2284, 2285-2286, 2287-2288, 2289-2290
 2291-2292, 2293-2294, 2295-2296, 2297-2298
 2299-2300, 2301-2302, 2303-2304, 2305-2306
 2307-2308, 2309-2310, 2311-2312, 2313-2314
 2315-2316, 2317-2318, 2319-2320, 2321-2322
 2323-2324, 2325-2326, 2327-2328, 2329-2330
 2331-2332, 2333-2334, 2335-2336, 2337-2338
 2339-2340, 2341-2342, 2343-2344, 2345-2346
 2347-2348, 2349-2350, 2351-2352, 2353-2354
 2355-2356, 2357-2358, 2359-2360, 2361-2362
 2363-2364, 2365-2366, 2367-2368, 2369-2370
 2371-2372, 2373-2374, 2375-2376, 2377-2378
 2379-2380, 2381-2382, 2383-2384, 2385-2386
 2387-2388, 2389-2390, 2391-2392, 2393-2394
 2395-2396, 2397-2398, 2399-2400, 2401-2402
 2403-2404, 2405-2406, 2407-2408, 2409-2410
 2411-2412, 2413-2414, 2415-2416, 2417-2418
 2419-2420, 2421-2422, 2423-2424, 2425-2426
 2427-2428, 2429-2430, 2431-2432, 2433-2434
 2435-2436, 2437-2438, 2439-2440, 2441-2442
 2443-2444, 2445-2446, 2447-2448, 2449-2450
 2451-2452, 2453-2454, 2455-2456, 2457-2458
 2459-2460, 2461-2462, 2463-2464, 2465-2466
 2467-2468, 2469-2470, 2471-2472, 2473-2474
 2475-2476, 2477-2478, 2479-2480, 2481-2482
 2483-2484, 2485-2486, 2487-2488, 2489-2490
 2491-2492, 2493-2494, 2495-2496, 2497-2498
 2499-2500, 2501-2502, 2503-2504, 2505-2506
 2507-2508, 2509-2510, 2511-2512, 2513-2514
 2515-2516, 2517-2518, 2519-2520, 2521-2522
 2523-2524, 2525-2526, 2527-2528, 2529-2530
 2531-2532, 2533-2534, 2535-2536, 2537-2538
 2539-2540, 2541-2542, 2543-2544, 2545-2546
 2547-2548, 2549-2550, 2551-2552, 2553-2554
 2555-2556, 2557-2558, 2559-2560, 2561-2562
 2563-2564, 2565-2566, 2567-2568, 2569-2570
 2571-2572, 2573-2574, 2575-2576, 2577-2578
 2579-2580, 2581-2582, 2583-2584, 2585-2586
 2587-2588, 2589-2590, 2591-2592, 2593-2594
 2595-2596, 2597-2598, 2599-2600, 2601-2602
 2603-2604, 2605-2606, 2607-2608, 2609-2610
 2611-2612, 2613-2614, 2615-2616, 2617-2618
 2619-2620, 2621-2622, 2623-2624, 2625-2626
 2627-2628, 2629-2630, 2631-2632, 2633-2634
 2635-2636, 2637-2638, 2639-2640, 2641-2642
 2643-2644, 2645-2646, 2647-2648, 2649-2650
 2651-2652, 2653-2654, 2655-2656, 2657-2658
 2659-2660, 2661-2662, 2663-2664, 2665-2666
 2667-2668, 2669-2670, 2671-2672, 2673-2674
 2675-2676, 2677-2678, 2679-2680, 2681-2682
 2683-2684, 2685-2686, 2687-2688, 2689-2690
 2691-2692, 2693-2694, 2695-2696, 2697-2698
 26

HAZARDOUS WASTE
C2 FILTER
EPA HW CODE D007
BAG U3-330
6/17/18
WT 468
ID 54533

6-18

100% 100%



854 W 77
8005-1777

High Quality
Industrial



PAINT
UN1263

SL
1070





FLAMMABLE LIQUID

PAINT
UN: 261

1065



11G/Y/10-01

/USA/HAZMAT

NON-REUSABLE
DO NOT STACK

WASTE

11G / X / 10/12 / USA
TARE WEIGHT

3/908

QUICK

www.Quick
QUEST

1330





7C10
Booby

105
10



7C/D
Booth 10
10-14



10-14

10-14

BC 11 D

BC 11 D

10-14

10-14













WATER
BASED
PAINT













MOUND
TREATMENT

AMDRO
Kills Fire Ants



KILLS THE QUEEN, EGGS - DESTROYS THE NEST
FOR LARGE MOUNTAINS

FOR LARGE MOUNTAINS



Acetic
Acids
and
Other
Ants



CLEANFUELS

of Florida, Inc.

Environmental Services

800-725-8711

www.cleanfuels.net

















GRAINGER

FOR THE ONES WHO GET IT DONE

11-5-14

FOR THE ONES WHO GET IT DONE
KEITH FARRINGTON

PHILIPS

- **How?** - secondary structure (hydrogen bonds) and tertiary structure (hydrophobic interactions)
- **How stable?** - secondary structure is more stable than tertiary structure (hydrophobic interactions are more sensitive to change)
- **Protein stability** - ΔG of folding is negative, indicating that the folded state is more stable than the unfolded state
- **Protein denaturation** - ΔG of unfolding is positive, indicating that the unfolded state is more stable than the folded state
- **Protein denaturation** - ΔG of unfolding is positive, indicating that the unfolded state is more stable than the folded state

Author: *John W. H. ...*
Title: *...*
Journal: *...*
Volume: *...*
Issue: *...*
Pages: *...*

Received 10 November 2003; accepted 10 November 2003

© 2000 Blackwell Science Ltd, *Journal of Internal Medicine* 247: 395–402

¹ *Journal of the American Medical Association*, 277, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 26

**UNIVERSAL
WASTE**

24. Anthony's

Figure 1

Light bulbs

4.13-

4-0



GLASS
HANDLE WITH CARE

UNIVERSAL WASTE

SHIPPER H. Anthony's
ADDRESS 4th Ave N.
CITY, STATE, ZIP Tampa FL
CONTENTS Mercury light bulbs
Fluorescent bulbs
ACCUMULATION START DATE 4-13-14



Disposición de acuerdo con las leyes de
www.lamprecycle.org o llame al 1-800-555-0050

In accordance with State Disposal Laws.
0-555-0050
apague el suministro eléctrico para evitar un
pueden estallar si se rompen. Manipúlalas con
no store in a safe place.
electrical shock.

UNIVERSAL
WASTE

H. Anthony's

Tampa, FL
4th Ave N.

UNIVERSAL WASTE

SHIPPER St. Anthony's

ADDRESS _____

CITY, STATE, ZIP

Tampa FL

CONTENTS

Light bulbs

Fluorescent bulbs

ACCUMULATION START DATE

4-13-15

UNIVERSAL WASTE

SHIPPER

St. Anthony's

ADDRESS

7th Ave N.

CITY, STATE, ZIP

Tampa FL,

CONTENTS

Light bulbs

Flourecent Bulbs

4-13-15

ACCUMULATION START DATE

UNIVERSAL WASTE



SHIPPED BY: H. Anthony's
 ADDRESS: 4-13-14
 CITY: Tampa FL
 STATE: FL
 ZIP: 33604
 PHONE: 813-241-1111
 REGISTRATION START DATE: 4-13-14

CAUTION: When shipping hazardous waste, you will receive an EPA form to send with the waste.
 Hazardous waste is defined as any liquid, solid, or gas that is flammable, corrosive, reactive, or toxic.
 If you are unsure if your waste is hazardous, contact your local health department or the EPA.
 For more information, visit www.epa.gov/hazwaste or call 1-800-424-9300.

PHILLIPS

WASTE
 SHIPPED BY: H. Anthony's
 ADDRESS: 4-13-15
 CITY: Tampa FL
 STATE: FL
 ZIP: 33604
 PHONE: 813-241-1111
 REGISTRATION START DATE: 4-13-15

GLASS
 HANDLE WITH CARE

UNIVERSAL WASTE

SHIPPER St. Anthony's

ADDRESS _____

CITY, STATE, ZIP Tampa FL

CONTENTS Light bulbs

Fluorescent bulbs

ACCUMULATION START DATE 4-13-14

UNIVERSAL
WASTE

SHIPPER

St. Anthony's

ADDRESS

CITY, STATE, ZIP Tampa FL
CONTENTS Light bulbs
Fluorescent bulbs

REGISTRATION STATE DATE

4-13-15

GLASS
HANDLE WITH CARE

Schultz

UN1927/1.2/100
G-LAB/USA/R1057

UNIVERSAL WASTE

Source: St. Josephs

Location: Tampa FL
lead Acid batteries
for Hyster
4-13-15





**NON-
REGULATED
WASTE**

Clean fuels
1635
Pave. Blends, F.
Latex. Paint

THIS WASTE
IS NOT
REGULATED
BY THE U.S.
ENVIRONMENTAL
PROTECTION
AGENCY

**NON-
REGULATED
WASTE**

clean fuel
2655
Fony Bch fl
latex paint

THIS WASTE
IS NOT
REGULATED
BY THE U.S.
ENVIRONMENTAL
PROTECTION
AGENCY

**NON-
REGULATED
WASTE**







CHPCL-OTTE PIPE

VC

1.5\"/>

WASTE
Clean Fuel
2024-2025
4th Ave
Lead Vast Reg

1\"/>

1\"/>

UN192/Y1.2/100
6-14RL/USA/R1057

UNIVERSAL WASTE

SHIPPER *St. Joseph's*

ADDRESS

Tampa FL

CITY, STATE, ZIP

CONTENTS

Lead Acid batteries

for *Recycle*

REGISTRATION START DATE

4-13-15

CLEANFUELS
of America, Inc.
1-800-725-8711



DO NOT FORCE OR
OVERFILL CONTAINER

UN3248 WASTE MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.
3 (6.1), PGH

CUSTOMER/GENERATOR

NAME:

MSPB, Inc. Dr. Lin Paul
5401 S. Congress Ave STE#105
Atlantis, FL 33462

UPW

(Universal Pharmaceutical Waste)

FORMULA/PRODUCT NAME
7-10-15

WASTE CODES:

D001, D005, D007, D009, D010, D011,
D018, D024, D026, P001, P042, P075,
P188, U010, U035, U058, U129, U150,
U188, U209, U205, U206

UNCONTAMINATED MEDICAL
WASTE, N.O.S., UN3251

Waste Control, Inc.
2000 Market Drive
Bloomington, IL 61701
C-000000



POISON
DANGER



4H2/Y28.0/S/14
CAN/ABMC 2-2860