

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666		Manifest Document No. 10329	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL. 33426		AIRFOIL TECHNOLOGIES FL., INC.			A. State Manifest Document Number MI 7098883		
4. Generator's Phone (561) 582-6080		6. US EPA ID Number FLD980559728			B. State Generator's ID MI 0000000000		
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		8. US EPA ID Number MIN000037842			C. State Transporter's ID MI 0000000000		
7. Transporter 2 Company Name QUANTA		10. US EPA ID Number FLD096963194			D. Transporter's Phone 407-859-4441		
9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192		12. Containers No. Type 41 DM			13. Total Quantity 220		E. State Transporter's ID MI 0000000000
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER) HM		14. Unit Wt/Vol G		15. Waste No. 1007		F. Transporter's Phone 734-292-3447	
a.	RQ: Hazardous waste, solid, n.o.s. (Chrome, Ceramic Coating) 9, NA3077, PG III	41 DM		220 G		1007	
b.	RQ: Hazardous waste, solid, n.o.s. (Cadmium) 9, NA3077, PG III	5 DM		275 G		1006	
c.							
d.							
J. Additional Descriptions for Materials Listed Above (a) SER66608 (Paint Filters Debris & Chrome) (b) SER66607 (Sand/Glass Bead Media) (c) (d)		K. Handling Codes MI					
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trac 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name ALAN ANDERSON		Signature <i>[Signature]</i>		Date Month Day Year 11/3/2011			
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name John Henderson		Signature <i>[Signature]</i>		Date Month Day Year 11/22/2011			
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name Brian R. Smith		Signature <i>[Signature]</i>		Date Month Day Year 11/22/2011			
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Todd Allen							
Signature <i>[Signature]</i>		Date Month Day Year 11/22/2011					

Emergency Contact Telephone Number

Form Approved OMB No. 2050-003 Expires 12-97

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FL D 0 0 0 7 7 6 6 6 6	Manifest Document No. 12237	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426 4. Generator's Phone (561) 582-6080		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number FL D 9 8 0 5 5 9 7 2 8		C. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION CORP. 10100 Rocket Boulevard Orlando, FL 32824		10. US EPA ID Number FL D 9 8 0 5 5 9 7 2 8		E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility's ID	
				H. Facility's Phone 407-859-4441	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol
HM		No.	Type		I. Waste No.
a.	RQ, Waste Aluminum powder, coated (Aluminum, Poly-P-Oxybenzoate Polymer) 4.1, UN1309, PG II	4	DM	220	G D001
b.	RQ, Hazardous waste liquid, n.o.s. (Chrome, Zinc) 9, NA3082, PG III	3	DM	165	G D007
c.					
d.					
J. Additional Descriptions for Materials Listed Above (a) AIRF7801 (CCOF036) (HAZ 4.1) (Amended Profile) (b) SERF5781 (PW-6101) (HAZ 9) (c)		K. Handling Codes for Wastes Listed Above M141			
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name ALAN ANDERSON		Signature <i>Alan Anderson</i>		Month Day Year 12/22/99	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name JOHN EBERHARD		Signature <i>John Eberhard</i>		Month Day Year 12/22/99	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name Janice Joseph		Signature <i>Janice Joseph</i>		Month Day Year 12/22/99	

ORIGINAL — RETURN TO GENERATOR

7-ELS-06
(Rev. 10-95)



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. LD000776666	Manifest Document No. 1200	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426				A. State Manifest Document Number MI 7111856		
4. Generator's Phone (561) 582-6080				B. State Generator's ID 11856		
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.				C. State Transporter's ID		
6. US EPA ID Number LD980559728				D. Transporter's Phone 407-859-4441		
7. Transporter 2 Company Name				E. State Transporter's ID		
8. US EPA ID Number				F. Transporter's Phone		
9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192				G. State Facility's ID		
10. US EPA ID Number MD096963194				H. Facility's Phone 734-282-9250		
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER) HM				12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
a.	X	RQ, Hazardous waste solid, n.o.s. (Chrome, Ceramic Coating) 9, NA3077, PG III	1	IM	55	1007
b.	X	RQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, NA3077, PG III	5	IM	275	1006
c.						
d.						
J. Additional Descriptions for Materials Listed Above						K. Handling Codes
(a) SER66608 (Paint Filters Debris & Chrome)						MI
(b) SER66607 (Sand/Glass Bead Media)						
(c)						
(d)						
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name ALAN ANDERSON				Signature 		Date Month Day Year 12 02 99
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name 				Signature 		Date Month Day Year 12 02 99
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name				Signature		Date Month Day Year
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name 1				Signature 		Date Month Day Year 12 02 99

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

11054

Emergency Contact Telephone Number

Form Approved, OMB No. 2050-0039, Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F.L.D.0.0.0.7.7.6.6.6.6	Manifest Document No. 3.7.9.1.2	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address ATF 507 Industrial Way Boynton Beach 1901 S. Congress Ave #400 4. Generator's Phone (561) 582-6080 Boynton Beach, FL 33426				A. State Manifest Document Number 29	
5. Transporter 1 Company Name SWS Environmental Perma-Fix Environmental Services				C. State Transporter's ID F.L.D.981018773	
7. Transporter 2 Company Name A.R. PAQUETTE				E. State Transporter's ID F.L.D.982185884	
9. Designated Facility Name and Site Address Perma-Fix of Florida, Inc. 1940 Northwest 67th Place Gainesville FL 32653				G. State Facility's ID F.L.D.980711071	
10. US EPA ID Number F.L.D.9.8.0.7.1.1.0.7.1				H. Facility's Phone (352) 373-6066	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol
a. HM RQ, Hazardous Waste Liquid, n.o.s. 9, NA3082, PGIII X (chromium)		No. Type 004 DM 004 FT		220 14.3	6
b.					
c.					
d.					
J. Additional Descriptions for Materials Listed Above Approval #30109 #12 & 13 - waste transfer to drums for shipment				K. Handling Codes for Wastes Listed Above 501/M41/M041	
15. Special Handling Instructions and Additional Information Emergency Response: Perma-Fix (800) 959-9543/ ERG #171					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford. Printed/Typed Name: <i>Alan Anderson</i> Signature: <i>ALAN ANDERSON</i> Month Day Year: <i>08/19/99</i>					
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name: <i>John S. MacDonald</i> Signature: <i>John S. MacDonald</i> Month Day Year: <i>08/19/99</i>					
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name: <i>Jay Lawrence</i> Signature: <i>Jay Lawrence</i> Month Day Year: <i>08/24/99</i>					
19. Discrepancy Indication Space WRONG TRANSPORTER #1 LISTED. CORRECTED ON GENERATOR SITE PRIOR TO SHIPMENT. <i>WJ</i>					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name: <i>Thomas A. Hannah</i> Signature: <i>Thomas A. Hannah</i> Month Day Year: <i>08/25/99</i>					



Atlantic Industrial Services, Inc.

South Florida Division
1400 N. W. 13th Avenue
Pompano Beach, Florida 33069
(954) 971-9010
(800) 940-6155
Fax (954) 971-7551

North Florida Division
3951 W. Highway 329
Reddick, FL 32686
(352) 369-0599
(800) 328-8252
Fax (352) 369-0598

Visit Our Website @
www.usedoil.com

28

INDUSTRIAL WASTE MATERIALS TRANSPORTERS MANIFEST ONLY NON-HAZARDOUS MIXTURES ACCEPTED - READ BOTTOM OF MANIFEST

1. Generator's Name and Mailing Address Airport Technologies Florida, Inc. 507 Industrial Way, Pompano Beach, FL 33066		A. Manifest # No 120702			
2. Generator's Phone (561) 582-6080 County of Origin (Palm Beach)		B. Generator's ID #s EPA _____ STATE _____			
3. Transporter 1 Company Name Atlantic Industrial Services, Inc.		C. State Transporter's ID FLD 984247882			
4. Brow. Co. Facility Lic. # HMTM-98-12978		D. Dade County D.E.R.M. WO 99-287-000 RF 99-288-000			
5. Final Product Destination See #13		E. Broward County D.P.E.P. <input type="checkbox"/> 352 <input type="checkbox"/> 354 <input type="checkbox"/> 355 <input type="checkbox"/> 402 <input type="checkbox"/> 559 <input type="checkbox"/> 560 <input checked="" type="checkbox"/> 628 <input type="checkbox"/> 783 <input type="checkbox"/> 835 <input type="checkbox"/> 866 <input type="checkbox"/> 916 <input type="checkbox"/> 1052 <input type="checkbox"/> 1122 <input type="checkbox"/> 1138 <input type="checkbox"/> 1139 <input type="checkbox"/> 1167 <input type="checkbox"/> 1170 <input type="checkbox"/> 1171 <input type="checkbox"/> _____			
6. Designated Facility Name & Address <input checked="" type="checkbox"/> South Florida Division Atlantic Industrial Services Inc. 1400 N. W. 13th Avenue Pompano Beach, FL 33069 FLD 984247882		7. Designated Facility Name & Address <input type="checkbox"/> North Florida Division Atlantic Industrial Services Inc. 3951 W. Highway 329 Reddick, FL 32686 FLD 991275355			
7. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		8. Containers	9. Total	10. Unit	G.
HM _____ Auto _____ Ind. _____ Mix _____		No. _____ Type _____	Quantity _____	Wt./Vol. _____	CHARGES _____
a. <input checked="" type="checkbox"/> Combustible Liquid, n.o.s., 3, NA 1993 Packing Group III (Contains Petroleum Distillate's Destined for Recycling)					
b. Combustible Liquid, n.o.s., 3, NA 1993 Packing Group III (Contains Petroleum Distillate's Mixed with Water Destined for Recycling)					
c. Flammable Liquid, n.o.s., 3, NA 1993 Packing Group II (Contains Petroleum Distillate's Destined for Recycling)					
d. Flammable Liquid, n.o.s., 3, NA 1993 Packing Group II (Contains Petroleum Distillate's Mixed with Water Destined for Recycling)					
e. Non-Hazardous Used Coolant					
f. Other: Specify Non Regulated Waste Water		X	01 TT	432	G
H. Additional Descriptions for Materials Listed Above Batch 355 B Mobilization Fee Vac Truck + Operator 2 hr min Equip. Decontamination / PO#		<input type="checkbox"/> C.O.D. <input type="checkbox"/> Original Invoice	<input checked="" type="checkbox"/> Bill Cust. <input type="checkbox"/> Mail Invoice	<input type="checkbox"/> VISA <input type="checkbox"/> AMEX <input type="checkbox"/> MC	Total Due _____
IMPORTANT: Payment due upon receipt of invoice. A service charge of 1 1/2% per month (18% annum) will be charged on balance over 30 days past due. All past due accounts subject to a minimum service charge of \$1.50 per month. In the event it shall become necessary to collect the herein above described sums, or any part thereof, the purchaser agrees to pay all costs thereof, including reasonable attorney's fees.					
11. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. I also certify that to the best of my knowledge this shipment does not contain regulated Hazardous Waste as defined in CFR 261.					
Printed/Typed Name ALAN ANDERSON		Signature Alan Anderson		Month Day Year 11/10/99	
12. Transporter 1 Acknowledgement of Receipt of Materials Due to possible solid sludge levels in tanks and expansion or contraction of product. Column #9 (Total Quantity) on this manifest is based upon our best approximations.					
Printed/Typed Name David E O'Brien		Signature David E O'Brien		Month Day Year 11/10/99	
13. Your waste described on this manifest is destined for recycling purposes through registered disposal facilities on file for our company at the below mentioned government agencies. Florida Department of Environmental Protection (D.E.P.) - Broward County D.P.E.P. - Dade County D.E.R.M.					

IN CASE OF EMERGENCY CALL 1-800-940-6155

For Accidental Discharges of this product use Emergency Response Guidebook #128

Dear Generator: The following chemicals contain hazardous substances which when mixed with used oil reduces the recycling potential and can cause harmful effects to the environment.

DO NOT MIX WITH USED OIL
Antifreeze - Freon - Solvents - Thinner - Degreasers - Detergents - Cleaners - Radiator Fluid - Leaded Gasoline - Cutting Oil

CAN MIX WITH USED OIL
Motor Oils - Diesel Fuel - Grease - Brake Fluids - Hydraulic Fluids - Transmission Fluids
These lists are based on current information and may be expanded as more data becomes available. THANK YOU.

WHITE - Generator CANARY - Transporter PINK - Facility



WASTE MANAGEMENT COMMISSION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL. 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number MI 7094066	
4. Generator's Phone (561) 582-6080		6. US EPA ID Number FL D 0 0 0 7 7 6 6 6 6		B. State Generator's ID	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		7. US EPA ID Number FL D 9 8 0 5 5 9 7 2 8		C. State Transporter's ID	
8. Transporter 2 Company Name		9. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192		10. US EPA ID Number MI D 0 9 6 9 6 3 1 9 4		E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility's ID	
				H. Facility's Phone 734-282-9250	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).		12. Containers		13. Total Quantity	14. Unit Wt/Vol
		No. Type			
a.	RQ, Hazardous waste solid, n.o.s. (Chrome, Ceramic Coating) 9, NA3077, PG III	1 DM		55 G	D007
b.	RQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, NA3077, PG III	1 DM		55 G	D006
c.					
d.					
J. Additional Descriptions for Materials Listed Above		K. Handling Codes			
(a) SER66608 (Paint Filters Debris & Chrome)					
(b) SER66607 (Sand/Glass Bead Media)					
(c)					
(d)					
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561 582-6080					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name ALAN ANDERSON		Signature <i>[Signature]</i>		Date 10/2/97	
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.		Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>	
				Date 10/2/97	

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

Emergency Contact Telephone Number.

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

Form Approved, CMB No. 2750-1039, Expires 9-30-99

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

F I D D 0 0 0 7 7 6 6 6 6
AIRFOIL TECHNOLOGIES FL., INC.Manifest
Document No.

10259

2. Page 1
of 1Information in the shaded areas is
not required by Federal law.

3. Generator's Name and Mailing Address

507 Industrial Way
Boynton Beach, Fl. 33426

4. Generator's Phone (561) 582-6080

5. Transporter 1 Company Name

CHEMICAL CONSERVATION CORP.

6. US EPA ID Number

F I D 9 8 0 5 5 9 7 2 8

7. Transporter 2 Company Name

8. US EPA ID Number

10. US EPA ID Number

9. Designated Facility Name and Site Address

CHEMICAL CONSERVATION CORP.
10100 Rocket Boulevard

Orlando, FL 32824

F I D 9 8 0 5 5 9 7 2 8

A. State Manifest Document Number

B. State Generator's ID

C. State Transporter's ID

D. Transporter's Phone 407-859-4441

E. State Transporter's ID

F. Transporter's Phone

G. State Facility's ID

H. Facility's Phone

407-859-4441

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

HAZ

a. RQ, Hazardous waste liquid, n.o.s.
X (Chrome, Zinc)
9, NA3082, PG III

12. Containers

No.

Type

13. Total
Quantity14. Unit
WT/Vol

1. Waste No.

4 DM

220 G

1007

J. Additional Descriptions for Materials Listed Above

(a) SERF5781 (PW-6101)(HAZ 9)
(b)
(c)

K. Handling Codes for Wastes Listed Above

M141

15. Special Handling Instructions and Additional Information

EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300

EMERGENCY CONTACT: 561-582-6080

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

ALAN ANDERSON

Signature

Alan Anderson

Month Day Year

10 25 99

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Ken Moore

Signature

Ken Moore

Month Day Year

10 25 99

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Julie Beik

Signature

Julie Beik

Month Day Year

11 02 799

Please print or type
(Form designed for use on a 12-pin dot-matrix typewriter)

Form Approved OMB No. 2050-0039 Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FL D 0 0 0 7 7 6 6 6 6	Manifest Document No. 10269	2. Page 1 of	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address AIRFOIL TECHNOLOGIES FL., INC. 507 Industrial Way Boynton Beach, FL. 33426 4. Generator's Phone (5 6 1) 5 8 2 - 6 0 8 0				A. State Manifest Document Number	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.				B. State Generator's ID	
6. US EPA ID Number FL D 9 8 0 5 5 9 7 2 8				C. State Transporter's ID	
7. Transporter 2 Company Name				D. Transporter's Phone 407-859-4441	
8. US EPA ID Number				E. State Transporter's ID	
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION OF GA. 1612 James P. Rodgers Circle Valdosta, GA 31601				F. Transporter's Phone	
10. US EPA ID Number GA D 0 9 3 3 8 0 8 1 4				G. State Facility's ID	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				H. Facility's Phone 912-244-0474	
HM		12. Containers		13. Total Quantity	14. Unit Wt/Vol
a. Waste Isopropanol		No.	Type		I. Waste No.
X 3, UN1219, PG II		2	DM	110	G D001
b.					
c.					
d.					
J. Additional Descriptions for Materials Listed Above				K. Handling Codes for Wastes Listed Above	
(a) SERG1040 (b) (c)				mou1	
15. Special Handling Instructions and Additional Information					
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Month Day Year	
ALAN ANDERSON		[Signature]		11 02 99	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Month Day Year	
Printed/Typed Name		[Signature]		11 02 99	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day Year	
Printed/Typed Name		[Signature]		11 02 99	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature		Month Day Year	
Charlotte Dorminey		[Signature]		11 02 99	



WASTE MANAGEMENT COMMISSION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL. 33426		FL D000776666		A. State Manifest Document Number MI 7094359	
4. Generator's Phone (561) 582-6080		6. US EPA ID Number		B. State Generator's ID	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		7. US EPA ID Number FL D980559728		C. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192		10. US EPA ID Number MI D096963194		E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility's ID	
				H. Facility's Phone 734-282-9250	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).		12. Containers	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, Hazardous waste solid, n.o.s. (Chrome, Ceramic Coating) 9, NA3077, PG III		03 DM	3165	G	D007
b. RQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, NA3077, PG III		04 DM	6020	G	D006
c.					
d.					
J. Additional Descriptions for Materials Listed Above		K. Handling Codes			
(a) SER66608 (Paint Filters Debris - Chrome)		MI			
(b) SER66607 (Sand/Glass Bead Media)					
(c)					
(d)					
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 1-800-424-9300					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.					
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Date	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date	
Printed/Typed Name		Signature		Date	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date	
Printed/Typed Name		Signature		Date	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature		Date	

Emergency Contact Telephone Number

Form Approved OMB No. 2050-0039 Expires 8-30-99

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

FL D 0 0 0 7 7 6 6 6 6

Manifest
Document No.

92779

2. Page 1
of 1Information in the shaded areas is
not required by Federal law.

3. Generator's Name and Mailing Address

AIRFOIL TECHNOLOGIES FL., INC.

507 Industrial Way

Boynton Beach, FL. 33426

4. Generator's Phone () 5 6 1) 5 8 2 - 6 0 8 0

5. Transporter 1 Company Name

CHEMICAL CONSERVATION CORP.

6. US EPA ID Number

FL D 0 8 0 5 5 9 7 2 8

7. Transporter 2 Company Name

8. US EPA ID Number

.

9. Designated Facility Name and Site Address

CHEMICAL CONSERVATION CORP.

10100 Rocket Boulevard

Orlando, FL 32824

10. US EPA ID Number

FL D 0 8 0 5 5 9 7 2 8

A. State Manifest Document Number

B. State Generator's ID

C. State Transporter's ID

D. Transporter's Phone 407-859-4441

E. State Transporter's ID

F. Transporter's Phone

G. State Facility's ID

H. Facility's Phone

407-859-4441

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

HM

12. Containers

No.

Type

13. Total
Quantity14. Unit
Wt/Vol

15. Waste No.

a. RQ, Hazardous waste liquid, n.o.s.

X (Chrome, Zinc)

9, NA3082, PG III

0.03 DM

001.45 G

D007

b. RQ, Waste Aluminum powder, coated
(Aluminum, Poly-P-Oxybenzoate Polymer)

X

4.1, UN1309, PG II

001 DM

0.0055 G

D001

c.

d.

J. Additional Descriptions for Materials Listed Above

(a) SERF5781 (PW-6101) (HAZ 9)

(b) AIRF7801 (CCOF036) (HAZ 4.1) (Amended Profile)

(c)

K. Handling Codes for Wastes Listed Above

M14

15. Special Handling Instructions and Additional Information

EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300

EMERGENCY CONTACT: AL Anderson 561-582-6080

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

JOE MAHAN

Signature

Joe Mahan

Month Day Year

10/9/99

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Larry J. Penley

Signature

Larry J. Penley

Month Day Year

10/9/99

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

.

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Janice Joseph

Signature

Janice Joseph

Month Day Year

11/04/99

ORIGINAL — RETURN TO GENERATOR

7-BLS-C6
(Rev. 10/99)

Emergency Contact Telephone Number

Form Approved OMB No. 2050-0089 Expires 4-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F L D 0 0 0 7 7 6 6 6 6 6 90297		Manifest Document No.		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.									
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426						A. State Manifest Document Number											
4. Generator's Phone (561) 582-6080						B. State Generator's ID											
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.						C. State Transporter's ID											
6. US EPA ID Number F L D 9 8 0 5 5 9 7 2 8						D. Transporter's Phone 407-859-4441											
7. Transporter 2 Company Name						E. State Transporter's ID											
8. US EPA ID Number						F. Transporter's Phone											
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION OF GA. 1612 James P. Rodgers Circle Valdosta, GA 31601						G. State Facility's ID											
10. US EPA ID Number G A D 0 9 3 3 8 0 8 1 4						H. Facility's Phone 912-244-0474											
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.					
a. Waste Isopropanol 3, UN1219, PG II						No. 2 Type DM		1/10		G		D001					
b.																	
c.																	
d.																	
J. Additional Descriptions for Materials Listed Above						K. Handling Codes for Wastes Listed Above											
(a) SERG1040						mou1											
(b)																	
(c)																	
15. Special Handling Instructions and Additional Information																	
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300																	
EMERGENCY CONTACT: 561-582-6080																	
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.																	
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.																	
Printed/Typed Name J. MAHAN						Signature J. Mahan				Month Day Year 09/10/99							
17. Transporter 1 Acknowledgement of Receipt of Materials						Printed/Typed Name R. Moon				Signature R. Moon				Month Day Year 09/01/99			
18. Transporter 2 Acknowledgement of Receipt of Materials						Printed/Typed Name				Signature				Month Day Year			
19. Discrepancy Indication Space																	
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.																	
Printed/Typed Name Charlotte Dorniney						Signature Charlotte Dorniney				Month Day Year 07/13/99							

ORIGINAL — RETURN TO GENERATOR

7-BLS-06
Rev 10-98

Emergency Contact Telephone Number

Please print or type
(Form designed for use on 8 1/2 x 11 (12-pitch) typewriter.)

Form Approved OMB No. 2050-0039 Expires 6-30-99

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

FL D 0 0 0 7 7 6 6 6 6

Manifest
Document No.

90199

2. Page 1
of 1Information in the shaded areas is
not required by Federal law.

3. Generator's Name and Mailing Address

507 Industrial Way
Boynton Beach, FL, 33426

4. Generator's Phone 561 582-6080

AIRFOIL TECHNOLOGIES FL., INC.

A. State Manifest Document Number

B. State Generator's ID

5. Transporter 1 Company Name

CHEMICAL CONSERVATION CORP.

6. US EPA ID Number

FL D 9 8 0 5 5 9 7 2 8

C. State Transporter's ID

D. Transporter's Phone 407-859-4441

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

CHEMICAL CONSERVATION CORP.
10100 Rocket Boulevard
Orlando, FL 32824

10. US EPA ID Number

FL D 9 8 0 5 5 9 7 2 8

G. State Facility's ID

H. Facility's Phone

407-859-4441

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

HM

12. Containers
No. Type13. Total
Quantity14. Unit
Wt/Vol

1. Waste No.

a. X RQ, Waste Aluminum powder, coated
(Aluminum, Poly-P-Oxybenzohte Polymer)
4.1, UN1309, PG II

5 DM

275 G

0001

b.

c.

d.

J. Additional Descriptions for Materials Listed Above

(a) AIRF7801 (CCOF036)(HAZ 4.1)(Amended Profile)
(b)
(c)

K. Handling Codes for Wastes Listed Above

M141

15. Special Handling Instructions and Additional Information

EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300

EMERGENCY CONTACT: 561-582-6080

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

J. MAHAN

Signature

J. Mahan

Month Day Year

10/01/99

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Dan Meen

Signature

Dan Meen

Month Day Year

09/01/99

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Janice Joseph

Signature

Janice Joseph

Month Day Year

10/03/99



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved, OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. E L D 0 0 0 7 7 6 6 6 6	Manifest Document No. 100-7	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL. 33426				A. State Manifest Document Number EMMB7094312	
4. Generator's Phone (5 6 1) 5 8 2 - 6 0 8 0				B. State Generator's ID	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.				C. State Transporter's ID	
6. US EPA ID Number E L D 9 8 0 5 5 9 7 2 8				D. Transporter's Phone 407-222-4441	
7. Transporter 2 Company Name				E. State Transporter's ID	
8. US EPA ID Number				F. Transporter's Phone	
9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192				G. State Facility's ID	
10. US EPA ID Number M T D 0 9 6 0 6 3 1 9 4				H. Facility's Phone 734-287-9250	
11. US DOT-Description (including Proper Shipping Name, Hazard Class, and ID NUMBER) HM		12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
a. RQ, Hazardous waste solid, n.o.s. (Chrome, Ceramic Coating) 9, NA3077, PG III		1	55	CG	D007
b.					
c.					
d.					
J. Additional Descriptions for Materials Listed Above (a) SER66608 (Paint Filters Debris & Chrome) (b) (c) (d)				K. Handling Codes 1111	
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trac 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name J. J. J. J. J.		Signature <i>[Signature]</i>		Date 11/11/97	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name J. J. J. J. J.		Signature <i>[Signature]</i>		Date 11/11/97	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Date	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Steven Spodis					
Signature <i>[Signature]</i>		Date 10/11/97			

Emergency Contact Telephone Number

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number	
4. Generator's Phone (561) 582-6080		5. US EPA ID Number F.L.D. 9-8-0-5-5-9-7-2-8		B. State Generator's ID	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number		C. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION CORP. 10100 Rocket Boulevard Orlando, FL 32824		10. US EPA ID Number F.L.D. 9-8-0-5-5-9-7-2-8		E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility's ID	
				H. Facility's Phone 407-859-4441	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers	13. Total Quantity	14. Unit WUVol	I. Waste No.
a. RQ. Waste Aluminum powder, coated (Aluminum, Poly-P-Oxybenzoate Polymer) 4.1, UN1309, PG II		No. Type			
b. Waste Machine Coolant Non Regulated Material					
c.					
d.					
J. Additional Descriptions for Materials Listed Above (a) REF7801 (G00036) (HAZ 4.1) (Amended Profile) (b) SERI2355 (HAZL) (c)		K. Handling Codes for Wastes Listed Above ADULT P8 M141			
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment. OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Ray M. Mason		Signature <i>Ray M. Mason</i>		Month Day Year 07 10 99	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name Ray M. Mason		Signature <i>Ray M. Mason</i>		Month Day Year 07 10 99	
19. Discrepancy Indication Space					
20. Facility Owner or Operator. Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.					
Printed/Typed Name JANICE		Signature <i>JANICE</i>		Month Day Year 07 10 99	

TRANSPORTER #1

WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12118 MCL

Form Approved. OMB No. 2050-0039

Print or type.




UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. LD000776666		Manifest Document No. 12877		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address AIRFOIL TECHNOLOGIES FL., INC.						A. State Manifest Document Number MI 7094201							
507 Industrial Way Boynton Beach, FL. 33426						B. State Generator's ID							
4. Generator's Phone (561) 582-6080						C. State Transporter's ID							
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.						D. Transporter's Phone 407-859-4441							
6. US EPA ID Number LD980559728						E. State Transporter's ID							
7. Transporter 2 Company Name						F. Transporter's Phone							
8. US EPA ID Number						G. State Facility's ID							
8. Designated Facility Name and Site Address CHEM-MET SERVICES, INC.						H. Facility's Phone 734-282-9250							
18550 Allen Road Brownstown, MI 48192						10. US EPA ID Number MI D096963194							
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. RQ, Hazardous waste, solid, n.o.s. (Cadmium)						004 DM		0220		G		1006	
b. RQ, Hazardous waste solid, n.o.s. (Chrome, Ceramic Coating)						001 DM		0055		G		1007	
c.													
d.													
J. Additional Descriptions for Materials Listed Above						K. Handling Codes							
(a) SER66607 (Sand/Glass Bead Media)						M11							
(b) SER66608 (Paint Filters Debris & Chrome)													
(c)													
(d)													
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 1-582-6080													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name ALAN ANDERSON						Signature <i>[Signature]</i>				Date 07/28/99			
17. Transporter 1 Acknowledgement of Receipt of Materials						Signature <i>[Signature]</i>				Date 07/28/99			
Printed/Typed Name DARRELL WILLIAMS						Signature <i>[Signature]</i>				Date 07/28/99			
18. Transporter 2 Acknowledgement of Receipt of Materials						Signature				Date			
Printed/Typed Name						Signature				Date			
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.													
Printed/Typed Name Steven Spadner						Signature <i>[Signature]</i>				Date 08/05/99			

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-282-4708 OR OUT OF STATE AT 617-373-7860 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-9802 24 HOURS PER DAY.

3-097-01

Please print or type. (Form designed for use on elite (.ch) typewriter.)

Form Approved, OMB No. 2050-0039 Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666		Manifest Document No. 96400		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address SERMATECH TECHNICAL SERVI 507 INDUSTRIAL WAY BOYNTON BCH FL 33426						A. State Manifest Document Number							
4. Generator's Phone (407) 582-6080						B. State Generator's ID							
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC				6. US EPA ID Number ILD984908202		C. State Transporter's ID							
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 561 736-1339							
9. Designated Facility Name and Site Address SAFETY-KLEEN SYSTEMS, INC 5610 ALPHA DRIVE BOYNTON BEACH FL 33426				10. US EPA ID Number FLD984167791		E. State Transporter's ID							
						F. Transporter's Phone							
						G. State Facility's ID							
						H. Facility's Phone 561 736-1339							
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. RM WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGII (D001, D018, D039, D040) (ERG128) (6.7#/GL)						4 DM		152		G		D001 D039	
b.													
c.													
d.													
J. Additional Descriptions for Materials Listed Above I (A) D018 D040						K. Handling Codes for Wastes Listed Above (A) M125 BULKING							
15. Special Handling Instructions and Additional Information IF UNDELIVERABLE, RETURN TO GENERATOR FOR RECYCLE EMERGENCY RESPONSE#800-468-1760 24HR. 9926 97323400 0000196400 3097019343 21													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name ALAN ANDERSON						Signature 				Date Month Day Year 6 28 99			
17. Transporter 1 Acknowledgement of Receipt of Materials						Printed/Typed Name Byron Mondak				Signature 			
										Date Month Day Year 6 28 99			
18. Transporter 2 Acknowledgement of Receipt of Materials						Printed/Typed Name				Signature			
										Date Month Day Year			
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.													
Printed/Typed Name C Ruth Yager						Signature 				Date Month Day Year 6 28 99			

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

A: 801 B: C: D:

ORIGINAL-RETURN TO GENERATOR

SAFETY-KLEEN CORP.

90290 (Rev 11/98) 6

INSTRUCTIONS FOR COMPLETION OF THIS FORM, REFER CODE OF FEDERAL REGULATIONS, 40, PART 262.20.

reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding the burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number		
507 Industrial Way Boynton Beach, FL. 33426				MI 7098821		
4. Generator's Phone (561) 582 - 6080				B. State Generator's ID		
5. Transporter 1 Company Name		6. US EPA ID Number		C. State Transporter's ID		
CHEMICAL CONSERVATION CORP.		E L D 9 8 0 5 5 9 7 2 8		D. Transporter's Phone 407-859-4441		
7. Transporter 2 Company Name		8. US EPA ID Number		E. State Transporter's ID		
				F. Transporter's Phone		
9. Designated Facility Name and Site Address		10. US EPA ID Number		G. State Facility's ID		
CHEM-MET SERVICES, INC.				H. Facility's Phone		
18550 Allen Road				734-282-9250		
Brownstown, MI 48192		M I D 0 9 6 9 6 3 1 9 4				
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)		12. Containers		13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, Hazardous waste, solid, n.o.s. (Cadmium)		No. Type				
9, NA3077, PG III		3 IM		100	KG	1006
b. RQ, Hazardous waste solid, n.o.s. (Chrome, Ceramic Coating)		5 IM		110	KG	1007
9, NA3077, PG III						
c.						
d.						
J. Additional Descriptions for Materials Listed Above						K. Handling Codes
(a) SER66607 (Sand/Glass Bead Media)						M11
(b) SER66608 (Paint Filters Debris & Chrome)						
(c)						
(d)						
15. Special Handling Instructions and Additional Information						
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 734-282-9250						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.						
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature		Date		
H. A. Anderson		[Signature]		Month Day Year 06/16/98		
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date		
Printed/Typed Name		Signature		Month Day Year 07/16/98		
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date		
Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature		Date		
[Signature]		[Signature]		Month Day Year 07/16/98		

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

GENERATOR

TRANSPORTER

FACILITY

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.
F.L.D.0.0.0.7.7.6.6.6.6
AIRFOIL TECHNOLOGIES PL., INC.

Manifest Document No.
07879

2. Page 1 of 1
 Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
507 Industrial Way
Boynton Beach, FL 33426
 4. Generator's Phone **(5 6 1) 5 8 2 - 6 0 8 0**

5. Transporter 1 Company Name
CHEMICAL CONSERVATION CORP.

6. US EPA ID Number
F.L.D.9.8.0.5.5.9.7.2.8

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address
CHEMICAL CONSERVATION OF GA.
1612 James P. Rodgers Circle
Valdosta, GA 31601

10. US EPA ID Number
G.A.D.0.9.3.3.8.0.8.1.4

A. State Manifest Document Number
 B. State Generator's ID
 C. State Transporter's ID
 D. Transporter's Phone **407-859-4441**
 E. State Transporter's ID
 F. Transporter's Phone
 G. State Facility's ID
 H. Facility's Phone **912-244-0474**

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)
 (HM)

12. Containers
 No. Type
 13. Total Quantity
 14. Unit Wt/Vol
 I. Waste No.

a. **Waste Isopropanol**

3, UN1219, PG II

2 DM 11.0 G D001

b. **Waste Petroleum distillates, n.o.s.**
(Mineral Spirits)
3, UN1268, PG III

1 DM 55 G D001

J. Additional Descriptions for Materials Listed Above

(a) **SEK1040**
 (b) **SEK1361**
 (c)
 (d)

K. Handling Codes for Wastes Listed Above

MOLOI

15. Special Handling Instructions and Additional Information

EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300
EMERGENCY CONTACT: 561-582-6080

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable International and national governmental regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment. OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
ALAN ANDERSON

Signature
[Signature]

Month Day Year
06/16/99

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name
Don Mason

Signature
[Signature]

Month Day Year
06/16/99

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator. Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name
Jodie Seward

Signature
[Signature]

Month Day Year
06/17/99

TRANSPORTER #2



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL

Please print or type.

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666	Manifest Document No. 12077	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426			A. State Manifest Document Number MI 7165677			
4. Generator's Phone (561) 582-6080			B. State Generator's ID			
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.			C. State Transporter's ID			
6. US EPA ID Number FLD980559728			D. Transporter's Phone 407-859-4441			
7. Transporter 2 Company Name			E. State Transporter's ID			
8. US EPA ID Number			F. Transporter's Phone			
9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192			G. State Facility's ID			
10. US EPA ID Number MID096963194			H. Facility's Phone 734-282-9250			
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER) HM		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.	
a. RQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, NA3077, PG III		5 DM	15	G	0006	
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above (a) SER66607 (Sand/Glass Bead Media) (b) (c) (d)					K. Handling Codes M111	
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT:						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature		Date Month Day Year		
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year		
Printed/Typed Name		Signature		Date Month Day Year		
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year		
Printed/Typed Name		Signature		Date Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature		Date Month Day Year		

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

GENERATOR

TRANSPORTER

FACILITY

Emergency Contact Telephone Number

Please print or type.
(Form designed for use on 4112 pitch typewriter.)

Form Approved by GSA, GEN. REG. NO. 270, 0-335, Expires 6-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F.L.D.0.0.0.7.7.6.6.6.6	Manifest Document No. 50299	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL. 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number		
4. Generator's Phone (5 6 1) 5 8 2 - 6 0 8 0				B. State Generator's ID		
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number F.L.D.9.8.0.5.5.9.7.2.8		C. State Transporter's ID		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 407-859-4441		
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION OF GA. 1612 James P. Rodgers Circle Valdosta, GA 31601		10. US EPA ID Number G.A.D.0.9.3.3.8.0.8.1.4		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone 912-244-0474		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.	
a. Waste Isopropanol		No. Type				
X 3, UN1219, PG II		5 DM	275	G	D001	
b. Waste Petroleum distillates, n.o.s. (Mineral Spirits)						
X 3, UN1268, PG III		1 DM	55	G	D001	
c.						
d.						
J. Additional Descriptions for Materials Listed Above (a) SERG1040 (b) SERG1361 (c) (d)		K. Handling Codes for Wastes Listed Above MO61				
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name ALAN ANDERSON		Signature <i>Alan Anderson</i>		Month Day Year 05 03 99		
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Ron Moon		Signature <i>Ron Moon</i>		Month Day Year 05 03 99		
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19 Printed/Typed Name Charlotte Downey						
Signature <i>Charlotte Downey</i>		Month Day Year 05 10 99				

Emergency Contact Telephone Number

Please print or type.
(Form designed for use on a 12-pitch typewriter.)

Form Approved OMS No. 2060-0039 Expires 12-31-93

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F.L.D.0.0.0.7.7.6.6.6	Manifest Document No. 50399	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, Fl. 33426		AIRFOIL TECHNOLOGIES FL., INC.			A. State Manifest Document Number
4. Generator's Phone (5 6 1) 5 8 2 - 6 0 8 0					B. State Generator's ID
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number F.L.D.9.8.0.5.5.9.7.2.8		C. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION CORP. 10100 Rocket Boulevard Orlando, FL 32824		10. US EPA ID Number F.L.D.9.8.0.5.5.9.7.2.8		E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility's ID	
				H. Facility's Phone 407-859-4441	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol
a. HM X RQ, Hazardous waste liquid, n.o.s. (Chrome, Zinc) 9, NA3082, PG III		No. Type 1 DM		55	G
b.					
c.					
d.					
J. Additional Descriptions for Materials Listed Above (a) SERF5781 (PW-6101)(HAZ 9) (b) (c) (d)		K. Handling Codes for Wastes Listed Above M14			
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name ALAN ANDERSON		Signature <i>Alan Anderson</i>		Month Day Year 05/03/99	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Ron Moon		Signature <i>Ron Moon</i>		Month Day Year 05/03/99	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name Janice Joseph		Signature <i>Janice Joseph</i>		Month Day Year 05/05/99	

ORIGINAL — RETURN TO GENERATOR

05/03/99 16:09
MAY-03-1999 16:21313 282 9250
FROM CHEM MET SERVICES

TO 7 515826505

P.02/02

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12118 MCLMICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Please print or type.

Form Approved, OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426		AIRFOIL TECHNOLOGIES FL., INC. FL D 0 0 0 7 7 6 6 6 6 6 133797		A. State Manifest Document Number MI 7093522		
4. Generator's Phone (5 6 1) 5 8 2 - 6 0 8 0		6. US EPA ID Number FL D 9 8 0 5 5 9 7 2 8		B. State Generator's ID		
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		8. US EPA ID Number		C. State Transporter's ID		
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone 407-839-4441		
9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192		11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER) HM a. X RQ, Hazardous waste solid, n.o.s. (Chrome, Ceramic Coating) 9, NA3077, PG III b. X RQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, NA3077, PG III c. d.		E. State Transporter's ID F. Transporter's Phone G. State Facility's ID H. Facility's Phone 734-282-9250		
12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol		
2 DM		110		G D007		
6 DM		330		G D006		
J. Additional Descriptions for Materials Listed Above (a) SER66608 (Paint Filters Debris & Chrome) (b) SER66607 (Sand/Glass Bead Media) (c) (d)		K. Handling Codes MIII				
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR: if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name ALAN ANDERSON		Signature <i>Alan Anderson</i>		Date Month Day Year 03/31/99		
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name R. Moon		Signature <i>R. Moon</i>		Date Month Day Year 3/31/99		
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Date Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Steven Spodney						
Signature <i>Steven Spodney</i>		Date Month Day Year 03/31/99				

Please print or type. (Form designed for use on elite (pitch) typewriter.)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666		Manifest Document No. 23360 10080		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address SERMATECH TECHNICAL SERVI 507 INDUSTRIAL WAY BOYNTON BCH FL 33426 407 582-6080						A. State Manifest Document Number							
4. Generator's Phone ()						B. State Generator's ID							
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC						6. US EPA ID Number ILD 984908202		C. State Transporter's ID					
7. Transporter 2 Company Name SAFETY KLEEN (TG) INC						8. US EPA ID Number 560987574647		D. Transporter's Phone 561 736-1339					
9. Designated Facility Name and Site Address SAFETY-KLEEN SYSTEMS, INC 5610 ALPHA DRIVE BOYNTON BEACH FL 33426						10. US EPA ID Number FLD 984167791		E. State Transporter's ID					
								F. Transporter's Phone (813) 359-2495					
								G. State Facility's ID					
								H. Facility's Phone 561 736-1339					
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. <input checked="" type="checkbox"/> HM RO WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII (D001, D018, D039, D040)(ERG128)(6.7#/GL)						1		DM		16		G D001 D039	
b.													
c.													
d.													
J. Additional Descriptions for Materials Listed Above IA) D018 D040						K. Handling Codes for Wastes Listed Above (A) M125							
15. Special Handling Instructions and Additional Information EMERGENCY RESP 800-468-1760(24 HR). IF UNDELIVERABLE RETURN TO GENERATOR. SKDOT# A: 801 B: C: D:						MFST R/T# 96925836 3-097-01-9343							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.										Date Month Day Year 3 17 99			
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name: Robert Gagnon Signature: Robert Gagnon										Date Month Day Year 5 17 99			
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name: Signature:										Date Month Day Year			
19. Discrepancy Indication Space Deleted 7, 8, F signed incorrectly TSDF GRV													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19. Printed/Typed Name: C. Ruth Yager Signature: C. Ruth Yager										Date Month Day Year 13 17 99			

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666		Manifest Document No. 92133		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.																																																																																																																																													
3. Generator's Name and Mailing Address SERMATECH TECHNICAL SERVI 507 INDUSTRIAL WAY BOYNTON BCH FL 33426						A. State Manifest Document Number																																																																																																																																															
						B. State Generator's ID																																																																																																																																															
4. Generator's Phone (407) 582-6080						C. State Transporter's ID																																																																																																																																															
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC						6. US EPA ID Number ILD984908202																																																																																																																																															
7. Transporter 2 Company Name						8. US EPA ID Number																																																																																																																																															
9. Designated Facility Name and Site Address SAFETY-KLEEN SYSTEMS, INC 5610 ALPHA DRIVE BOYNTON BEACH FL 33426						10. US EPA ID Number FLD984167791																																																																																																																																															
						D. Transporter's Phone 561 736-1339																																																																																																																																															
						E. State Transporter's ID																																																																																																																																															
						F. Transporter's Phone																																																																																																																																															
						G. State Facility's ID																																																																																																																																															
						H. Facility's Phone 561 736-1339																																																																																																																																															
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:5%;">a.</th> <th style="width:5%;">b.</th> <th style="width:5%;">c.</th> <th style="width:5%;">d.</th> <th style="width:5%;">e.</th> <th style="width:5%;">f.</th> <th style="width:5%;">g.</th> <th style="width:5%;">h.</th> <th style="width:5%;">i.</th> <th style="width:5%;">j.</th> <th style="width:5%;">k.</th> <th style="width:5%;">l.</th> <th style="width:5%;">m.</th> <th style="width:5%;">n.</th> <th style="width:5%;">o.</th> <th style="width:5%;">p.</th> <th style="width:5%;">q.</th> <th style="width:5%;">r.</th> <th style="width:5%;">s.</th> <th style="width:5%;">t.</th> <th style="width:5%;">u.</th> <th style="width:5%;">v.</th> <th style="width:5%;">w.</th> <th style="width:5%;">x.</th> <th style="width:5%;">y.</th> <th style="width:5%;">z.</th> </tr> <tr> <td style="text-align: center;">X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="28"> RG WASTE COMBUSTIBLE LIQUID, N. O. S. (PETROLEUM NAPHTHA) NA1993 PGIII (D001, D018, D039, D040) (ERG128) (6.7#/GL) </td> </tr> <tr> <td colspan="28"></td> </tr> <tr> <td colspan="28"></td> </tr> </table>						a.	b.	c.	d.	e.	f.	g.	h.	i.	j.	k.	l.	m.	n.	o.	p.	q.	r.	s.	t.	u.	v.	w.	x.	y.	z.	X																										RG WASTE COMBUSTIBLE LIQUID, N. O. S. (PETROLEUM NAPHTHA) NA1993 PGIII (D001, D018, D039, D040) (ERG128) (6.7#/GL)																																																																																				12. Containers No.		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
						a.	b.	c.	d.	e.	f.	g.	h.	i.	j.	k.	l.	m.	n.	o.	p.	q.	r.	s.	t.	u.	v.	w.	x.	y.	z.																																																																																																																						
						X																																																																																																																																															
						RG WASTE COMBUSTIBLE LIQUID, N. O. S. (PETROLEUM NAPHTHA) NA1993 PGIII (D001, D018, D039, D040) (ERG128) (6.7#/GL)																																																																																																																																															
		4		DM		145		G		D001		D039																																																																																																																																									

J. Additional Descriptions for Materials Listed Above

I(A) D018 D040

K. Handling Codes for Wastes Listed Above

(A) M125 BULKING



15. Special Handling Instructions and Additional Information

**IF UNDELIVERABLE, RETURN TO GENERATOR FOR RECYCLE
EMERGENCY RESPONSE#800-468-1760 24HR.**

9907 96676497 692133 3-097-01-9343 21

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Adon B Betances		Signature 		Date Month Day Year 2 19 99	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature 		Date Month Day Year 2 19 99	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name Gregory Williams		Signature 		Date Month Day Year 12 19 99	
---	--	---	--	---	--



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666	Manifest Document No. 1117	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number MI 7098600	
4. Generator's Phone (561) 582-6080		6. US EPA ID Number FLD980559728		B. State Generator's ID	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		8. US EPA ID Number		C. State Transporter's ID	
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192		12. Containers No. Type 9 DM		E. State Transporter's ID	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM a. <input checked="" type="checkbox"/> RQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, NA3077, PG III		13. Total Quantity 495		F. Transporter's Phone	
b. <input checked="" type="checkbox"/> RQ, Hazardous waste solid, n.o.s. (Chrome, Ceramic Coating) 9, NA3077, PG III		14. Unit Wt/Vol G		G. State Facility's ID	
c.		15. Waste No. D006		H. Facility's Phone 734-282-9250	
d.		16. Unit Wt/Vol G		I. Waste No. D007	
J. Additional Descriptions for Materials Listed Above (a) SER66607 (Sand/Glass Bead Media) (b) SER66608 (Paint Filters Debris & Chrome) (c) (d)		K. Handling Codes D006			
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 501-582-6680					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR; if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name ALAN ANDERSON		Signature <i>[Signature]</i>		Date Month Day Year 12/17/97	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Date Month Day Year 12/17/97	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name <i>[Signature]</i>					
Signature <i>[Signature]</i>		Date Month Day Year 12/17/97			

Emergency Contact Telephone Number

UNIFORM HAZARDOUS
WASTE MANIFEST

1. Generator's US EPA ID No.

F.L.D. 0.0.0.7.7.6.6.6.6

Manifest
Document No.
216992. Page 1
of 1Information in the shaded areas is
not required by Federal law.

3. Generator's Name and Mailing Address

AIRFOIL TECHNOLOGIES FL., INC.

A. State Manifest Document Number

507 Industrial Way

Boynton Beach, Fl. 33426

B. State Generator's ID

4. Generator's Phone (5 6 1) 5 8 2 - 6 0 8 0

5. Transporter 1 Company Name

6. US EPA ID Number

C. State Transporter's ID

CHEMICAL CONSERVATION CORP.

F.L.D. 9.8.0.5.5.9.7.2.8

D. Transporter's Phone 407-859-4441

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

9. Designated Facility Name and Site Address

10. US EPA ID Number

G. State Facility's ID

CHEMICAL CONSERVATION OF GA.

1612 James P. Rodgers Circle

Valdosta, GA 31601

G.A.D. 0.9.3.3.8.0.8.1.4

H. Facility's Phone

912-244-0474

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers

13. Total

14. Unit

I. Waste No.

HM

No.

Type

Quantity

Wt/Vol

Waste No.

a. Waste Isopropanol

3

DM

1.65

6

D001

X

3, UN1219, PG II

b.

c.

d.

J. Additional Descriptions for Materials Listed Above

K. Handling Codes for Wastes Listed Above

(a) SERG1040

(b)

(c)

(d)

mou

15. Special Handling Instructions and Additional Information

EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300

EMERGENCY CONTACT: 561-582-6080

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Month Day Year

ALAN ANDERSON

[Signature]

02/17/99

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

R. Moon

[Signature]

02/17/99

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

Mandy Freeman

[Signature]

10/31/99

ORIGINAL — RETURN TO GENERATOR

BLS-06
(Rev. 10-98)



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL

Please print or type:

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS
WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

SERMATECH TECHNICAL SERVICES

A. State Manifest Document Number

MI 7098952

B. State Generator's ID

7098952

C. State Transporter's ID

D. Transporter's Phone 407-859-4441

E. State Transporter's ID

F. Transporter's Phone

G. State Facility's ID

H. Facility's Phone 734-282-9250

3. Generator's Name and Mailing Address

507 Industrial Way
Boynton Beach, FL 33426

4. Generator's Phone (561) 582-6080

5. Transporter 1 Company Name

CHEMICAL CONSERVATION CORP.

6. US EPA ID Number

FLD980539728

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

CHEM-MET SERVICES, INC.
18550 Allen Road
Brownstown, MI 48192

10. US EPA ID Number

MI D096963194

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt/Vol

I. Waste No.

a. ☒ RQ, Hazardous waste, solid, n.o.s.
(Cadmium)
9, NA3077, PG III

5

DM

275

G

D006

b. ☒ RQ, Hazardous waste, solid, n.o.s.
(Chrome, Ceramic Coating)
9, NA3077, PG III

3

DM

11.1

G

D007

c.

d.

J. Additional Descriptions for Materials Listed Above

- (a) SER66607 (Sand/Glass Bead Media)
(b) SER66608 (Paint Filters Debris & Chrome)
(c)
(d)

K. Handling Codes

1111

15. Special Handling Instructions and Additional Information

EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Date

Month Day Year

ALAN ANDERSON

[Signature]

11/11/99

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Date

Month Day Year

Dennis A. Romanski

[Signature]

11/20/99

UNIFORM HAZARDOUS
WASTE MANIFEST

1. Generator's US EPA ID No.

F.L.D. 0 0 0 7 7 6 6 6 6

Manifest
Document No.

11199

2. Page 1

of 1

Information in the shaded areas is
not required by Federal law.

3. Generator's Name and Mailing Address

507 Industrial Way
Boynton Beach, FL 33426

4. Generator's Phone 5 6 1 5 8 2 - 6 0 8 0

SERMATECH TECHNICAL SERVICES

A. State Manifest Document Number

B. State Generator's ID

5. Transporter 1 Company Name

CHEMICAL CONSERVATION CORP.

6. US EPA ID Number

F.L.D. 9 8 0 5 5 9 7 2 8

C. State Transporter's ID

D. Transporter's Phone 407-859-4441

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

CHEMICAL CONSERVATION CORP.
10100 Rocket Boulevard
Orlando, FL 32824

10. US EPA ID Number

F.L.D. 9 8 0 5 5 9 7 2 8

G. State Facility's ID

H. Facility's Phone

407-859-4441

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

HM

a. RQ, Hazardous waste liquid, n.o.s.
(Chrome, Zinc)
9, NA3082, PG III
X

12. Containers

No.

Type

13. Total
Quantity14. Unit
Wt/Vol

15. Waste No.

4 DM

220

G

D007

J. Additional Descriptions for Materials Listed Above

(a) SERF5781 (PW-6101) (HAZ 9)

(b)

(c)

(d)

K. Handling Codes for Wastes Listed Above

M141

15. Special Handling Instructions and Additional Information

EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300

EMERGENCY CONTACT: 561-582-6080

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Month Day Year

ALAN ANDERSON

[Signature]

01/11/99

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

R. Moon

[Signature]

01/11/99

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

Janice Joseph

[Signature]

01/12/99




ORIGINAL — RETURN TO GENERATOR

7-BLS-06
(Rev. 10/97)

Emergency Contact Telephone Number

Please print or type
Name designated for use on-site (24-hour typewriter)

Form Approved OMB No. 2030-0029 Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F L D 0 0 0 7 7 6 6 6 6	Manifest Document No. 12110	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426		AIRFOIL TECHNOLOGIES FL., INC.			A. State Manifest Document Number
4. Generator's Phone () 561 582-6080					B. State Generator's ID
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number F L D 9 8 0 5 5 9 7 2 8			C. State Transporter's ID
7. Transporter 2 Company Name		8. US EPA ID Number			D. Transporter's Phone 407-859-4441
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION CORP. 10100 Rocket Boulevard Orlando, FL 32824		10. US EPA ID Number F L D 9 8 0 5 5 9 7 2 8			E. State Transporter's ID
					F. Transporter's Phone
					G. State Facility's ID
					H. Facility's Phone 407-859-4441
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol
HM		No. Type			
a.	RQ, Waste Aluminum powder, coated (Aluminum, Poly-P-Oxybenzohte Polymer) 4.1, UN1309, PG II	001	DM	00055	G D001
b.	RQ, Waste Oxidizing liquid, n.o.s. (See Attached Labpack Sheet) 5.1, UN3139, PG II	001	DF	00005	G D001 D011
c.	RQ, Waste Aerosols, flammable (See Attached Labpack Sheet) 2.1, UN1950	001	DF	00.005	G D001
d.	RQ, Waste Flammable liquids, n.o.s. (See Attached Labpack Sheet) 3, UN1993, PG II	001	DM	00055	G D001 U002
J. Additional Descriptions for Materials Listed Above		K. Handling Codes for Wastes Listed Above			
(a) AIRF7801 (CCOF036) (HAZ 4.1) (Amended Profile)					
(b) AIR7126A (VARIES) (LABPA)					
(c) AIR7126B (VARIES) (LABPA)					
(d) AIR7126C (VARIES) (LABPA)					
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health, and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name Paul M. Bauer		Signature 		Month Day Year 12/11/00	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Mike Avery		Signature 		Month Day Year 12/11/00	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name Janice		Signature 		Month Day Year 12/12/00	

ORIGINAL — RETURN TO GENERATOR

Please print or type
(Form designed for use on either 11x17 or 11x8.5 inch paper)

Form Approved OMB No. 2050-0049 Expires 5-30-06

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F.L.D.0000776666		Manifest Document No. 104001		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, Fl. 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number		B. State Generator's ID			
4. Generator's Phone (561) 582-6080		5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number F.L.D.980559728		C. State Transporter's ID		D. Transporter's Phone 407-859-4441	
7. Transporter 2 Company Name		8. US EPA ID Number		E. State Transporter's ID		F. Transporter's Phone			
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION OF GA. 1612 James P. Rodgers Circle Valdosta, GA 31601		10. US EPA ID Number G.A.D.093380814		G. State Facility's ID		H. Facility's Phone		229-244-0474	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers		13. Total Quantity		14. Unit Wt/Vol	
HM				No. Type				I. Waste No.	
a. RQ, Waste Paint related material (Xylene, Toluene) 3, UN1263, PG II				001 DM		55		G D035 F003 D001 D007 F005	
b.									
c.									
d.									
J. Additional Descriptions for Materials Listed Above				K. Handling Codes for Wastes Listed Above					
(a) AIRG2604				H001					
(b)									
(c)									
15. Special Handling Instructions and Additional Information				EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.				SERLDDO					
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name Thomas Canson				Signature		Month Day Year 16 14 01			
17. Transporter 1 Acknowledgement of Receipt of Materials				Printed/Typed Name Mike Avery		Signature		Month Day Year 16 14 01	
18. Transporter 2 Acknowledgement of Receipt of Materials				Printed/Typed Name Thomas C		Signature		Month Day Year	
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.				Printed/Typed Name Charlotte Anneminey		Signature		Month Day Year 16 18 01	

Please print or type
(Form designed for use on alpha (12-pitch) typewriter.)

Form Approved OMS No. 2050-0032 Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FL D 0 0 0 7 7 6 6 6 6	Manifest Document No. 21781	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number		
4. Generator's Phone (561) 582-6080				B. State Generator's ID		
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number FL D 9 8 0 5 5 9 7 2 8		C. State Transporter's ID		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 407-859-4441		
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION CORP. 10100 Rocket Boulevard Orlando, FL 32824		10. US EPA ID Number FL D 9 8 0 5 5 9 7 2 8		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone 407-859-4441		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers	13. Total Quantity	14. Unit	1. Waste No.	
a. RQ, Waste Aluminum powder, coated (Aluminum, Poly-P-Oxybenzohte Polymer) 4.1, UN1309, PG II		85 3 DM	55 165	G	D001	
b. RQ, Hazardous waste liquid, n.o.s. (Chrome, Zinc) 9, NA3082, PG III		80 3 1 DM	165 55	G	D007	
c.						
d.						
J. Additional Descriptions for Materials Listed Above		K. Handling Codes for Wastes Listed Above				
(a) AIRF7801 (CCOF036) (HAZ 4.1) (Amended Profile)						
(b) SERF5781 (PW-6101) (HAZ 9)						
(c)		M141				
15. Special Handling Instructions and Additional Information						
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300						
EMERGENCY CONTACT: 561-582-6080						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.						
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name PAUL M. BAILEY		Signature <i>Paul M. Bailey</i>		Month Day Year 02/17/00		
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name John Wells		Signature <i>John Wells</i>		Month Day Year 02/17/00
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Janice Joseph		Signature <i>Janice Joseph</i>		Month Day Year 02/23/00		

ORIGINAL — RETURN TO GENERATOR

Emergency Contact Telephone Number

Please print or type
(Form designed for use on 11x17 inch typewriter)

Form Approved OMB No. 2050-0038 Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F.L.D.0-0-0-7-7-6-6-6-6	Manifest Document No. 21-800	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number	
4. Generator's Phone (561) 582-6080				B. State Generator's ID 2	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number F.L.D.9-8-0-5-5-9-7-2-8		C. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION OF GA. 1612 James P. Rodgers Circle Valdosta, GA 31601		10. US EPA ID Number G.A.D.0-9-3-3-8-0-8-1-4		E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility's ID	
				H. Facility's Phone 912-244-0474	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)			12. Containers	13. Total Quantity	14. Unit Wt/Vol
a. HM Waste Isopropanol			No. Type		
X 3, UN1219, PG II			1 DM	55 G	0001
b.					
c.					
d.					
J. Additional Descriptions for Materials Listed Above			K. Handling Codes for Wastes Listed Above		
(a) SERG1040			mow		
(b)					
(c)					
(d)					
15. Special Handling Instructions and Additional Information					
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300					
EMERGENCY CONTACT: 561 582-6080					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.					
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Month Day Year	
Paul M. Bailey		[Signature]		10-21-00	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Month Day Year	
Printed/Typed Name		[Signature]		10-21-00	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day Year	
Printed/Typed Name		[Signature]		10-21-00	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature		Month Day Year	
Charlotte Ormancey		[Signature]		10-21-00	

ORIGINAL — RETURN TO GENERATOR

7-BLS-C6
(Rev. 10-99)

**WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY**

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. LD000776666		Manifest Document No.		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL. 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number MI 7165758		B. State Generator's ID 17165758			
4. Generator's Phone (561) 582-6080		6. US EPA ID Number FLD9-80559728		C. State Transporter's ID		D. Transporter's Phone 407-859-4441			
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		8. US EPA ID Number		E. State Transporter's ID		F. Transporter's Phone			
7. Transporter 2 Company Name		10. US EPA ID Number		G. State Facility's ID		H. Facility's Phone 734-282-9250			
9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192		MI D096963194		11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM.		12. Containers No. Type		13. Total Quantity	
a. RQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, RA3077, PG III		b.		c.		d.		14. Unit Wt/Vol G D006	
J. Additional Descriptions for Materials Listed Above (a) SER66607 (Sand/Glass Bead Media) (b) (c) (d)		K. Handling Codes							
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT:									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name		Signature		Date Month Day Year					
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year					
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year					
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.		Signature		Date Month Day Year					



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type:

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666	Manifest Document No. 22801	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address AIRFOIL TECHNOLOGIES FL., INC. 507 Industrial Way Boynton Beach, FL. 33426		4. Generator's Phone (561) 582-6080		A. State Manifest Document Number MI 1111968	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number FLD980559728		B. State Generator's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		C. State Transporter's ID	
9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18350 Allen Road Brownsboro, MI 48192		10. US EPA ID Number MI D096963194		D. Transporter's Phone 407-859-4441	
				E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility's ID	
				H. Facility's Phone 734-282-9250	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).		12. Containers		13. Total Quantity	14. Unit
		No.	Type		Wt/Vol
a. RQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, NA3077, PG III		5	DM	275 G	D006
b. RQ, Hazardous waste solid, n.o.s. (Chrome, Ceramic Coating) 9, NA3077, PG III		3	DM	165 G	D007
c.					
d.					
J. Additional Descriptions for Materials Listed Above		K. Handling Codes			
(a) SER66607 (Sand/Glass Bead Media)					
(b) SER66608 (Paint Filters, Debris & Chrome)					
(c)					
(d)					
15. Special Handling Instructions and Additional Information					
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.					
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Date	
ALAN ANDERSON				02/28/03	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date	
Printed/Typed Name		Signature		Date	
KENNEDY ALMONT				02/28/03	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date	
Printed/Typed Name		Signature		Date	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature		Date	
STEVE SOROKA				02/28/03	

Emergency Contact Telephone Number

Please print or type
(Form designed for use on size 12-pitch computer)

Form Approved OMB No. 2050-1039 Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666	Manifest Document No. 22800	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL. 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number		
4. Generator's Phone 561-582-6080				B. State Generator's ID		
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number FLD980559728		C. State Transporter's ID		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 407-859-4441		
				E. State Transporter's ID		
				F. Transporter's Phone		
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION CORP. 10100 Rocket Boulevard Orlando, FL 32824		10. US EPA ID Number FLD980559728		G. State Facility's ID		
				H. Facility's Phone 407-859-4441		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers	13. Total Quantity	14. Unit Wt/Vol
HM				No.	Type	I. Waste No.
a.	RQ, Waste Aluminum powder, coated (Aluminum, Poly-P-Oxybenzoate Polymer) 4.1, UN1309, PG II			1	DM	55 G D001
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above				K. Handling Codes for Wastes Listed Above		
(a) AIRF7801 (CCOF036) (HAZ 4.1) (Amended Profile)						
(b)						
(c)				M14		
15. Special Handling Instructions and Additional Information						
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300						
EMERGENCY CONTACT: 561-582-6080						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.						
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature		Month Day Year		
ALAN ANDERSON		[Signature]		10/2/28/00		
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Month Day Year		
Printed/Typed Name		Signature		Month Day Year		
KENNARD MEALMONT		[Signature]		10/2/28/00		
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day Year		
Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature		Month Day Year		
Janice Joseph		[Signature]		10/2/29/00		

ORIGINAL — RETURN TO GENERATOR

7-BLS-C6
(Rev. 10/99)

Please print or type. (Form designed for use on elite () typewriter.)

Form Approved. OMB No. 2050-0039 Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666		Manifest Document No. 24298		2. Page 1 of 1 Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address AIRFOIL TECHNOLOGIES FLORI 507 INDUSTRIAL WAY BOYNTON BCH FL 33426-3644						A. State Manifest Document Number	
4. Generator's Phone (407) 582-6080						B. State Generator's ID	
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC				6. US EPA ID Number ILD984908202		C. State Transporter's ID	
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 561 736-1339	
9. Designated Facility Name and Site Address SAFETY-KLEEN SYSTEMS, INC 5610 ALPHA DRIVE BOYNTON BEACH FL 33426				10. US EPA ID Number FLD984167791		E. State Transporter's ID	
						F. Transporter's Phone	
						G. State Facility's ID	
						H. Facility's Phone 561 736-1339	
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)				12. Containers		13. Total	
				No. Type		Quantity	
a. WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII RG (D018)ERG#128 (6.7#/GL)(D001, D039, D040)				4 DM		151 G	
b.							
c.							
d.							
J. Additional Descriptions for Materials Listed Above I (A) D018 D040				K. Handling Codes for Wastes Listed Above (A) M125 BULKING			
15. Special Handling Instructions and Additional Information IF UNDELIVERABLE, RETURN TO GENERATOR. FOR RECYCLE EMERGENCY RESPONSE#800-468-1760 24HR. 0009 98511086 0001824298 0000138072 21							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name Cheryl Mabe				Signature <i>Cheryl Mabe</i>		Date Month Day Year 3 1 00	
17. Transporter 1 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name Bryon Monson				Signature <i>Bryon Monson</i>		Month Day Year 3 1 00	
18. Transporter 2 Acknowledgement of Receipt of Materials						Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.							
Printed/Typed Name JOY DAHLQUIST				Signature <i>Joy Dahlquist</i>		Month Day Year 3 1 00	

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

A: 801 B: C: D:

SAFETY-KLEEN CORP.

90290 (Rev 11/98)

6

ORIGINAL-RETURN TO GENERATOR



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to criminal and/or civil penalties under Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL. 33426		LD000776666		A. State Manifest Document Number MI 7098754	
4. Generator's Phone (561) 582-6080		5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		B. State Generator's ID MI 7098754	
6. US EPA ID Number LD980559728		7. Transporter 2 Company Name		C. State Transporter's ID MI 7098754	
8. US EPA ID Number		9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192		D. Transporter's Phone 407-859-4441	
10. US EPA ID Number MI D096963194		11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). a. HQ, Hazardous waste solid, n.o.s. (Chrome, Ceramic Coating) 9, NA3077, PG III		E. State Transporter's ID	
12. Containers No. Type		13. Total Quantity		F. Transporter's Phone	
14. Unit Wt/Vol		15. Waste No.		G. State Facility's ID	
16. Handling Codes		17. Additional Descriptions for Materials Listed Above (a) SER66608 (Paint Filters Debris & Chrome) (b) (c) (d)		18. Facility's Phone 734-282-9250	
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 501-582-6680					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment. OR: If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name ALAN ANDERSON		Signature <i>Alan Anderson</i>		Date 08/27/00	
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name <i>Alan Anderson</i>		Signature <i>Alan Anderson</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name Alan Anderson		Signature <i>Alan Anderson</i>		Date 08/27/00	

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

TRANSPORTER

FACILITY

Emergency Contact Telephone Number

Please print or type
(Form designed for use on 9 1/2" (12-inch) typewriters)

Form Approved OMB No. 2050-0020 Expires 9-30-90

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F L D 0 0 0 7 7 6 6 6 6		Manifest Document No. 32701		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address AIRFOIL TECHNOLOGIES FL., INC. 507 Industrial Way Boynton Beach, FL 33426						A. State Manifest Document Number			
4. Generator's Phone (561) 582-6080						B. State Generator's ID			
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.						6. US EPA ID Number F L D 9 8 0 5 5 9 7 2 8		C. State Transporter's ID	
7. Transporter 2 Company Name						8. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION OF GA. 1612 James P. Rodgers Circle Valdosta, GA 31601						10. US EPA ID Number G A D 0 9 3 3 8 0 8 1 4		E. State Transporter's ID	
								F. Transporter's Phone	
								G. State Facility's ID	
								H. Facility's Phone 912-244-0474	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity	
HM						No. Type		14. Unit Wt/Vol	
a. Waste Isopropanol						1		DM	
X 3, UN1219, PG II								55 G D001	
b.									
c.									
d.									
J. Additional Descriptions for Materials Listed Above						K. Handling Codes for Wastes Listed Above			
(a) SERG1040						MO101			
(b) SERG1040									
(c) SERG1040									
15. Special Handling Instructions and Additional Information									
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300									
EMERGENCY CONTACT: 561-582-6080						SER10106			
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.									
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name						Signature		Month Day Year	
ALAN ANDERSON						[Signature]		10/3/2700	
17. Transporter 1 Acknowledgement of Receipt of Materials									
Printed/Typed Name						Signature		Month Day Year	
Ron Moon						[Signature]		03/2700	
18. Transporter 2 Acknowledgement of Receipt of Materials									
Printed/Typed Name						Signature		Month Day Year	
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name						Signature		Month Day Year	
Charlotte Dornney						[Signature]		04/0300	

ORIGINAL — RETURN TO GENERATOR

7-BLS-C6
(Rev. 10/93)

Please print or type
(Form designed for use on 8 1/2 x 11 (12 pitch) typewriter)

Form Approved OMB No. 2050-0032 Expires 3-30-90

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F.T.D. 0-0-0-7-7-6-6-6-6	Manifest Document No. 32702	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, Fl. 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number	
4. Generator's Phone (561) 582-6080				B. State Generator's ID	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number F.T.D. 9-8-0-5-5-9-7-2-8		C. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION CORP. 10100 Rocket Boulevard Orlando, FL 32824		10. US EPA ID Number F.T.D. 9-8-0-5-5-9-7-2-8		E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility's ID	
				H. Facility's Phone 407-859-4441	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. <input checked="" type="checkbox"/> RQ, Waste Aluminum powder, coated (Aluminum, Poly-P-Oxybenzoate Polymer) 4.1, UN1309, PG II		7 DM	385	G	D001
b.					
c.					
d.					
J. Additional Descriptions for Materials Listed Above		K. Handling Codes for Wastes Listed Above			
(a) AIRF7801 (CCOF036) (HAZ 4.1) (Amended Profile)		m141			
(b)					
(c)					
15. Special Handling Instructions and Additional Information					
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300					
EMERGENCY CONTACT: 561-582-6080					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.					
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name ALAN ANDERSON		Signature 		Month Day Year 03/27/00	
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name Ron Moon		Signature 	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name Janice Joseph		Signature 		Month Day Year 03/28/00	

ORIGINAL — RETURN TO GENERATOR

BLS-05
(Rev. 10-90)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F.L.D.0.0.0.7.7.6.6.6.6	Manifest Doc. No. 51502	2. Page 1 of 1
3. Generator's Name and Mailing Address AIRFOIL TECHNOLOGIES FL., INC. 507 Industrial Way Boynton Beach, Fl. 33426				
4. Generator's Phone (61) 582-6080				
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.	6. US EPA ID Number F.L.D.9.8.0.5.5.9.7.2.8	A. Transporter's Phone 407-859-4441		
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter's Phone		
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION CORP. 10100 Rocket Boulevard Orlando, FL 32824	10. US EPA ID Number F.L.D.9.8.0.5.5.9.7.2.8	C. Facility's Phone 407-859-4441		
11. Waste Shipping Name and Description		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
a. Non Regulated Material (Absorbent w/ Oil)		1	DM	0000 55 G
b.				
c.				
d.				
D. Additional Descriptions for Materials Listed Above (a) AIRF4505 (OCB990609) (NHAZS) (b) (c)		E. Handling Codes for Wastes Listed Above M14		
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080				
16. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name ALAN ANDERSON		Signature <i>[Signature]</i>		Month Day Year 05/15/00
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name Lee-Moon		Signature <i>[Signature]</i>		Month Day Year 05/15/00
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name Janice Joseph		Signature <i>[Signature]</i>		Month Day Year 05/16/00

Emergency Contact Telephone Number

Please print or type
(Form designed for use on 12-inch typewriter)

Form Approved OMB No. 2050-0039 Expires 6-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F.L.D.0-0-0-7-7-6-6-6-6	Manifest Document No. 5750-1	2. Page of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL. 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number		
4. Generator's Phone (561) 582-6080				B. State Generator's ID		
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number F.L.D.9-8-0-5-5-9-7-2-8		C. State Transporter's ID		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 407-859-4441		
				E. State Transporter's ID		
				F. Transporter's Phone		
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION OF GA. 1612 James P. Rodgers Circle Valdosta, GA 31601		10. US EPA ID Number G.A.D.0-9-3-3-8-0-8-1-4		G. State Facility's ID		
				H. Facility's Phone 912-244-0474		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
a. Waste Petroleum distillates, n.o.s. (Mineral Spirits) 3, UN1268, PG III				1	DM	55
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above				K. Handling Codes for Wastes Listed Above		
(a) SERG1361				MD101		
(b)						
(c)						
15. Special Handling Instructions and Additional Information						
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300						
EMERGENCY CONTACT: 561-582-6080						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.						
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name ALAN ANDERSON		Signature [Signature]		Month Day Year 05/15/00		
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name R. Moon		Signature [Signature]		Month Day Year 05/15/02
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Charlotte Rorminey		Signature [Signature]		Month Day Year 05/22/00		

ORIGINAL — RETURN TO GENERATOR

7-BLS-C6
(Rev. 10/96)

**WASTE MANAGEMENT L. ION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY**

DO NOT WRITE IN THIS SPACE
ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 a.
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. LD000776666		Manifest Document No. 57-507		2. Page of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address AIRFOIL TECHNOLOGIES FL., INC. 507 Industrial Way Boynton Beach, FL. 33426				6. US EPA ID Number FLD980559728		A. State Manifest Document Number MI 7100781			
4. Generator's Phone (561) 582-6080				8. US EPA ID Number		B. State Generator's ID			
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.				10. US EPA ID Number		C. State Transporter's ID			
7. Transporter 2 Company Name						D. Transporter's Phone 407-859-4441			
9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192						E. State Transporter's ID			
						F. Transporter's Phone			
						G. State Facility's ID			
						H. Facility's Phone 734-282-9250			
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM						12. Containers No. Type		13. Total Quantity	
a. X RQ, Hazardous waste solid, n.o.s. (Chrome, Ceramic Coating) 9, NA3077, PG III						1 DM		55 G	
b. X RQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, NA3077, PG III						2 DM		110 G	
c.									
d.									
J. Additional Descriptions for Materials Listed Above (a) SER66608 (Paint Filters Debris & Chrome) (b) SER66607 (Sand/Glass Bead Media) (c) (d)						K. Handling Codes DM			
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name FLORIAN ANDERSON				Signature <i>[Signature]</i>				Date 10/15/93	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>				Date 10/15/93	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>				Date 10/15/93	
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name Michael Allen				Signature <i>[Signature]</i>				Date 10/15/93	

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 313-373-7600 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-9802 24 HOURS PER DAY.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F.T.D.0.0.0.7.7.6.6.6.6		Manifest Document No. 62800		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426 4. Generator's Phone (561) 582-6080						AIRFOIL TECHNOLOGIES FL., INC.			
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.						6. US EPA ID Number F.T.D.0.8.0.5.5.0.7.2.8		C. State Transporter's ID	
7. Transporter 2 Company Name						8. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION CORP. 10100 Rocket Boulevard Orlando, FL 32824						10. US EPA ID Number F.T.D.0.8.0.5.5.0.7.2.8		E. State Transporter's ID	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity	
a. RQ, Waste Aluminum powder, coated (Aluminum, Poly-P-Oxybenzohte Polymer) 4.1, UN1309, PG II						No. 5 DM		14. Unit Wt/Vol 27.5 G	
b. RQ, Hazardous waste liquid, n.o.s. (Chrome, Zinc) 9, NA3082, PG III						No. 1 DM		14. Unit Wt/Vol 55 G	
c.									
d.									
J. Additional Descriptions for Materials Listed Above						K. Handling Codes for Wastes Listed Above			
(a) AIRF7801 (CCOF036) (HAZ 4.1) (Amended Profile)						M141			
(b) SERF5781 (PW-6101) (HAZ 9)									
(c)									
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
17. Transporter 1 Acknowledgement of Receipt of Materials						Month Day Year 06 08 00			
Printed/Typed Name ALAN ANDERSON						Signature			
18. Transporter 2 Acknowledgement of Receipt of Materials						Month Day Year 06 08 00			
Printed/Typed Name Ron Moon						Signature			
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name Janice Joseph						Signature		Month Day Year 06 09 00	

ORIGINAL — RETURN TO GENERATOR



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666	Manifest Document No. 7111774	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426			A. State Manifest Document Number MI 7111774			
4. Generator's Phone (561) 582-6080			B. State Generator's ID			
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.			C. State Transporter's ID			
6. US EPA ID Number FLD980559728			D. Transporter's Phone 407-859-4441			
7. Transporter 2 Company Name			E. State Transporter's ID			
8. US EPA ID Number			F. Transporter's Phone			
9. Designated Facility Name and Site Address CHM-MET SERVICES, INC. 18550 Allen Road Browstown, MI 48192			G. State Facility's ID			
10. US EPA ID Number MI D096963194			H. Facility's Phone 734-282-9250			
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER)		12. Containers	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.	
a. RQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, HA3077, PG III		No. 5 Type DM	575	G	D006	
b. RQ, Hazardous waste solid, n.o.s. (Chrome, Ceramic Coating) 9, HA3077, PG III		No. 2 Type DM	110	G	D007	
c.						
d.						
J. Additional Descriptions for Materials Listed Above						
(a) SER66607 (Sand/Glass Bead Media)						
(b) SER66608 (Paint Filters Debris & Chrome)						
(c)						
(d)						
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 361-542-8050						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.						
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name ALAN ANDERSON		Signature <i>[Signature]</i>		Date 06/08/00		
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature <i>[Signature]</i>		Date 06/08/00		
Printed/Typed Name [Signature]		Signature <i>[Signature]</i>		Date 06/08/00		
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date		
Printed/Typed Name		Signature		Date		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Norm Wheeler		Signature <i>[Signature]</i>		Date 06/22/00		

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-282-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

GENERATOR

TRANSPORTER

FACILITY



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD0000776666	Manifest Document No. MI 7111542	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number MI 7111542	
4. Generator's Phone (561) 582-6080		6. US EPA ID Number FLD980559728		B. State Generator's ID	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		8. US EPA ID Number		C. State Transporter's ID	
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone 407-659-4441	
9. Designated Facility Name and Site Address CHEM-MET SERVICES, INC. 18550 Allen Road Brownsburg, MI 48192		12. Containers No. Type 5 DM		E. State Transporter's ID	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and HM ID NUMBER). a. HQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, NA3077, PG III		13. Total Quantity 27		F. Transporter's Phone	
b.		14. Unit Wt/Vol G		G. State Facility's ID	
c.		15. Waste No. D006		H. Facility's Phone 734-282-9250	
d.		16. Containers		17. Waste No.	
J. Additional Descriptions for Materials Listed Above (a) SER66607 (Sand/Glass Bead Media) (b) (c) (d)		K. Handling Codes 1111			
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 734-282-9250					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Date 04/11/99	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Date 04/11/99	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Date	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Date 06/26/99	

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

GENERATOR

TRANSPORTER

FACILITY

Emergency Contact Telephone Number

Please print or type
(Form designed for use on file (12-inch) typewriter)

Form Approved OMB No. 2050-0019 Expires 4-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F L D 0 0 0 7 7 6 6 6 6		Manifest Document No. 61900		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address AIRFOIL TECHNOLOGIES FL., INC. 507 Industrial Way Boynton Beach, FL. 33426						A. State Manifest Document Number							
4. Generator's Phone (5 6 1) 5 8 2 - 6 0 8 0						B. State Generator's ID							
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.						C. State Transporter's ID							
6. US EPA ID Number F L D 0 8 0 5 5 9 7 2 8						D. Transporter's Phone 407-859-4441							
7. Transporter 2 Company Name						E. State Transporter's ID							
8. US EPA ID Number						F. Transporter's Phone							
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION CORP. 10100 Rocket Boulevard Orlando, FL 32824						G. State Facility's ID							
10. US EPA ID Number F L D 0 8 0 5 5 9 7 2 8						H. Facility's Phone 407-859-4441							
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. RQ, Waste Aluminum powder, coated (Aluminum, Poly-P-Oxybenzohte Polymer) 4.1, UN1309, PG II						2 DM		110 G				D001	
b. RQ, Hazardous waste liquid, n.o.s. (Chrome, Zinc) 9, NA3082, PG III						1 DM		55 G				D007	
c. Non Regulated Material (Water, Sodium tartrate, Sodium Carbonate)						6 DM		330 G				0000	
d. Waste Machine Coolant Non Regulated Material						5 DM		275 G				0000	
J. Additional Descriptions for Materials Listed Above						K. Handling Codes for Wastes Listed Above							
(a) AIRF7801 (CCOF036) (HAZ 4.1) (Amended Profile)													
(b) SERF5781 (PW-6101) (HAZ 9)													
(c) AIRF4581 (PF-011) (NHAZL)													
(d) SERL2355 (NHAZL)						M141							
15. Special Handling Instructions and Additional Information													
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300													
EMERGENCY CONTACT: 561-582-6080													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.													
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name KAC M. Bucar						Signature <i>[Signature]</i>		Month 06		Day 21		Year 00	
17. Transporter 1 Acknowledgement of Receipt of Materials						Signature <i>[Signature]</i>		Month 06		Day 21		Year 00	
Printed/Typed Name Don Moon						Signature <i>[Signature]</i>		Month 06		Day 21		Year 00	
18. Transporter 2 Acknowledgement of Receipt of Materials						Signature		Month		Day		Year	
Printed/Typed Name						Signature		Month		Day		Year	
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.													
Printed/Typed Name Janice Joseph						Signature <i>[Signature]</i>		Month 06		Day 21		Year 00	

ORIGINAL — RETURN TO GENERATOR

Emergency Contact Telephone Number

Please print or type
(Form designed for use on 60 lb (12 pitch) typewriter)

Form Approved OMB No. 2050-0039 Expires 9-30-90

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666	Manifest Document No. 61701	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number		
4. Generator's Phone (561) 582-6080				B. State Generator's ID		
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number FLD980559728		C. State Transporter's ID		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 407-859-4441		
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION OF GA. 1612 James P. Rodgers Circle Valdosta, GA 31601		10. US EPA ID Number GAD093380814		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone 912-244-0474		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.	
a. HM Waste Petroleum distillates, n.o.s. (Mineral Spirits) 3, UN1268, PG III		No. Type				
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above		K. Handling Codes for Wastes Listed Above				
(a) SERGI361		mow				
(b)						
(c)						
(d)						
15. Special Handling Instructions and Additional Information						
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300						
EMERGENCY CONTACT: 561-582-6080 SERLWLO						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.						
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature		Month Day Year		
Paul M. Baker		[Signature]		6/1/90		
17. Transporter 1 Acknowledgement or Receipt of Materials		Signature		Month Day Year		
Printed/Typed Name		Signature		Month Day Year		
Ken Moon		[Signature]		6/1/90		
18. Transporter 2 Acknowledgement or Receipt of Materials		Signature		Month Day Year		
Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature		Month Day Year		
Charlotte Downey		[Signature]		06/23/90		

ORIGINAL — RETURN TO GENERATOR

7-BLS-C6
(Rev. 10-89)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FID000776666		Manifest Document No. 38339		2. Page 1 of Information in the shaded areas is not required by Federal law.																								
3. Generator's Name and Mailing Address Air foil Technologies Florida Inc 507 Industrial Way Boynton Beach, FL 33416						A. State Manifest Document Number																								
4. Generator's Phone (561) 582 6380						B. State Generator's ID																								
5. Transporter 1 Company Name Safety Klean Systems				6. US EPA ID Number SCR000075150		C. State Transporter's ID																								
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 561-734-1334																								
9. Designated Facility Name and Site Address Safety Klean Systems 5610 Alpha Drive Boynton Beach, FL 33427						E. State Transporter's ID																								
						F. Transporter's Phone																								
10. US EPA ID Number FID98416791						G. State Facility's ID																								
						H. Facility's Phone 561-736-839																								
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>HM</th> <th>No.</th> <th>Type</th> <th>13. Total Quantity</th> <th>14. Unit Wt/Vol</th> <th>15. Waste No.</th> </tr> <tr> <td>a.</td> <td rowspan="4">8</td> <td rowspan="4">DM</td> <td rowspan="4">120</td> <td rowspan="4">G</td> <td rowspan="4">D018</td> </tr> <tr><td>b.</td></tr> <tr><td>c.</td></tr> <tr><td>d.</td></tr> </table>						HM	No.	Type	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.	a.	8	DM	120	G	D018	b.	c.	d.	No.		Type		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
						HM	No.	Type	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.																			
						a.	8	DM	120	G	D018																			
						b.																								
						c.																								
d.																														
WASTE Combustible Liquid NOS (Petroleum Naphtha)																														
X NA 1993 PG II RQ (D018) (ERG 128) 6.7 lbs/gal																														
(0001, D039, D040)																														
J. Additional Descriptions for Materials Listed Above						K. Handling Codes for Wastes Listed Above																								
15. Special Handling Instructions and Additional Information IN EVENT of Emergency CALL 1-800-468-1760 (24hr) IF UNDELIVERABLE Return to Generator. #99278076																														
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.																														
Printed/Typed Name COMPTON DEVONISH						Signature <i>[Signature]</i>			Date Month Day Year 7/7/00																					
17. Transporter 1 Acknowledgement of Receipt of Materials						Signature <i>[Signature]</i>			Date Month Day Year 7/7/00																					
Printed/Typed Name Jon R. Wilson						Signature <i>[Signature]</i>			Date Month Day Year 7/7/00																					
18. Transporter 2 Acknowledgement of Receipt of Materials						Signature			Date Month Day Year																					
Printed/Typed Name						Signature			Date Month Day Year																					
19. Discrepancy Indication Space																														
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.																														
Printed/Typed Name C Ruth Yager						Signature <i>[Signature]</i>			Date Month Day Year 7/7/00																					



MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.
OMB No: 2050-0039

Please print or type.

Form Approved OMB No: 2050-0039

UNIFORM HAZARDOUS
WASTE MANIFEST

1. Generator's US EPA ID No.

FLD000776666

Manifest
Document No.

2. Page 1
of 1

Information in the shaded areas
is not required by Federal
law.

3. Generator's Name and Mailing Address

AIRFOIL TECHNOLOGIES FL., INC.

507 Industrial Way

Boynton Beach, FL. 33426

4. Generator's Phone (561)

582-6080

5. Transporter 1 Company Name

CHEMICAL CONSERVATION CORP.

6. US EPA ID Number

FLD980559728

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

PERMA-FIX OF MICHIGAN, INC.

18550 Allen Road

Brownstown, MI 48192

10. US EPA ID Number

MTD096963194

A. State Manifest Document Number

MI 7111667

B. State Generator's ID

C. State Transporter's ID

D. Transporter's Phone 407-859-4441

E. State Transporter's ID

F. Transporter's Phone

G. State Facility's ID

H. Facility's Phone 734-282-9250

11. US DOT Description (including Proper Shipping Name, Hazard Class, and
ID NUMBER).

HM

a. RQ, Hazardous waste solid, n.o.s.
(Chrome, Ceramic Coating)
9, NA3077, PG III

b. RQ, HAZARDOUS WASTE SOLID, N.O.S.
(CHROMIUM) PG III

c. 9, NA3077 PG III

d.

12. Containers
No. Type

13. Total
Quantity

14. Unit
Wt/Vol

1. Waste
No.

1 DM

1 G

1 G

1 0007

J. Additional Descriptions for Materials Listed Above

(a) SER66608 (Paint Filters Debris & Chrome)

(b) 66607

(c)

(d)

15. Special Handling Instructions and Additional Information

EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT:

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified,
packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined
to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the
present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste
generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Date

Month Day Year

11 14 11

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

11 14 11

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

11 14 11

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in
Item 19.

Printed/Typed Name

Signature

Date

Month Day Year

11 14 11

GENERATOR

TRANSPORTER

FACILITY

Emergency Contact Telephone Number

Please print or type.
(Form designed for use on 11x14 (1/2 pitch) typewriter.)

Form Approved OMB No. 2050-0139 Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F.L.D.0.0.0.7.7.6.6.6.6	Manifest Document No. 82401	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL. 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number	
4. Generator's Phone (5 6 1) 5 8 2 - 6 0 8 0				B. State Generator's ID	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		6. US EPA ID Number F.L.D.9.8.0.5.5.9.7.2.8		C. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION CORP. 10100 Rocket Boulevard Orlando, FL 32824		10. US EPA ID Number F.L.D.9.8.0.5.5.9.7.2.8		E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility's ID	
				H. Facility's Phone 407-859-4441	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
a. RQ, Waste Aluminum powder, coated (Aluminum, Poly-P-Oxybenzoate Polymer) 4.1, UN1309, PG II		No. Type			
b.					
c.					
d.					
J. Additional Descriptions for Materials Listed Above		K. Handling Codes for Wastes Listed Above			
(a) AIRF7801 (CCOF036) (HAZ 4.1) (Amended Profile)					
(b)					
(c)					
(d)		M141			
15. Special Handling Instructions and Additional Information					
EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300					
EMERGENCY CONTACT: 561-582-6080					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.					
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Month Day Year	
Joe H. Brown		[Signature]		08/24/02	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Month Day Year	
Printed/Typed Name		Signature		Month Day Year	
Ron Moon		[Signature]		08/24/02	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day Year	
Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature		Month Day Year	
Dance Joseph		[Signature]		08/25/00	

ORIGINAL — RETURN TO GENERATOR

7-BLS-C6
(Rev. 10-90)

Emergency Contact Telephone Number

Please print or type
(Form designed for use on 12-inch typewriter)

Form Approved OMB No. 2050-0038 Expires 6-30-89

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

F.L.D.0.0.0.7.7.6.6.6.6

Manifest
Document No.

82402

2. Page 1
of 1Information in the shaded areas is
not required by Federal law.

3. Generator's Name and Mailing Address

AIRFOIL TECHNOLOGIES FL., INC.

507 Industrial Way

Boynton Beach, Fl. 33426

4. Generator's Phone (561) 582-6080

A. State Manifest Document Number

B. State Generator's ID

5. Transporter 1 Company Name

CHEMICAL CONSERVATION CORP.

6. US EPA ID Number

F.L.D.0.8.0.5.5.9.7.2.8

C. State Transporter's ID

D. Transporter's Phone 407-859-4441

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

CHEMICAL CONSERVATION OF GA.

1612 James P. Rodgers Circle

Valdosta, GA 31601

10. US EPA ID Number

G.A.D.0.9.3.3.8.0.8.1.4

G. State Facility's ID

H. Facility's Phone

912-244-0474

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

HM

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt/Vol

1. Waste No.

a. ☒ RQ, Hazardous waste solid, n.o.s.
(Xylene, Toluene)
9, NA3077, PG III

1

DM

55G

F003 F005

b. ☒ RQ, Waste Paint related material
(Xylene, Toluene)
3, UN1263, PG II

1

DM

55G

D035 F003

D001 D007

F005

c. ☒ Waste Isopropanol
3, UN1219, PG II

2

DM

110G

D001

d.

J. Additional Descriptions for Materials Listed Above

(a) AIRG3130 (Rags)

(b) AIRG2604

(c) SERG1040

(d)

K. Handling Codes for Wastes Listed Above

MOLEI

15. Special Handling Instructions and Additional Information

EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300

EMERGENCY CONTACT: 561-582-6080

SERIDLO

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

Charlotte Dorminey

[Signature]

08/29/00

ORIGINAL - RETURN TO GENERATOR

Emergency Contact Telephone Number

Place stamp or type
if form required for use on other DOT form.

Form Approved OMB No. 2050-0122 Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. F L D 0 0 0 7 7 6 6 6 6		Manifest Document No. 10120		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address AIRFOIL TECHNOLOGIES FL., INC. 507 Industrial Way Boynton Beach, Fl. 33426						A. State Manifest Document Number			
4. Generator's Phone (561) 582-6080						B. State Generator's ID			
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.						6. US EPA ID Number F L D 9 8 0 5 5 9 7 2 8		C. State Transporter's ID	
7. Transporter 2 Company Name						8. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address CHEMICAL CONSERVATION CORP. 10100 Rocket Boulevard Orlando, FL 32824						10. US EPA ID Number F L D 9 8 0 5 5 9 7 2 8		E. State Transporter's ID	
								F. Transporter's Phone	
								G. State Facility's ID	
								H. Facility's Phone 407-859-4441	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity	
HM						No. Type		14. Unit Wt/Vol	
a. X RQ, Hazardous waste liquid, n.o.s. (Chrome, Zinc) 9, NA3082, PG III						7 DM		385 G	
b. X RQ, Waste Aluminum powder, coated (Aluminum, Poly-P-Oxybenzoate Polymer) 4.1, UN1309, PG II						2 DM		1.10 G	
c.									
d.									
J. Additional Descriptions for Materials Listed Above						K. Handling Codes for Wastes Listed Above			
(a) SERF5781 (PW-6101)(HAZ 9)									
(b) AIRF7801 (CCOF036)(HAZ 4.1)(Amended Profile)									
(c)						M141			
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimized the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name PAUL M. BAILEY						Signature		Month Day Year 10/12/00	
17. Transporter 1 Acknowledgement of Receipt of Materials									
Printed/Typed Name Ron Moon						Signature		Month Day Year 10/12/00	
18. Transporter 2 Acknowledgement of Receipt of Materials									
Printed/Typed Name						Signature		Month Day Year	
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name Janice Joseph						Signature		Month Day Year 10/13/00	

ORIGINAL — RETURN TO GENERATOR



WASTE MANAGEMENT DIVISION
MICHIGAN DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL. 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number MI 7412511		
4. Generator's Phone (561) 582-6080		6. US EPA ID Number FLD980559728		B. State Generator's ID		
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		8. US EPA ID Number		C. State Transporter's ID		
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone 407-859-4441		
9. Designated Facility Name and Site Address PERMA-FIX OF MICHIGAN, INC. 18550 Allen Road Brownstown, MI 48192		10. US EPA ID Number MID096963194		E. State Transporter's ID		
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM		12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol
a. RQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, RA3077, PG III		1 DM		250		G
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above		K. Handling Codes				
(a) SER66607 (Sand/Glass Bead Media)		a mill				
(b)		b				
(c)		c				
(d)		d				
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 521-270-6050						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature		Date Month Day Year		
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year		
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Jason Whalen		Signature JFW		Date Month Day Year 11/01/90		

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

Please print or type. (Form designed for use on elite (. . .) typewriter.)

Form Approved. OMB No. 2050-0039 Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666	Manifest Document No. 03566		2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address AIRFOIL TECHNOLOGIES FLORI 507 INDUSTRIAL WAY BOYNTON BCH FL 33426-3644					A. State Manifest Document Number		
4. Generator's Phone (407) 582-6080					B. State Generator's ID		
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC			6. US EPA ID Number SCR000075150		C. State Transporter's ID		
7. Transporter 2 Company Name			8. US EPA ID Number		D. Transporter's Phone 561 736-1339		
9. Designated Facility Name and Site Address SAFETY-KLEEN SYSTEMS, INC 5610 ALPHA DRIVE BOYNTON BEACH FL 33426			10. US EPA ID Number FLD984167791		E. State Transporter's ID		
					F. Transporter's Phone		
					G. State Facility's ID		
					H. Facility's Phone 561 736-1339		
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)					12. Containers No.	13. Total Quantity	14. Unit Wt/Vol
a. HM X WASTE COMBUSTIBLE LIQUID, N. O. S. (PETROLEUM NAPHTHA) NA1993 PGIII RQ (D001)ERG#128 (6.7#/GL) (D018, D039, D040)					8	DM	128
b.							
c.							
d.							
J. Additional Descriptions for Materials Listed Above I(A) D018 D040					K. Handling Codes for Wastes Listed Above (A) M125 BULKING		
15. Special Handling Instructions and Additional Information IF UNDELIVERABLE, RETURN TO GENERATOR. FOR RECYCLE EMERGENCY RESPONSE#800-468-1760 24HR. 0045 099745661 0004603566 0000138072 21							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name C DEVONISH					Signature <i>C. Devonish</i>		Date Month Day Year 11 13 90
17. Transporter 1 Acknowledgement of Receipt of Materials					Signature <i>James W. Woodward</i>		Date Month Day Year 11 13 90
18. Transporter 2 Acknowledgement of Receipt of Materials					Signature		Date Month Day Year
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.					Signature <i>Therese E. Mackie</i>		Date Month Day Year 11 13 90
Printed/Typed Name Therese E. Mackie					Signature <i>Therese E. Mackie</i>		Date Month Day Year 11 13 90

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

ORIGINAL-RETURN TO GENERATOR

90290 (Rev 11/98) 6

INSTRUCTIONS FOR COMPLETION OF THIS FORM REFER CODE OF FEDERAL REGULATIONS 40 PART 262 20

DEPARTMENT OF
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Required under authority of Part 111 and
Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to
criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved: OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. FLD000776666	Manifest Document No. 12011	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address 507 Industrial Way Boynton Beach, FL. 33426		AIRFOIL TECHNOLOGIES FL., INC.		A. State Manifest Document Number MI 7412934	
4. Generator's Phone (561) 582 - 6080		6. US EPA ID Number FLD980559728		B. State Generator's ID	
5. Transporter 1 Company Name CHEMICAL CONSERVATION CORP.		8. US EPA ID Number		C. State Transporter's ID	
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone 407-859-4441	
9. Designated Facility Name and Site Address PERMA-FIX OF MICHIGAN, INC. 18550 Allen Road Brownstown, MI 48192		11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER). HM a. RQ, Hazardous waste, solid, n.o.s. (Cadmium) 9, NA3077, PG III		E. State Transporter's ID	
		12. Containers No. Type 64 DM		F. Transporter's Phone	
		13. Total Quantity 256 G		G. State Facility's ID	
		14. Unit Wt/Vol		H. Facility's Phone 734-282-9250	
		15. Waste No. 0006			
J. Additional Descriptions for Materials Listed Above (a) SER66607 (Sand/Glass Bead Media) (b) (c) (d)		K. Handling Codes a) MIU b) c) d)			
15. Special Handling Instructions and Additional Information EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 361-382-6080					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Date Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
Printed/Typed Name		Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year	
Printed/Typed Name		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature		Date Month Day Year	

SUBPART CC AND LAND DISPOSAL RESTRICTION NOTIFICATION FORM

AIRFOIL TECHNOLOGIES FL

Manifest No.

Page 1 of 1

This is a wastewater stream.

NOTE: BOXES CORRESPOND TO MANIFEST LINE ITEM

AB		
a	b	c

This is a non-wastewater stream.

NOTE: BOXES CONTAINING WASTE(S) DESCRIBED ABOVE, DOES NOT MEET THE APPLICABLE TREATMENT STANDARDS IN 40 CFR 268 SUBPART D.

SUBPART CC: INDICATE WHETHER WASTES ON THE MANIFEST ARE REGULATED UNDER SUBPART CC FOR CONTAINING VOC'S IN CONCENTRATION LEVELS EQUAL TO OR GREATER THAN 500 PPMW BY ENTERING A "Y" FOR "YES" OR "N" FOR "NO" AS APPROPRIATE.

A. CHARACTERISTIC WASTE

MLI		CODE	SUBCATEGORY/CONSTITUENT
		D001	Ignitable Wastes (TOC>10%)
		D001*	Ignitable Wastes (TOC<10%)
		D002*	Corrosive Wastes
		D003	Reactive Sulfides based on 261.23(a)(5)
		D003*	Explosives based on 261.23(a) (6),(7),(8)
		D003	Unexploded ordinance/explosive
		D003*	Other Reactive based on 261.23(a)(1)
		D003*	Water Reactive based on 261.23(a) (2),(3),(4)
		D003	Reactive Cyanides based on 261.23(a) (5)
		D004*	Arsenic
		D005*	Barium
A		D006*	Cadmium
		D006*	Cadmium Containing Batteries
B		D007*	Chromium
		D008*	Lead
		D008*	Lead Acid Batteries
		D009*	High Mercury-Organic
		D009*	High Mercury-Inorganic
		D009*	Low Mercury
		D009*	Mercury Wastewater
		D010*	Selenium
		D011*	Silver
		D012*	Endrin
		D013*	Lindane
		D014*	Methoxychlor
		D015*	Toxaphene
		D016*	2,4-D
		D017*	2,4,5-TP (Silvex)
		D018*	Benzene
		D019*	Carbon Tetrachloride
		D020*	Chlordane
		D021*	Chlorobenzene
		D022*	Chloroform
		D023*	o-Cresol
		D024*	m-Cresol
		D025*	p-Cresol
		D026*	Cresol (total)
		D027*	p-Dichlorobenzene
		D028*	1,2-Dichloroethane
		D029*	1,1-Dichloroethylene
		D030*	2,4-Dinitrotoluene
		D031*	Heptachlor
		D032*	Hexachlorobenzene
		D033*	Hexachlorobutadiene
		D034*	Hexachloroethane
		D035*	Methyl ethyl ketone
		D036*	Nitrobenzene
		D037*	Pentachlorophenol
		D038*	Pyridine
		D039*	Tetrachloroethylene
		D040*	Trichloroethylene
		D041*	2,4,5-Trichlorophenol
		D042*	2,4,6-Trichlorophenol
		D043*	Vinyl chloride

B. LISTED WASTE

MLI	CODE	SUBCATEGORY/CONSTITUENTS
	F001	Spent Halogenated Solvents
	F002	Spent Halogenated Solvents
	F003	Spent Non-Halogenated Solvents
	F004	Spent Non-Halogenated Solvents
	F005	Spent Non-Halogenated Solvents

CHECK REGULATED CONSTITUENTS FOR LISTED WASTES IDENTIFIED ABOVE
(F001-F005):

[illegible]

Acetone
Benzene
n-Butyl alcohol
Carbon disulfide
Carbon tetrachloride
Chlorobenzene
o-Cresol
m-Cresol
p-Cresol
Cresol
Cyclohexanone
o-Dichlorobenzene
Ethyl acetate
Ethyl benzene
Ethyl ether
Isobutyl alcohol
Methanol
Methylene chloride
Methyl ethyl ketone
Methyl isobutyl ketone
Nitrobenzene
Pyridine
Tetrachloroethylene
Toluene
1,1,1-Trichloroethane
1,1,2-Trichloroethane
1,1,2-Trichloro-1,2,2-trifluoroethane
Trichloroethylene
Trichloromonofluoromethane
Xylenes
2-Nitropropane
2-Ethoxyethanol

Electroplating WWT sludge
Wood preserving wastewater
Petroleum refinery primary oil/water separation sludge
Petroleum refinery secondary oil/water separation sludge
Multi-source Leachate
Dissolved air flotation float
Slop oil emulsion solids

Does the waste identified by an asterisk (*) contain any Underlying Hazardous Constituents per 268.7(a)(1)? ☒ YES

IF YES, *attach a completed UTS/UHC form to this document*

OTHER WASTES (for codes not listed above)

Enter waste codes/subcategory, if applicable, in the table below.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

Signature: 

Date _____

Manifest No. 10501

			
a	b	c	d

This is a non-wastewater stream.

NOTE: BOXES CORRESPOND TO MANIFEST LINE ITEM

waste(s) described above, does not meet the applicable treatment standards in 40 CFR 268 Subpart D.

SUBPART CC: INDICATE WHETHER WASTES ON THE MANIFEST ARE REGULATED UNDER SUBPART CC FOR CONTAINING VOC'S IN CONCENTRATION LEVELS EQUAL TO OR GREATER THAN 500 PPMW BY ENTERING A "Y" FOR "YES" OR "N" FOR "NO" AS APPROPRIATE.

CHARACTERISTIC WASTE

MLI	CODE	SUBCATEGORY / CONSTITUENTS
	D001	Ignitable Wastes (TOC>10%)
	D001*	Ignitable Wastes (TOC<10%)
	D002*	Corrosive Wastes
	D003	Reactive Sulfides based on 261.23(a)(5)
	D003*	Explosives based on 261.23(a) (6),(7),(8)
	D003	Unexploded ordinance/explosive
	D003*	Other Reactive based on 261.23(a)(1)
	D003*	Water Reactive based on 261.23(a) (2),(3),(4)
	D003	Reactive Cyanides based on 261.23(a) (5)
	D004*	Arsenic
	D005*	Barium
	D006*	Cadmium
	D006*	Cadmium Containing Batteries
	D007*	Chromium
	D008*	Lead
	D008*	Lead Acid Batteries
	D009*	High Mercury-Organic
	D009*	High Mercury-Inorganic
	D009*	Low Mercury
	D009*	Mercury Wastewater
	D010*	Selenium
	D011*	Silver
	D012*	Endrin
	D013*	Lindane
	D014*	Methoxychlor
	D015*	Toxaphene
	D016*	2,4-D
	D017*	2,4,5-TP (Silvex)
	D018*	Benzene
	D019*	Carbon Tetrachloride
	D020*	Chlordane
	D021*	Chlorobenzene
	D022*	Chloroform
	D023*	o-Cresol
	D024*	m-Cresol
	D025*	p-Cresol
	D026*	Cresol (total)
	D027*	p-Dichlorobenzene
	D028*	1,2-Dichloroethane
	D029*	1,1-Dichloroethylene
	D030*	2,4-Dinitrotoluene
	D031*	Heptachlor
	D032*	Hexachlorobenzene
	D033*	Hexachlorobutadiene
	D034*	Hexachloroethane
	D035*	Methyl ethyl ketone
	D036*	Nitrobenzene
	D037*	Pentachlorophenol
	D038*	Pyridine
	D039*	Tetrachloroethylene
	D040*	Trichloroethylene
	D041*	2,4,5-Trichlorophenol
	D042*	2,4,6-Trichlorophenol
	D043*	Vinyl chloride

B. LISTED WASTE

MLI			

CODE	SUBCATEGORY / CONSTITUENTS
F001	Spent Halogenated Solvents
F002	Spent Halogenated Solvents
F003	Spent Non-Halogenated Solvents
F004	Spent Non-Halogenated Solvents
F005	Spent Non-Halogenated Solvents

CHECK REGULATED CONSTITUENTS FOR LISTED WASTES IDENTIFIED ABOVE
(F001-F005):

[illegible]

Acetone
Benzene
n-Butyl alcohol
Carbon disulfide
Carbon tetrachloride
Chlorobenzene
o-Cresol
m-Cresol
p-Cresol
Cresol
Cyclohexanone
o-Dichlorobenzene
Ethyl acetate
Ethyl benzene
Ethyl ether
Isobutyl alcohol
Methanol
Methylene chloride
Methyl ethyl ketone
Methyl isobutyl ketone
Nitrobenzene
Pyridine
Tetrachloroethylene
Toluene
1,1,1-Trichloroethane
1,1,2-Trichloroethane
1,1,2-Trichloro-1,2,2-trifluoroethane
Trichloroethylene
Trichloromonofluoromethane
Xylenes
2-Nitropropane
2-Ethoxyethanol

Electroplating WWT sludge
Wood preserving wastewater
Petroleum refinery primary oil/water separation sludge
Petroleum refinery secondary oil/water separation sludge
Multi-source Leachate
Dissolved air flotation float
Slop oil emulsion solids

Does the waste identified by an asterisk (*) contain any Underlying Hazardous Constituents per 268.7(a)(1)? ☒ YES

If YES, *attach a completed UTS/UHC form to this document*

OTHER WASTES (for codes not listed above)

MLI	Enter waste codes/subcategory, if applicable, in the table below.
-----	---

[illegible]

Signature: Y


Date: 7-15-01



Attachment No. 1a



Attachment No. 1b



Attachment No. 1c



Attachment No. 1d

Attachment No. 2a

K54474-R5732

LOCATION:

DUPLICATE
SAFETY-KLEEN
LDR NOTIFICATION FORM

08/16/01 PAGE: 1

08:00:13

GENERATOR NAME: AIRFOIL TECHNOLOGIES FLORIDA I MANIFEST NO.:

OR SALES SERVICE NO.:

12888

912888000

CUST#: 0000-1380-72

PURSUANT TO 40 CFR 268.7(A), I HEREBY NOTIFY THAT THIS SHIPMENT CONTAINS
WASTE RESTRICTED UNDER 40 CFR PART 268 LAND DISPOSAL RESTRICTIONS (LDR).

A. GENERAL WASTE NOTIFICATION

LDR FORM LINE NO.: 1 MANIFEST PAGE/LINE# 01A SK PROFILE NO.: 0000

SKDOT#: 0000801

EPA WASTE CODES & LDR SUBCATEGORIES (IF ANY):

D001 LQ LIQUID >= 10% TOC

D018

D039

D040

TREATABILITY GROUP: NONWASTEWATERS

WASTE CONSTITUENT NOTIFICATION:

100 D-CRESOL

229 TETRACHLOROETHYLENE

237 TRICHLOROETHYLENE

247 ARSENIC

250 CADMIUM

255 LEAD

257 MERCURY - ALL OTHERS

260 SILVER

67 BENZENE

-----NOTES-----

EXP NOTICE: THIS LDR EXPIRES ON 12/31/2001.

GENERATOR'S AUTHORIZED
SIGNATURENAME & TITLE
(PRINTED OR TYPED)

DATE

SEQ#: 3035050 LOC:

0

TERR:

REF#: 912888000 SW:

TOP COPY: GENERATOR

MIDDLE COPY: FACILITY

BOTTOM COPY: TRANSFER





507 Industrial Way
Boynton Beach, FL 33426 USA
561-582-6080
Fax: 561-582-6505

RECEIVED

AUG 20 2001

DEPT OF ENV PROTECTION
WEST PALM BEACH

August 15, 2001

Florida Department of Environmental Protection
Southeast Division
P. O. Box 15425
West Palm Beach, FL 33416

Attention: Stephen Brown

Re: Hazardous Waste Inspection Exit Interview

In accordance with the referenced Exit Interview, the following corrective actions have been accomplished:

- Item 1 Failure to ensure delivery of HW to proper HW facility
See item 7 and 9
- Item 2 Undated containers
Barrels were showing satellite start date on labels and crib date on barrel. Instituting new procedure whereby accumulation start date on label reflects shipment storage start date. Label accumulation start date field was filled in with (POG) Point of Generation start date and not the date when barrel was full awaiting shipment in 90 day retention area.
- Item 3 Please clean and maintain the area around grit blasters. Media and dust must not be allowed to accumulate on floor
Subject area thoroughly cleaned. Reinforced cleaning schedule throughout facility. See attachment No. 1b, 1c, and 1d.
- Item 4 Your waste profile dated April 14, 1999. This is the D006 Hazardous waste that must be managed accordingly
Matter on floor primarily new grit (raw material) or used grit and non hazardous.
- Item 5 Crud accumulating under NaOH stripping tank must be cleaned – area maintained
Subject area thoroughly cleaned. Reinforced cleaning schedule throughout facility. See attachment 1a.
- Item 6 Must place accumulation start dates on full drums (Full satellite drums stored for shipment)
See item 2

Item 7 Manifest #04301 did not have signatures in box 20 (Manifest #64001 also missing signature) Manifest #12888, 10501, 43001, and 04301 no LDR's
See attachment No. 2a, 2b, 2c, 2d, 2e, and 2f.

Consolidated all folders into common notebook with checklist for better organization.

Item 8 Biennial Report

Retrieved from archive mezzanine. See attachment No. 3

Item 9 Please provide manifest for 1999, 2000

Retrieved from archive mezzanine. See attachment No. 4 and 5

Item 10 Log for waste containers for 11/00

Checks performed weekly. All other records up to date. 11/00 form possibly misfiled. Procedure instituted to remove and file sheets at end of month. See attachment No. 6 (Back up data for 11/00 used to populate monthly log.

Indicates no non-compliance at that time).

Audit was performed during major plant renovation and the relocation of hazardous materials holding area. New hazardous lock up in place. See attachment No. 7

DOT training planned for five (5) employees.

If you require any additional information, please contact me at 440-951-1133.

Cordially,

A handwritten signature in black ink, appearing to read "H. V. James". The signature is stylized with a large, looping "J" at the end.

Howard James
Plant Manager

BPM 137-585-0020

ENVIRONMENTAL QUALITY

ATT. ☐DIS. ☐REJ. ☐PR. ☐Criminal and/or civil penalties under
Sections 324.11151 or 324.12116 MCL.

Please print or type:

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS
WASTE MANIFEST

1. Generator's US EPA ID No.

LD000776666

Manifest
Document No.2. Page
of 1Information in the shaded areas
is not required by Federal
law.

3. Generator's Name and Mailing Address

507 Industrial Way
Boynton Beach, Fl. 33426

AIRFOIL TECHNOLOGIES FL., INC.

A. State Manifest Document Number

MI 7481930

B. State Generator's ID

4. Generator's Phone (561) 582-6080

5. Transporter 1 Company Name
CHEMICAL CONSERVATION CORP.

6. US EPA ID Number

FLD980559728

C. State Transporter's ID

D. Transporter's Phone 407-859-4461

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

PERMA-FIX OF MICHIGAN, INC.
18550 Allen Road
Brownstown, MI 48192

10. US EPA ID Number

MID096963194

G. State Facility's ID

H. Facility's Phone 734-282-9250

11. US DOT Description (including Proper Shipping Name, Hazard Class, and
ID NUMBER).

HM

a. X RQ, Hazardous waste, solid, n.o.s.
(Cadmium)
9, NA3077, PG III12. Containers
No. Type

229 DM

13. Total
Quantity

495

14. Unit
Wt/Vol

2006

I. Waste
No. and name of material

2006

b. X RQ, Hazardous waste solid, n.o.s.
(Chrome, Ceramic Coating)
9, NA3077, PG III

101 DM

55

2007

2007

c.

d.

J. Additional Descriptions for Materials Listed Above

(a) SKR66607 (Sand/Glass Bead Media)

(b) SKR66608 (Paint Filters Debris & Chrome)

(c)

(d)

K. Handling Codes

15. Special Handling Instructions and Additional Information

EMERGENCY RESPONSE: Chem-Trec 1-800-424-9300 EMERGENCY CONTACT: 561-582-6080

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Thomas Carron

Signature

[Signature]

Date

Month Day Year
1/13/01

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Mike Avery

Signature

[Signature]

Date

Month Day Year
1/13/01

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in
Item 19.

Printed/Typed Name

Cory M. Gordon

Signature

[Signature]

Date

Month Day Year
09/14/01

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

BEFORE COPYING FORM, ATTACH SITE IDENTIFICATION LABEL OR ENTER:

SITE NAME: AIRFOIL TECHNOLOGIES
FLORIDA, INC d/b/a ATI
(SOUTHEAST)
 EPA ID NO: FLD 000 776 666



**U.S. ENVIRONMENTAL
PROTECTION AGENCY**

1999 Hazardous Waste Report

**FORM
IC**

**IDENTIFICATION AND
CERTIFICATION**

Instructions: Please see the detailed instructions beginning on page 7 of the instructions and forms booklet before completing this form. In addition, the page number for instructions specific to each section is provided below.

Sec. I Site name and location address. Check the box ☐ in items A, B, C, E, F, G, and H if same as label; if different, enter corrections. If label is absent, enter information. Instructions page 7.

A. EPA ID No.
Same as label ☐ or → FLD 000 776 666

B. County
Same as label ☐ or → PALM BEACH

C. Site/company name AIRFOIL TECHNOLOGIES
Same as label ☐ or → FLORIDA, INC.

D. Has the site name associated with this EPA ID changed since 1997?
☒ 1 Yes ☐ 2 No

E. Street name and number. If not applicable, enter industrial park, building name, or other physical location description.
Same as label ☐ or → 507 INDUSTRIAL WAY

F. City, town, village
Same as label ☐ or → BOYNTON BEACH

G. State
Same as label ☐
or → FL

H. Zip Code
Same as label ☐ or → 33426

Sec. II Mailing address of site. Instructions page 7.

A. Is the mailing address the same as the location address? ☒ 1 Yes (SKIP TO SEC. III) ☐ 2 No (CONTINUE TO BOX B)

B. Number and street name of mailing address

C. City, town, village

D. State
FL

E. Zip Code
33426

Sec. III Name, title, and telephone number of the person who should be contacted if questions arise regarding this report. Instructions page 7.

A. Last Name First name M.I.
ANDERSON ALAN C.

B. Title
EH&S
MANAGER

C. Telephone Number
561 582 - 6080
Extension 3043

Sec. IV "I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties under Section 3008 of the Resource Conservation and Recovery Act for submitting false information, including the possibility of fine and imprisonment for knowing violations." Instructions page 8.

A. Last Name First name M.I.
ANDERSON ALAN C.

B. Title
EH&S MANAGER

C. Signature
Alan Anderson

D. Date of signature
02 03 00
Month Day Year

Over →

[illegible]

Sec. V

B. Reason for not generating

(CHECK ALL THAT APPLY)

- SKIP TO SEC. VI**

- ☐ 1 Never generated ☐ 5 Periodic or occasional generator
☐ 2 Out of business ☐ 6 Waste minimization activity
☐ 3 Only excluded or delisted waste ☐ 7 Other (SPECIFY IN COMMENTS BOX BELOW)
☐ 4 Only non-hazardous waste

Sec. VI

B. Treatment, disposal, or recycling subject to RCRA permitting requirements

1 / 1

1/

Comments:

BEFORE COPYING FORM, ATTACH SITE IDENTIFICATION LABEL OR ENTER:

SITE NAME: AIRFOIL TECHNOLOGIES
FLORIDA, INC d/b/a ATJ
(SOUTHEAST)

EPA ID NO: FLD 000 776 666



**U.S. ENVIRONMENTAL
PROTECTION AGENCY**

1999 Hazardous Waste Report

**FORM
GM**

**WASTE GENERATION
AND MANAGEMENT**

Instructions: Please see the detailed instructions beginning on page 11 of the instructions and forms booklet before completing this form. In addition, the page number for instructions specific to each box is provided in parentheses.

Sec. I	A. Waste description (page 12) ALUMINUM DUST RESULTING FROM PLASMA POWDER DEPOSITION ON PARTS				
B. EPA hazardous waste code (page 12) <u>D001</u>			C. State hazardous waste code (page 13) _____		
D. SIC code (page 13) <u>3479</u>	E. Origin code (page 13) <u>1</u> System Type <u>[M]</u>	F. Source code (page 14) <u>A35</u>	G. Point of measurement (p. 14) <u>1</u>	H. Form code (page 14) <u>B307</u>	I. RCRA-radioactive mixed (page 14) <u>2</u>

Sec. II	A. Quantity generated in 1999 (page 15) <u>660.0</u>		B. UOM (page 15) <u>5</u> Density <u>1.50</u> <input checked="" type="checkbox"/> 1 lbs/gal <input type="checkbox"/> 2 sg	C. Did this site do any of the following to this waste: treat on site, dispose on site, recycle on site, or discharge to a sewer/POTW? (page 15) <input type="checkbox"/> 1 Yes (CONTINUE TO ON-SITE PROCESS SYSTEM 1) <input checked="" type="checkbox"/> 2 No (SKIP TO SEC. III)	
ON-SITE PROCESS SYSTEM 1			ON-SITE PROCESS SYSTEM 2		
On-site process system type (page 16) <u>[M]</u>		Quantity treated, disposed, or recycled on site in 1999 (page 16) _____		On-site process system type (page 16) <u>[M]</u>	
		Quantity treated, disposed, or recycled on site in 1999 (page 16) _____		On-site process system type (page 16) <u>[M]</u>	
		Quantity treated, disposed, or recycled on site in 1999 (page 16) _____		On-site process system type (page 16) <u>[M]</u>	

Sec. III	A. Was any of this waste shipped off site in 1999 for treatment, disposal, or recycling? (page 17) <input checked="" type="checkbox"/> 1 Yes (CONTINUE TO BOX B) <input type="checkbox"/> 2 No (FORM IS COMPLETE)				
Site 1	B. EPA ID No. of facility waste was shipped to (page 17) <u>FLD 980 559 728</u>	C. System type shipped to (p. 17) <u>[M]</u>	D. Off-site availability code (page 17) <u>1</u>	E. Total quantity shipped in 1999 (page 17) <u>660.0</u>	
Site 2	B. EPA ID No. of facility waste was shipped to (page 17) _____	C. System type shipped to (p. 17) <u>[M]</u>	D. Off-site availability code (page 17) <u>1</u>	E. Total quantity shipped in 1999 (page 17) _____	
Site 3	B. EPA ID No. of facility waste was shipped to (page 17) _____	C. System type shipped to (p. 17) <u>[M]</u>	D. Off-site availability code (page 17) <u>1</u>	E. Total quantity shipped in 1999 (page 17) _____	

Comments:

BEFORE COPYING FORM, ATTACH SITE IDENTIFICATION LABEL OR ENTER:

SITE NAME: AIRFOIL TECHNOLOGIES
FLORIDA, INC d/b/a ATI
(SOUTHEAST)

EPA ID NO: FLD 000 776 666



**U.S. ENVIRONMENTAL
PROTECTION AGENCY**

1999 Hazardous Waste Report

**WASTE GENERATION
AND MANAGEMENT**

**FORM
GM**

Instructions: Please see the detailed instructions beginning on page 11 of the instructions and forms booklet before completing this form. In addition, the page number for instructions specific to each box is provided in parentheses.

Sec. I	A. Waste description (page 12) SLUDGE RESULTING FROM FILTERING CHROMIUM BEARING WASTE WATER AFTER TREATMENT.				
	B. EPA hazardous waste code (page 12) <u>2007</u>		C. State hazardous waste code (page 13) _____		
D. SIC code (page 13) <u>3479</u>	E. Origin code (page 13) <u>M071</u>	F. Source code (page 14) <u>A75</u>	G. Point of measurement (p. 14) <u>2</u>	H. Form code (page 14) <u>B504</u>	I. RCRA-radioactive mixed (page 14) <u>2</u>

Sec. II	A. Quantity generated in 1999 (page 15) <u>825.0</u>	B. UOM (page 15) <u>5</u> Density <u>0.9</u> <u>0.0</u> <input type="checkbox"/> 1 lbs/gal <input checked="" type="checkbox"/> 2 sg	C. Did this site do any of the following to this waste: treat on site, dispose on site, recycle on site, or discharge to a sewer/POTW? (page 15) <input type="checkbox"/> 1 Yes (CONTINUE TO ON-SITE PROCESS SYSTEM 1) <input checked="" type="checkbox"/> 2 No (SKIP TO SEC. III)	
	ON-SITE PROCESS SYSTEM 1 On-site process system type (page 16) <u>M</u> Quantity treated, disposed, or recycled on site in 1999 (page 16) _____		ON-SITE PROCESS SYSTEM 2 On-site process system type (page 16) <u>M</u> Quantity treated, disposed, or recycled on site in 1999 (page 16) _____	

Sec. III	A. Was any of this waste shipped off site in 1999 for treatment, disposal, or recycling? (page 17) <input checked="" type="checkbox"/> 1 Yes (CONTINUE TO BOX B) <input type="checkbox"/> 2 No (FORM IS COMPLETE)				
	Site 1	B. EPA ID No. of facility waste was shipped to (page 17) <u>FLD 980 559 728</u>	C. System type shipped to (p. 17) <u>M111</u>	D. Off-site availability code (page 17) <u>1</u>	E. Total quantity shipped in 1999 (page 17) <u>825.0</u>
	Site 2	B. EPA ID No. of facility waste was shipped to (page 17) _____	C. System type shipped to (p. 17) <u>M</u>	D. Off-site availability code (page 17) <u>1</u>	E. Total quantity shipped in 1999 (page 17) _____
	Site 3	B. EPA ID No. of facility waste was shipped to (page 17) _____	C. System type shipped to (p. 17) <u>M</u>	D. Off-site availability code (page 17) <u>1</u>	E. Total quantity shipped in 1999 (page 17) _____

Comments:

BEFORE COPYING FORM, ATTACH SITE IDENTIFICATION LABEL OR ENTER:

SITE NAME: AIRFOIL TECHNOLOGIES
FLORIDA, INC d/b/a ATI
(SOUTHEAST)

EPA ID NO: FLD 000 776 666



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1999 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

Instructions: Please see the detailed instructions beginning on page 11 of the instructions and forms booklet before completing this form. In addition, the page number for instructions specific to each box is provided in parentheses.

Sec. I	A. Waste description (page 12) <u>GLOVES, TAPE, PAPER, FILTERS, ETC. CONTAMINATED WITH</u> <u>CHROMIUM BEARING COATINGS</u>				
	B. EPA hazardous waste code (page 12) <u>0007</u>		C. State hazardous waste code (page 13) <u>1</u>		
D. SIC code (page 13) <u>3479</u>	E. Origin code (page 13) <u>1</u> System Type <u>M</u>	F. Source code (page 14) <u>A21</u>	G. Point of measurement (p. 14) <u>1</u>	H. Form code (page 14) <u>B319</u>	I. RCRA-radioactive mixed (page 14) <u>2</u>

Sec. II	A. Quantity generated in 1999 (page 15) <u>1100.0</u>	B. UOM (page 15) <u>5</u> Density <u>09.00</u> <input checked="" type="checkbox"/> 1 lbs/gal <input type="checkbox"/> 2 sg	C. Did this site do any of the following to this waste: treat on site, dispose on site, recycle on site, or discharge to a sewer/POTW? (page 15) <input type="checkbox"/> 1 Yes (CONTINUE TO ON-SITE PROCESS SYSTEM 1) <input checked="" type="checkbox"/> 2 No (SKIP TO SEC. III)	
	ON-SITE PROCESS SYSTEM 1 On-site process system type (page 16) <u>M</u>		ON-SITE PROCESS SYSTEM 2 On-site process system type (page 16) <u>M</u>	
Quantity treated, disposed, or recycled on site in 1999 (page 16) <u>1100.0</u>		Quantity treated, disposed, or recycled on site in 1999 (page 16) <u>1100.0</u>		

Sec. III	A. Was any of this waste shipped off site in 1999 for treatment, disposal, or recycling? (page 17) <input checked="" type="checkbox"/> 1 Yes (CONTINUE TO BOX B) <input type="checkbox"/> 2 No (FORM IS COMPLETE)				
	Site 1	B. EPA ID No. of facility waste was shipped to (page 17) <u>M11D 096 963 194</u>	C. System type shipped to (p. 17) <u>M1111</u>	D. Off-site availability code (page 17) <u>11</u>	E. Total quantity shipped in 1999 (page 17) <u>1100.0</u>
Site 2	B. EPA ID No. of facility waste was shipped to (page 17) <u>11111111</u>	C. System type shipped to (p. 17) <u>M1111</u>	D. Off-site availability code (page 17) <u>11</u>	E. Total quantity shipped in 1999 (page 17) <u>11111111</u>	
Site 3	B. EPA ID No. of facility waste was shipped to (page 17) <u>11111111</u>	C. System type shipped to (p. 17) <u>M1111</u>	D. Off-site availability code (page 17) <u>11</u>	E. Total quantity shipped in 1999 (page 17) <u>11111111</u>	

Comments:

BEFORE COPYING FORM, ATTACH SITE IDENTIFICATION LABEL OR ENTER:

SITE NAME: AIRFOIL TECHNOLOGIES
FLORIDA, INC. d/b/a ATJ
(SOUTHEAST)

EPA ID NO: FLD 000 776 666



**U.S. ENVIRONMENTAL
PROTECTION AGENCY**

1999 Hazardous Waste Report

**FORM
GM**

**WASTE GENERATION
AND MANAGEMENT**

Instructions: Please see the detailed instructions beginning on page 11 of the instructions and forms booklet before completing this form. In addition, the page number for instructions specific to each box is provided in parentheses.

Sec. I	A. Waste description (page 12) ALUMINUM OXIDE GRIT/DUST CONTAMINATED LOW LEVELS OF NICKEL-CADMIUM REMOVED DURING SURFACE PREPARATION				
	B. EPA hazardous waste code (page 12) <u>D006</u>		C. State hazardous waste code (page 13) _____		
D. SIC code (page 13) <u>3479</u>	E. Origin code (page 13) <u>1</u> System Type <u>M</u>	F. Source code (page 14) <u>A09</u>	G. Point of measurement (p. 14) <u>3</u>	H. Form code (page 14) <u>B319</u>	I. RCRA-radioactive mixed (page 14) <u>2</u>

Sec. II	A. Quantity generated in 1999 (page 15) <u>2585.0</u>	B. UOM (page 15) <u>5</u> Density <u>13.30</u> <input checked="" type="checkbox"/> 1 lbs/gal <input type="checkbox"/> 2 sg	C. Did this site do any of the following to this waste: treat on site, dispose on site, recycle on site, or discharge to a sewer/POTW? (page 15) <input type="checkbox"/> 1 Yes (CONTINUE TO ON-SITE PROCESS SYSTEM 1) <input checked="" type="checkbox"/> 2 No (SKIP TO SEC. III)		
	ON-SITE PROCESS SYSTEM 1 On-site process system type (page 16) <u>M</u>		ON-SITE PROCESS SYSTEM 2 On-site process system type (page 16) <u>M</u>		
Quantity treated, disposed, or recycled on site in 1999 (page 16) _____		Quantity treated, disposed, or recycled on site in 1999 (page 16) _____			

Sec. III	A. Was any of this waste shipped off site in 1999 for treatment, disposal, or recycling? (page 17) <input checked="" type="checkbox"/> 1 Yes (CONTINUE TO BOX B) <input type="checkbox"/> 2 No (FORM IS COMPLETE)				
	Site 1	B. EPA ID No. of facility waste was shipped to (page 17) <u>M1D</u> <u>096</u> <u>963</u> <u>194</u>	C. System type shipped to (p. 17) <u>M111</u>	D. Off-site availability code (page 17) <u>11</u>	E. Total quantity shipped in 1999 (page 17) <u>2585.0</u>
Site 2	B. EPA ID No. of facility waste was shipped to (page 17) _____	C. System type shipped to (p. 17) <u>M</u>	D. Off-site availability code (page 17) <u>1</u>	E. Total quantity shipped in 1999 (page 17) _____	
Site 3	B. EPA ID No. of facility waste was shipped to (page 17) _____	C. System type shipped to (p. 17) <u>M</u>	D. Off-site availability code (page 17) <u>1</u>	E. Total quantity shipped in 1999 (page 17) _____	

Comments:

BEFORE COPYING FORM, ATTACH SITE IDENTIFICATION LABEL OR ENTER:

SITE NAME: AIRFOIL TECHNOLOGIES
FLORIDA, INC. d/b/a ATJ
(SOUTHEAST)

EPA ID NO: FLD 000 776 666



**U.S. ENVIRONMENTAL
PROTECTION AGENCY**

1999 Hazardous Waste Report

**FORM
GM**

**WASTE GENERATION
AND MANAGEMENT**

Instructions: Please see the detailed instructions beginning on page 11 of the instructions and forms booklet before completing this form. In addition, the page number for instructions specific to each box is provided in parentheses.

Sec. I	A. Waste description (page 12) <u>MINERAL SPIRITS AND PETROLEUM DISTILLATES USED TO</u> <u>CLEAN PARTS OF OIL, GREASE, DIRT, ETC.</u>				
B. EPA hazardous waste code (page 12) <u>D001</u>			C. State hazardous waste code (page 13) <u> </u>		
D. SIC code (page 13) <u>3479</u>	E. Origin code (page 13) <u>1</u> System Type <u>M</u>	F. Source code (page 14) <u>A08</u>	G. Point of measurement (p. 14) <u>1</u>	H. Form code (page 14) <u>B205</u>	I. RCRA-radioactive mixed (page 14) <u>2</u>

Sec. II	A. Quantity generated in 1999 (page 15) <u> 110.0</u>	B. UOM (page 15) <u>5</u> Density <u>0.079</u> <input type="checkbox"/> 1 lbs/gal <input checked="" type="checkbox"/> 2 sg	C. Did this site do any of the following to this waste: treat on site, dispose on site, recycle on site, or discharge to a sewer/POTW? (page 15) <input type="checkbox"/> 1 Yes (CONTINUE TO ON-SITE PROCESS SYSTEM 1) <input checked="" type="checkbox"/> 2 No (SKIP TO SEC. III)
ON-SITE PROCESS SYSTEM 1		ON-SITE PROCESS SYSTEM 2	
On-site process system type (page 16) <u>M</u>		On-site process system type (page 16) <u>M</u>	
Quantity treated, disposed, or recycled on site in 1999 (page 16) <u> </u>		Quantity treated, disposed, or recycled on site in 1999 (page 16) <u> </u>	

Sec. III	A. Was any of this waste shipped off site in 1999 for treatment, disposal, or recycling? (page 17) <input checked="" type="checkbox"/> 1 Yes (CONTINUE TO BOX B) <input type="checkbox"/> 2 No (FORM IS COMPLETE)				
Site 1	B. EPA ID No. of facility waste was shipped to (page 17) <u>GAD 093 380 814</u>	C. System type shipped to (p. 17) <u>M061</u>	D. Off-site availability code (page 17) <u>1</u>	E. Total quantity shipped in 1999 (page 17) <u> 110.0</u>	
Site 2	B. EPA ID No. of facility waste was shipped to (page 17) <u> </u>	C. System type shipped to (p. 17) <u>M</u>	D. Off-site availability code (page 17) <u>1</u>	E. Total quantity shipped in 1999 (page 17) <u> </u>	
Site 3	B. EPA ID No. of facility waste was shipped to (page 17) <u> </u>	C. System type shipped to (p. 17) <u>M</u>	D. Off-site availability code (page 17) <u>1</u>	E. Total quantity shipped in 1999 (page 17) <u> </u>	

Comments:

BEFORE COPYING FORM, ATTACH SITE IDENTIFICATION LABEL OR ENTER:

SITE NAME: AIRFOIL TECHNOLOGIES
FLORIDA, INC. d/b/a ATI
(SOUTHEAST)

EPA ID NO: FLD 000 776 666



U.S. ENVIRONMENTAL
PROTECTION AGENCY

1999 Hazardous Waste Report

FORM
GM

WASTE GENERATION
AND MANAGEMENT

Instructions: Please see the detailed instructions beginning on page 11 of the instructions and forms booklet before completing this form. In addition, the page number for instructions specific to each box is provided in parentheses.

Sec. I		A. Waste description (page 12) <u>WASTE ISOPROPANOL USED TO CLEAN PARTS OF OILS.</u>				
B. EPA hazardous waste code (page 12) <u>D001</u>		C. State hazardous waste code (page 13) <u>1</u>				
D. SIC code (page 13) <u>3479</u>	E. Origin code (page 13) <u>1</u> System Type <u>M</u>	F. Source code (page 14) <u>A31</u>	G. Point of measurement (p. 14) <u>1</u>	H. Form code (page 14) <u>B201</u>	I. RCRA-radioactive mixed (page 14) <u>2</u>	

Sec. II		A. Quantity generated in 1999 (page 15) <u>825.0</u>		B. UOM (page 15) <u>5</u> Density <u>6.58</u> <input checked="" type="checkbox"/> 1 lbs/gal <input type="checkbox"/> 2 sg	C. Did this site do any of the following to this waste: treat on site, dispose on site, recycle on site, or discharge to a sewer/POTW? (page 15) <input type="checkbox"/> 1 Yes (CONTINUE TO ON-SITE PROCESS SYSTEM 1) <input checked="" type="checkbox"/> 2 No (SKIP TO SEC. III)	
ON-SITE PROCESS SYSTEM			ON-SITE PROCESS SYSTEM 2			
On-site process system type (page 16) <u>M</u>		Quantity treated, disposed, or recycled on site in 1999 (page 16) <u>825.0</u>		On-site process system type (page 16) <u>M</u>		Quantity treated, disposed, or recycled on site in 1999 (page 16) <u>825.0</u>

Sec. III					A. Was any of this waste shipped off site in 1999 for treatment, disposal, or recycling? (page 17) <input type="checkbox"/> 1 Yes (CONTINUE TO BOX B) <input type="checkbox"/> 2 No (FORM IS COMPLETE)				
Site 1	B. EPA ID No. of facility waste was shipped to (page 17) <u>GAD 093 380 814</u>	C. System type shipped to (p. 17) <u>M061</u>	D. Off-site availability code (page 17) <u>1</u>	E. Total quantity shipped in 1999 (page 17) <u>825.0</u>					
Site 2	B. EPA ID No. of facility waste was shipped to (page 17) <u></u>	C. System type shipped to (p. 17) <u>M</u>	D. Off-site availability code (page 17) <u></u>	E. Total quantity shipped in 1999 (page 17) <u></u>					
Site 3	B. EPA ID No. of facility waste was shipped to (page 17) <u></u>	C. System type shipped to (p. 17) <u>M</u>	D. Off-site availability code (page 17) <u></u>	E. Total quantity shipped in 1999 (page 17) <u></u>					

Comments:

RECEIVED

SEP 4 2001

DEPT OF ENV PROTECTION
WEST PALM BEACH

507 Industrial Way
Boynton Beach, FL 33426 USA
561-582-6080
Fax: 561-582-6505



August 31, 2001

State of Florida Department of Health
Department of Environmental Protection
Southeast Division
400 North Congress Avenue PO Box 15425
West Palm Beach, Florida 33416

Attention: Mr. Stephen Brown

Re: August 24, 2001 Phone contact requesting more detailed response to items 3 & 4 on 8-15-01 audit response.

Dear Mr. Brown:

We are happy to respond to your request regarding the blasting area cleanliness issue. Please understand that we do honestly believe from investigation and experience that the media was non-hazardous, however good housekeeping discipline is a necessity in our business and must be maintained. The health and safety of our employees is of utmost importance to us and any refuse or litter is totally unacceptable.

What follows is a report from Tom Carson, our EH&S / Maintenance coordinator.

Tom Carson writes:

Upon receiving your audit report, we investigated and found the following:

Grit blasters and connections were basically sound with exception of some feed hose / fitting leakage noted on each machine and two return hose leaks on the walk in unit.

Note that the feed leak would provide raw/new media that was separated from dust and suction leaks are under negative pressure, aspirating air in, not grit out.


These leaks were small, from normal erosion, and were repaired. Though small, these leaks would contribute to floor refuse.

With the waste question in mind, the dust collector accumulators were inspected. The glass machine was sound. The walk-in unit was not leaking but the hasp had been replaced with a wooden block holding door closed. The cover had holes worn through which had been repaired with silicone rubber providing a seal. This situation could cause a leakage or spillage problem. These repairs were replaced with a new metal and foam door and hasp catch. It was closed and checked for leaks. Plywood was in place under drain area which obscured underlying area, hampering cleaning. This was removed.

Additional source(s) of media found:

Glass Machine:

- (1) Operators changing media. Cleaning procedures must be reinforced. (action below)
- (2) Operators removing flat hardware from machines, not dumping residual media collecting on top of parts into machine before removing part. Actively reinforcing dumping / blowing before removing hardware from machine.



Form No: SE-139 (5/01)

FAA Repair Station LW4R351M
ISO 9000 / AS9000 CERTIFIED

Point of interest on glass bead machine: While glass media was on floor behind machine, the entire corner area contains over-spray from a past wall painting job (white), which even when clean has the appearance of glass bead (white) in all corners of room. Floor is to be painted with non-skid gray during upcoming renovations.

Walk-in Blaster:

Media located around fill spout and base of pressure vessel. Our process requires grit be changed after 5-8 hours of use. This is due to surface roughness requirements for plasma and coating process. This relatively new grit must be removed from the pressure vessel bottom and filled through a "side port" in its vertical wall. Some spillage of the new and used grit can occur even with proper equipment (funnels/pans...). The dust is removed from a spout and is easy to control if care is taken on transfer to satellite. No spillage problems noted.

Cleaning of areas:

Sharing of cleaning implements requires walk to other areas. Not efficient use of time. Possibility of distraction from cleaning task.

Prevention:

Secured additional brooms, pans, HEPA vacuums. Each area has assigned cleaning implements. Grit personnel trained on responsibility to clean up while working, schedule w/ specific individual-area responsibility to clean / check areas at shift end and sign-off. Assigned specific management responsibilities to follow up on this checking process.


Further prevention:

Scheduled installation of central dust collector in place of units currently on each machine. This will eliminate dust collector / waste / mess issue by centralizing waste collection directly into shippable barrels, removing operator exposure to dust and "opening up" floor space for cleaning. Plans also include room corner baseboard dust inlets to actively suppress airborne dust and assist clean up. This project is currently in engineering phase. It is part of a project renovating entire bay. Estimate 60 day completion.

-End of Tom Carson Report-

I am certain that you can appreciate that all aspects of this issue are of concern to us. Besides obvious housekeeping and safety concerns, airborne contamination is the number one cause for failure and rework in the paint coating operation. I assure you that these improvements have been instituted, repairs have been made and the scheduled upgrade will totally eliminate this problem. I hope this clarification is satisfactory.

Sincerely,



Mr. Howard James,
Plant Manager
Airfoil Technologies Florida

HAZ WRECK



507 Industrial Way
Boynton Beach, FL 33426 USA
561-582-6080
Fax: 561-582-6505

RECEIVED

AUG 20 2001

DEPT OF ENV PROTECTION
WEST PALM BEACH

Florida Department of Environmental Regulation
Southeast Division
P. O. Box 15425
West Palm Beach, FL 33416

August 16, 2001

Dear Sirs:

Please find enclosed updated Preparedness, Prevention and Contingency Plan, Revision F for your files.

If I can be of further assistance, please do not hesitate to contact me.

Cordially,

H. V. James

Howard James
Plant Manager

RECEIVED

AUG 20 2001

DEPT OF ENV PROTECTION
WEST PALM BEACH

AIRFOIL TECHNOLOGIES FLORIDA

507 INDUSTRIAL WAY

BOYNTON BEACH, FLORIDA 33426


(561) 582-6080

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

MAY 11, 2001

REVISION F


Written By: _____



Tom Carson

Environmental, Health & Safety Coordinator

Approved By: _____



Howard James

Plant Manager

Date: _____

8/15/01

Date: _____

8/15/01

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

507 INDUSTRIAL WAY
BOYNTON BEACH, FLORIDA 33426

(561) 582-6080

EMERGENCY TELEPHONE NUMBERS

Howard James – Plant Manager

Primary Emergency Coordinator

Work: 561-582-6080 - Ext. 3049

Home: 561-364-1845

Cell: 561-523-1125

Tom Carson – Maint/EH&S Coordinator

Secondary Emergency Coordinator

Work: 561-582-6080 - Ext. 3029

Home: 561-288-0062

Cell: 561-475-6236

Robert Gagnon – Supervisor

Secondary Emergency Coordinator

Work: 561-582-6080 - Ext. 3028

Home: 561-547-2888

Diane Lawrence – HR/IT Manager/EH&S Administrator

Secondary Emergency Coordinator

Work: 561-582-6080 - Ext. 3033

Home: 561-967-0586

Cell: 561-758-7680

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

TABLE OF CONTENTS

<u>SECT</u>	<u>SUBJECT</u>	<u>PAGE NO.</u>
-	COVER SHEET	1
-	EMERGENCY COORDINATORS	2
-	TABLE OF CONTENTS	3
I	INTRODUCTION	5
II	GENERAL INFORMATION	6
III	ORGANIZATIONAL STRUCTURE FOR PLAN IMPLEMENTATION	7
IV	MATERIAL AND WASTE INVENTORY	8
V	HOUSEKEEPING PRACTICES	8
VI	SECURITY	8
VII	EXTERNAL FACTORS	8
VIII	INTERNAL & EXTERNAL COMMUNICATIONS & ALARM SYSTEMS	9
IX	EMPLOYEE TRAINING PROGRAM	9
X	INSPECTION AND MONITORING PROGRAM	10
XI	PREVENTIVE MAINTENANCE	10
XII	MATERIAL COMPATIBILITY	10
XIII	EMERGENCY COORDINATORS	10
XIV	DUTIES AND RESPONSIBILITIES OF EMERGENCY COORDINATORS	11
XV	PPC PLAN AMENDMENTS	12

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

<u>SECT</u>	<u>SUBJECT</u>	<u>PAGE NO.</u>
XVI	EVACUATION PLAN	13
XVII	EMERGENCY EQUIPMENT	13
XVIII	ADDENDUM	14
	STATE EMERGENCY CONTACTS	14
	FEDERAL EMERGENCY CONTACTS	14
	PRIVATE EMERGENCY RESPONSE CONTRACTORS	14
	LOCAL EMERGENCY CONTACTS	15
	EMERGENCY REPORTING	15
	CHART NO.1 - IN-HOUSE CHEMICALS	16
	FACILITY MAP	18
	EMERGENCY EVACUATION ROUTES & LOCATION OF FIRE EXTINGUISHERS	19
	HAZARDOUS MATERIALS & SATELLITE COLLECTION STATIONS	20

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

I. INTRODUCTION

This Preparedness, Prevention & Contingency (PPC) Plan has been prepared in compliance with requirements dictated by the Florida Department of Environmental Resources (DER). It has been developed with the intention of compliance with applicable environmental regulations as well as to confirm Sermatech International's commitment to the prevention of pollution incidents.

This plan is applicable to the Sermatech/ATF Boynton Beach facility and is not intended to replace transporters' contingency plans applicable to the transportation of hazardous wastes or materials. It is important that each employee be familiar with this plan and the proper procedures to follow in the event of an emergency.

An emergency is defined as a situation created by fire, injury, or an accidental release or spill of hazardous chemicals, which poses a threat to the safety of workers, residents, the environment or property.

Should a spill occur, attempts should be made to contain the spill, if possible. Dial 0 for the operator from the nearest telephone. This will connect the spill reporter with the operator who will contact Howard James, the Primary Emergency Coordinator. All spill information should be relayed to him. He will instruct the Maintenance Department to immediately contain the spill based on the type of spill occurring. The primary emergency coordinator will then notify the emergency response contractor.

The designated Primary and Secondary Emergency Coordinators are listed on Page 2, directly behind the Cover Sheet of this plan.

In the event that Mr. James is not available, Mr. Carson, Mr. Gagnon, or Ms. Lawrence should be contacted, depending on the department in which the spill occurred. It is the primary responsibility of the first person seeing the spill to notify an emergency response team member to make sure that the spill is contained and will not do further damage.

Spills of reportable quantity must be reported to the Florida DER by the Primary Emergency Coordinator. The Table below indicates the reportable quantities of the various hazard codes:

REPORTABLE QUANTITIES OF SPILLED MATERIALS

EPA & DER Hazard Codes

<u>Form</u>	<u>Unit</u>	<u>H</u>	<u>T</u>	<u>I C R&EP</u>
Liquid	Gallons	5	5	10
Solid	Pounds	10	100	1000

H=Hazardous T=Toxic I=Ignitable C=Corrosive R=Reactive EP=EP Toxic

**AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA**

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

I. INTRODUCTION (con't)

Any spill of reportable quantity must be logged on the "Spill Reporting Sheet", Form SE-159, located in the Quality Control office, and forwarded to the Primary Emergency Coordinator, who will report the spill, in writing, to the Florida DER. The written report must be filed within three (3) days of the spill. Spills are also reportable if they pose a threat to human health or to the environment.

The following information must be provided to the Florida DER when reporting a hazardous waste spill:

1. Name of the person reporting the spill.
2. Name and EPA ID number of the generator.
3. Telephone number where person reporting the spill can be reached.
4. Date, time and location of the spill.
5. Brief description of the incident.
6. For each chemical involved in the spill:
 - Shipping name, hazard. class, UN number.
 - The estimated quantity of the spill.
7. The extent of contamination of land, water or air, if known.

Copies of this PPC Plan shall be distributed and available as follows:

1. Office Files
2. Office of the Plant Manager
3. Offices of the Operation Managers
4. Office of the Quality Control Manager
5. Office of the Engineering Manager
6. Cafeteria
7. Teleflex and GEES Corporate Advisers
8. The Boynton Beach Utilities Department
9. Florida Department of Environmental Regulation (WPB)
10. The Boynton Beach Police Department
11. The Boynton Beach Fire Department

II. GENERAL INFORMATION

Airfoil Technologies Florida performs overhaul & repair services on aircraft engine components, and applies protective coatings to aircraft and industrial engine parts. Alkaline coating waste in a liquid form is accumulated in a 500-gallon holding tank that is part of an approved Waste Treatment System. At least once every week, whether or not the holding tank is full, the wastewater is treated for removal of hazardous materials. The resulting product is then tested to assure it meets the requirements of the Boynton Beach Utilities Department. Once this has been done, the water is then discharged into the public sewer

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

II. GENERAL INFORMATION (con't)

system. Additional liquid waste containing such items as machine coolants, waste alcohol, alkaline strip tank solution are collected in fifty-five (55) gallon drums conforming to regulations of the EPA for such purposes. The drums are removed under manifest by a permitted hazardous waste transporter/disposer no later than ninety (90) days from the beginning of the storage date in the primary accumulation area. Regulated solid wastes are treated in the same manner.

All sanitary wastes are discharged into the public sewer system.

Electrical transformers are serviced and maintained by Florida Power and Light.

Airfoil Technologies Florida is a generator of hazardous wastes, EPA ID# FLD000776666, but is not a storage or disposal facility. This Preparedness, Prevention and Contingency Plan (PPC Plan) is prepared pursuant to OSHA and Florida DER Regulations.

Required maps and drawings are attached hereto.

III. ORGANIZATIONAL STRUCTURE FOR IMPLEMENTATION OF THE PPC PLAN

Overall responsibility for implementation of the PPC Plan for Airfoil Technologies Florida, has been delegated to the ATI EHS Manager. At Airfoil Technologies Florida, the primary responsibility for developing and implementing the PPC Plan has been given to the Environmental Health & Safety Coordinator. He/she has the responsibility and authority to manage, develop, implement and maintain the PPC Plan.

The EH&S Coordinator has conducted an inventory of all chemicals and materials that appear on the lists of hazardous or toxic materials under the Clean Air Act, Safe Drinking Water Act and the Resource Conservation and Recovery Act Material Safety Data Sheets (MSDS) for these chemicals are on file at the facility in an employee information area and are readily available to any employee to examine.

The EH&S Coordinator will insure that MSDS inventory is kept current by comparing purchase orders for new chemicals against the master inventory checklist. The EH&S Coordinator has also identified areas of potential spills, and has taken measures, such as containment walls, to stop any spreading in such an event. He coordinates inspections and monitoring of such areas as well, and has established a reporting chain in the event of a spill. He has established a training program for supervisors, maintenance and other employees. He is also the designated Primary Emergency Coordinator in the event of a spill, discharge or other emergency.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

IV. MATERIAL AND WASTE INVENTORY

As described above, an inventory has been conducted to determine the presence of any listed hazardous or toxic materials at the facility. For each material present, the following information is collected on information sheets:

1. Material name, location and maximum amount on-hand.
2. How stored.
3. Process in which used.
4. Waste stream in which the material appears.
5. How disposed of.
6. Primary hazard presented. (i.e.: toxic, reactive, etc.)
7. Reportable quantity for DER and Federal requirements.

MSDS's for each material have been obtained and are kept on file. When new materials or chemicals are introduced into the facility, they are added to the hazardous and toxic materials list and their MSDS's are added to the file.

V. HOUSEKEEPING PRACTICES

Airfoil Technologies Florida practices the routine housekeeping measures that would be expected of any well-managed facility. Chemicals are stored in a neat and orderly manner, and are removed by maintenance or production personnel who have been taught proper spill removal techniques. Garbage and refuse are removed from the facility at least twice a week. Floors are kept as clean and dry as possible.

VI. SECURITY

Airfoil Technologies Florida operates in an enclosed building. During operating hours, access to the facility is restricted, and supervisors are available to deal with unauthorized people who enter the facility. An ADT security system is installed on all doors and windows, and is monitored on a 24-hour basis.

VII. EXTERNAL FACTORS

In the event of a power shortage, there are no valves that could lock open, resulting in a spill of process or waste materials. All valves and pumps are manually operated. In the event of a strike or natural event, which closes the facility, there would be no continuing accumulation or flow of hazardous materials. Finally, the facility is not located in a flood plain and, thus, would not be expected to sustain any flood damage.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

VIII. INTERNAL & EXTERNAL COMMUNICATIONS & ALARM SYSTEMS

The internal communications system consists of a public address system open to every telephone in the facility. The facility's fire sprinkler system is monitored by ADT Company, which is tied into the local fire and police departments. A network of fire extinguishers is located throughout the facility. All equipment is checked and maintained monthly. The names and telephone numbers for emergency assistance are prominently affixed at each telephone and near extinguishers to facilitate prompt notification of emergency response teams. The communication system, then, is a combination of: A) public address system, B) telephones and C) a direct automatic alarm system.

IX. EMPLOYEE TRAINING PROGRAM

The following summary reflects a training program that combines on-the-job training with direct instruction from management personnel, including this PPC Plan Coordinator. The training program is designed to provide each employee with a working knowledge of the functions expected of him or her. Training differs for supervisory, maintenance and other employees.

A. *SUPERVISORY* - Supervisors are trained in all processes under their jurisdiction, and the hazards associated with the use of all materials and equipment. Additionally, supervisors are trained in the purpose and use of necessary inspection and monitoring equipment. Importantly, supervisors are trained in first line responses to emergency situations and proper procedures to implement the contingency plan, if necessary. Additional first aid training by the American Red Cross will be given to select employee(s) to assist in first aid situations, while waiting for EMS to respond or employees transported to a medical facility.

B. *MAINTENANCE* - Maintenance personnel are trained to inspect and maintain both the plant and equipment so that the facility can operate in a safe manner. Specifically, they learn necessary inspection, cleaning and remedial procedures for waste areas, electrical equipment, loading and unloading areas and process areas that are directly under the control of the supervisors. Maintenance employees are also trained to implement the contingency plan and to respond to small spills.

C. *EMPLOYEES* - Employees are trained in the proper conduct of their jobs, including inspection and monitoring of machinery and materials they are using. They are also trained in safety and emergency procedures, as well as notification, and good housekeeping practices. They are familiarized with risks associated with machinery and materials they use and proper responses to accidental events.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

X. INSPECTION AND MONITORING PROGRAM

On-going inspections of all process equipment, material storage, loading/unloading areas and waste handling/storage areas are conducted on a routine basis by employees, supervisors and maintenance personnel. If any leakages, corrosion or deterioration is noted, it is reported to maintenance for repair.

XI. PREVENTIVE MAINTENANCE

The Maintenance Department is responsible for maintaining all systems and equipment in good working order, including inspections, monitoring, routine calibration, repair and replacement. Records are maintained of all major work performed.

XII. MATERIAL COMPATIBILITY

Process wastes are evaluated for compatibility before any new material is introduced into waste tanks.

XIII. EMERGENCY COORDINATORS

The following list of Emergency Coordinators contains the names, addresses and telephone numbers of those persons authorized to commit the necessary resources in the event of an emergency.

One or more of these Emergency Coordinators is always on-site during normal working hours, or is "on call", and can reach the facility on short notice during an emergency.

EMERGENCY COORDINATORS

<u>Designation</u>	<u>Name</u>	<u>Title</u>	<u>Street</u>	<u>City, State, Zip</u>	<u>Telephone</u>
Primary	Howard James	Plant Manager	740 Manatee Bay Dr	Boynton Beach, FL 33435	561-364-1645
Secondary	Tom Carson	Maint/EH&S Coor	6125 S.E. Windsong Ln.	Stuart, FL 34997	561-228-0062
Secondary	Robert Gagnon	Supervisor.	6787 High Ridge Rd.	Boynton Beach, FL 33462	561-547-2888
Secondary	Diane Lawrence	HR/IT Manager	4869 Poseidon Place	Lake Worth, FL 33463	561-967-0586

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

XIV. DUTIES AND RESPONSIBILITIES OF EMERGENCY COORDINATOR

Whenever there is an imminent or actual emergency situation, the emergency coordinator will immediately:

1. Activate the public address system to notify all facility personnel.
2. Perma-Fix Environmental Services----- 1-800-959-9543
3. If necessary, notify local and national emergency response agencies as follows:
 - Florida Emergency Response Committee-----850-488-2974
 - U.S. National Response Center-----1-800-424-8802
 - Boynton Beach Fire Department-----911
 - Boynton Beach Police Department-----911
 - Bethesda Memorial Hospital-----561-737-7733
 - Chemtrec (Chemical Information)-----1-800-424-9300
 - U.S. Coast Guard-----844-5030

Whenever there is an emission, discharge, fire or explosion, the Emergency Coordinator will immediately identify the character, exact source, amount and extent of emitted or discharged materials. This will be accomplished by observation or review of Material Inventory records and, if necessary, by chemical analysis.

Concurrently, the emergency coordinator will assess possible hazards to human health or the environment that may result from the emission, discharge, fire or explosion. This assessment must consider both direct and indirect effects of the emergency.

If the emergency coordinator determines that the installation has had an emission, discharge, fire or explosion, which could threaten human health or the environment, he will immediately notify the police, fire and local authorities by dialing 911. They, in turn, will determine if a local evacuation is advisable. If it is deemed necessary, the National Response Center may also be called at 1-800-424-8802. When calling, the following information should be reported:

1. Name of the person reporting the incident.
2. Name and location of the installation.
3. Phone number where the person reporting the spill can be reached.
4. Date, time and location of the incident.
5. A brief description of:
 - the accident
 - nature of the materials or wastes involved
 - extent of any injuries
 - possible hazards to human health or the environment
6. The estimated quantity of the materials or waste spilled.
7. The extent of contamination of land, water or air (if known).

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

XIV. DUTIES AND RESPONSIBILITIES OF EMERGENCY COORDINATOR (con't)

During an emergency, the Emergency Coordinator will take all reasonable measures necessary to ensure that fire, explosion, emissions or discharge do not occur, recur or spread to other materials or wastes at the installation. These measures include, where applicable:

1. Stopping processes and operations.
2. Contact Emergency Response Contractor (see page 14)

If the installation stops operations in response to an emergency, the emergency coordinator will ensure that adequate monitoring is conducted for leaks, pressure buildup, gas generation or ruptures in valves, pipes or other equipment, whenever this is appropriate.

Immediately after an emergency, the emergency coordinator, with DER approval will provided for the treatment or disposal of residues, contaminated soil, etc., resulting from the emergency. Arrangements for treatment and disposal will be made with an approved agency under the facility EPA ID# FLD000776666.

The emergency coordinator will insure that, in the affected areas of the facility, no material or waste incompatible with the emitted or discharged residues is processed, stored, treated or disposed of until cleanup procedures are completed and emergency equipment is cleaned and ready for use once again.

Within three (3) days after the incident, the Primary Emergency Coordinator will submit a written report of the incident to the Florida DEP, located in West Palm Beach. The report will include the following:

1. Name, address and telephone number of the person filing the report.
2. Name, address and telephone number of the facility.
3. Date, time and location of the incident.
4. A brief description of the circumstances causing the incident.
5. Description and estimated quantity, by weight or volume, of materials or waste involved.
6. An assessment of any contamination of land, water or air that has occurred due to the incident.
7. Estimated quantity and disposition of recovered materials or wastes that resulted from the incident.
8. A description of those actions, which the facility intends to take to prevent similar occurrences.

XV. PPC PLAN AMENDMENTS

This plan shall be revised whenever one or more of the following conditions arise:

1. Revisions to the applicable regulations.
2. Weaknesses to the plan are encountered during an emergency situation.
3. Physical changes to the facility are made which substantially increase the potential for emergency situations, or change the response required in the event of an emergency situation.
4. The List of Emergency Coordinators changes.
5. The List of Emergency Equipment changes.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

XVI. EVACUATION PLAN

If evacuation is necessary, instruction will be given over the public address system. Emergency exits are marked by signs and are illustrated in the ADDENDUM in this plan. Signs are posted at various locations within the facility showing Emergency Evacuation Routes

XVII. EMERGENCY EQUIPMENT

The following emergency equipment is available at the facility:

<u>EQUIPMENT</u>	<u>CAPABILITY</u>	<u>LOCATION</u>
Absorbent Materials	Contain & absorb liquid spills	Alkaline strip tank area, Haz Waste Holding area, QC Laboratory
Fire Extinguishers	Halon-Cl. A, B & C Fires CO2-Cl. B & C Fires	Throughout the facility (See map page 19)
Public Address System	Audibly notify personnel of emergency situations	Speakers located throughout the Production, QC & Machine shop areas
Shovels/Scoops	Spread & pick up absorbent materials	Same as Absorbent Materials
Gloves	Handle contaminated materials	Same as Absorbent Materials
First Aid Kits	Treat minor cuts, burns, etc.	Machine shops, Haz waste holding area, Shipping/Receiving, QC & Front office
Automatic Sprinklers	Automatically activated in the event of fire	Built into the ceiling throughout the entire facility

All equipment is monitored on a regular basis to assure it is in proper Working order at all times. Automatic sprinklers are checked on a yearly basis by the ADT Company. Fire extinguishers are checked yearly by the White Palm Fire Extinguisher Company.

In the event of an emergency situation, all emergency equipment will be cleaned, replaced or otherwise made fit for its intended use after the emergency has been resolved, and before operations at the facility are resumed.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

XVIII. ADDENDUM

Emergency Response Contractors

Perma-Fix Environmental Services-----1-800-959-9543
Chemical Waste Management-----1-800-438-2382
O.H. Materials-----1-800-537-9540
Earth Resources Consultants, Inc-----407-295-8848

STATE EMERGENCY CONTACTS

Florida Department of Environmental Regulation-----850-488-2974
Emergency Response Team (West Palm Beach)
Florida Bureau of Disaster Preparedness-----850-413-9814
Tallahassee- (on call 24 hours)
State Police (Tallahassee)-----850-487-2700
Bureau of Motor Carrier Safety-----850-921-0066

FEDERAL EMERGENCY CONTACTS

National Response Center (on call 24 hours)-----1-800-424-8802
U.S. EPA Response Center (on call 24 hours)-----1-800-296-1996
Chemtrec (Chemical Information - (on call 24 hours)-----1-800-424-9300
National Poison Control Center (Health Information)-----1-800-282-3171
RCRA Hotline (Information)-----1-800-424-9346
U.S. Coast Guard (on call 24 hours)-----1-305-535-4300

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

LOCAL EMERGENCY CONTACTS

City of Boynton Beach Fire Department

Emergency -----911

Non-Emergency-----561-732-8166

City of Boynton Beach Police Department

Emergency -----911

Non-Emergency -----732-8116

Bethesda Memorial Hospital-----407-737-7733

Ambulance-----911

Poison Control-----1-800-282-3171

City of Boynton Beach Utilities Department-----375-6300

Mark Bobic-----375-6420

South Central Regional Wastewater Treatment/Disposal Board-----272-7061

Willie Williams-----734-2577

EMERGENCY REPORTING

Give the following information to all notified agencies and authorities:

1. Your name and telephone number.
2. Name and address of the facility.
3. Time and type of accident (e.g. release, fire, etc.)
4. Name and quantity of materials involved, to the extent known.
5. The extent of injuries, if any.
6. Possible hazards to human health or the environment outside the facility.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

CHART NO. 1

<u>CHEMICAL</u>	<u>TRADE NAME</u>	<u>QTY</u>	<u>LOC</u>	<u>PHYSICAL PROPERTIES</u>	<u>HAZARD</u>	<u>SPECIAL PRECAUTIONS</u>	<u>EMER RESP ACTION</u>
Sodium Salt	CR-20 Product	55 gal	-B-	Soluble in H ₂ O Form-Liquid Color-Clear Odor-Mild Sulfur	Nonhazardous Biodegradable Skin/eye irritant	Avoid mixing w/oxidizers & mineral acids. Avoid skin/eye contact.	Flush w/H ₂ O. Clean spills w/absorbent. If ingested, drink H ₂ O or milk.
Sodium Hydroxide	N/A	4 drums	-B-	Soluble in H ₂ O Form-Liquid Color-Clear Odor-None SG-1.3	Can damage skin, eyes & int. tissue	Do not inhale mist. Wash after handling	Inhalation-Move to fresh air. Ingestion-drink H ₂ O or milk. Tissue contact-flush w/H ₂ O.
Sulfuric Acid	N/A	4 drums	-B-	Form-Liquid Color-Clear Odor-None SG-1.84	Avoid inhalation, ingestion & skin/eye contact	Highly corrosive to metals. Avoid contact w/alkalis & combustible liquids	Neutralize spills w/soda ash. Tissue contact-wash w/H ₂ O. Ingestion-NO EMETICS or BAKING SODA. Give H ₂ O or milk.
Paints (Various)	Water Based	25 gal (total)	-C-	Form-Liquids Color/Odor-Variou Nonflammable	Avoid Skin/eye contact	Do not use H ₂ O extinguisher. Avoid skin/eye contact.	Use CO ₂ , dry chemicals or sand to extinguish. Tissue contact-flush w/H ₂ O. Ingestion-H ₂ O followed by milk of magnesia. Inhalation-move to fresh air.
Penetrant Fluids	Various	3 drum	-E-	Form-Yellow/green liquid Petroleum odor. SG- 0.90	Flammable-Can release toxic fumes on burning	Avoid open flames & strong oxidizing agents, and skin/eye contact	Fire-CO ₂ foam, dry chemicals Skin/Eye contact-Flush w/H ₂ O Ingestion-NO VOMITING Inhalation-Move to fresh air
ZEP 143	Cleaner/Degreaser	1 drum	-E-	Form-Liquid SG-0.785	Avoid skin/eye contact, inhalation vapors & ingestion	Avoid eye exposure to vapors & product.	Skin-Wash w/soap, use skin cream Eye-Flush w/H ₂ O. Inhalation-move to fresh air. Ingestion-NO VOMITING
N/A	Acetone 1 gal	1 gal	-F-	Form-Liquid Color-Clear Odor-Pungent Flammable soluble in H ₂ O	Avoid skin/eye contact.	Avoid sources of ignition. Use adequate ventilation, incompatible with oxidizers, acids & bases.	Tissue contact-flush w/H ₂ O Ingestion-Induce vomiting. Inhalation-Move to fresh air. Extinguish w/CO ₂ or dry chemicals.
Mineral Spirits	Thinners & Solvents	8 gal	-F-	Form-Liquid Color-Clear Odor-Pungent Insoluble in H ₂ O	Causes skin, eye & tissue irritation.	Highly flammable.	Extinguish w/CO ₂ , dry chemicals, foam, H ₂ O spray. Skin/eye contact-Flush w/H ₂ O. Ingestion-NO VOMITING. Call doctor. Inhalation, -Move to fresh air.
N/A	Isopropyl Alcohol	55 gal	-G-	Form-Liquid Color-Clear Odor-Pungent SG-0.787 Flammable	Avoid skin/eye contact.	Avoid sources of ignition. Use adequate ventilation.	Extinguish w/CO ₂ or dry chemicals. Tissue contact-flush w/H ₂ O. Ingestion-drink H ₂ O, induce vomiting. Inhalation-Move to fresh air

Note: See Map, page 18 for LOCATION letter key.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

CHART NO. 1 (cont.)

<u>CHEMICAL</u>	<u>TRADE NAME</u>	<u>QTY</u>	<u>LOC</u>	<u>PHYSICAL PROPERTIES</u>	<u>HAZARD</u>	<u>SPECIAL PRECAUTIONS</u>	<u>EMER RESP ACTION</u>
Mineral Spirits	Thinners & Solvents	3 gal	-F-	Form-Liquid Color-Clear Odor-Pungent Insoluble in H ₂ O	Causes skin, eye & tissue irritation.	Highly flammable.	Extinguish w/CO ₂ , dry chemicals, foam, H ₂ O spray. Skin/eye contact-Flush w/ H ₂ O. Ingestion-NO VOMITING. Call doctor. Inhalation, -Move to fresh air.
N/A	Isopropyl Alcohol	55 gal	-G-	Form-Liquid Color-Clear Odor-Pungent SG-0.787 Flammable	Avoid skin/eye contact.	Avoid sources of ignition. Use adequate ventilation.	Extinguish CO ₂ or dry chemicals. Tissue contact-flush w/H ₂ O. Ingestion-drink H ₂ O, induce vomiting. Inhalation-Move to fresh air.
N/A	Rustrripper	2 drums	-H-	Form-Powder Color-Tan Odor-None Soluble in H ₂ O SG-1.20 Nonflammable	Avoid skin/eye contact	Incompatible w/acids Corrosive. Do not inhale mist	Extinguish w/CO ₂ , foam, dry chemicals or H ₂ O. Tissue contact-Flush w/H ₂ O Ingestion-Contact doctor IMMEDIATELY. Inhalation-Move to fresh air.
Paints (Various)	Solvent Based	25 gal (Total)	-I-	Per applicable MSDS	Generally Flammable	Per applicable MSDS	Extinguish w/CO ₂ , dry chemicals, foam, H ₂ O spray, skin/eye contact-Flush w/H ₂ O. Ingestion-NO VOMITING. Call doctor Inhalation-Move to fresh air.
N/A	Coolants, Cutting Fluids, etc	2 drums	-J-	Form-Liquids Color/Odor-Variou	Avoid skin/eye contact	Avoid sources of ignition, fumes irritable. Incompatible w/acids & oxidants	Eye/tissue contact-flush w/H ₂ O. Inhalation-move to fresh air, Ingestion-drink H ₂ O.
Acetylene	N/A	1 cyl	-K-	Form-Gas Colorless/Odorless SG-0.906 Flammable-Explosive	Avoid inhalation	Avoid sources of ignition	Extinguish w/CO ₂ , dry chemical, halon. Move to fresh air
Hydrogen	N/A	8 cyl	-L-	Form-Gas Colorless/Odorless SG-0.0696 Flammable	Avoid flame	Avoid sources of ignition Avoid inhalation	Extinguish w/CO ₂ , H ₂ O Move to fresh air. Prompt medical attention
Argon	N/A	6 dewers	-M-	Form-Pressurized Gas in liquid Form Colorless/Odorless Non-flammable	Avoid skin/eye contact	Use adequate ventilation	Move to fresh air. Flush frozen tissue w/tepid H ₂ O. Prompt med attention
Oxygen	N/A	2 cyl	-N-	Form-Gas Colorless/Odorless SG- 1.309	Oxidizer	Avoid contact w/combust material	Extinguish w/CO ₂ , halon, water
Propane	N/A	9 cyl	-O-	Form-Gas Colorless/Odorless Flammable SG-1.56 Flammable/Explosive	Avoid flame, inhalation, skin/eye contact	Avoid sources of ignition Use adequate ventilation	Extinguish w/CO ₂ , halon Move to fresh air. Flush frozen tissue w/tepid H ₂ O



Note: See Map, page 18, for LOCATION letter key.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01




FACILITY MAP

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01



**EMERGENCY EVACUATION ROUTES &
FIRE EXTINGUISHER LOCATIONS**

**AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA**

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. F

Dated 5/1/01

**HAZARDOUS MATERIALS & RECYCLE
SATELLITE COLLECTION STATIONS LEGEND**

HAZMAT ○

- 1 HAZDUST / GRIT
- 2 FLAMMABLE SOLVENT SOLID
- 3 CHROME SLUDGE
- 4 CHROME SOLID
- 6 FLAMMABLE SOLVENT LIQUID
- 7 CHROMIUM LIQUID
- 8 DUST (GLASS BEAD)
- 9 DUST (GRIT)
- 10 DUST (GLASS BEAD)
- 11 PLASTIC BEAD DUST
- 12 FLAMMABLE SOLVANT SOLID
- 13A DUST (GRIT / PLASTIC)
- 13B DUST (GRIT)
- 14 SPILL CONTROL MATERIAL
- 15 ALODINE
- 16 THORIATED MAGNESIUM CHIPS

RECYCLING STAGING □

- 1 GLASS BEAD
- 2 GRIT
- 3 RAGS
- 4 GRIT
- 5 GLASS BEAD
- 6 SILICON GRIT
- 7 NICKEL SHAVINGS
- 8 GLASS BEAD RECYCLE



January 31, 2005

State of Florida
Department of Environmental Protection (FDEP)
Division of Waste Management
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

FDEP Southeast District
Division of Waste Management
400 N. Congress Ave.
West Palm Beach, FL 33401

City of Boynton Beach
Environmental & Utilities Section
124 East Woolbright Road
Boynton Beach, Florida 33425-0310

RECEIVED

FEB 07 2005

DEPT OF ENV PROTECTION
WEST PALM BEACH

Subject: Termination of EPA Hazardous Waste ID Number **FLD000776666**

To whom it may concern:

As of December 31, 2004, all manufacturing ceased at:

Sermatech Power Solutions
507 Industrial Way
Boynton Beach, Florida 33426

Accordingly the EPA Hazardous Waste ID Number **FLD000776666** is longer needed and should be retired as no more hazardous waste will be generated. Please be assured that all regulated waste generated by Sermatech's operations was properly removed from site by **Perma-Fix, Incorporated** prior to closing year end.

If you have any questions, please do not hesitate to contact me 864-878-3041 x18.

Sincerely,

A handwritten signature in black ink, appearing to read 'Anita Bucci', is written over the printed name.

Anita Bucci

Regional Manager
Safety & Environmental Affairs



507 Industrial Way
Boynton Beach, FL 33426 USA
Phone: 561-582-6080
Fax: 561-582-6505
www.sermatech.com

Florida Department of Environmental Regulation
Southeast Division
P. O. Box 15425
West Palm Beach, FL 33416

RECEIVED
JUL 08 2002
DEPT OF ENV PROTECTION
WEST PALM BEACH

June 26, 2002

Dear Sirs:

Please find enclosed updated Preparedness, Prevention and Contingency Plan, Revision H for your files.

If I can be of further assistance, please do not hesitate to contact me.

Cordially,

A handwritten signature in blue ink, appearing to read "E. Daniel Caggiani".

E. Daniel Caggiani
Site Manager



507 Industrial Way
Boynton Beach, FL 33426 USA

Phone: 561-582-6080
Fax: 561-582-6505

www.sermatech.com

June 1, 2002

Dear Customer and Supplier:

Please accept this letter as notice that Airfoil Technologies Florida, Inc. (ATF) has officially and for all legal purposes been renamed as Sermatech Power Solutions - Boynton Beach, Florida. This became our name on record as of April 1, 2002 and note that the repair station status of our company has not been affected by this change.

With this change Sermatech Power Solutions - Boynton Beach, Florida becomes part of the TFX Sermatech International global network of aviation and industrial gas turbine repair facilities in Asia, Europe and the USA. TFX Sermatech International is a leader in providing turn-key services to the OEM and after market gas turbine world.

Sermatech Power Solutions - Boynton Beach, Florida will remain part of the Teleflex group of companies as it was when doing business as Airfoil Technologies Florida, Inc. Sermatech Power Solutions - Boynton Beach, Florida will continue striving to achieve customer satisfaction and an overall professional business climate, as is common practice for all Teleflex companies.

Please refer to our company as Sermatech Power Solutions - Boynton Beach, Florida on all future communicate to our organization. This would include, however not limited to Purchase Orders, Quotations and Invoices.

Should you have any questions please feel free to contact any of our staff and we will be glad to accommodate your requests.

Thank you for your understanding with this identity change.

Sincerely,

A handwritten signature in black ink, appearing to read "E. Daniel Caggiani".

E. Daniel Caggiani
Site Manager
Sermatech Power Solutions - Boynton Beach, Florida



SERMATECH POWER SOLUTIONS

507 INDUSTRIAL WAY
BOYNTON BEACH, FLORIDA 33426
(561) 582-6080

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

JUNE 26, 2002

REVISION H

Written By:  Approved By: 
Raymond Marasco E. Daniel Caggiani
Environmental, Health & Safety Coordinator Site Manager

Date: 7/1/02 Date: 6-28-02

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL
PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

EMERGENCY TELEPHONE NUMBERS

E. Daniel Caggiani – Site Manager

Primary Emergency Coordinator Work: 561-472-9119
Home: 561-968-7675
Cell: 561-758-1387

Dan Begovic – Coatings Business Unit Manager

Secondary Emergency Coordinator Work: 561-472-9136
Home: 561-470-7105
Cell: 561-718-9966

Desmond Baxter – Small Engine Business Unit Manager

Secondary Emergency Coordinator Work: 561-472-9138
Home: 561-333-0651
Cell: 561-373-9188

Tom Carson – Maint/Facilities Manager

Secondary Emergency Coordinator Work: 561-472-9115
Home: 561-288-0062
Cell: 561-475-6236

Robert Gagnon – Cell Leader

Secondary Emergency Coordinator Work: 561-472-9118
Home: 561-547-2888

Raymond Marasco – EH&S Coordinator

Secondary Emergency Coordinator
Work: 561-472-9124
Home: 561-369-3198

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL
PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

TABLE OF CONTENTS

<u>SECT</u>	<u>SUBJECT</u>	<u>PAGE NO.</u>
-	COVER SHEET	1
-	EMERGENCY COORDINATORS	2
-	TABLE OF CONTENTS	3/4
I	INTRODUCTION	5/6
II	GENERAL INFORMATION	6/7
III	ORGANIZATIONAL STRUCTURE FOR PLAN IMPLEMENTATION	7
IV	MATERIAL AND WASTE INVENTORY	8
V	HOUSEKEEPING PRACTICES	8
VI	SECURITY	8
VII	EXTERNAL FACTORS	8
VIII	INTERNAL & EXTERNAL COMMUNICATIONS & ALARM SYSTEMS	9
IX	EMPLOYEE TRAINING PROGRAM	9
X	INSPECTION AND MONITORING PROGRAM	10
XI	PREVENTIVE MAINTENANCE	10
XII	MATERIAL COMPATIBILITY	10
XIII	EMERGENCY COORDINATORS	10
XIV	DUTIES AND RESPONSIBILITIES OF EMERGENCY COORDINATORS	11/12
XV	PPC PLAN AMENDMENTS	12

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL
PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

<u>SECT</u>	<u>SUBJECT</u>	<u>PAGE NO.</u>
XVI	EVACUATION PLAN	13
XVII	EMERGENCY EQUIPMENT	13
XVIII	ADDENDUM	14
	EMERGENCY RESPONSE CONTRACTORS	14
	STATE EMERGENCY CONTACTS	14
	FEDERAL EMERGENCY CONTACTS	14
	LOCAL EMERGENCY CONTACTS	15
	EMERGENCY REPORTING	15
	CHART NO.1 - IN-HOUSE CHEMICALS	16/17
	FACILITY MAP	18
	EMERGENCY EVACUATION ROUTES & LOCATION OF FIRE EXTINGUISHERS	19
	HAZARDOUS MATERIALS & SATELLITE COLLECTION STATIONS	20
	LEGEND	21

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL
PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

I. INTRODUCTION

This Preparedness, Prevention & Contingency (PPC) Plan has been prepared in compliance with requirements dictated by the Florida Department of Environmental Resources (DER). It has been developed with the intention of compliance with applicable environmental regulations as well as to confirm Sermatech International's commitment to the prevention of pollution incidents.

This plan is applicable to the Sermatech Power Solutions - Boynton Beach facility and is not intended to replace transporters' contingency plans applicable to the transportation of hazardous wastes or materials. It is important that each employee be familiar with this plan and the proper procedures to follow in the event of an emergency.

An emergency is defined as a situation created by fire, injury, or an accidental release or spill of hazardous chemicals, which poses a threat to the safety of workers, residents, the environment or property.

Should a spill occur, attempts should be made to contain the spill, if possible. Dial 0 for the operator from the nearest telephone. This will connect the spill reporter with the operator who will contact E. Daniel Caggiani, the Primary Emergency Coordinator. All spill information should be relayed to him. He will instruct the Maintenance Department to immediately contain the spill based on the type of spill occurring. The primary emergency coordinator will then notify the emergency response contractor.

The designated Primary and Secondary Emergency Coordinators are listed on Page 2, directly behind the Cover Sheet of this plan.

In the event that Mr. Caggiani is not available, Mr. Begovic, Mr. Baxter, Mr. Carson, Mr. Gagnon, or Mr. Marasco should be contacted, depending on the department in which the spill occurred. It is the primary responsibility of the first person seeing the spill to notify an emergency response team member to make sure that the spill is contained and will not do further damage.

Spills of reportable quantity must be reported to the Florida DER by the Primary Emergency Coordinator. The Table below indicates the reportable quantities of the various hazard codes:

REPORTABLE QUANTITIES OF SPILLED MATERIALS

EPA & DER Hazard Codes

<u>Form</u>	<u>Unit</u>	<u>H</u>	<u>T</u>	<u>I C R&EP</u>
Liquid	Gallons	5	5	10
Solid	Pounds	10	100	1000

H=Hazardous T=Toxic I=Ignitable C=Corrosive R=Reactive EP=EP Toxic

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL
PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

I. INTRODUCTION (con't)

Any spill of reportable quantity must be logged on the "Spill Reporting Sheet", Form SE-159, located in the Quality Control office, and forwarded to the Primary Emergency Coordinator, who will report the spill, in writing, to the Florida DER. The written report must be filed within three (3) days of the spill. Spills are also reportable if they pose a threat to human health or to the environment.

The following information must be provided to the Florida DER when reporting a hazardous waste spill:

1. Name of the person reporting the spill.
2. Name and EPA ID number of the generator.
3. Telephone number where person reporting the spill can be reached.
4. Date, time and location of the spill.
5. Brief description of the incident.
6. For each chemical involved in the spill:
 - Shipping name, hazard. class, UN number.
 - The estimated quantity of the spill.
7. The extent of contamination of land, water or air, if known.

Copies of this PPC Plan shall be distributed and available as follows:

1. Office Files
2. Office of the Site Manager
3. Offices of the Business Unit Managers
4. Office of the Quality Manager
5. Office of the Engineering Manager
6. Cafeteria
7. Teleflex Corporate Advisers
8. The Boynton Beach Utilities Department
9. Florida Department of Environmental Regulation (WPB)
10. The Boynton Beach Police Department
11. The Boynton Beach Fire Department
12. Perma-Fix South

II. GENERAL INFORMATION

Sermatech Power Solutions Boynton Beach performs overhaul & repair services on aircraft engine components, and applies protective coatings to aircraft and industrial engine parts. Alkaline coating waste in a liquid form is accumulated in a 500-gallon holding tank that is part of an approved Waste Treatment System. At least once every week, whether or not the holding tank is full, the wastewater is treated for removal of hazardous materials. The resulting product is then tested to assure it meets the requirements of the Boynton Beach Utilities Department. Once this has been done, the water is then discharged into the public sewer

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL
PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

II. GENERAL INFORMATION (con't)

system. Additional liquid waste containing such items as machine coolants, waste alcohol, alkaline strip tank solution are collected in fifty-five (55) gallon drums conforming to regulations of the EPA for such purposes. The drums are removed under manifest by a permitted hazardous waste transporter/disposer no later than ninety (90) days from the beginning of the storage date in the primary accumulation area. Regulated solid wastes are treated in the same manner.

All sanitary wastes are discharged into the public sewer system.

Electrical transformers are serviced and maintained by Florida Power and Light.

Sermatech Power Solutions is a generator of hazardous wastes, EPA ID# FLD000776666, but is not a storage or disposal facility. This Preparedness, Prevention and Contingency Plan (PPC Plan) is prepared pursuant to OSHA and Florida DER Regulations.

Required maps and drawings are attached hereto.

III. ORGANIZATIONAL STRUCTURE FOR IMPLEMENTATION OF THE PPC PLAN

Overall responsibility for implementation of the PPC Plan for Sermatech Power Solutions has been delegated to the Teleflex Program Manager. At Sermatech Power Solutions, the primary responsibility for developing and implementing the PPC Plan has been given to the Environmental Health & Safety Coordinator. He/she has the responsibility and authority to manage, develop, implement and maintain the PPC Plan.

The EH&S Coordinator has conducted an inventory of all chemicals and materials that appear on the lists of hazardous or toxic materials under the Clean Air Act, Safe Drinking Water Act and the Resource Conservation and Recovery Act Material Safety Data Sheets (MSDS) for these chemicals are on file at the facility in an employee information area and are readily available to any employee to examine.

The EH&S Coordinator will insure that MSDS inventory is kept current by comparing purchase orders for new chemicals against the master inventory checklist. The EH&S Coordinator has also identified areas of potential spills, and has taken measures, such as containment walls, to stop any spreading in such an event. He coordinates inspections and monitoring of such areas as well, and has established a reporting chain in the event of a spill. He has established a training program for supervisors, maintenance and other employees. He is also a designated Secondary Emergency Coordinator in the event of a spill, discharge or other emergency.

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

IV. MATERIAL AND WASTE INVENTORY

As described above, an inventory has been conducted to determine the presence of any listed hazardous or toxic materials at the facility. For each material present, the following information is collected on information sheets:

1. Material name, location and maximum amount on-hand.
2. How stored.
3. Process in which used.
4. Waste stream in which the material appears.
5. How disposed of.
6. Primary hazard presented. (i.e.: toxic. reactive. etc.)
7. Reportable quantity for DER and Federal requirements.

MSDS's for each material have been obtained and are kept on file. When new materials or chemicals are introduced into the facility, they are added to the hazardous and toxic materials list and their MSDS's are added to the file.

V. HOUSEKEEPING PRACTICES

Sermatech Power Solutions practices the routine housekeeping measures that would be expected of any well-managed facility. Chemicals are stored in a neat and orderly manner, and are removed by maintenance or production personnel who have been taught proper spill removal techniques. Garbage and refuse are removed from the facility at least twice a week. Floors are kept as clean and dry as possible.

VI. SECURITY

Sermatech Power Solutions operates in an enclosed building. During operating hours, access to the facility is restricted, and supervisors are available to deal with unauthorized people who enter the facility. An ADT security system is installed on all doors and windows, and is monitored on a 24-hour basis.

VII. EXTERNAL FACTORS

In the event of a power shortage, there are no valves that could lock open, resulting in a spill of process or waste materials. All valves and pumps are manually operated. In the event of a strike or natural event, which closes the facility, there would be no continuing accumulation or flow of hazardous materials. Finally, the facility is not located in a flood plain and, thus, would not be expected to sustain any flood damage.

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL
PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

VIII. INTERNAL & EXTERNAL COMMUNICATIONS & ALARM SYSTEMS

The internal communications system consists of a public address system open to every telephone in the facility. The facility's fire sprinkler system is monitored by ADT Company, which is tied into the local fire and police departments. A network of fire extinguishers is located throughout the facility. All equipment is checked and maintained monthly. The names and telephone numbers for emergency assistance are prominently affixed at each telephone and near extinguishers to facilitate prompt notification of emergency response teams. The communication system, then, is a combination of: A) public address system, B) telephones and C) a direct automatic alarm system.

IX. EMPLOYEE TRAINING PROGRAM

The following summary reflects a training program that combines on-the-job training with direct instruction from management personnel, including this PPC Plan Coordinator. The training program is designed to provide each employee with a working knowledge of the functions expected of him or her. Training differs for supervisory, maintenance and other employees.

A. SUPERVISORY - Supervisors are trained in all processes under their jurisdiction, and the hazards associated with the use of all materials and equipment. Additionally, supervisors are trained in the purpose and use of necessary inspection and monitoring equipment. Importantly, supervisors are trained in first line responses to emergency situations and proper procedures to implement the contingency plan, if necessary.

B. MAINTENANCE - Maintenance personnel are trained to inspect and maintain both the plant and equipment so that the facility can operate in a safe manner. Specifically, they learn necessary inspection, cleaning and remedial procedures for waste areas, electrical equipment, loading and unloading areas and process areas that are directly under the control of the supervisors. Maintenance employees are also trained to implement the contingency plan and to respond to small spills.

C. EMPLOYEES - Employees are trained in the proper conduct of their jobs, including inspection and monitoring of machinery and materials they are using. They are also trained in safety and emergency procedures, as well as notification, and good housekeeping practices. They are familiarized with risks associated with machinery and materials they use and proper responses to accidental events.

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

X. INSPECTION AND MONITORING PROGRAM

On-going inspections of all process equipment, material storage, loading/unloading areas and waste handling/storage areas are conducted on a routine basis by employees, supervisors and maintenance personnel. If any leakages, corrosion or deterioration is noted, it is reported to maintenance for repair.

XI. PREVENTIVE MAINTENANCE

The Maintenance Department is responsible for maintaining all systems and equipment in good working order, including inspections, monitoring, routine calibration, repair and replacement. Records are maintained of all major work performed.

XII. MATERIAL COMPATIBILITY

Process wastes are evaluated for compatibility before any new material is introduced into waste tanks.

XIII. EMERGENCY COORDINATORS

The following list of Emergency Coordinators contains the names, addresses and telephone numbers of those persons authorized to commit the necessary resources in the event of an emergency.

One or more of these Emergency Coordinators is always on-site during normal working hours, or is "on call", and can reach the facility on short notice during an emergency.

EMERGENCY COORDINATORS

<u>Designation</u>	<u>Name</u>	<u>Title</u>	<u>Street</u>	<u>City, State, Zip</u>	<u>Telephone</u>
Primary	E. Daniel Caggiani	Site Manager	7669 Cedar Hurst Court	Lake Worth, FL 33467	561-968-7675
Secondary	Dan Begovic	Bus Unit Manager	8389 Boca Rio Drive	Boca Raton, FL 33433	561-470-7105
Secondary	Desmond Baxter	Bus Unit Manager	14679 Horseshoe Tr	Wellington, FL 33414	561-333-0615
Secondary	Tom Carson	Maint/EH&S Coor	6125 S.E. Windsong Ln.	Stuart, FL 34997	561-228-0062
Secondary	Robert Gagnon	Supervisor.	6787 High Ridge Rd.	Boynton Beach, FL 33462	561-547-2888
Secondary	Raymond Marasco	Quality Manager	9832 Pavarotti Terr #102	Boynton Beach, FL 33437	561-369-3198

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL
PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

XIV. DUTIES AND RESPONSIBILITIES OF EMERGENCY COORDINATOR

Whenever there is an imminent or actual emergency situation, the emergency coordinator will immediately:

1. Activate the public address system to notify all facility personnel.
2. Perma-Fix Environmental Services----- 800-959-9543
3. If necessary, notify local and national emergency response agencies as follows:
 - Florida Emergency Response Committee----- 850-488-2974
 - U.S. National Response Center----- 800-424-8802
 - Boynton Beach Fire Department----- 911
 - Boynton Beach Police Department----- 911
 - Bethesda Memorial Hospital----- 561-737-7733
 - Chemtrec (Chemical Information)----- 800-424-9300
 - U.S. Coast Guard----- 844-5030

Whenever there is an emission, discharge, fire or explosion, the Emergency Coordinator will immediately identify the character, exact source, amount and extent of emitted or discharged materials. This will be accomplished by observation or review of Material Inventory records and, if necessary, by chemical analysis.

Concurrently, the emergency coordinator will assess possible hazards to human health or the environment that may result from the emission, discharge, fire or explosion. This assessment must consider both direct and indirect effects of the emergency.

If the emergency coordinator determines that the installation has had an emission, discharge, fire or explosion, which could threaten human health or the environment, he will immediately notify the police, fire and local authorities by dialing 911. They, in turn, will determine if a local evacuation is advisable. If it is deemed necessary, the National Response Center may also be called at 1-800-424-8802. When calling, the following information should be reported:

1. Name of the person reporting the incident.
2. Name and location of the installation.
3. Phone number where the person reporting the spill can be reached.
4. Date, time and location of the incident.
5. A brief description of:
 - the accident
 - nature of the materials or wastes involved
 - extent of any injuries
 - possible hazards to human health or the environment
6. The estimated quantity of the materials or waste spilled.
7. The extent of contamination of land, water or air (if known).

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL
PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

XIV. DUTIES AND RESPONSIBILITIES OF EMERGENCY COORDINATOR (con't)

During an emergency, the Emergency Coordinator will take all reasonable measures necessary to ensure that fire, explosion, emissions or discharge do not occur, recur or spread to other materials or wastes at the installation. These measures include, where applicable:

1. Stopping processes and operations.
2. Contact Emergency Response Contractor (see page 14)

If the installation stops operations in response to an emergency, the emergency coordinator will ensure that adequate monitoring is conducted for leaks, pressure buildup, gas generation or ruptures in valves, pipes or other equipment, whenever this is appropriate.

Immediately after an emergency, the emergency coordinator, with DER approval will provided for the treatment or disposal of residues. contaminated soil, etc., resulting from the emergency. Arrangements for treatment and disposal will be made with an approved agency under the facility EPA ID# FLD000776666.

The emergency coordinator will insure that, in the affected areas of the facility, no material or waste incompatible with the emitted or discharged residues is processed, stored, treated or disposed of until cleanup procedures are completed and emergency equipment is cleaned and ready for use once again.

Within three (3) days after the incident, the Primary Emergency Coordinator will submit a written report of the incident to the Florida DEP, located in West Palm Beach. The report will include the following:

1. Name, address and telephone number of the person filing the report.
2. Name, address and telephone number of the facility.
3. Date, time and location of the incident.
4. A brief description of the circumstances causing the incident.
5. Description and estimated quantity, by weight or volume, of materials or waste involved.
6. An assessment of any contamination of land, water or air that has occurred due to the incident.
7. Estimated quantity and disposition of recovered materials or wastes that resulted from the incident.
8. A description of those actions, which the facility intends to take to prevent similar occurrences.

XV. PPC PLAN AMENDMENTS

This plan shall be revised whenever one or more of the following conditions arise:

1. Revisions to the applicable regulations.
2. Weaknesses to the plan are encountered during an emergency situation.
3. Physical changes to the facility are made which substantially increase the potential for emergency situations, or change the response required in the event of an emergency situation.
4. The List of Emergency Coordinators changes.
5. The List of Emergency Equipment changes.

**SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL**

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

XVI. EVACUATION PLAN

If evacuation is necessary, instruction will be given over the public address system. Emergency exits are marked by signs and are illustrated in the ADDENDUM in this plan. Signs are posted at various locations within the facility showing Emergency Evacuation Routes

XVII. EMERGENCY EQUIPMENT

The following emergency equipment is available at the facility:

<u>EQUIPMENT</u>	<u>CAPABILITY</u>	<u>LOCATION</u>
Absorbent Materials	Contain & absorb liquid spills	Alkaline strip tank area, Haz Waste Holding area, QC Laboratory
Fire Extinguishers	Halon-CI.A,B & C Fires C02-CI. B & C Fires	Throughout the facility (See map page 19)
Public Address System	Audibly notify personnel of emergency situations	Speakers located throughout the Production, QC & Machine shop areas
Shovels/Scoops	Spread & pick up absorbent materials	Same as Absorbent Materials
Gloves	Handle contaminated materials	Same as Absorbent Materials
First Aid Kits	Treat minor cuts, burns, etc.	Machine shops, Haz waste holding area, Shipping/Receiving, QC & Front office
Automatic Sprinklers	Automatically activated in the event of fire	Built into the ceiling throughout the entire facility

All equipment is monitored on a regular basis to assure it is in proper Working order at all times. Automatic sprinklers are checked on a yearly basis by the ADT Company. Fire extinguishers are checked yearly by the White Palm Fire Extinguisher Company.

In the event of an emergency situation, all emergency equipment will be cleaned, replaced or otherwise made fit for its intended use after the emergency has been resolved, and before operations at the facility are resumed.

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL
PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

XVIII. ADDENDUM

Emergency Response Contractors

Perma-Fix Environmental Services-----	800-959-9543
Chemical Waste Management-----	800-438-2382
O.H. Materials-----	800-537-9540
Earth Resources Consultants, Inc-----	407-295-8848

STATE EMERGENCY CONTACTS

Florida Department of Environmental Regulation----- Emergency Response Team (West Palm Beach)	850-488-2974
Florida Bureau of Disaster Preparedness----- Tallahassee- (on call 24 hours)	850-413-9814
State Police (Tallahassee)-----	850-487-2700
Bureau of Motor Carrier Safety-----	850-921-0066

FEDERAL EMERGENCY CONTACTS

National Response Center (on call 24 hours)-----	800-424-8802
U.S. EPA Response Center (on call 24 hours)-----	800-296-1996
Chemtrec (Chemical Information - (on call 24 hours)-----	800-424-9300
National Poison Control Center (Health Information)-----	800-282-3171
RCRA Hotline (Information)-----	800-424-9346
U.S. Coast Guard (on call 24 hours)-----	305-535-4300

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL
PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

LOCAL EMERGENCY CONTACTS

City of Boynton Beach Fire Department

Emergency -----	911
Non-Emergency-----	561-732-8166

City of Boynton Beach Police Department

Emergency -----	911
Non-Emergency -----	732-8116

Bethesda Memorial Hospital-----	407-737-7733
---------------------------------	--------------

Ambulance-----	911
----------------	-----

Poison Control-----	800-282-3171
---------------------	--------------

City of Boynton Beach Utilities Department-----	742-6400
East Water Treatment 24 hour-----	742-6430

South Central Regional Wastewater Treatment/Disposal Board-----	272-7061
Willie Williams-----	734-2577

EMERGENCY REPORTING

Give the following information to all notified agencies and authorities:

1. Your name and telephone number.
2. Name and address of the facility.
3. Time and type of accident (e.g. release, fire, etc.)
4. Name and quantity of materials involved, to the extent known.
5. The extent of injuries. if any.
6. Possible hazards to human health or the environment outside the facility.

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

CHART NO. 1

<u>CHEMICAL</u>	<u>TRADE NAME</u>	<u>QTY</u>	<u>LOC</u>	<u>PHYSICAL PROPERTIES</u>	<u>HAZARD</u>	<u>SPECIAL PRECAUTIONS</u>	<u>EMER RESP ACTION</u>
Sodium Salt	CR-20 Product	55 gal	-B-	Soluble in H ₂ O Form-Liquid Color-Clear Odor-Mild Sulfur	Nonhazardous Biodegradable Skin/eye irritant	Avoid mixing w/oxidizers & mineral acids. Avoid skin/eye contact.	Flush w/H ₂ O. Clean spills w/absorbent. If ingested, drink H ₂ O or milk.
Sodium Hydroxide	N/A	4 drums	-B-	Soluble in H ₂ O Form-Liquid Color-Clear Odor-None SG-1.3	Can damage skin, eyes & int. tissue	Do not inhale mist. Wash after handling	Inhalation-Move to fresh air. Ingestion-drink H ₂ O or milk. Tissue contact-flush w/H ₂ O.
Sulfuric Acid	N/A	4 drums	-B-	Form-Liquid Color-Clear Odor-None SG-1.84	Avoid inhalation, ingestion & skin/eye contact	Highly corrosive to metals. Avoid contact w/alkalis & combustible liquids	Neutralize spills w/soda ash. Tissue contact-wash w/H ₂ O. Ingestion-NO EMETICS or BAKING SODA. Give H ₂ O or milk.
Paints (Various)	Water Based	25 gal (total)	-C-	Form-Liquids Color/Odor-Variou Nonflammable	Avoid Skin/eye contact	Do not use H ₂ O extinguisher. Avoid skin/eye contact.	Use CO ₂ , dry chemicals or sand to extinguish. Tissue contact-flush w/H ₂ O. Ingestion-H ₂ O followed by milk of magnesia. Inhalation-move to fresh air.
Penetrant Fluids	Various	3 drum	-E-	Form-Yellow/green liquid Petroleum odor. SG- 0.90	Flammable-Can release toxic fumes on burning	Avoid open flames & strong oxidizing agents, and skin/eye contact	Fire-CO ₂ foam, dry chemicals Skin/Eye contact-Flush w/H ₂ O Ingestion-NO VOMITING Inhalation-Move to fresh air
ZEP 143	Cleaner/Degreaser	1 drum	-E-	Form-Liquid SG-0.785	Avoid skin/eye contact, inhalation vapors & product. & ingestion	Avoid eye exposure to vapors & product.	Skin-Wash w/soap, use skin cream Eye-Flush w/H ₂ O. Inhalation-move to fresh air. Ingestion-NO VOMITING
N/A	Acetone 1 gal	1 gal	-F-	Form-Liquid Color-Clear Odor-Pungent Flammable soluble in H ₂ O	Avoid skin/eye contact.	Avoid sources of ignition. Use adequate ventilation, incompatible with oxidizers, acids & bases.	Tissue contact-flush w/H ₂ O Ingestion-Induce vomiting. Inhalation-Move to fresh air. Extinguish w/CO ₂ or dry chemicals.
Mineral Spirits	Thinners & Solvents	8 gal	-F-	Form-Liquid Color-Clear Odor-Pungent Insoluble in H ₂ O	Causes skin, eye & tissue irritation.	Highly flammable.	Extinguish w/CO ₂ , dry chemicals, foam, H ₂ O spray. Skin/eye contact-Flush w/H ₂ O.Ingestion-NO VOMITING. Call doctor. Inhalation, -Move to fresh air.
N/A	Isopropyl Alcohol	55 gal	-G-	Form-Liquid Color-Clear Odor-Pungent SG-0.787 Flammable	Avoid skin/eye contact.	Avoid sources of ignition. Use adequate ventilation.	Extinguish w/CO ₂ or dry chemicals. Tissue contact-flush w/H ₂ O. Ingestion-drink H ₂ O, induce vomiting. Inhalation-Move to fresh air

Note: See Map, page 18 for LOCATION letter key.

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02

CHART NO. 1 (cont.)

<u>CHEMICAL</u>	<u>TRADE NAME</u>	<u>QTY</u>	<u>LOC</u>	<u>PHYSICAL PROPERTIES</u>	<u>HAZARD</u>	<u>SPECIAL PRECAUTIONS</u>	<u>EMER RESP ACTION</u>
Mineral Spirits	Thinners & Solvents	3 gal	-F-	Form-Liquid Color-Clear Odor-Pungent Insoluble in H ₂ O	Causes skin, eye & tissue irritation.	Highly flammable.	Extinguish w/CO ₂ , dry chemicals, foam, H ₂ O spray. Skin/eye contact-Flush w/ H ₂ O. Ingestion-NO VOMITING. Call doctor. Inhalation, -Move to fresh air.
N/A	Isopropyl Alcohol	55 gal	-G-	Form-Liquid Color-Clear Odor-Pungent SG-0.787 Flammable	Avoid skin/eye contact.	Avoid sources of ignition. Use adequate ventilation.	Extinguish CO ₂ or dry chemicals. Tissue contact-flush w/H ₂ O. Ingestion-drink H ₂ O, induce vomiting. Inhalation-Move to fresh air.
N/A	Rustripper	2 drums	-H-	Form-Powder Color-Tan Odor-None Soluble in H ₂ O SG-1.20 Nonflammable	Avoid skin/eye contact	Incompatible w/acids Corrosive. Do not inhale mist	Extinguish w/CO ₂ , foam, dry chemicals or H ₂ O. Tissue contact-Flush w/H ₂ O Ingestion-Contact doctor IMMEDIATELY. Inhalation-Move to fresh air.
Paints (Various)	Solvent Based	25 gal (Total)	-I-	Per applicable MSDS	Generally Flammable	Per applicable MSDS	Extinguish w/CO ₂ , dry chemicals, foam, H ₂ O spray, skin/eye contact-Flush w/H ₂ O. Ingestion-NO VOMITING. Call doctor Inhalation-Move to fresh air.
N/A	Coolants, Cutting Fluids, etc	2 drums	-J-	Form-Liquids Color/Odor-Variou	Avoid skin/eye contact	Avoid sources of ignition, fumes irritable. Incompatible w/acids & oxidants	Eye/tissue contact-flush w/H ₂ O. Inhalation-move to fresh air, Ingestion-drink H ₂ O.
Acetylene	N/A	1 cyl	-K-	Form-Gas Colorless/Odorless SG-0.906 Flammable-Explosive	Avoid inhalation	Avoid sources of ignition	Extinguish w/CO ₂ , dry chemical, halon. Move to fresh air
Hydrogen	N/A	8 cyl	-L-	Form-Gas Colorless/Odorless SG-0.0696 Flammable	Avoid flame	Avoid sources of ignition Avoid inhalation	Extinguish w/CO ₂ , H ₂ O Move to fresh air. Prompt medical attention
Argon	N/A	6 dewers	-M-	Form-Pressurized Gas in liquid Form Colorless/Odorless Non-flammable	Avoid skin/eye contact	Use adequate ventilation	Move to fresh air. Flush frozen tissue w/tepid H ₂ O. Prompt med attention
Oxygen	N/A	2 cyl	-N-	Form-Gas Colorless/Odorless SG- 1.309	Oxidizer	Avoid contact w/combust material	Extinguish w/CO ₂ , halon, water
Propane	N/A	9 cyl	-O-	Form-Gas Colorless/Odorless Flammable SG-1.56 Flammable/Explosive	Avoid flame, inhalation, skin/eye contact	Avoid sources of ignition Use adequate ventilation	Extinguish w/CO ₂ , halon Move to fresh air. Flush frozen tissue w/tepid H ₂ O



Note: See Map, page 18, for LOCATION letter key.

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02




FACILITY MAP

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL
PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02



**EMERGENCY EVACUATION ROUTES &
FIRE EXTINGUISHER LOCATIONS**

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02



HAZARDOUS MATERIALS & RECYCLE
SATELLITE COLLECTION STATIONS

See page 21 for Legend

SERMATECH INTERNATIONAL
SERMATECH POWER SOLUTIONS – BOYNTON BEACH, FL

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. H

Dated 6/26/02


HAZARDOUS MATERIALS & RECYCLE
SATELLITE COLLECTION STATIONS LEGEND

HAZMAT ○

- 1 HAZDUST / GRIT
- 2 FLAMMABLE SOLVENT SOLID
- 3 CHROME SLUDGE
- 4 CHROME SOLID
- 6 FLAMMABLE SOLVENT LIQUID
- 7 CHROMIUM LIQUID
- 8 DUST (GLASS BEAD)
- 9 DUST (GRIT)
- 10 DUST (GLASS BEAD)
- 11 PLASTIC BEAD DUST
- 12 FLAMMABLE SOLVANT SOLID
- 13A DUST (GRIT / PLASTIC)
- 13B DUST (GRIT)
- 14 SPILL CONTROL MATERIAL
- 15 ALODINE
- 16 THORIATED MAGNESIUM CHIPS

RECYCLING STAGING □

- 1 GLASS BEAD
- 2 GRIT
- 3 RAGS
- 4 GRIT
- 5 GLASS BEAD
- 6 SILICON GRIT
- 7 NICKEL SHAVINGS
- 8 GLASS BEAD RECYCLE



Department of Environmental Protection

Jeb Bush
Governor

AUG 6 - 2001

Southeast District
P.O. Box 15425
West Palm Beach, Florida 33416

David B. Struhs
Secretary

Mr. Howard James
Airfoil Technologies Florida, Inc.
507 Industrial Way
Boynton Beach, FL 33426

Palm Beach County
HW- Airfoil Technologies Florida, Inc.

RE: Hazardous Waste Compliance Evaluation Inspection

Dear Mr. James:

On July 17, 2001, the Department conducted a hazardous waste compliance evaluation inspection at your facility. The facility appears to be a Large Quantity Generator of hazardous waste. The inspection also found possible violations of Chapter 403, Florida Statutes (F.S.), Chapter 62-730, Florida Administrative Code (F.A.C.) regarding management of hazardous waste. Florida Statutes provide that facilities must comply with Title 40 Code of Federal Regulations (CFR) Parts 260 to 268 and 279, as adopted in Chapter 62-730, F.A.C. and Chapter 62-710, F.A.C.

The Department has reviewed the documents received on August 20, 2001 and September 4, 2001 in response to our exit interview. It appears that your facility has returned to compliance.

This will conclude the Department's investigation into this matter, however, please be advised that the State will continue to conduct random and unannounced compliance evaluation inspections in the future.

If you have any questions about the inspection or any other compliance related issues, please contact Mr. Stephen Brown at 561/681-6722. Thank you for your cooperation.

Sincerely,

Jeffrey A. Smith
Environmental Manager
Hazardous Waste Compliance/Enforcement Section

cc: [Redacted]

"More Protection, Less Process"

Printed on recycled paper.

GENERATOR CHECKLIST

Facility Name: Airfoil Technologies Florida, Inc.

Date: June 26, 2001

Facility Representative: Howard James Facility ID #: FLD980839013

SIC Codes: _____

Inspectors: Stephen Brown, James H. Bussey

40 CFR 262 Subpart A -- General Standards

1. Describe the facility's hazardous waste streams:

WASTE DESCRIPTION	EPA Waste Codes	Generation Rate	Disposal Facility and EPA ID	Correct ID?	Testing or Process Knowledge
Waste Beadblast Media	D007	1000kg/mo	Chemical Conservation Corp FLD9810559728	Y	Y
Waste Aluminum Powder Coated	D008 D001	300kg/mo	Chemical Conservation Corp FLD9810559728	y	y
Waste Isopropanol	D001	66KG/MO	Chemical Conservation Corp GAD093380814	Y	Y
Waste Naptha Solvents	D001	170kg/mo	Safety Kleen FLD984167791	Y	Y
Paint-Related Waste	D001	32kg/mo	Chemical Conservation Corp GAD093380814	Y	Y
Waste Solvents (xylene and toluene)	F003 F005	32kg/mo	Chemical Conservation Corp GAD093380814	Y	Y

(describe discrepancies in waste identification in narrative)

2. Has the facility obtained an EPA ID number? (40 CFR 262.12)

Y X N

3. Is the facility disposing of all its hazardous wastes to facilities permitted to accept the waste?

Y X N

4. Are any hazardous wastes treated or disposed of on site?
Describe in narrative.

Y X N

5. Is the facility exempt from hazardous waste permit requirements?
Describe in narrative.

Y X N

40 CFR 262 Subpart B -- The Manifest

1. Does the facility use a manifest for all its hazardous wastes? (262.20) Y X N
2. Is the facility using the correct form (EPA 8700-22; OMB #2050-0039)? Y X N
3. Does the facility ship by rail or water? (If so, check 262.23(c)) Y N X
4. Is the manifest filled out properly? Y X N

Item No.:

1. -Generator EPA ID # Y X N
- 5 digit manifest document # Y X N
3. -Generator name and mailing address Y X N
4. -Generator phone # Y X N
- 5-8. -Transporter names and ID #s Y X N
- D-F. -Transporter phone # (state requirement) Y X N
9. -TSD name and mailing address Y X N
10. -TSD # EPA ID # Y X N
- H. -TSD Phone # (state requirement) Y X N
11. -DOT description of the waste, including hazard class, ID #
and packaging group Y X N
12. -Container # and type Y X N
- 13-14. -Quantity of waste and units Y X N
- I. -EPA waste code (state requirement) Y X N
- K. -Handling codes (state requirement) Y X N
16. -Name, handwritten signature of generator and date Y X N
- 17-18. -Name, handwritten signature of transporter and date Y X N
19. -Are any manifest discrepancies noted? Y X N
20. -Name, handwritten signature of TSD and date Y X N

Number of manifests examined X
Number of errors _____

Note manifest document numbers and dates of manifests with errors below:

Manifest #	Date	Destination	Error(s)

5. Have any exception reports been filed? (262.42) Y N X
If so, did exception reports include legible copy of manifest and cover letter? Y N
6. Are manifests retained for 3 years? Y X N

40 CFR 262 Subpart C -- Pre Transport Requirements

1. Does the facility accumulate the waste on-site prior to treatment or disposal? Y X N
 Circle applicable accumulation units:
Containers Tanks Drip Pads Containment Buildings
2. Are containers used to ship the waste off-site? Y X N
3. Are any containers on-site prepared for shipment? Y X N
 a. If so, are the containers appropriate for the waste? (262.30) Y X N
 b. Are the correct diamond-shaped DOT hazard class container labels used? (262.31) Y X N
 c. Are containers of 110 g or less marked with the correct DOT shipping name and number? Y X N
 Is a label with the language required under 262.32(b) used? Y X N
 Is the generator's name, address and manifest document number on the label? Y X N
 d. Are placards available to be provided to the transporter? (262.33) Y X N
 e. Are bulk packagings used (over 400 kg solid or 118 g liquid)? Y X N
 f. Are they marked and placarded properly? Y X N

40 CFR 262 Subpart C -- Accumulation Requirements

1. Does the facility comply with the 90-day accumulation time limit? (262.34(a)) (Complete tank, container and/or drip pad checklists for units accumulating waste.) Y X N
2. If not, has the facility been issued an extension by the Department? (262.34(b)) N N
3. Is each container marked with the beginning date of accumulation? (262.34(a)(2)) Y X N
4. Is each container and tank marked with the words "Hazardous Waste"? (262.34(a)(3)) Y X N
5. Are satellite accumulation points used? Describe in narrative. Y X N
6. Are satellite containers closed ((262.34(c)) and marked with the words "hazardous waste" or other words that describe the contents? Y X N
7. Do satellite accumulation points hold 55 gallons of waste or less? Y X N
8. If not, is the excess marked with the date the excess waste began accumulating? (The date must be within 3 days of the date of inspection (262.34(c)(2)) Y N

40 CFR 262 Subpart C -- Personnel Training -- (265.16)

1. Do facility personnel complete hazardous waste training? Y X N
Comments:
2. Is the trainer adequately trained in hazardous waste management procedures? Y X N
3. Does the training cover safety? Y X N
4. Does the training cover emergency response procedures, including equipment handling and inspection? Y X N
5. Does the training cover hazardous waste identification and handling procedures? Y X N
6. Does the facility maintain personnel training records? Y X N
7. Does the facility maintain job titles and position descriptions for employees managing hazardous waste? Y X N
8. Do the job descriptions include the requisite skills, education and experience? Y X N
9. Do the job descriptions include a list of the positions' duties? Y X N
10. Are people trained within 6 months of hiring? Y X N
11. Do they work unsupervised prior to training? N N X
12. Is training reviewed annually? Date of last training _____ Y X N
13. Are records maintained for three years? Y X N

265 Subpart C -- Preparedness and Prevention

1. Is there evidence of a fire, explosion or release of hazardous waste or hazardous waste constituents to the environment? (265.31) N N X
2. Does the facility have an internal communication or alarm system? (265.32(a)) Y X N
3. Is there a telephone, alarm, 2-way radio or other device at the scene of operations immediately available and capable of summoning assistance? (265.32(b)) Y X N
4. Describe fire control equipment. Is it adequate? (265.32(c)) Y X N
5. Is spill control and decontamination equipment present? (265.32(c)) Y X N

6. If sprinklers, water hoses or foam producing equipment is part of the facility fire control equipment, is water available at adequate volume and pressure? (265.32(d)) Y X N
7. Is the emergency equipment inspected and tested periodically? Y X N
Frequency? _____
8. Is there adequate aisle space to allow unobstructed movement of facility personnel and emergency equipment to any area of the facility where needed? (265.35) Y X N
9. Has the facility made emergency response arrangements with the following: (265.37)
- Fire Department: _____ Y X N
Police: _____ Y X N
Hospital: _____ Y X N
Emergency Response Contractor: _____ Y X N
10. If not, has the facility attempted to do so and is the refusal documented? Y N

265 Subpart C -- Contingency Plans and Emergency Response

1. Does the facility have a contingency plan? 265.51) Y X N
2. Is it at the facility and easily available? (265.53) Y X N
3. Does the plan include:
- Fire Response Procedure: N/A Y X N
Spill Response Procedures: N/A Y X N
Explosion Response Procedures: N/A Y X N
A description of arrangements with local authorities: N/A Y X N
Coordinators: (Name) _____ Y X N
Addresses and telephone numbers of Emergency Coordinators: _____ Y X N
Emergency equipment list: _____ Y X N
Specifications and capabilities of emergency equipment: _____ Y X N
Locations of emergency equipment: _____ Y X N
An evacuation plan and routes: _____ Y X N
Evacuation/alarm signals: _____ Y X N
4. Is the plan up to date, with no changes to the list of emergency equipment, list of emergency coordinators, applicable regulations or contingency plan failures since the last revision? N N X
5. Has the plan been distributed to the local police, fire department, ERT and hospital? Circle omitted authorities. (265.53) N N X
6. Is the emergency coordinator authorized to commit funds for incident response? Y X N

40 CFR 262 Subpart D -- Record keeping and Reporting

1. Is the generator keeping the following records:

Biennial Reports (262.41)
Exception reports (262.42)
Test Results:

N/A _____ Y X N _____
N/A X Y _____ N _____
N/A _____ Y X N _____

2. Where are records kept? At the facility

3. Who is in charge of keeping records? Name: Frederick A. Binda

Title: Industrial Waste Treatment Operator

4. Any additional reporting, such as contingency plan implementation reports? (262.43)

NA X Y _____ N _____

5. Are records kept for a minimum of 3 years?

Y X N _____

40 CFR 262 Subpart E -- Exports N/A X

1. Has the facility exported any hazardous waste?

Y _____ N _____

2. Has the exporter notified EPA 60 days prior to the initial shipment?

Y _____ N _____

3. Has the receiving country consented to receive the waste?

Y _____ N _____

4. Has a copy of the EPA Acknowledgment of Consent accompanied the shipment?

Y _____ N _____

5. Did the shipment conform, and was the manifest completed as required by 40 CFR 262.54?

Y _____ N _____

6. Has the exporter received confirmation of delivered shipment?

Y _____ N _____

7. Has the exporter submitted an annual report to EPA?

Y _____ N _____

8. Are all records kept a minimum of three years? (262.57)

Y _____ N _____

40 CFR 262 Subpart F -- Imports N/A _____

1. Has the facility imported any hazardous waste?

Y _____ N _____

2. Has the manifest been completed per 262.60(b)?

Y _____ N _____

HAZARDOUS WASTE INSPECTION EXIT INTERVIEW SUMMARY – Page 1 of 2

FACILITY NAME <i>AirSoil Technologies Florida, Inc.</i>		TYPE OF INSPECTION: CAV: <input type="checkbox"/> CEI: <input checked="" type="checkbox"/> CI: <input type="checkbox"/> OTHER: <input type="checkbox"/>	
ADDRESS <i>507 Industrial Way</i>	CITY <i>Bonaton Beach</i>	STATE <i>FL</i>	ZIP CODE <i>33426</i>
EPA ID NUMBER	DATE OF INSPECTION <i>7/1/90</i>	PAGE <i>1</i>	OF <i>2</i>
FOLLOW UP CAV INSPECTION WITHIN 120 DAYS: <input type="checkbox"/> YES <input type="checkbox"/> NO			

A hazardous waste/used oil compliance inspection was made this date, under the authority of Section 403.091, Florida Statutes (F.S.), to determine your facility's compliance with Chapter 403, F.S. and Chapters 62-710, 62-730, 62-737, and 62-740, Florida Administrative Code (F.A.C.). Provisions of Title 40 Code of Federal Regulations (C.F.R.) Parts 260 through 268 and 279, which are cited on this form, have been adopted by reference as the state hazardous waste and used oil rules in Chapter 62-710, 62-730, 62-737 and 62-740, F.A.C. The following potential items of non-compliance were identified by the inspector(s). **This is not a formal enforcement action and may not be a complete listing of all items of non-compliance which exist at the time of this inspection. You are advised to immediately begin correcting these potential violations noted below:**

GENERAL REQUIREMENTS:

- ☒ Failure to ensure delivery of HW to proper HW facility § 261.5
- ☐ Failure to provide hazardous waste determination § 262.11
- ☐ Failure to notify as generator § 262.12
- ☐ Failure to use a manifest or reclamation agreement § 262.20
- ☐ Failure to provide personnel training § 265.16, 262.34
- ☐ Evidence of release(s) of waste § 265.31
- ☐ Facility exceeds 90/180 day time limit § 262.34

CONTAINER MANAGEMENT:

- ☐ Unlabeled containers § 262.34
- ☒ Undated containers § 262.34
- ☐ Leaking or bulging containers § 262.34
- ☐ Open containers § 265.173
- ☐ Inadequate aisle space § 62-730.160

RECORDKEEPING REQUIREMENTS:

- ☐ Manifests § 262.40, § 262.44
- ☒ Training records § 262.34
- ☒ Contingency Plan § 262.34
- ☒ Weekly Inspection records § 62-730.160
- ☐ Information not posted by phone § 262.34
- ☒ Authorities not notified § 262.37

USED OIL VIOLATIONS:

- ☐ Failure to label containers § 279.22
- ☐ Failure to respond to releases § 279.22
- ☐ Failure to document used oil disposal § 279.10

MATERIALS PROVIDED to assist in accomplishing corrective actions

- | | | |
|---|---|---|
| <input type="checkbox"/> DEP Small Quantity Generator Handbook | <input type="checkbox"/> EPA Managing Used Oil | <input type="checkbox"/> Mercury Lamp Recyclers |
| <input type="checkbox"/> EPA Understanding the Hazardous Waste Rules | <input type="checkbox"/> Environmental Yellow Pages | <input type="checkbox"/> Other _____ |
| <input type="checkbox"/> EPA Notification of Regulated Waste Activity | <input type="checkbox"/> List of HW/Used Oil Transporters | <input type="checkbox"/> Other _____ |
| <input type="checkbox"/> Florida Automotive Recyclers Handbook | <input type="checkbox"/> Antifreeze Recycling Vendors | <input type="checkbox"/> Other _____ |

Florida Fact Sheets

- | | |
|--|---------------------------------------|
| <input type="checkbox"/> Antifreeze for Recycling / Waste Antifreeze | <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Summary of Hazardous Waste Regulations | <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Summary of Used Oil/Used Oil Filter Regulations | <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Other: _____ | <input type="checkbox"/> Other: _____ |

HAZARDOUS WASTE INSPECTION EXIT INTERVIEW SUMMARY – Page 2 of 2

OTHER:

- Please clean and maintain the area around grit blasters. Medicine and dust must not be allowed to accumulate on the floor. ~~A hazardous waste determination per your waste profile dated April 1999~~ This is 100% hazardous waste and must be managed accordingly.
- Cond accumulating under No. 1 stripping tank must be cleaned - Area maintained

ITEMS REQUESTED BY INSPECTOR:

- ~~must provide a continuity plan~~ SB
- ~~must document employee training~~ SB
- must place accumulation start dates on all drums (P&H Solvent Drums) Serial for shipment
- Manifest # 04301 did not have signatures in Box 20 (6400) ^{manifest} also missing signature
- Benneal Report S, manifests 12888, 10501, 43001, and 04301 No LDR's

OWNER/OPERATOR COMMENTS:

- Please provide manifests for 99-00
- Log for waste containers missing for 11/00

The owner/operator is hereby requested to submit in writing, within 30 days of this inspection, 1) a description of all corrective actions taken, 2) a schedule for completion of corrective actions to be taken and 3) a description of efforts to prevent recurrence of the above items to the person signing as "INSPECTOR", Florida Department of Environmental Protection, P.O. Box 15425, West Palm Beach, FL 33416. The actions taken within 30 days of this notice will be considered in determining whether enforcement, including the assessment of penalties, should be initiated.

IF YOU HAVE QUESTIONS, contact: Stephen Brown at (561) 681-6600.

INSPECTOR (signature): [Signature] Date: _____

The undersigned person hereby acknowledges that he/she received a copy of this notice and has read and understands same.

SIGNATURE: <u>[Signature]</u>	PRINTED NAME: <u>Thomas J. Carson</u>
TITLE: <u>EHS Coordinator</u>	DATE: <u>7-17-01</u>

CERTIFICATE OF ANALYSIS

Airfoil Technologies Florida
507 Industrial Way
Boynton Beach, FL 33426

May 24, 2001
Report: 2001/05402
Sample No: 2001/05402- 3

Attention: Tom Carson

Project: Waste Monitoring
507 Industrial Way Boynton Beach, FL

SAMPLE ID: Used 90 Walk-in Grit #2

Collected by: Phill Taylor, Jr.

Collected on: 05/21/01
Received on: 05/21/01

PARAMETER	RESULT	METHOD	DL UNITS	DATE	ANALYST
Arsenic, T.C.L.P.	BDL	1311/6010B	0.050 mg/L	05/23/01	YJC
Barium, T.C.L.P.	BDL	1311/6010B	2.0 mg/L	05/23/01	YJC
Cadmium, T.C.L.P.	0.073	1311/6010B	0.0050 mg/L	05/23/01	YJC
Chromium, T.C.L.P.	BDL	1311/6010B	0.10 mg/L	05/23/01	YJC
Lead, T.C.L.P.	0.027	1311/6010B	0.015 mg/L	05/23/01	YJC
Selenium, T.C.L.P.	BDL	1311/6010B	0.050 mg/L	05/23/01	YJC
Silver, T.C.L.P.	BDL	1311/6010B	0.10 mg/L	05/23/01	YJC
Mercury, T.C.L.P.	BDL	1311/7474	0.00050 mg/L	05/23/01	MHA

Chemical Conservation Corporation
A Wholly Owned Subsidiary of Perma-Fix Environmental Services, Inc.
10100 Rocket Blvd.
Orlando, Florida 32824
1-407-859-4441
FLD980559728

FLD000776666
AIRFOIL TECHNOLOGIES FL., INC.
507 Industrial Way

SER666 REP: 42
ATTN: Al Anderson
AIRFOIL TECH. FLORIDA, INC.
507 Industrial Way
Boynton Beach, FL
33426

Boynton Beach, FL.
33426
00/08/28
Al Andersonx3043
561 582-6080

Re: Approval Number : SER66607

Dear Generator/Customer:

Please be advised that the waste stream described below has been accepted for disposal at
PERMA-FIX OF MICHIGAN, INC. 18550 Allen Road Brownstown, MI 48192
MID096963194 : 734-282-9250

1. Proper Shipping Name : RQ, Hazardous waste, solid, n.o.s.
2. Technical Name : (Cadmium)
3. Hazard Class : 9, NA3077, PG III
4. D.O.T. ID. : NA3077
5. EPA Waste Code(s) : D006
6. Add'l Description : (Sand/Glass Bead Media)
7. Price*:\$ 255.00 PER 55 Gallon Drum

*(Price is valid for a period of 30 days from date
of issue and subject to change without notice.)*

Chemical Conservation Corporation (Chem-Con) and the designated T/S/D facility reserves
the right to reject any and all waste on receipt at our facility. A properly completed
manifest, drum labels, and proper shipping drum or container is required for all shipments.

The above Approval Number MUST appear on all manifests (in box J), drums, and
correspondence concerning this material. This will speed up processing time at Chem-Con,
reduce risk or rejection, and increase safety of employees sampling your waste.
Chem-Con has all appropriate local, state and federal permits to process this waste stream.

Please call your sales representative, or this office to schedule a pick up of your
waste at (407) 859-4441. Please refer to the above approval number when shipping or making
any inquiries about this waste stream.

Any changes in the composition of this waste stream, process design modification, etc.,
should be reported to Chem-Con to determine if additional sampling and analysis is required.

It is herein understood and agreed:

1. In the event that a confirmed pick up cannot be completed due to generator error, a
\$250.00 No Load charge will be assessed.
2. Demurrage will be charged after the 2nd hour at a rate of \$75.00 per hour (or any part
thereof).
3. Non-Conforming wastes that are rejected at the final disposal site will be subject to
transportation charges to and from the designated facility.

We look forward with confidence to being of service to you.

Patrick M. Sullivan
Vice President, Sales

Chemical Conservation Corporation
10100 Rocket Blvd.
Orlando, Florida 32824
1-407-859-4441
FLD980559728

FLD000776666
AIRFOIL TECHNOLOGIES FL., INC.
507 Industrial Way

SER666 REP: 42
ATTN: Al Anderson
AIRFOIL TECH. FLORIDA, INC.
507 Industrial Way
Boynton Beach, FL
33426

Boynton Beach, Fl.
33426
99/06/23
Al Andersonx3043
561 582-6080

Re: Approval Number = SER666076

Dear Generator/Customer:

Please be advised that the waste stream described below has been accepted for disposal at
CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192
MID096963194 : 734-282-9250

1. Proper Shipping Name : RQ, Hazardous waste, solid, n.o.s.
2. Technical Name : (Cadmium)
3. Hazard Class : 9, NA3077, PG III
4. D.O.T. ID. : NA3077
5. EPA Waste Code(s) : D006
6. Add'l Description : (Sand/Glass Bead Media)
7. Price*: \$ 255.00 PER 55 Gallon Drum

*(Price is valid for a period of 30 days from date
of issue and subject to change without notice.)*

Chemical Conservation Corporation (Chem-Con) and the designated T/S/D facility reserves
the right to reject any and all waste on receipt at our facility. A properly completed
manifest, drum labels, and proper shipping drum or container is required for all shipments.

The above Approval Number MUST appear on all manifests (in box J), drums, and
correspondence concerning this material. This will speed up processing time at Chem-Con,
reduce risk or rejection, and increase safety of employees sampling your waste.
Chem-Con has all appropriate local, state and federal permits to process this waste stream.

Please call your sales representative, or this office to schedule a pick up of your
waste at (407) 859-4441. Please refer to the above approval number when shipping or making
any inquiries about this waste stream.

Any changes in the composition of this waste stream, process design modification, etc.,
should be reported to Chem-Con to determine if additional sampling and analysis is required.

It is herein understood and agreed:

1. In the event that a confirmed pick up cannot be completed due to generator error, a
\$250.00 No Load charge will be assessed.
2. Demurrage will be charged after the 2nd hour at a rate of \$75.00 per hour (or any part
thereof).
3. Non-Conforming wastes that are rejected at the final disposal site will be subject to
transportation charges to and from the designated facility.

We look forward with confidence to being of service to you.

Patrick M. Sullivan
Vice President, Sales

Chemical Conservation Corporation
10100 Rocket Blvd.
Orlando, Florida 32824
1-407-859-4441
FLD980559728

FLD000776666
SERMATECH TECHNICAL SERVICES
507 Industrial Way

SER666 REP: 42
ATTN: Al Anderson
SERMATECH INT'L. Alan Gundlach
507 Industrial Way
Boynton Beach, FL
33426

Boynton Beach, FL.
33426
98/06/03
Al Andersonx3030
561 582-6080

Re: Approval Number : SER66607

Dear Generator/Customer:

Please be advised that the waste stream described below has been accepted for disposal at
CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192
MID096963194 : 313-282-9250

1. Proper Shipping Name : RQ, Hazardous waste, solid, n.o.s.
2. Technical Name : (Cadmium)
3. Hazard Class : 9, NA3077, PG III
4. D.O.T. ID. : NA3077
5. EPA Waste Code(s) : D006
6. Add'l Description : (Sand/Glass Bead Media)
7. Price*: \$ 250.00 PER 55 Gallon Drum

*(Price is valid for a period of 30 days from date
of issue and subject to change without notice.)*

Chemical Conservation Corporation (Chem-Con) and the designated T/S/D facility reserves
the right to reject any and all waste on receipt at our facility. A properly completed
manifest, drum labels, and proper shipping drum or container is required for all shipments.

The above Approval Number MUST appear on all manifests (in box J), drums, and
correspondence concerning this material. This will speed up processing time at Chem-Con,
reduce risk or rejection, and increase safety of employees sampling your waste.
Chem-Con has all appropriate local, state and federal permits to process this waste stream.

Please call your sales representative, or this office to schedule a pick up of your
waste at (407) 859-4441. Please refer to the above approval number when shipping or making
any inquiries about this waste stream.

Any changes in the composition of this waste stream, process design modification, etc.,
should be reported to Chem-Con to determine if additional sampling and analysis is required.

It is herein understood and agreed:

1. In the event that a confirmed pick up cannot be completed due to generator error, a
\$250.00 No Load charge will be assessed.
2. Demurrage will be charged after the 2nd hour at a rate of \$75.00 per hour (or any part
thereof).
3. Non-Conforming wastes that are rejected at the final disposal site will be subject to
transportation charges to and from the designated facility.

We look forward with confidence to being of service to you.

Patrick M. Sullivan
Vice President, Sales

Chemical Conservation Corporation
10100 Rocket Blvd.
Orlando, Florida 32824
1-407-859-4441
FLD980559728

SER666 REP: 42
ATTN: Ray Marasco
SERMATECH INT'L. Alan Gundlach
507 Industrial Way
Boynton Beach, FL
33426

FLD000776666
SERMATECH TECHNICAL SERVICES
507 Industrial Way

Boynton Beach, FL.
33426
98/01/22
Ray Marasco
561 582-6080

Re: Approval Number : SER66607

Dear Generator/Customer:

Please be advised that the waste stream described below has been accepted for disposal at
CHEM-MET SERVICES, INC. 18550 Allen Road Brownstown, MI 48192
MID096963194 : 313-282-9250

1. Proper Shipping Name : RQ, Hazardous waste, solid, n.o.s.
2. Technical Name : (Cadmium)
3. Hazard Class : 9, NA3077, PG III
4. D.O.T. ID. : NA3077
5. EPA Waste Code(s) : D006
6. Add'l Description : (Sand/Glass Bead Media)
7. Price: \$ 250.00 PER 55 Gallon Drum

****PRICE UPDATE****

*(Price is valid for a period of 30 days from date
of issue and subject to change without notice.)*

Chemical Conservation Corporation (Chem-Con) and the designated T/S/D facility reserves
the right to reject any and all waste on receipt at our facility. A properly completed
manifest, drum labels, and proper shipping drum or container is required for all shipments.

The above Approval Number **MUST** appear on all manifests (in box J), drums, and
correspondence concerning this material. This will speed up processing time at Chem-Con,
reduce risk or rejection, and increase safety of employees sampling your waste.
Chem-Con has all appropriate local, state and federal permits to process this waste stream.

Please call your sales representative, or this office to schedule a pick up of your
waste at (407) 859-4441. Please refer to the above approval number when shipping or making
any inquiries about this waste stream.

Any changes in the composition of this waste stream, process design modification, etc.,
should be reported to Chem-Con to determine if additional sampling and analysis is required.

It is herein understood and agreed:

1. In the event that a confirmed pick up cannot be completed due to generator error, a
\$250.00 No Load charge will be assessed.
2. Demurrage will be charged after the 2nd hour at a rate of \$75.00 per hour (or any part
thereof).
3. Non-Conforming wastes that are rejected at the final disposal site will be subject to
transportation charges to and from the designated facility.

We look forward with confidence to being of service to you.

Patrick M. Sullivan
Vice President, Sales

Chemical Conservation Corporation
10100 Rocket Blvd.
Orlando, Florida 32824
1-407-859-4441
FLD980559728

SER666 REP: 42
ATTN: J.R. McNemer/Ray
SERMATECH INT'L. Alan Gundlach
507 Industrial Way
Boynton Beach, FL
33426

FLD000776666
SERMATECH TECHNICAL SERVICES
507 Industrial Way

Boynton Beach, FL.
33426
97/04/16
Alan Gundlach
561 582-6080

Re: Approval Number :SER66607

Dear Generator/Customer:

Please be advised that the waste stream described below has been accepted for disposal at
CHEM-MET SERVICES, INC. 18550 Allen Road Wyandotte, MI 48192
MID096963194 : 313-282-9250

1. Proper Shipping Name :RQ, Hazardous waste, solid, n.o.s.
2. Technical Name : (Cadmium)
3. Hazard Class :9, NA3077, PG III
4. D.O.T. ID. :NA3077
5. EPA Waste Code(s) :D006
6. Add'l Description : (Sand/Glass Bead Media)
7. Price*:\$ 295.00 PER 55 Gallon Drum

(Price is valid for a period of 30 days from date of issue and subject to change without notice.)

Chemical Conservation Corporation (Chem-Con) and the designated T/S/D facility reserves the right to reject any and all waste on receipt at our facility. A properly completed manifest, drum labels, and proper shipping drum or container is required for all shipments.

The above Approval Number **MUST** appear on all manifests (in box J), drums, and correspondence concerning this material. This will speed up processing time at Chem-Con, reduce risk or rejection, and increase safety of employees sampling your waste. Chem-Con has all appropriate local, state and federal permits to process this waste stream.

Please call your sales representative, or this office to schedule a pick up of your waste at (407) 859-4441. Please refer to the above approval number when shipping or making any inquiries about this waste stream.

Any changes in the composition of this waste stream, process design modification, etc., should be reported to Chem-Con to determine if additional sampling and analysis is required.

It is herein understood and agreed:

1. In the event that a confirmed pick up cannot be completed due to generator error, a \$250.00 No Load charge will be assessed.
2. Demurrage will be charged after the 2nd hour at a rate of \$75.00 per hour (or any part thereof).
3. Non-Conforming wastes that are rejected at the final disposal site will be subject to transportation charges to and from the designated facility.

We look forward with confidence to being of service to you.

Patrick M. Sullivan
Vice President, Sales

Chemical Conservation Corporation
10100 Rocket Blvd.
Orlando, Florida 32824
1-407-859-4441
FLD980559728

update

FLD000776666
SERMATECH TECHNICAL SERVICES
507 Industrial Way

SER666
ATTN: J.R. McNemer/Ray
SERMATECH INT'L. Alan Gundlach
507 Industrial Way
Boynton Beach, FL
33426

Boynton Beach, FL.
33426
96/04/16
Alan Gundlach
407-582-6080

Re: Approval Number :SER66607

Dear Generator/Customer:

Please be advised that the waste stream described below has been accepted for disposal at
CHEM-MET SERVICES, INC. 18550 Allen Road Wyandotte, MI 48192
MID096963194 : 313-282-9250

1. Proper Shipping Name :RO, Hazardous waste, solid, n.o.s.
2. Technical Name :(Cadmium)
3. Hazard Class :9, NA3077, PG III
4. D.O.T. ID. :NA3077
5. EPA Waste Code(s) :D006
6. Add'l Description :(Sand/Glass Bead Media)
7. Price*:\$ 290.00 PER 55 Gallon Drum

*(Price is valid for a period of 30 days from date
of issue and subject to change without notice.)*

Chemical Conservation Corporation (Chem-Con) and the designated T/S/D facility reserves
the right to reject any and all waste on receipt at our facility. A properly completed
manifest, drum labels, and proper shipping drum or container is required for all shipments.

The above Approval Number **MUST** appear on all manifests (in box J), drums, and
correspondence concerning this material. This will speed up processing time at Chem-Con,
reduce risk or rejection, and increase safety of employees sampling your waste.
Chem-Con has all appropriate local, state and federal permits to process this waste stream.

Please call your sales representative, or this office to schedule a pick up of your
waste at (407) 859-4441. Please refer to the above approval number when shipping or making
any inquires about this waste stream.

Any changes in the composition of this waste stream, process design modification, etc.,
should be reported to Chem-Con to determine if additional sampling and analysis is required.

It is herein understood and agreed:

1. In the event that a confirmed pick up cannot be completed due to generator error, a
\$250.00 No Load charge will be assessed.
2. Demurrage will be charged after the 1st hour at a rate of \$75.00 per hour (or any part
thereof).
3. Non-Conforming wastes that are rejected at the final disposal site will be subject to
transportation charges to and from the designated facility.

We look forward with confidence to being of service to you.

Patrick M. Sullivan
Sales Manager

Chemical Conservation Corporation
10100 Rocket Blvd.
Orlando, Florida 32824
1-407-859-4441
FLD980559728

SER666
ATTN: J.R. McNemer/Ray
SERMATECH INT'L. Alan Gundlach
507 Industrial Way
Boynton Beach, FL
33426

FLD000776666
SERMATECH TECHNICAL SERVICES
507 Industrial Way

Boynton Beach, FL.
33426
95/05/04
Alan Gundlach
407-582-6080

Re: Approval Number : SER66607

Dear Generator/Customer:

Please be advised that the waste stream described below has been accepted for disposal
CHEM-MET SERVICES, INC. 18550 Allen Road Wyandotte, MI 48192

MID096963194 : 313-282-9250

1. Proper Shipping Name : **RQ, Hazardous waste, solid, n.o.s.**
2. Technical Name : **(Cadmium)**
3. Hazard Class : **9, NA3077, PG III**
4. D.O.T. ID. : **NA3077**
5. EPA Waste Code(s) : **D006**
6. Add'l Description : **(Sand/Glass Bead Media)**
7. Price* : **\$ 290.00 PER 55 Gallon Drum**

*(Price is valid for a period of 30 days from date
of issue and subject to change without notice.)*

Chemical Conservation Corporation (Chem-Con) and the designated T/S/D facility reserves
the right to reject any and all waste on receipt at our facility. A properly completed
manifest, drum labels, and proper shipping drum or container is required for all shipments.

The above Approval Number **MUST** appear on all manifests (in box J), drums, and
correspondence concerning this material. This will speed up processing time at Chem-Con,
reduce risk or rejection, and increase safety of employees sampling your waste.
Chem-Con has all appropriate local, state and federal permits to process this waste stream.

Please call your sales representative, or this office to schedule a pick up of your
waste at (407) 859-4441. Please refer to the above approval number when shipping or making
any inquires about this waste stream.

Any changes in the composition of this waste stream, process design modification, etc.,
should be reported to Chem-Con to determine if additional sampling and analysis is required.

It is herein understood and agreed:

1. In the event that a confirmed pick up cannot be completed due to generator error, a
\$250.00 No Load charge will be assessed.
2. Demurrage will be charged after the 1st hour at a rate of \$75.00 per hour (or any part
thereof).
3. Non-Conforming wastes that are rejected at the final disposal site will be subject to
transportation charges to and from the designated facility.

We look forward with confidence to being of service to you.

Patrick M. Sullivan
Sales Manager

Chemical Conservation Corporation
653 Rocket Blvd.
Orlando, Florida 32824
1-407-859-4441

SER666
ATTN:Jesse Carr
SERMATECH INT'L. Alan Gundlach
507 Industrial Way
Boynton Beach, FL
33426

FLD000776666
SERMATECH TECHNICAL SERVICES
507 Industrial Way

Boynton Beach, FL.
33426
93/09/28
Alan Gundlach
407-582-6080

Re: Approval Number :SER66607

Dear Generator/Customer:

Please be advised that the waste stream described below has been accepted for disposal at:
CHEM-MET SERVICES, INC. 18550 Allen Road Wyandotte, MI 48192
MID096963194

1. Proper Shipping Name :RO, Hazardous waste solid, n.o.s.
2. Technical Name :(Cadmium)
3. Hazard Class :Class 9, PG III
4. D.O.T. ID. :HA3077
5. EPA Waste Code(s) :D006
6. Add'l Description :

7. Price*:\$ 280.00 PER 55 Gallon Drum

*(Price is valid for a period of 30 days from date of issue and subject to change without notice.)

Chemical Conservation Corporation (Chem-Con) and the designated T/S/D facility reserves the right to reject any and all waste on receipt at our facility. A properly completed manifest, drum labels, and proper shipping drum or container is required for all shipments.

The above Approval Number **MUST** appear on all manifests (in box J), drums, and correspondence concerning this material. This will speed up processing time at the T/S/D/F, reduce risk or rejection, and increase safety of employees sampling your waste. Who to bill **MUST** also appear on the manifest.

Please call your sales representative, or this office to schedule a pick up of your waste at (407) 859-4441. Please refer to the above approval number when shipping or making any inquires about this waste stream.

Any changes in the composition of this waste stream, process design modification, etc., should be reported to Chem-Con to determine if additional sampling and analysis is required.

It is herein understood and agreed:

1. In the event that a confirmed pick up cannot be completed due to generator error, a \$250.00 No Load charge will be assessed.
2. Demurrage will be charged after the 1st hour at a rate of \$75.00 per hour (or any part thereof).
3. Non-Conforming wastes that are rejected at the final disposal site will be subject to transportation charges to and from the designated facility.

We look forward with confidence to being of service to you.

Patrick M. Sullivan
Sales Manager

Chemical Conservation Corporation
653 Rocket Blvd.
Orlando, Florida 32824
1-407-859-4441

FLD000776666
SERMATECH TECHNICAL SERVICES
507 Industrial Way

SER666
ATTN: Jesse Carr
SERMATECH INT'L. Alan Gundlach
507 Industrial Way
Boynton Beach, FL
33426

Boynton Beach, FL.
33426
93/09/28
Alan Gundlach
407-582-6080

FAX # (407) 582-6505

Re: Approval Number : SER66607

Dear Generator/Customer:

Please be advised that the waste stream described below has been accepted for disposal at:
CHEM-RET SERVICES, INC. 18550 Allen Road Wyandotte, MI 48192
MID096963194

1. Proper Shipping Name : **RD, Hazardous waste solid, n.o.s.**
2. Technical Name : **(Cadmium)**
3. Hazard Class : **Class 9, PG III**
4. H.O.T. ID. : **HA3077**
5. EPA Waste Code(s) : **D006**
6. Add'l Description :

7. Price*:\$ 280.00 PER 55 Gallon Drum

*(Price is valid for a period of 30 days from date of issue and subject to change without notice.)

Chemical Conservation Corporation (Chem-Con) and the designated T/S/D facility reserves the right to reject any and all waste on receipt at our facility. A properly completed manifest, drum labels, and proper shipping drum or container is required for all shipments.

The above Approval Number **MUST** appear on all manifests (in box J), drums, and correspondence concerning this material. This will speed up processing time at the T/S/D/F, reduce risk or rejection, and increase safety of employees sampling your waste. Who to bill **MUST** also appear on the manifest.

Please call your sales representative, or this office to schedule a pick up of your waste at (407) 859-4441. Please refer to the above approval number when shipping or making any inquiries about this waste stream.

Any changes in the composition of this waste stream, process design modification, etc., should be reported to Chem-Con to determine if additional sampling and analysis is required.

It is herein understood and agreed:

1. In the event that a confirmed pick up cannot be completed due to generator error, a \$250.00 No Load charge will be assessed.
2. Demurrage will be charged after the 1st hour at a rate of \$75.00 per hour for any part thereof.
3. Non-Conforming wastes that are rejected at the final disposal site will be subject to transportation charges to and from the designated facility.

We look forward with confidence to being of service to you.

Patrick M. Sullivan
Sales Manager

AIRFOIL TECHNOLOGIES FLORIDA

507 INDUSTRIAL WAY

BOYNTON BEACH, FLORIDA 33426

(561) 582-6080

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

SEPTEMBER 12, 2000

REVISION E

Written By: _____

Paul M. Bailey

Environmental, Health & Safety Manager

Approved By: _____

H.P.V. James

Howard James

Plant Manager

Date: _____

Date: 12-08-00

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

507 INDUSTRIAL WAY
BOYNTON BEACH, FLORIDA 33426

(561) 582-6080

EMERGENCY TELEPHONE NUMBERS

Paul M. Bailey – EH&S Manager

Primary Emergency Coordinator

Work: 561-582-6080 - Ext. 3021

Home: 561-333-4001

Cell: 561-308-0015

Tom Carson – Maint./EH&S Coordinator

Secondary Emergency Coordinator

Work: 561-582-6080 - Ext. 3029

Home: 561-288-0062

Cell: 561-475-6236

Howard James - Plant Manager

Secondary Emergency Coordinator

Work: 561-582-6080 - Ext. 3049

Home: 561-364-1845

Cell: 561-523-1125

Robert Gagnon - Production Supervisor

Secondary Emergency Coordinator

Work: 561-582-6080 - Ext. 3028

Home: 561-547-2888

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

TABLE OF CONTENTS

<u>SECT</u>	<u>SUBJECT</u>	<u>PAGE NO.</u>
-	COVER SHEET	1
-	EMERGENCY COORDINATORS	2
-	TABLE OF CONTENTS	3
I	INTRODUCTION	5
II	GENERAL INFORMATION	6
III	ORGANIZATIONAL STRUCTURE FOR PLAN IMPLEMENTATION	7
IV	MATERIAL AND WASTE INVENTORY	8
V	HOUSEKEEPING PRACTICES	8
VI	SECURITY	8
VII	EXTERNAL FACTORS	9
VIII	INTERNAL & EXTERNAL COMMUNICATIONS & ALARM SYSTEMS	9
IX	EMPLOYEE TRAINING PROGRAM	9
X	INSPECTION AND MONITORING PROGRAM	10
XI	PREVENTIVE MAINTENANCE	10
XII	MATERIAL COMPATIBILITY	10
XIII	EMERGENCY COORDINATORS	10
XIV	DUTIES AND RESPONSIBILITIES OF EMERGENCY COORDINATORS	11
XV	PPC PLAN AMENDMENTS	12

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

<u>SECT</u>	<u>PAGE NO.</u>
XVI EVACUATION PLAN	13
XVII EMERGENCY EQUIPMENT	13
XVIII ADDENDUM	14
STATE EMERGENCY CONTACTS	14
FEDERAL EMERGENCY CONTACTS	14
PRIVATE EMERGENCY RESPONSE CONTRACTORS	14
LOCAL EMERGENCY CONTACTS	15
EMERGENCY REPORTING	15
CHART NO.1 - IN-HOUSE CHEMICALS	16
FACILITY MAP	18
EMERGENCY EVACUATION ROUTS & LOCATION OF FIRE EXTINGUISHERS	19

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

I. INTRODUCTION

This Preparedness, Prevention & Contingency (PPC) Plan has been prepared in compliance with requirements dictated by the Florida Department of Environmental Resources (DER). It has been developed with the intention of compliance with applicable environmental regulations as well as to confirm Sermatech International's commitment to the prevention of pollution incidents.

This plan is applicable to the Sermatech Boynton Beach facility and is not intended to replace transporters' contingency plans applicable to the transportation of hazardous wastes or materials. It is important that each employee be familiar with this plan and the proper procedures to follow in the event of an emergency.

An emergency is defined as a situation created by fire, injury, or an accidental release or spill of hazardous chemicals which poses a threat to the safety of workers, residents, the environment or property.

Should a spill occur, it must be immediately contained, if possible. The number 561-582-6080, X3049 or 561-842-2167 must then be dialed from the nearest telephone. This will connect the spill reporter with Howard James, the Primary Emergency Coordinator. All spill information should be relayed to him. He will instruct the Maintenance Department to immediately implement spill clean-up and re-mediation procedures based on the type of spill occurring.

The designated Primary and Secondary Emergency Coordinators are listed on Page 2, directly behind the Cover Sheet of this plan.

In the event that Mr. Bailey is not available, Mr. James, Mr. Carson or Mr. Gagnon should be contacted, depending on the department in which the spill occurred. It is the primary responsibility of the first person seeing the spill to make sure that the spill is contained and will not do further damage.

Spills of reportable quantity must be reported to the Florida DER by the Primary Emergency Coordinator. The Table below indicates the reportable quantities of the various hazard codes:

REPORTABLE QUANTITIES OF SPILLED MATERIALS

EPA & DER Hazard Codes

<u>Form</u>	<u>Unit</u>	<u>H</u>	<u>T</u>	<u>I, C, R&EP</u>
Liquid	Gallons	5	5	10
Solid	Pounds	10	100	1000

H=Hazardous T=Toxic I=Ignitable C=Corrosive R=Reactive EP=EP Toxic

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

I. INTRODUCTION (con't)

Any spill of reportable quantity must be logged on the "Spill Reporting Sheet", Form SE-159, located in the Quality Control office, and forwarded to the Primary Emergency Coordinator, who will report the spill, in writing, to the Florida DER. The written report must be filed within seven (7) days of the spill. Spills are also reportable if they pose a threat to human health or to the environment.

The following information must be provided to the Florida DER when reporting a hazardous waste spill:

1. Name of the person reporting the spill.
2. Name and EPA ID number of the generator.
3. Telephone number where person reporting the spill can be reached.
4. Date, time and location of the spill.
5. Brief description of the incident.
6. For each chemical involved in the spill:
 - Shipping name, hazard. class, UN number.
 - The estimated quantity of the spill.
7. The extent of contamination of land, water or air, if known.

Copies of this PPC Plan shall be distributed and available as follows:

1. Office Files
2. Office of the General Manager
3. Offices of the Production Supervisors
4. Office of the Quality Control Manager
5. Office of the Operations Supervisor
6. Cafeteria
7. The STS Technical Adviser (Limerick)
8. The Boynton Beach Utilities Department
9. Florida Department of Environmental Regulation (WPB)
10. The Boynton Beach Police Department
11. The Boynton Beach Fire Department

II. GENERAL INFORMATION

Airfoil Technologies Florida, performs overhaul & repair services on aircraft engine components, and applies protective coatings to aircraft and industrial engine parts. Alkaline coating waste in a liquid form is accumulated in a 500 gallon holding tank which is part of a U.L. approved Waste Treatment System. At least once every week, whether or not the holding tank is full, the wastewater is treated for removal of hazardous materials. The resulting product is then tested to assure it meets the requirements of the Boynton Beach Utilities Department. Once this has been done, the water is then discharged into the public sewer

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

II. GENERAL INFORMATION (con't)

system. Additional liquid waste containing such items as machine coolants, waste alcohol, alkaline strip tank solution are collected in fifty-five (55) gallon drums conforming to regulations of the EPA for such purposes. The drums are removed under manifest by a permitted hazardous waste transporter/disposer no later than ninety (90) days from the beginning of the storage date. Solid wastes generated during coating processes are also collected and disposed of within ninety (90) days.

All sanitary wastes are discharged into the public sewer system.

Electrical transformers are serviced and maintained by Florida Power and Light.

Airfoil Technologies Florida is a generator of hazardous wastes, EPA ID# FLD000776666, but is not a storage or disposal facility. This Preparedness, Prevention and Contingency Plan (PPC Plan) is prepared pursuant to OSHA and Florida DER Regulations.

Required maps and drawings are attached hereto.

III. ORGANIZATIONAL STRUCTURE FOR IMPLEMENTATION OF THE PPC PLAN

Overall responsibility for implementation of the PPC Plan for Airfoil Technologies Florida, has been delegated to the ATI EHS Manager and the Teleflex Environmental Affairs and Safety Manager. The Teleflex Environmental Affairs and Safety Manager has been authorized to conduct a thorough study of material storage, handling, usage and waste management practices for all the involved facilities of Airfoil Technologies International, Inc., and to develop a program of on-going environment audit, compliance and emergency action.

At Airfoil Technologies Florida, the primary responsibility for developing and implementing the PPC Plan has been given to the Environmental Health & Safety Manager. He has the responsibility and authority to manage, develop, implement and maintain the PPC Plan.

The EH&S Manager has conducted an inventory of all chemicals and materials that appear on the lists of hazardous or toxic materials under the Clean Air Act, Safe Drinking Water Act. and the Resource Conservation and Recovery Act. Material Safety Data Sheets (MSDS) for these chemicals are on file at the facility in an employee information area and are readily available to any employee to examine.

The EH&S Manager will insure that MSDS inventory is kept current by comparing purchase orders for new chemicals against the master inventory checklist. The EH&S Manager has also identified areas of potential spills, and has taken measures, such as containment walls, to stop any spreading in such an event.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

III. ORGANIZATIONAL STRUCTURE FOR IMPLEMENTATION OF THE PPC PLAN (con't)

He coordinates inspections and monitoring of such areas as well, and has established a reporting chain in the event of a spill. He has established a training program for supervisors, maintenance and other employees. He is also the designated Primary Emergency Coordinator in the event of a spill, discharge or other emergency, and is a member of the facility's Safety Committee.

IV. MATERIAL AND WASTE INVENTORY

As described above, an inventory has been conducted to determine the presence of any listed hazardous or toxic materials at the facility. For each material present, the following information is collected on information sheets:

1. Material name, location and maximum amount on-hand.
2. How stored.
3. Process in which used.
4. Waste stream in which the material appears.
5. How disposed of.
6. Primary hazard presented. (i.e.: toxic. reactive. etc.)
7. Reportable quantity for DER and Federal requirements.

MSDS's for each material have been obtained and are kept on file. When new materials or chemicals are introduced into the facility, they are added to the hazardous and toxic materials list and their MSDS's are added to the file..

V. HOUSEKEEPING PRACTICES

Airfoil Technologies Florida practices the routine housekeeping measures that would be expected of any well-managed facility. Chemicals are stored in a neat and orderly manner, and are removed by maintenance or production personnel who have been taught proper spill removal techniques. Garbage and refuse are removed from the facility at least twice a week. Floors are kept as clean and dry as possible.

VI. SECURITY

Airfoil Technologies Florida operates in an enclosed building. During operating hours, access to the facility is restricted, and supervisors are available to deal with unauthorized people who enter the facility. An ADT security system is installed on all doors and windows, and is monitored on a 24 hour basis.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

VII. EXTERNAL FACTORS

In the event of a power shortage, there are no valves that could lock open, resulting in a spill of process or waste materials. All valves and pumps are manually operated. In the event of a strike or natural event which closes the facility, there would be no continuing accumulation or flow of hazardous materials. Finally, the facility is not located in a flood plain and, thus, would not be expected to sustain any flood damage.

VIII. INTERNAL & EXTERNAL COMMUNICATIONS & ALARM SYSTEMS

The internal communications system consists of a public address system open to every telephone in the facility. The facility's fire sprinkler system is monitored by ADT Company, which is tied into the local fire and police departments. A network of fire extinguishers is located throughout the facility. All equipment is checked and maintained monthly. The names and telephone numbers for emergency assistance are prominently posted at each telephone and near extinguishers to facilitate prompt notification of emergency response teams. The communication system, then, is a combination of: A) public address system, B) telephones and C) a direct automatic alarm system.

IX. EMPLOYEE TRAINING PROGRAM

The following summary reflects a training program that combines on-the-job training with direct instruction from management personnel, including this PPC Plan Coordinator. The training program is designed to provide each employee with a working knowledge of the functions expected of him or her. Training differs for supervisory maintenance and other employees.

A. *SUPERVISORY* - Supervisors are trained in all processes under their jurisdiction, and the hazards associated with the use of all materials and equipment. Additionally, supervisors are trained in the purpose and use of necessary inspection and monitoring equipment. Importantly, supervisors are trained in first line responses to emergency situations and proper procedures to implement the contingency plan, if necessary. Additional first aid training by the American Red Cross will be given to all supervisors, plus one (1) each production employee to ensure at least two (2) employees per shift with first aid training.

B. *MAINTENANCE* - Maintenance personnel are trained to inspect and maintain both the plant and equipment so that the facility can operate in a safe manner. Specifically, they learn necessary inspection, cleaning and remedial procedures for waste areas, electrical equipment, loading and unloading areas and process areas that are directly under the control of the supervisors. Maintenance employees are also trained to implement the contingency plan and to respond to small spills.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

C. *EMPLOYEES* - Employees are trained in the proper conduct of their jobs, including inspection and monitoring of machinery and materials they are using. They are also trained in safety and emergency procedures, as well as notification, and good housekeeping practices. They are familiarized with risks associated with machinery and materials they use and proper responses to accidental events.

X. INSPECTION AND MONITORING PROGRAM

On-going inspections of all process equipment, material storage, loading/unloading areas and waste handling/storage areas are conducted on a routine basis by employees, supervisors and maintenance personnel. If any leakage's, corrosion or deterioration is noted, it is reported to maintenance for repair.

XI. PREVENTIVE MAINTENANCE

The Maintenance Department is responsible for maintaining all systems and equipment in good working order, including inspections, monitoring, routine calibration, repair and replacement. Records are maintained of all major work performed.

XII. MATERIAL COMPATIBILITY

Process wastes are evaluated for compatibility before any new material is introduced into waste tanks. All wastes are very diluted, and do not cause corrosion to storage vessels.

XIII. EMERGENCY COORDINATORS

The following list of Emergency Coordinators contains the names, addresses and telephone numbers of those persons authorized to commit the necessary resources in the event of an emergency.

One or more of these Emergency Coordinators is always on-site during normal working hours, or is "on call", and can reach the facility on short notice during an emergency.

EMERGENCY COORDINATORS

<u>Designation</u>	<u>Name</u>	<u>Title</u>	<u>Street</u>	<u>City, State, Zip</u>	<u>Telephone</u>
Primary	Paul Bailey	EH&S Manager	15590 Bent Creek Rd.	Wellington, FL 33414	561-333-4001
Secondary	Tom Carson	Maint./EH&S Coord.	6125 S.E. Windsong Ln.	Stuart, FL 34997	561-228-0062
Secondary	Howard James	Plant Manager	740 Manatee Bay Dr	Boynton Beach, FL 33435	561-364-1645
Secondary	Robert Gagnon	Product. Supr.	6787 High Ridge Rd.	Boynton Beach, FL 33462	561-547-2888

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

XIV. DUTIES AND RESPONSIBILITIES OF EMERGENCY COORDINATOR

Whenever there is an imminent or actual emergency situation, the emergency coordinator will immediately:

1. Activate the public address system to notify all facility personnel.
2. Notify local and national emergency response agencies as follows:
 - Florida Emergency Response Committee----850-488-2974
 - U.S. National Response Center-----1-800-424-8802
 - Boynton Beach Fire Department-----911
 - Boynton Beach Police Department-----911
 - Bethesda Memorial Hospital-----561-737-7733
 - Chemtrec (Chemical Information)-----1-800-424-9300
 - U.S. Coast Guard-----844-5030

Whenever there is an emission, discharge, fire or explosion, the Emergency Coordinator will immediately identify the character, exact source, amount and extent of emitted or discharged materials. This will be accomplished by observation or review of Material Inventory records and, if necessary, by chemical analysis.

Concurrently, the emergency coordinator will assess possible hazards to human health or the environment that may result from the emission, discharge, fire or explosion. This assessment must consider both direct and indirect effects of the emergency.

If the emergency coordinator determines that the installation has had an emission, discharge, fire or explosion which could threaten human health or the environment, he will immediately notify the police, fire and local authorities by dialing 911. They, in turn, will determine if a local evacuation is advisable. If it is deemed necessary, the National Response Center may also be called at 1-800-424-8802. When calling, the following information should be reported:

1. Name of the person reporting the incident.
2. Name and location of the installation.
3. Phone number where the person reporting the spill can be reached.
4. Date, time and location of the incident.
5. A brief description of:
 - the accident
 - nature of the materials or wastes involved
 - extent of any injuries
 - possible hazards to human health or the environment
6. The estimated quantity of the materials or waste spilled.
7. The extent of contamination of land, water or air (if known).

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

XIV. DUTIES AND RESPONSIBILITIES OF EMERGENCY COORDINATOR (cont.).

During an emergency, the Emergency Coordinator will take all reasonable measures necessary to ensure that fire, explosion, emissions or discharge do not occur, recur or spread to other materials or wastes at the installation. These measures include, where applicable:

1. Stopping processes and operations.
2. Collecting and containing released materials or wastes.
3. Removing or isolating containers.

If the installation stops operations in response to an emergency, the emergency coordinator will ensure that adequate monitoring is conducted for leaks, pressure buildup, gas generation or ruptures in valves, pipes or other equipment, whenever this is appropriate.

Immediately after an emergency, the emergency coordinator, with DER approval, will provide for the treatment or disposal of residues, contaminated soil, etc., resulting from the emergency. Arrangements for treatment and disposal will be made with an approved agency under the facility EPA ID# FLD000776666.

The emergency coordinator will insure that, in the affected areas of the facility, no material or waste incompatible with the emitted or discharged residues is processed, stored, treated or disposed of until cleanup procedures are completed and emergency equipment is cleaned and ready for use once again.

Within seven (7) days after the incident, the Primary Emergency Coordinator will submit a written report of the incident to the Florida DER, located in West Palm Beach. The report will include the following:

1. Name, address and telephone number of the person filing the report.
2. Name, address and telephone number of the facility.
3. Date, time and location of the incident.
4. A brief description of the circumstances causing the incident.
5. Description and estimated quantity, by weight or volume, of materials or waste involved.
6. An assessment of any contamination of land, water or air that has occurred due to the incident.
7. Estimated quantity and disposition of recovered materials or wastes that resulted from the incident.
8. A description of those actions which the facility intends to take to prevent similar occurrences in the future.

XV. PPC PLAN AMENDMENTS

This plan shall be revised whenever one or more of the following conditions arise:

1. Revisions to the applicable regulations.
2. Weaknesses to the plan are encountered during an emergency situation.
3. Physical changes to the facility are made which substantially increase the potential for emergency situations, or change the response required in the event of an emergency situation.
4. The List of Emergency Coordinators changes.
5. The List of Emergency Equipment changes.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

XVI. EVACUATION PLAN

If evacuation is necessary, instruction will be given over the public address system. Emergency exits are marked by signs and are illustrated in the ADDENDUM in this plan. Signs are posted at various locations within the facility showing Emergency Evacuation Routes

XVII. EMERGENCY EQUIPMENT

The following emergency equipment is available at the facility:

<u>EQUIPMENT</u>	<u>CAPABILITY</u>	<u>LOCATION</u>
Absorbent Materials	Contain & absorb liquid spills	Alkaline strip tank area, Haz. Waste Holding area, Q.C. Laboratory
Fire Extinguishers	Halon-CI.A,B & C Fires CO2-CI. B & C Fires	Throughout the facility. (See map page 19)
Public Address System	Audibly notify personnel of emergency situations	Speakers located throughout the Production, Q.C & Machine Shop areas
Shovels/Scoops	Spread & pick up absorbent materials	Same as Absorbent Materials
Gloves	Handle contaminated materials	Same as Absorbent Materials
First Aid Kits	Treat minor cuts, burns, etc.	Machine shops, Haz. waste holding area, Shipping/Receiving, Quality Control & Front Office
Automatic Sprinklers	Automatically activated in the event of fire	Built into the ceiling throughout the entire facility

All equipment is monitored on a regular basis to assure it is in proper Working order at all times. Automatic sprinklers are checked on a yearly basis by the ADT Company. Fire extinguishers are checked yearly by the White Palm Fire Extinguisher Company.

In the event of an emergency situation, all emergency equipment will be cleaned, replaced or otherwise made fit for its intended use after the emergency has been resolved, and before operations at the facility are resumed.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

XVIII. ADDENDUM

STATE EMERGENCY CONTACTS

Florida Department of Environmental Regulation-----850-488-2974
Emergency Response Team (West Palm Beach)

Florida Bureau of Disaster Preparedness----- 850-413-9814
Tallahassee-(on call 24 hours)

State Police (Tallahassee)-----850-487-2700

Bureau of Motor Carrier Safety-----850-921-0066

FEDERAL EMERGENCY CONTACTS

National Response Center (on call 24 hours)-----1-800-424-8802

U.S. EPA Response Center (on call 24 hours)-----1-800-296-1996

Chemtrec (Chemical Information - (on call 24 hours)-----1-800-424-9300

National Poison Control Center (Health Information)-----1-800-282-3171

RCRA Hotline (Information)-----1-800-424-9346

U.S. Coast Guard (on call 24 hours)-----1-305-535-4300

PRIVATE EMERGENCY RESPONSE CONTRACTORS

Chemical Waste Management-----1-800-438-2382

O.H. Materials-----1-800-537-9540

Earth Resources Consultants, Inc-----407-295-8848

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

LOCAL EMERGENCY CONTACTS

City of Boynton Beach Fire Department

Emergency -----911

Non-Emergency-----561-732-8166

City of Boynton Beach Police Department

Emergency -----911

Non-Emergency -----732-8116

Bethesda Memorial Hospital-----407-737-7733

Ambulance-----911

Poison Control-----1-800-282-3171

City of Boynton Beach Utilities Department-----375-6300

Mark Bobic-----375-6420

South Central Regional Wastewater Treatment/Disposal Board-----272-7061

Willie Williams-----734-2577

EMERGENCY REPORTING

Give the following information to all notified agencies and authorities:

1. Your name and telephone number.
2. Name and address of the facility.
3. Time and type of accident (e.g. release, fire, etc.)
4. Name and quantity of materials involved, to the extent known.
5. The extent of injuries, if any.
6. Possible hazards to human health or the environment outside the facility.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC

AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

CHART NO. 1

CHEMICAL	TRADE NAME	QTY	LOC	PHYSICAL PROPERTIES	HAZARD	SPECIAL PRECAUTIONS	EMER RESP ACTION
Hydrochloric Acid	N/A	1 gal	-A-	Form-Liquid Color-Clear Odor-Pungent Soluble in H ₂ O	Causes Severe damage to eyes, skin & internal organs	Hydrogen gas on contact w/metals. Strong oxidizer.	Tissue contact-flush w/H ₂ O Inhalation-Move to fresh air. Ingestion-NO VOMITING, Drink H ₂ O. GET MEDICAL HELP.
Inorganic Salt	LA-50 Product	15 gal	-B-	Soluble in H ₂ O Form-Liquid Color-Pale Blue Odor-Mild SG-1.33	Nonhazardous Biodegradable Skin/eye irritant.	Avoid mixing w/oxidizers & mineral acids. Avoid skin/eye contact	Flush w/H ₂ O. Clean spills w/absorbent. If ingested, drink H ₂ O or milk.
Sodium Salt	CR-20 Product	55 gal	-B-	Soluble in H ₂ O Form-Liquid Color-Clear Odor-Mild Sulfur	Nonhazardous Biodegradable Skin/eye irritant	Avoid mixing w/oxidizers & mineral acids. Avoid skin/eye contact.	Flush w/H ₂ O. Clean spills w/absorbent. If ingested, drink H ₂ O or milk.
Sodium Hydroxide	N/A	4 drums	-B-	Soluble in H ₂ O Form-Liquid Color-Clear Odor-None SG-1.3	Can damage skin, eyes & int. tissue	Do not inhale mist. Wash after handling	Inhalation-Move to fresh air. Ingestion-drink H ₂ O or milk. Tissue contact-flush w/H ₂ O.
Sulfuric Acid	N/A	4 drums	-B-	Form-Liquid Color-Clear Odor-None SG-1.84	Avoid inhalation, ingestion & skin/eye contact	Highly corrosive to metals. Avoid contact w/alkalis & combustible liquids	Neutralize spills w/soda ash. Tissue contact-wash w/H ₂ O. Ingestion-NO EMETICS or BAKING SODA. Give H ₂ O or milk.
Paints (Various)	Water Based	25 gal (total)	-C-	Form-Liquids Color/Odor-Variou Nonflammable	Avoid Skin/eye contact	Do not use H ₂ O extinguisher. Avoid skin/eye contact.	Use CO ₂ , dry chemicals or sand to extinguish. Tissue contact-flush w/H ₂ O. Ingestion-H ₂ O followed by milk of magnesia. Inhalation-move to fresh air,
Sodium Tartrate	Soda Ash	100 lbs	-D-	Form-White odorless crystals SG-1.82	Avoid breathing dust. & skin/eye contact	Generally regarded as safe Avoid oxidizing agents & acids	Ingestion-NO VOMITING Fire-CO ₂ or foam
Sodium Carbonate	N/A	200 lbs	-D-	Form-White, odorless flakes SG-2.5	Avoid breathing dust & skin/eye contact	Generally regarded as safe Avoid oxidizing agents & acids	Skin/Eye contact-Flush w/large quantities of H ₂ O. Inhalation-move to fresh air. Ingestion-drink H ₂ O
Penetrant Fluids	Various	3 drum	-E-	Form-Yellow/green liquid Petroleum odor. SG- 0.90	Flammable-Can release toxic fumes on burning	Avoid open flames & strong oxidizing agents, and skin/eye contact	Fire-CO ₂ foam, dry chemicals Skin/Eye contact-Flush w/H ₂ O Ingestion-NO VOMITING Inhalation-Move to fresh air
ZEP 143	Cleaner/Degreaser	1 drum	-E-	Form-Liquid SG-0.785	Avoid skin/eye contact, inhalation vapors & product. & ingestion	Avoid eye exposure to product.	Skin-Wash w/soap, use skin cream Eye-Flush w/H ₂ O. Inhalation-move to fresh air. Ingestion-NO VOMITING

Note: See Map, page 18 for LOCATION letter key.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC

AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00

CHART NO. 1 (cont.)

CHEMICAL	TRADE NAME	QTY	LOC	PHYSICAL PROPERTIES	HAZARD	SPECIAL PRECAUTIONS	EMER RESP ACTION
N/A	Acetone 1 gal	1 gal	-F-	Form-Liquid Color-Clear Odor-Pungent Flammable soluble in H ₂ O	Avoid skin/ eye contact.	Avoid sources of ignition. Use ade- quate ventilation, incompatible with oxidizers, acids & bases.	Tissue contact-flush w/H ₂ O Ingestion-Induce vomiting. Inhalation-Move to fresh air. Extinguish w/CO ₂ or dry chemicals.
N/A	Isopropyl Alcohol	10 gal	-G-	Form-Liquid Color-Clear Odor-Pungent SG-0.787 Flammable	Avoid skin/ eye contact.	Avoid sources of ignition. Use ade- quate ventilation.	Extinguish CO ₂ or dry chemicals. Tissue contact- flush w/H ₂ O. Ingestion- drink H ₂ O, induce vomiting. Inhalation-Move to fresh air.
N/A	Rustripper	2 drums	-H-	Form-Powder Color-Tan Odor-None Soluble in H ₂ O SG-1.20 Nonflammable	Avoid skin/ eye contact	Incompatible w/acids Corrosive. Do not inhale mist	Extinguish w/CO ₂ , foam, dry chemicals or H ₂ O. Tissue contact-Flush w/H ₂ O Ingestion-Contact doctor IMMEDIATELY. Inhalation- Move to fresh air.
Nitric Acid	Nitric Acid	1 gal	-A-	Form-Liquid Color-Clear Odor-Pungent Soluble in H ₂ O SG-1.41	Cause severe damage to eyes, skin & int organs	Reacts w/most metals strong alkalis, organics & reducing, agents.	Tissue contact-Flush w/H ₂ O Ingestion-Milk of Magnesia NO VOMITING. Inhalation- Move to fresh air, give oxygen.. Contain spills w/ absorbent. Cover w/sodium bicarbonate.
Hydrogen Peroxide	Hydrogen Peroxide	5 gal	-A-	Form-Liquid Color-Clear Odor-Pungent Soluble in H ₂ O SG-1.3, pH-3.2	Irritant to skin, eyes & int. organs.	Avoid heat/contaminants which causes release of O ₂ resulting in high containment pressure	Skin/eyes-Flush w/H ₂ O Ingestion-Drink H ₂ O. NO VOMITING. Inhalation- Move to fresh air
Mineral Spirits	Thinners & Solvents	3 gal	-F-	Form-Liquid Color-Clear Odor-Pungent Insoluble in H ₂ O	Causes skin, eye & tissue irritation.	Highly flammable.	Extinguish w/CO ₂ , dry chem- icals, foam, H ₂ O spray. Skin/eye contact-Flush w/ H ₂ O. Ingestion-NO VOMIT- ING. Call doctor. Inhala- tion,-Move to fresh air.
Paints (Various)	Solvent Based	25 gal (Total)	-I-	Per applicable MSDS	Generally Flammable	Per applicable MSDS	Extinguish w/CO ₂ , dry chem- icals, foam, H ₂ O spray, Skin/eye contact-Flush w/H ₂ O. Ingestion-NO VOMITING Call doctor. Inhalation-Move to fresh air.
N/A	Coolants, Cutting Fluids,etc	1 drum	-J-	Form-Liquids Color/Odor- Various	Avoid skin/ eye contact	Avoid sources of ig- nition, fumes irrit- able. Incompatible w/acids & oxidants	Eye/tissue contact-flush w/H ₂ O. Inhalation-move to fresh air, Ingestion- drink H ₂ O.



Note: See Map, page 18, for LOCATION letter key.

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00




FACILITY MAP

AIRFOIL TECHNOLOGIES INTERNATIONAL LLC
AIRFOIL TECHNOLOGIES FLORIDA

PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN

Rev. E

Dated 9/12/00



EMERGENCY EVACUATION ROUTES &
FIRE EXTINGUISHER LOCATIONS

☐ **Chemical Conservation of Georgia**
1612 James P. Rodgers Circle - Valdosta
912-244-0474 Fax: 912-333-0328

G: WASTE CHARACTERIZATION:

- [illegible]

If yes, check the subcategory:

check the subcategory: Water Reactive
Reactive Cyanide: conc. ppm

Air Reactive

Explosive

Other Reactive

Reactive Sulfide: conc. ppm

Waste Code	Constituent	< Then	Reg Level	Then >	Conc	Waste Code	Constituent	< Then	Reg Level	Then >	Conc
D004	Arsenic	<input checked="" type="checkbox"/>	5.0	<input type="checkbox"/>		D024	m-Cresol	<input checked="" type="checkbox"/>	200	<input type="checkbox"/>	
D005	Barium	<input checked="" type="checkbox"/>	100	<input type="checkbox"/>		D025	p-Cresol	<input checked="" type="checkbox"/>	200	<input type="checkbox"/>	
D006	Cadmium	<input checked="" type="checkbox"/>	1.0	<input checked="" type="checkbox"/>		D026	Cresol(o, m, p)	<input checked="" type="checkbox"/>	200	<input type="checkbox"/>	
D007	Chromium	<input checked="" type="checkbox"/>	5.0	<input type="checkbox"/>		D027	1,4-Dichlorobenzene	<input checked="" type="checkbox"/>	7.5	<input type="checkbox"/>	
D008	Lead	<input checked="" type="checkbox"/>	5.0	<input type="checkbox"/>		D028	1,2-Dichloroethane	<input checked="" type="checkbox"/>	0.5	<input type="checkbox"/>	
D009	Mercury	<input checked="" type="checkbox"/>	0.2	<input type="checkbox"/>		D029	1,1-Dichloroethylene	<input checked="" type="checkbox"/>	0.7	<input type="checkbox"/>	
D010	Selenium	<input checked="" type="checkbox"/>	1.0	<input type="checkbox"/>		D030	2,4-Dinitrotoluene	<input checked="" type="checkbox"/>	0.13	<input type="checkbox"/>	
D011	Silver	<input checked="" type="checkbox"/>	5.0	<input type="checkbox"/>		D031	Heptachlor	<input checked="" type="checkbox"/>	0.008	<input type="checkbox"/>	
D012	Endrin	<input checked="" type="checkbox"/>	0.02	<input type="checkbox"/>		D032	Hexachlorobenzene	<input checked="" type="checkbox"/>	0.13	<input type="checkbox"/>	
D013	Lindane	<input checked="" type="checkbox"/>	0.4	<input type="checkbox"/>		D033	Hexachlorobutadiene	<input checked="" type="checkbox"/>	0.5	<input type="checkbox"/>	
D014	Methoxychlor	<input checked="" type="checkbox"/>	10	<input type="checkbox"/>		D034	Hexachloroethane	<input checked="" type="checkbox"/>	3.0	<input type="checkbox"/>	
D015	Toxaphene	<input checked="" type="checkbox"/>	0.5	<input type="checkbox"/>		D035	Methyl Ethyl Ketone	<input checked="" type="checkbox"/>	200	<input type="checkbox"/>	
D016	2,4 - D	<input checked="" type="checkbox"/>	10	<input type="checkbox"/>		D036	Nitrobenzene	<input checked="" type="checkbox"/>	2.0	<input type="checkbox"/>	
D017	2,4,5-TP(Silvex)	<input checked="" type="checkbox"/>	1	<input type="checkbox"/>		D037	Pentachlorophenol	<input checked="" type="checkbox"/>	100	<input type="checkbox"/>	
D018	Benzene	<input checked="" type="checkbox"/>	0.5	<input type="checkbox"/>		D038	Pyridine	<input checked="" type="checkbox"/>	5.0	<input type="checkbox"/>	
D019	Carbon Tetrachloride	<input checked="" type="checkbox"/>	0.5	<input type="checkbox"/>		D039	Tetrachloroethylene	<input checked="" type="checkbox"/>	0.7	<input type="checkbox"/>	
D020	Chlordane	<input checked="" type="checkbox"/>	0.03	<input type="checkbox"/>		D040	Trichloroethylene	<input checked="" type="checkbox"/>	0.5	<input type="checkbox"/>	
D021	Chlorobenzene	<input checked="" type="checkbox"/>	100	<input type="checkbox"/>		D041	2,4,5-Trichlorophenol	<input checked="" type="checkbox"/>	400	<input type="checkbox"/>	
D022	Chloroform	<input checked="" type="checkbox"/>	6.0	<input type="checkbox"/>		D042	2,4,6-Trichlorophenol	<input checked="" type="checkbox"/>	2.0	<input type="checkbox"/>	
D023	o-Cresol	<input checked="" type="checkbox"/>	200	<input type="checkbox"/>		D043	Vinyl Chloride	<input checked="" type="checkbox"/>	0.2	<input type="checkbox"/>	

Based on:

Total Analysis ☐

TCLP Analysis ☐

Generator Knowledge ☒

- 5 Is this a EPA Toxic Waste (D004-D043)* as defined in 40 CFR 261.24?**

If D009: Is the total Mercury concentration above 260 ppm?

* If this is a D001, D002, D003(selected) or D004-D043 does it contain any of the Underlying Hazardous Constituents (UHC) above Universal Treatment Standards(UTS)?

If Yes, include a UTS/UHC form with the profile

- 6 Is this waste a Dioxin Or Furan per 40 CFR 261.31?**

- 7 a. Is this a Non-Hazardous Waste?**

FOR WASTE DISPOSAL AT PERMA-FIX OF MICHIGAN ONLY:

- b. Is this a hazardous Waste by state regulation only
- c. Is this a Michigan Act 451 listed hazardous waste?

If you answered Yes to any question in Section G, enter the appropriate waste code(s) on the lines below.

Waste Codes: D086

H. BENZENE NESHAAP 40 CFR 61, SUBPART FF (Hazardous waste with Benzene Only)

If question 1, 2 or 3 is No, proceed to section I.

YES ☐ NO ☒

1 Is this waste stream generated at a facility with a SIC code listed under NESHAAP, or a TSDF that treats NESHAAP waste? SIC Code _____ listed codes: (2800-2899, 2911, or 3312)

☐ YES ☒ NO

2 Does the waste contain > 10% water

3 Is the total Annual Benzene quantity from the facility waste greater than 10Mg/Yr (2,200lbs/yr).

☐ YES ☒ NO

If Question 1, 2, or 3 is No, proceed to Section I

4 What is the total Benzene concentration in Your Waste? _____ % or _____ ppmw.

(Do not use TCLP results. Acceptable laboratory methods include 8020, 8240, 8260, 602, and 624)

5 What is the TAB quantity for the generator facility? _____ Mg/Year

I. PACKAGING/ QUANTITY

1 Non-Bulk ☐ 1 gal ☐ 5 gal ☒ 55 gal ☐ 85 gal ☐ Other _____
 Cubic Yard ☐ Boxes ☐ Bags ☐ Totes ☐ Pallets ☐ Other _____
 Quantity _____ 2 Per: ☐ Month ☒ Quarter ☐ Year ☐ Once
 2 Bulk: ☐ Tanker ☐ Vac Truck ☐ Rolloff ☐ Dump Trailer ☐ Closed Top ☐ Open Top
 Quantity _____ lbs. Per: ☐ Month ☐ Quarter ☐ Year ☐ Tons ☐ Once

J. DOT SHIPPING INFORMATION:

Enter proper DOT shipping name from 49 CFR 172.101 table:

R.Q., Hazardous waste solid, n.o.s.

List 2 major components:

(aluminum oxide Bead Media)

Hazard Class 9

NA code 3077

PG III

K. ATTACHMENTS: (Check all that apply and include with profile)

☒ UTS/UHC Form ☐ Process Flow Diagram ☐ Generator authorization
☐ Analysis ☐ PCB source statement ☐ Labpack inventory sheet
☐ Additional Description ☐ Material Safety Data Sheet ☒ Land Disposal Notification

L. CERTIFICATION:

I hereby certify that all the information submitted in this and all attached documents is complete and accurate.

All known and suspected hazards have been disclosed. By signing below, I give Perma-Fix Environmental Services, Inc., and all of its subsidiaries, permission to make minor changes to this profile prior to its acceptance should they find an error or omission.

Printed Name: Paul Bailey

Signature: _____

Date: 8/24/00

**Signatures other than the generator are required to submit an approved authorization letter from the generator to certify this profile

INTERNAL USE ONLY:

Review

1 _____

2 _____

3 _____

Profile I.D. No. _____

APPROVED ☐

REJECTED ☐

Form Code B _____

Waste Codes _____

DOT _____

Destination/Consolidation Code _____

Price & Initial

\$255.00/55 gal.

Out Bound Approval _____

Facility _____

Notes: _____

Chemical Conservation Corp.
FLD980369728

Perma-Fix of Michigan, Inc.
MED000963194

Chemical Conservation of Georgia
GAD093300014

REV 7/6/00

3

ES:01

00/11/00

Page _____ of _____

Manifest No.

REF ID: A666607

This is a non-wastewater stream.

NOTE: BOXES CORRESPOND TO MANIFEST LINE ITEM

The waste(s) described above, does not meet the applicable treatment standards in 40 CFR 268 Subpart D.

SUBPART CC: INDICATE WHETHER WASTES ON THE MANIFEST ARE REGULATED UNDER SUBPART CC FOR CONTAINING VOC'S IN CONCENTRATION LEVELS EQUAL TO OR GREATER THAN 500 PPMW BY ENTERING A "Y" FOR "YES" OR "N" FOR "NO" AS APPROPRIATE.

SUBCATEGORY / CONSTITUENTS

MLI	SUBCATEGORY / CONSTITUENTS
D001	Ignitable Wastes (TOC>10%)
D001*	Ignitable Wastes (TOC<10%)
D002*	Corrosive Wastes
D003	Reactive Sulfides based on 261.23(a)(5)
D003*	Explosives based on 261.23(a) (6),(7),(8)
D003	Unexploded ordnance/explosive
D003*	Other Reactive based on 261.23(a)(1)
D003*	Water Reactive based on 261.23(a) (2),(3),(4)
D003	Reactive Cyanides based on 261.23(a) (5)
D004*	Arsenic
D005*	Barium
D006*	Cadmium
D006*	Cadmium Containing Batteries
D007*	Chromium
D008*	Lead
D008*	Lead Acid Batteries
D009*	High Mercury-Organic
D009*	High Mercury-Inorganic
D009*	Low Mercury
D009*	Mercury Wastewater
D010*	Selenium
D011*	Silver
D012*	Endrin
D013*	Lindane
D014*	Methoxychlor
D015*	Toxaphene
D016*	2,4-D
D017*	2,4,5-TP (Silvex)
D018*	Benzene
D019*	Carbon Tetrachloride
D020*	Chlordane
D021*	Chlorobenzene
D022*	Chloroform
D023*	o-Cresol
D024*	m-Cresol
D025*	p-Cresol
D026*	Cresol (total)
D027*	p-Dichlorobenzene
D028*	1,2-Dichloroethane
D029*	1,1-Dichloroethylene
D030*	2,4-Dinitrotoluene
D031*	Heptachlor
D032*	Hexachlorobenzene
D033*	Hexachlorobutadiene
D034*	Hexachloroethane
D035*	Methyl ethyl ketone
D036*	Nitrobenzene
D037*	Pentachlorophenol
D038*	Pyridine
D039*	Tetrachloroethylene
D040*	Trichloroethylene
D041*	2,4,5-Trichlorophenol
D042*	2,4,6-Trichlorophenol
D043*	Vinyl chloride

MLI

CODE

F001
F002
F003
F004
F005

SUBCATEGORY / CONSTITUENTS

Spent Halogenated Solvents
Spent Halogenated Solvents
Spent Non-Halogenated Solvents
Spent Non-Halogenated Solvents
Spent Non-Halogenated Solvents

**CHECK REGULATED CONSTITUENTS FOR LISTED WASTES IDENTIFIED ABOVE
(F001-F005):**

Acetone
Benzene
n-Butyl alcohol
Carbon disulfide
Carbon tetrachloride
Chlorobenzene
o-Cresol
m-Cresol
p-Cresol
Cresol
Cyclohexanone
o-Dichlorobenzene
Ethyl acetate
Ethyl benzene
Ethyl ether
Isobutyl alcohol
Methanol
Methylene chloride
Methyl ethyl ketone
Methyl isobutyl ketone
Nitrobenzene
Pyridine
Tetrachloroethylene
Toluene
1,1,1-Trichloroethane
1,1,2-Trichloroethane
1,1,2,2-Tetrachloroethane
Trichloroethylene
Trichloromonofluoromethane
Xylenes
2-Nitropropane
2-Ethoxyethanol

F006	Electroplating WWT sludge
F036	Wood preserving wastewater
F037	Petroleum refinery primary oil/water separation sludge
F038	Petroleum refinery secondary oil/water separation sludge
F039	Multi-source Leachate
K048	Dissolved air flotation float
K049	Slip oil emulsion solids

Does the waste identified by an asterisk (*) contain any Underlying Hazardous Constituents per 268.7(a)(1)? ☐ ☐ ☐ ☒ YES

IF YES, *attach a completed UTS/UNC form to this document*

C. OTHER WASTES (for codes not listed above)

Enter waste codes/subcategory, if applicable, in the table below.

M	L	I	Error waste codes/subcategory, if applicable, in the table below.
			<i>A A A A</i>

Signature: [Signature]
FORM 929 - REV 9/88 - CURTIS1000

Date:

10:34

00/11/80

00/11/80

UNIVERSAL TREATMENT STANDARDS(UTS)/UNDERLYING HAZARDOUS CONSTITUENTS(UHC) FORM

Generator No: HERFOLD TECHNOLOGIES FL, INC Manifest No: _____Page 2 of 2

MLI	WW	NWW	MLI	WW	NWW
Formaldehyde	0.056	1.4	Physostigmine edicylate	0.056	1.4
Heptachlor	0.0012	0.066	Promecarb	0.066	1.4
Heptachlor epoxide	0.016	0.066	Promide	0.066	1.5
Hexachlorobenzene	0.055	10	Propam	0.066	1.4
Hexachlorobutadiene	0.065	5.6	Propoxur	0.066	1.4
Hexachlorocyclopentadiene	0.057	2.4	Prothioncarb	0.042	1.4
Hexachloroethane	0.065	30	Pyrene	0.067	8.2
Hexachloropropylene	0.035	30	Pyridine	0.014	16
HxCDDs (All Hexachlorodibenzo-p-dioxins)	0.000083	0.001	Saltol	0.081	22
HxCDFs (All Hexachlorodibenzofurans)	0.000083	0.001	Silver (2,4,5-TP)	0.72	7.9
Indeno (1,2,3-c,d) pyrene	0.0055	3.4	1,2,4,5-Tetrachlorobenzene	0.066	14
Iodomethane	0.19	65	TCDDs (All Tetrachlorodibenzo-p-dioxins)	0.000083	0.001
Isobutyl alcohol	5.6	170	TCDFs (All Tetrachlorodibenzofurans)	0.000083	0.001
Isoflin	0.021	0.066	1,1,1,2-Tetrachloroethane	0.057	6
Isoflin	0.066	1.4	1,1,2,2-Tetrachloroethane	0.057	6
Isoflin	0.061	2.6	Tetrachloroethylene	0.066	6
Kapone	0.0011	0.13	2,3,4,6-Tetrachlorophenol	0.03	7.4
Methacrylonitrile	0.24	64	Thiodicarb	0.019	1.4
Methanol	5.6	0.75*	Thiophenol-methyl	0.056	1.4
Methapyrene	0.081	1.5	Tripate	0.066	0.28
Methiocarb	0.066	1.4	Toluene	0.08	10
Methomyl	0.028	0.14	Toxaphene	0.0095	2.6
Methoxychlor	0.25	0.18	Trielate	0.042	1.4
Methyl ethyl ketone	0.28	36	Tribromomethane (Bromoform)	0.63	15
Methyl isobutyl ketone	0.14	33	1,2,4-Trichlorobenzene	0.056	19
Methyl methacrylate	0.14	160	1,1,1-Trichloroethane	0.054	6
Methyl methanesulfonate	0.018	N/A	1,1,2-Trichloroethane	0.054	6
Methyl parathion	0.014	4.6	Trichloroethylene	0.054	6
3-Methylcholanthrene	0.0055	15	Trichloromonochloromethane	0.02	30
4,4-Methylene bis(2-chloroaniline)	0.5	30	2,4,5-Trichlorophenol	0.18	7.4
Methylene chloride	0.066	30	2,4,6-Trichlorophenol	0.035	7.4
Methiocarb	0.056	1.4	2,4,5-Trichlorophenoxyacetic acid(2,4,5-T)	0.72	7.9
Methiocarb	0.056	1.4	1,2,3-Trichloropropane	0.66	30
Molinate	0.042	1.4	1,1,2-Trichloro-1,2,2-trifluoroethane	0.067	30
Naphthalene	0.059	5.6	Triethylamine	0.081	1.5
2-Naphthylamine	0.52	N/A	tris-(2,3-Dibromopropyl) phosphate	0.11	0.1
o-Nitroaniline	0.27	14	Verolate	0.042	1.4
p-Nitroaniline	0.028	28	Vinyl chloride	0.27	6
Nitrobenzene	0.066	14	Xylene(s)	0.32	30
5-Nitro-o-toluidine	0.32	28	Cyanides (Total)	1.2	990
o-Nitrophenol	0.028	13	Cyanides (Amenable)	0.66	30
p-Nitrophenol	0.12	29	Fluoride**	35	N/A
N-Nitrosodimethylamine	0.4	28	Sulfide	14	N/A
N-Nitrosodimethylamine	0.4	2.3	Antimony	1.9	1.15*
N-Nitroso-di-n-butylamine	0.4	17	Arsenic	1.4	5.0*
N-Nitrosomethylamine	0.4	2.3	Barium	1.2	21.0*
N-Nitrosomorpholine	0.4	2.3	Beryllium	0.62	1.22*
N-Nitrosopiperidine	0.013	35	Cadmium	0.66	0.11*
N-Nitrosopyrrolidine	0.013	35	Chromium (Total)	2.77	0.60*
Oxamyl	0.056	0.28	Lead	0.66	0.75*
Parathion	0.014	4.6	Mercury (Nonwastewater from Refractor)	N/A	0.20*
Total PCBs	0.1	10	Mercury (All others)	0.15	0.025*
Pebulate	0.042	1.4	Nickel	3.98	11.0*
Pentachlorobenzene	0.055	10	Selenium	0.62	5.7*
PeCDDs (All Pentachlorodibenzo-p-dioxins)	0.000083	0.001	Silver	0.43	0.14*
PeCDFs (All Pentachlorodibenzofurans)	0.000083	0.001	Thallium	1.4	0.20*
Pentachloroethane	0.055	6	Vanadium**	4.3	1.6*
Pentachloronitrobenzene	0.055	4.8	Zinc**	2.61	4.3*
Pentachlorophenol	0.066	7.4			
Phenacetyl	0.081	16			
Phenanthrene	0.059	5.6			
Phenol	0.039	6.2			
o-Phenylenediamine	0.056	5.6			
Phorate	0.021	4.6			
Phthalic acid	0.066	28			
Phthalic anhydride	0.066	28			
Physostigmine	0.056	1.4			

* TCLP Values

** Not UHC in characteristic wastes (268.2(f)).

Do the waste stream(s) identified on the manifest listed above or on the attached profile contain any of the constituents listed on this table in concentrations above the regulatory levels?

☒ YES☐ NOSignature: [Signature]Date: 8/24/00

CHEM - MET SERVICES, INC.
550 Allen Rd. *Brownstown, MI 48192
(734) 282-9250 Fax: (734) 282-1655
(800) 232-9251
MID 096 963 194

CHEMICAL CONSERVATION CORPORATION
10100 Rocket Blvd. - Orlando, FL 32824
859-4441 Fax: (407) 855-2812
(800) 345-6393
FLD 980 559 728

CHEMICAL CONSERVATION OF GEORGIA
1612 James P. Rodgers Circle - Valdosta, GA 31601
(912) 244-0474 Fax: (912) 333-0328
GAD 093 380 814

WASTE PROFILE RENEWAL

Vastestream TSDF:

For Generator:

Broker:

~~10100 Rocket Blvd.~~
~~ORLANDO, FL 32824~~
~~859-4441~~ AIRFOIL TECHNOLOGIES
~~(407) 855-2812~~ FLORIDA, INC.
~~(800) 345-6393~~
~~FLD 980 559 728~~

1612 James P. Rodgers Circle
Valdosta, GA 31601
(912) 244-0474
Fax: (912) 333-0328
GAD 093 380 814

near Generator /Customer:

This notification is required by 40 CFR 264.13 / 265.13 and the Waste Analysis Plan of the above named TSDF and must be repeated annually for each waste stream managed by the named TSDF.

Please check the appropriate box below.

☒ **RENEW WITHOUT CHANGE.** Sign and return. If documentation is more than 2 years old complete the reverse side.

☐ **RENEW WITH CHANGE.** Complete reverse side. Indicate changes in waste generating process and / or waste stream that is different from information last submitted. Sign and return.

☐ **CANCEL** this wastestream approval. Sign and return.

Questions? Please call your broker or Sales Representative.

Sign, date and return this original to :

Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Certified by

Title

Date

Wastestream Identification:

Analysis Number : SER66607
Description : PCB, Hazardous waste, solid, h.c.s.
: 10, NAS077, III
: 1611 SAND/GLASS BEAD MEDIA 2/MO
Waste Code(s) : D006
UN/NA ID. : NAS077A
Origin & Expiration Date : 980922 980628
Last Activity Date : 980924

APR 05 1999

REC'D CCF _____
DATE _____ ☐ FX ☐ ON ☐ TK
☐ CCG ☐ CM ☐ OTHER _____

TSDF Management:(TSDF LAB USE ONLY)

Notes:

APPROVED ☐ REJECTED ☐ AUTHORIZED BY:

Date:

2nd Auth:

Date:

Chemical Conservation Corp. Chem-Met Services, Inc. Chemical Conservation of Georgia, Inc.
UNIVERSAL TREATMENT STANDARDS(UTS)/UNDERLYING HAZARDOUS CONSTITUENTS(UHC) FORM

Generator Name: AIRTEL TECHNOLOGIES FLORIDA INC

Manifest No: _____

Page: 1 of 2

SERU0007

List all constituents on both pages of this document that are present in D001(except for TOC ≥ 10%), D002, D003# and D004-D043 waste streams in concentrations above the stated levels. The regulatory levels are in total concentrations, unless noted with an asterick. (# Explosive, water reactive and other reactive only) (WW = Wastewater; NWW = Non-Wastewater). Insert the manifest line identifier (MLI) in the box to the left of the constituents. If using this form in association with a profile, place an X in the box next to the appropriate constituent(s).

MLI		WW	NWW	MLI		WW	NWW
	A2213	0.042	1.4		m-Cumenyl methylcarbamate	0.056	1.4
	Acenaphthene	0.059	3.4		Cyclohexanone	0.36	0.75*
	Acenaphthylene	0.059	3.4		o,p'- DDD	0.023	0.087
	Acetone	0.28	160		p,p'- DDD	0.023	0.087
	Acetonitrile	5.6	38		o,p'- DDE	0.031	0.087
	Acetophenone	0.01	9.7		p,p'- DDE	0.031	0.087
	2-Acetylaminofluorene	0.059	140		o,p'- DDT	0.0039	0.087
	Acrolein	0.29	N/A		p,p'- DDT	0.0039	0.087
	Acrylamide	19	23		Dibenz(a,h)anthracene	0.055	8.2
	Acrylonitrile	0.24	84		Dibenz(a,e)pyrene	0.061	N/A
	Aldicarb sulfone	0.056	0.28		1,2-Dibromo-3-chloropropane	0.11	15
	Aldrin	0.021	0.066		1,2- Dibromoethane (Ethylene dibromide)	0.028	15
	4-Aminobiphenyl	0.13	N/A		Dibromomethane	0.11	15
	Aniline	0.81	14		m-Dichlorobenzene	0.036	6
	Anthracene	0.059	3.4		o- Dichlorobenzene	0.088	6
	Aramite	0.36	N/A		p- Dichlorobenzene	0.09	6
	Barban	0.056	1.4		Dichlorodifluoromethane	0.23	7.2
	Bendiocarb	0.056	1.4		1,1- Dichloroethane	0.059	6
	Bendiocarb phenol	0.056	1.4		1,2- Dichloroethane	0.21	6
	Benomyl	0.056	1.4		1,1- Dichloroethylene	0.025	6
	Benz (a) anthracene	0.059	3.4		trans-1,2- Dichloroethylene	0.054	30
	Benzal Chloride	0.055	6		2,4- Dichlorophenol	0.044	14
	Benzene	0.14	10		2,6- Dichlorophenol	0.044	14
	Benzo (b) fluoranthene	0.11	6.8		2,4-Dichlorophenoxyacetic acid (2,4-D)	0.72	10
	Benzo (k) fluoranthene	0.11	6.8		1,2- Dichloropropane	0.85	18
	Benzo (g,h,i) perylene	0.0055	1.8		cis-1,3-Dichloropropylene	0.036	18
	Benzo (a) pyrene	0.061	3.4		trans-1,3-Dichloropropylene	0.036	18
	alpha-BHC	0.00014	0.066		Dieldrin	0.017	0.13
	beta-BHC	0.00014	0.066		Diethyl phthalate	0.2	28
	delta-BHC	0.023	0.066		Diethylene glycol, dicarbamate	0.056	1.4
	gamma-BHC (Lindane)	0.0017	0.066		p-Dimethylaminoazobenzene	0.13	N/A
	Bromodichloromethane	0.35	15		2,4-Dimethyl phenol	0.036	14
	Bromomethane (Methyl bromide)	0.11	15		Dimethyl phthalate	0.047	28
	4-Bromophenyl phenyl ether	0.055	15		Dimetilan	0.056	1.4
	n-Butyl alcohol	5.6	2.6		Di-n-butyl phthalate	0.057	28
	Butyl benzyl phthalate	0.017	28		1,4-Dinitrobenzene	0.32	2.3
	Butylate	0.042	1.4		4,6-Dinitro-o-cresol	0.28	160
	2-sec-Butyl 4,6-dinitrophenol (Dinoseb)	0.066	2.5		2,4- Dinitrophenol	0.12	160
	Carbaryl	0.006	0.14		2,4-Dinitrotoluene	0.32	140
	Carbenzadim	0.056	1.4		2,6-Dinitrotoluene	0.55	28
	Carbofuran	0.006	0.14		Di-n-octyl phthalate	0.017	28
	Carbofuran phenol	0.056	1.4		Di-n-propylnitrosamine	0.4	14
	Carbon disulfide	3.8	4.8*		1,4-Dioxane	12	170
	Carbon tetrachloride	0.057	6		Diphenylamine	0.92	13
	Carbosulfan	0.028	1.4		Diphenylnitrosamine	0.92	13
	Chlordane(alpha & gamma)	0.0033	0.26		1,2- Diphenylhydrazine	0.087	N/A
	p-Chloroaniline	0.46	16		Disulfoton	0.017	6.2
	Chlorobenzene	0.057	6		Dithiocarbamates (total)	0.028	28
	Chlorobenzilate	0.1	N/A		Endosulfan I	0.023	0.066
	2-Chloro-1,3-butadiene	0.057	0.28		Endosulfan II	0.029	0.13
	Chlorodibromomethane	0.057	15		Endosulfan sulfate	0.029	0.13
	Chloroethane	0.27	6		Endrin	0.0028	0.13
	bis-(2-Chloroethoxy)methane	0.036	7.2		Endrin aldehyde	0.025	0.13
	bis-(2-Chloroethyl)ether	0.033	6		EPTC	0.042	1.4
	2-Chloroethyl vinyl ether	0.062	N/A		Ethyl acetate	0.34	33
	Chloroform	0.046	6		Ethyl benzene	0.057	10
	bis-(2-Chloroisopropyl)ether	0.055	7.2		Ethyl cyanide (Propanenitrile)	0.24	360
	p-Chloro-m-cresol	0.018	14		Ethyl ether	0.12	160
	Chloromethane (Methyl chloride)	0.19	30		Ethyl methacrylate	0.14	160
	2-Chloronaphthalene	0.055	5.6		Ethylene oxide	0.12	N/A
	2-Chlorophenol	0.044	5.7		bis(2-Ethylhexyl) phthalate	0.28	28
	3-Chloropropylene	0.036	30		Famphur	0.017	15
	Chrysene	0.059	3.4		Fluoranthene	0.068	3.4
	o-Cresol	0.11	5.6		Fluorene	0.059	3.4
	Cresol (m-or p-isomers)	0.77	5.6		Formetanate hydrochloride	0.056	1.4

REV998

UNIVERSAL TREATMENT STANDARDS (UTS)/UNDERLYING HAZARDOUS CONSTITUENTS (UHC) FORM

Generator Name: AIRTEL TECHNOLOGIES FLORIDA, INC.

Manifest No: _____

Page 2 of 2

MLI

SER 16607

WW

WWW

MLI

WW

WWW

	Formparanate	0.056	1.4
	Heptachlor	0.0012	0.066
	Heptachlor epoxide	0.016	0.066
	Hexachlorobenzene	0.055	10
	Hexachlorobutadiene	0.055	5.6
	Hexachlorocyclopentadiene	0.057	2.4
	Hexachloroethane	0.055	30
	Hexachloropropylene	0.035	30
	HxCDDs (All Hexachlorodibenzo-p-dioxins)	0.000063	0.001
	HxCDFs (All Hexachlorodibenzofurans)	0.000063	0.001
	Indeno (1,2,3-c,d) pyrene	0.0055	3.4
	Iodomethane	0.19	65
	Isobutyl alcohol	5.6	170
	Isodrin	0.021	0.066
	Isolan	0.056	1.4
	Isosafrole	0.081	2.5
	Kepon	0.0011	0.13
	Methacrylonitrile	0.24	84
	Methanol	5.6	0.75*
	Methapyriene	0.081	1.5
	Methiocarb	0.056	1.4
	Methomyl	0.028	0.14
	Methoxychlor	0.25	0.18
	Methyl ethyl ketone	0.28	35
	Methyl isobutyl ketone	0.14	33
	Methyl methacrylate	0.14	160
	Methyl methanesulfonate	0.018	N/A
	Methyl parathion	0.014	4.6
	3-Methylcholanthrene	0.0055	15
	4,4-Methylene bis(2-chloroaniline)	0.5	30
	Methylene chloride	0.089	30
	Metolcarb	0.056	1.4
	Mexacarbate	0.056	1.4
	Molinate	0.042	1.4
	Naphthalene	0.059	5.6
	2-Naphthylamine	0.52	N/A
	o-Nitroaniline	0.27	14
	p-Nitroaniline	0.028	28
	Nitrobenzene	0.068	14
	5-Nitro-o-toluidine	0.32	28
	o-Nitrophenol	0.028	13
	p-Nitrophenol	0.12	29
	N-Nitrosodiethylamine	0.4	28
	N-Nitrosodimethylamine	0.4	2.3
	N-Nitroso-di-n-butylamine	0.4	17
	N-Nitrosomethylethylamine	0.4	2.3
	N-Nitrosomorpholine	0.4	2.3
	N-Nitrosopiperidine	0.013	35
	N-Nitrosopyrrolidine	0.013	35
	Oxamyl	0.056	0.28
	Parathion	0.014	4.6
	Total PCBs	0.1	10
	Pebulate	0.042	1.4
	Pentachlorobenzene	0.055	10
	PeCDDs (All Pentachlorodibenzo-p-dioxins)	0.000063	0.001
	PeCDFs (All Pentachlorodibenzofurans)	0.000035	0.001
	Pentachloroethane	0.055	6
	Pentachloronitrobenzene	0.055	4.8
	Pentachlorophenol	0.089	7.4
	Phenacetin	0.081	16
	Phenanthrene	0.059	5.6
	Phenol	0.039	6.2
	o-Phenylenediamine	0.056	5.6
	Phorate	0.021	4.6
	Phthalic acid	0.055	28
	Phthalic anhydride	0.055	28
	Physostigmine	0.056	1.4

	Physostigmine salicylate	0.056	1.4
	Promecarb	0.056	1.4
	Pronamide	0.093	1.5
	Propham	0.056	1.4
	Propoxur	0.056	1.4
	Prosulfocarb	0.042	1.4
	Pyrene	0.067	8.2
	Pyridine	0.014	16
	Safrole	0.081	22
	Silvex (2,4,5-TP)	0.72	7.9
	1,2,4,5-Tetrachlorobenzene	0.055	14
	TCDDs (All Tetrachlorodibenzo-p-dioxins)	0.000063	0.001
	TCDFs (All Tetrachlorodibenzofurans)	0.000063	0.001
	1,1,1,2-Tetrachloroethane	0.057	6
	1,1,2,2-Tetrachloroethane	0.057	6
	Tetrachloroethylene	0.056	6
	2,3,4,6-Tetrachlorophenol	0.03	7.4
	Thiodicarb	0.019	1.4
	Thiophanate-methyl	0.056	1.4
	Tirpate	0.056	0.28
	Toluene	0.08	10
	Toxaphene	0.0095	2.6
	Triallate	0.042	1.4
	Tribromomethane (Bromoform)	0.63	15
	1,2,4-Trichlorobenzene	0.055	19
	1,1,1-Trichloroethane	0.054	6
	1,1,2-Trichloroethane	0.054	6
	Trichloroethylene	0.054	6
	Trichloromonofluoromethane	0.02	30
	2,4,5-Trichlorophenol	0.18	7.4
	2,4,6-Trichlorophenol	0.035	7.4
	2,4,5-Trichlorophenoxyacetic acid(2,4,5-T)	0.72	7.9
	1,2,3-Trichloropropane	0.85	30
	1,1,2-Trichloro-1,2,2-trifluoroethane	0.057	30
	Triethylamine	0.081	1.5
	tris-(2,3-Dibromopropyl) phosphate	0.11	0.1
	Vernolate	0.042	1.4
	Vinyl chloride	0.27	6
	Xylene(s)	0.32	30
	Cyanides (Total)	1.2	590
	Cyanides (Amenable)	0.86	30
	Fluoride**	35	N/A
	Sulfide	14	N/A
	Antimony	1.9	1.15*
	Arsenic	1.4	5.0*
	Barium	1.2	21.0*
	Beryllium	0.82	1.22*
	Cadmium	0.69	0.11*
	Chromium (Total)	2.77	0.60*
	Lead	0.69	0.75*
	Mercury (Nonwastewater from Retort)	N/A	0.20*
	Mercury (All others)	0.15	0.025*
	Nickel	3.98	11.0*
	Selenium	0.82	5.7*
	Silver	0.43	0.14*
	Thallium	1.4	0.20*
	Vanadium**	4.3	1.6*
	Zinc**	2.61	4.3*

* TCLP Values

** Not UHC in characteristic wastes (268.2(i)).

Do the waste stream(s) identified on the manifest listed above or on the attached profile contain any of the constituents listed on this table in concentrations above the regulatory levels?

☒ YES☐ NO

Signature

Date:

4-21-99

SUBPART CC AND LAND DISPOSAL RESTRICTION NOTIFICATION FORM

Generator Name

AIRETEC TECHNOLOGIES FLORIDA, INC.

Manifest No.

Page of

This is a wastewater stream.

SEP 6 6 07

This is a non-wastewater stream.

NOTE: BOXES CORRESPOND TO MANIFEST LINE ITEM

The waste(s) described above, does not meet the applicable treatment standards in 40 CFR 268 Subpart D.

SUBPART CC: INDICATE WHETHER WASTES ON THE MANIFEST ARE REGULATED UNDER SUBPART CC FOR CONTAINING VOC'S IN CONCENTRATION LEVELS EQUAL TO OR GREATER THAN 500 PPMW BY ENTERING A "Y" FOR "YES" OR "N" FOR "NO" AS APPROPRIATE.

A. CHARACTERISTIC WASTE

MLI	CODE	SUBCATEGORY/CONSTITUENTS
	D001	Ignitable Wastes (TOC > 10%)
	D001*	Ignitable Wastes (TOC < 10%)
	D002*	Corrosive Wastes
	D003	Reactive Sulfides based on 261.23(a)(5)
	D003*	Explosives based on 261.23(a)(6),(7),(8)
	D003	Unexploded ordnance/explosive
	D003*	Other Reactive based on 261.23(a)(1)
	D003*	Water Reactive based on 261.23(a)(2),(3),(4)
	D003	Reactive Cyanides based on 261.23(a)(5)
	D004*	Arsenic
	D005*	Barium
	D006*	Cadmium
	D006*	Cadmium Containing Batteries
	D007*	Chromium
	D008*	Lead
	D008*	Lead Acid Batteries
	D009*	High Mercury-Organic
	D009*	High Mercury-Inorganic
	D009*	Low Mercury
	D009*	Mercury Wastewater
	D010*	Selenium
	D011*	Silver
	D012*	Endrin
	D013*	Lindane
	D014*	Methoxychlor
	D015*	Toxaphene
	D016*	2,4-D
	D017*	2,4,5-TP (Silvex)
	D018*	Benzene
	D019*	Carbon Tetrachloride
	D020*	Chloroform
	D021*	Chlorobenzene
	D022*	Chloroform
	D023*	o-Cresol
	D024*	m-Cresol
	D025*	p-Cresol
	D026*	Cresol (total)
	D027*	p-Dichlorobenzene
	D028*	1,2-Dichloroethane
	D029*	1,1-Dichloroethylene
	D030*	2,4-Dinitrotoluene
	D031*	Heptachlor
	D032*	Hexachlorobenzene
	D033*	Hexachlorobutadiene
	D034*	Hexachloroethane
	D035*	Methyl ethyl ketone
	D036*	Nitrobenzene
	D037*	Pentachlorophenol
	D038*	Pyridine
	D039*	Tetrachloroethylene
	D040*	Trichloroethylene
	D041*	2,4,5-Trichlorophenol
	D042*	2,4,6-Trichlorophenol
	D043*	Vinyl chloride

B. LISTED WASTE

MLI	CODE	SUBCATEGORY/CONSTITUENTS
	F001	Spent Halogenated Solvents
	F002	Spent Halogenated Solvents
	F003	Spent Non-Halogenated Solvents
	F004	Spent Non-Halogenated Solvents
	F005	Spent Non-Halogenated Solvents

CHECK REGULATED CONSTITUENTS FOR LISTED WASTES IDENTIFIED ABOVE (F001-F005):

MLI	CODE	CONSTITUENT
		Acetone
		Benzene
		n-Butyl alcohol
		Carbon disulfide
		Carbon tetrachloride
		Chlorobenzene
		o-Cresol
		m-Cresol
		p-Cresol
		Cresol
		Cyclohexanone
		o-Dichlorobenzene
		Ethyl acetate
		Ethyl benzene
		Ethyl ether
		Isobutyl alcohol
		Methanol
		Methylene chloride
		Methyl ethyl ketone
		Methyl isobutyl ketone
		Nitrobenzene
		Pyridine
		Tetrachloroethylene
		Toluene
		1,1,1-Trichloroethane
		1,1,2-Trichloroethane
		1,1,2-Trichloro-1,2,2-trifluoroethane
		Trichloroethylene
		Trichloromono-fluoromethane
		Xylenes
		2-Nitropropane
		2-Ethoxyethanol

F006	Electroplating WWT sludge
F035	Wood preserving wastewater
F037	Petroleum refinery primary oil/water separation sludge
F038	Petroleum refinery secondary oil/water separation sludge
F039	Multi-source Leachate
K048	Dissolved air flotation float
K049	Slop oil emulsion solids

Does the waste identified by an asterisk (*) contain any Underlying Hazardous Constituents per 268.7(a)(1)?

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	YES
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NO

If YES, *attach a completed UTS/UHC form to this document*

C. OTHER WASTES (for codes not listed above)

MLI Enter waste codes/subcategory, if applicable, in the table below.

Signature:

Date:

4-21-99

G: WASTE CHARACTERIZATION:

- 1 Is this listed EPA RCRA hazardous waste (F,K,P,U) as defined in 40 CFR 261.30
- 2
 - a. Is this a liquid waste with a flash point <140F as defined in 40 CFR 261.21 (D001).
 - b. Is this an ignitable solid as defined in 40 CFR 261.21.(D001)
 - c. Is this an oxidizer as defined in 49 CFR 173.127. (D001)
 - d. If yes to a,b, or c. Is this a High TOC waste
- 3
 - a. Is this a liquid waste with a pH<2 or >12.5. (D002)
 - b. Is this a liquid waste that corrodes steel as defined in 40 CFR 261.22 (D002).
- 4 Is this a reactive waste as defined in 40 CFR 261.23. (D003)

YES	NO
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>

If yes, check the subcategory: ☐ Water Reactive ☐ Air Reactive ☐ Explosive ☐ Other Reactive

Reactive Cyanide: conc. _____ ppm Reactive Sulfide: conc. _____ ppm

Waste Code	Contituent	< Reg Than	> Level Conc	Waste Code	Contituent	< Reg Than	> Level Conc
D004	Arsenic	<input checked="" type="checkbox"/>	5.0	D024	m-Cresol	<input checked="" type="checkbox"/>	200
D005	Barium	<input checked="" type="checkbox"/>	100	D025	p-Cresol	<input checked="" type="checkbox"/>	200
D006	Cadmium	<input checked="" type="checkbox"/>	1.0	D026	Cresol(o, m, p)	<input checked="" type="checkbox"/>	200
D007	Chromium	<input checked="" type="checkbox"/>	5.0	D027	1,4 Dichlorobenzene	<input checked="" type="checkbox"/>	7.5
D008	Lead	<input checked="" type="checkbox"/>	5.0	D028	1,2-Dichloroethane	<input checked="" type="checkbox"/>	0.5
D009	Mercury	<input checked="" type="checkbox"/>	0.2	D029	1,1-Dichloroethylene	<input checked="" type="checkbox"/>	0.7
D010	Selenium	<input checked="" type="checkbox"/>	1.0	D030	2,4-Dinitrotoluene	<input checked="" type="checkbox"/>	0.13
D011	Silver	<input checked="" type="checkbox"/>	5.0	D031	Heptachlor	<input checked="" type="checkbox"/>	0.008
D012	Endrin	<input checked="" type="checkbox"/>	0.02	D032	Hexachlorobenzene	<input checked="" type="checkbox"/>	0.13
D013	Lindane	<input checked="" type="checkbox"/>	0.4	D033	Hexachlorobutadiene	<input checked="" type="checkbox"/>	0.5
D014	Methoxychlor	<input checked="" type="checkbox"/>	10	D034	Hexachloroethane	<input checked="" type="checkbox"/>	3.0
D015	Toxaphene	<input checked="" type="checkbox"/>	0.5	D035	Methyl Ethyl Ketone	<input checked="" type="checkbox"/>	200
D016	2,4 - D	<input checked="" type="checkbox"/>	10	D036	Nitrobenzene	<input checked="" type="checkbox"/>	2.0
D017	2,4,5-TP(Silvex)	<input checked="" type="checkbox"/>	1	D037	Pentachlorophenol	<input checked="" type="checkbox"/>	100
D018	Benzene	<input checked="" type="checkbox"/>	0.5	D038	Pyridine	<input checked="" type="checkbox"/>	5.0
D019	Carbon Tetrachloride	<input checked="" type="checkbox"/>	0.5	D039	Tetrachloroethylene	<input checked="" type="checkbox"/>	0.7
D020	Chlordane	<input checked="" type="checkbox"/>	0.03	D040	Trichloroethylene	<input checked="" type="checkbox"/>	0.5
D021	Chlorobenzene	<input checked="" type="checkbox"/>	100	D041	2,4,5-Trichlorophenol	<input checked="" type="checkbox"/>	400
D022	Chloroform	<input checked="" type="checkbox"/>	6.0	D042	2,4,6-Trichlorophenol	<input checked="" type="checkbox"/>	2.0
D023	o-Cresol	<input checked="" type="checkbox"/>	200	D043	Vinyl Chloride	<input checked="" type="checkbox"/>	0.2

Based on: ☐ Total Analysis ☐ TCLP Analysis ☒ Generator Knowledge

- 5 Is this a EPA Toxic Waste (D004-D043)* as defined in 40 CFR 261.24?

If D009: Is the total Mercury concentration above 260 ppm?

*** If this is a D001, D002, D003(selected) or D004-D043 does it contain any of the underlying Hazardous Constituents (UHC) above Universal Treatment Standards(UTS)?**

If Yes, include a UTS/UHC form with the profile
- 6 Is this waste a Dioxin Or Furan per 40 CFR 261.31?
- 7 a. Is this a Non-Hazardous Waste?

FOR WASTE DISPOSAL AT CHEM-MET SERVICES ONLY:

 - b. Is this a hazardous Waste by state regulation only
 - c. Is this a Michigan Act 451 characteristic hazardous waste. (Copper >100ppm / Zinc > 500ppm)?
 - d. Is this a Michigan Act 451 listed hazardous waste?

YES	NO
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

If you answered Yes to any question in Section G, enter the appropriate waste codes(s) on the lines below.

Waste Codes: D006 _____

With any hazardous waste profile, please include a land disposal notification

H. BENZENE NESHA 40 CFR 61, SUBPART FF (Hazardous waste with Benzene Only)

YES NO

1 Is this waste stream generated at a facility with a SIC code listed under NESHA, or a TSD that treats NESHA waste? SIC Code _____ listed codes: 2800-2899, 2911, or 3312

2 Does the waste contain > 10% water

3 Is the total Annual Benzene quantity from the facility waste greater than 10Mg/Yr (2,200lbs/yr).

If Question 1,2, or 3 is No, proceed to Section I

4 What is the total Benzene concentration in Your Waste? _____ % or _____ ppmw.

(Do not use TCLP results. Acceptable laboratory methods include 8020, 8240, 8260, 602, and 624)

5 What is the TAB quantity for the generator facility? _____ Mg/Year

I. PACKAGING/ QUANTITY

1 Non-Bulk ☐ 1 gal ☐ 5 gal ☒ 55 gal ☐ 85 gal ☐ Other _____

Cubic Yard ☐ Boxes ☐ Bags ☐ Totes ☐ Pallets ☐ Other _____

Quantity _____ Per: ☐ Month ☐ Quarter ☐ Year ☐ Once

2 Bulk: ☐ Tanker ☐ Vac Truck ☐ Rolloff ☐ Dump Trailer ☐ Closed Top ☐ Open Top

Quantity _____ lbs. Per: ☐ Gallons ☐ Pounds ☐ Yards ☐ Tons ☐ Once

Quantity _____ lbs. Per: ☐ Month ☐ Quarter ☐ Year ☐ Once

J. DOT SHIPPING INFORMATION:

Enter proper DOT shipping name from 49 CFR 172.101 table:

Hazardous waste solid, n.o.s.

List 2 major components: **(Sand/Glass Bead Media, cadmium)**

Hazard Class 9

NA code 3077

PG III

K. ATTACHMENTS: (Check all that apply and include with profile)

☒ UTS/UHC Form

☐ Process Flow Diagram

☐ Generator authorization

☐ Analysis

☐ PCB source statement

☐ Labpack inventory sheet

☐ Additional Description

☐ Material Safety Data Sheet

☒ Land Disposal Notification

L. CERTIFICATION:

I hereby certify that all the information submitted in this and all attached documents is complete and accurate.

All known and suspected hazards have been disclosed.

Printed Name: Alan Anderson Signature: _____ Date: _____

Signatures other than the generator are required to submit an approved authorization letter from the generator to certify this profile

INTERNAL USE ONLY: Review 1 _____ 2 _____ 3 _____

Profile I.D. No. _____ APPROVED ☐ REJECTED ☐ Form Code B _____

Waste Codes _____

DOT _____

Destination/Consolidation Code _____ Price & Initial **\$255.00/55 T&D**

Out Bound Approval _____ Facility _____

Notes: _____

Chemical Conservation Corp.
FLD980559728

Chem-Met Services, Inc.
MID096963194

Chemical Conservation of Georgia
GAD093380814

Environmental Conservation Laboratories, Inc.
10207 General Drive
Orlando, Florida 32824-8529
407 / 826-5314
Fax 407 / 850-6945
www.enclabs.com

CLIENT : Chemical Conservation Corp.
ADDRESS: 10100 Rocket Blvd.
Orlando, FL 32824

ATTENTION: Linda Shoemaker

REP
DATE
DATE

PAGE

TCOP Heavy Metal
ANALYSIS FOR
WASTE STREAM

APPROVAL #

SER 66607

ABOVE REGULATORY
LEVEL FOR CADMIUM

DOOG = 1.0 mg/kg

SAMPLE IDENTIFICATION

Sample submitted and
identified by client as:

Airfoil Technologies
Project #SER66607

03/08/00

#1 - 00-03 08C

PROJECT MANAGER

Tammy R. Smith
Tammy R. Smith

ENCO LABORATORIES

REPORT # : ORL10087

DATE REPORTED: March 22, 2000

REFERENCE : Airtoil Technologies

PROJECT # : SFR66607

PAGE 2 OF 3

RESULTS OF ANALYSIS

<u>TCLP METALS</u>	<u>METHOD</u>	<u>00-03-08C</u>	<u>LAB BLANK</u>	<u>Units</u>
TCLP Arsenic Date Analyzed	1311/7060	0.050 U 03/16/00	0.010 U 03/15/00	mg/L
TCLP Barium Date Analyzed	1311/7080	2.0 U 03/15/00	0.50 U 03/15/00	mg/L
TCLP Cadmium Date Analyzed	1311/7130	20 03/15/00	0.020 U 03/15/00	mg/L
TCLP Chromium Date Analyzed	1311/7190	0.50 03/15/00	0.10 U 03/15/00	mg/L
TCLP Lead Date Analyzed	1311/7420	0.50 U 03/15/00	0.10 U 03/15/00	mg/L
TCLP Mercury Date Analyzed	1311/7470	0.0050 U 03/14/00	0.00050 U 03/14/00	mg/L
TCLP Selenium Date Analyzed	1311/7740	0.050 U 03/15/00	0.010 U 03/15/00	mg/L
TCLP Silver Date Analyzed	1311/7760	0.20 U 03/15/00	0.040 U 03/15/00	mg/L

U - Compound was analyzed for but not detected to the level shown.

ENCO LABORATORIES

REPORT # : ORL10087

DATE REPORTED: March 22, 2000

REFERENCE : Airfoil Technologies

PROJECT # : SER66607

PAGE 3 OF 3

QUALITY CONTROL DATA

<u>Parameter</u>	<u>% RECOVERY</u> <u>MS/MSD/LCS</u>	<u>ACCEPT</u> <u>LIMITS</u>	<u>% RPD</u> <u>MS/MSD</u>	<u>ACCEPT</u> <u>LIMITS</u>
TCLP Metals				
TCLP Arsenic, 1311/7060	99/100/102	56-125	1	15
TCLP Barium, 1311/7080	106/103/ 97	68-120	3	12
TCLP Cadmium, 1311/7130	116/122/102	84-109	5	4
TCLP Chromium, 1311/7190	106/106/107	81-123	<1	5
TCLP Lead, 1311/7420	102/104/100	80-110	2	10
TCLP Mercury, 1311/7470	102/103/101	75-125	<1	12
TCLP Selenium, 1311/7740	100/109/103	50-135	9	15
TCLP Silver, 1311/7760	95/ 95/ 95	80-115	<1	10

Environmental Conservation Laboratories Comprehensive QA Plan #960038

< = Less Than

MS = Matrix Spike

MSD = Matrix Spike Duplicate

LCS = Laboratory Control Standard

RPD = Relative Percent Difference

This report shall not be reproduced except in full, without the written approval of the laboratory. Results for these procedures apply only to the samples as submitted.





NC2 NAOB ANAO ANZ+ 4 9312

DATE:	7/17/01	TIME:	11:56 PM
WEATHER:	92.4°F		
LOCATION:	Air Soil		Technologies
		PHOTO TAKEN BY:	S Brown

(No. 100)