

From: [Butler, Linda](#) on behalf of [Evans, Roger](#)
To: ["steve.gugino@safety-kleen.com"](#)
Cc: [Evans, Roger](#); ["jeff.curtis@safety-kleen.com"](#); [Vaughn, Richard](#); ["javierg@epchc.org"](#)
Bcc: [SWD_Clerical \(Shared Mailbox\)](#)
Subject: Safety-Kleen Systems - 24th Avenue, Facility ID FLD980847271, In-Compliance Closure Letter
Date: Wednesday, November 18, 2015 10:36:00 AM
Attachments: [FLD980847271.pdf](#),
[image001.png](#)

Dear Mr. Gugino:

Attached please find the above-subject document. In an effort to reduce costs and waste, our agency is moving to electronic, rather than paper, correspondence. This is the only copy that you will receive, unless you request otherwise.

Acrobat Reader 6.0 or greater is required to read the document and is available for downloading at: <http://www.adobe.com/products/acrobat/readstep.html>

If you have any questions concerning the content of the attached document, please contact FDEP Engineering Specialist Roger Evans at 813-470-5867 or Roger.Evans@dep.state.fl.us

Sincerely,



Linda Butler
Operations Analyst I
Southwest District
13051 North Telecom Parkway
Temple Terrace, FL 33637-0926
Direct Line: (813) 470-5719
Email: Linda.Butler@dep.state.fl.us



Florida Department of Environmental Protection

Southwest District Office
13051 North Telecom Parkway
Temple Terrace, FL 33637-0926

Rick Scott
Governor

Carlos Lopez-Cantera
Lt. Governor

Jonathan P. Steverson
Secretary

November 18, 2015

Mr. Steve Gugino
Branch General Manager
Safety-Kleen Systems, Inc.
5309 24th Avenue S
Tampa, Florida 33619
steve.gugino@safety-kleen.com

Re: Safety-Kleen Systems - 24th Avenue
Facility ID No. FLD980847271 (Hazardous Waste)
Hillsborough County

Dear Mr. Gugino:

Department personnel conducted a Hazardous Waste compliance inspection of the above-referenced facility on August 25, 2015. Based on the information provided following the inspection, the facility was determined to be in compliance. Any non-compliance items which may have been identified at the time of the inspection have been corrected.

The Department appreciates your efforts to maintain this facility in compliance with state and federal rules. Should you have any questions or comments, please contact Roger Evans at (813) 470-5866 or via e-mail at: Roger.Evans@dep.state.fl.us.

Sincerely,

A handwritten signature in blue ink, appearing to read "Kelly L. Bishop".

signed on behalf of
Kelly L. Bishop, PG
Assistant Director
Southwest District
Florida Department of Environmental Protection

KLB/rv/re/lb

cc: Roger Evans, FDEP SWD, roger.evans@dep.state.fl.us
Jeff Curtis, EHS Manager, Safety-Kleen Systems, jeff.curtis@safety-kleen.com
Richard Vaughn, FDEP SWD, richard.vaughn@dep.state.fl.us
Gerry Javier, EPC of Hillsborough County, SQG Program, javierng@epchc.org

Butler, Linda

From: Brantley, Anna on behalf of SWD_Clerical (Shared Mailbox)
Sent: Wednesday, November 18, 2015 9:33 AM
To: Butler, Linda
Subject: FW: For Review and Signature -HW Safety-Kleen FLD980847271

Follow Up Flag: Follow up
Flag Status: Completed

Please process

From: Vaughn, Richard
Sent: Wednesday, November 18, 2015 8:54 AM
To: SWD_Clerical (Shared Mailbox) <SWD_Clerical@dep.state.fl.us>
Cc: Bishop, Kelly L. <Kelly.L.Bishop@dep.state.fl.us>; Evans, Roger <Roger.Evans@dep.state.fl.us>
Subject: FW: For Review and Signature -HW Safety-Kleen FLD980847271

Ready for processing.

Thank you,

Rick Vaughn
Environmental Manager
Compliance Assurance Program
Florida Department of Environmental Protection

Richard.Vaughn@dep.state.fl.us
Office: 813-470-5799
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926

From: Evans, Roger
Sent: Tuesday, November 17, 2015 4:42 PM
To: Vaughn, Richard <Richard.Vaughn@dep.state.fl.us>
Subject: For Review and Signature -HW Safety-Kleen FLD980847271

Rick,
Please review and forward to Kelly for signature.

File: [L:\Library\CAP Outgoing Correspondence\HW Program\Safety-Kleen FLD980847271\Safety-Kleen In Compliance Closure Letter.docx](#)

OCULUS INFORMATION:

Catalog: Hazardous Waste
Profile: Discovery Compliance
Facility-Site ID: FLD980847271
Document Type: Closure Related

Facility Type: Hazardous Waste Generator

Document Subject: XX-XX-2015 In Compliance letter following a Compliance Assistance Offer.

XX-XX Please enter the date of the letter