

**From:** Fellabaum, Pamela  
**To:** ["Crandall, Scott"](#)  
**Cc:** [Glorioso, Vinnie](#)  
**Subject:** RE: Fwd:HCC Jacksonville Branch  
**Date:** Friday, January 15, 2016 6:52:00 AM  
**Attachments:** [image001.png](#)

---

Hey,

EPA corrected the database. The return to compliance date was 6/21/2014. It should reflect in ECHO once the system refreshes. Please let me know in a couple of days if it has been fixed.

Pam

---

**From:** Crandall, Scott [mailto:[Scott.Crandall@Crystal-Clean.com](mailto:Scott.Crandall@Crystal-Clean.com)]  
**Sent:** Wednesday, January 13, 2016 12:41 PM  
**To:** Fellabaum, Pamela  
**Cc:** Glorioso, Vinnie  
**Subject:** RE: Fwd:HCC Jacksonville Branch

Pam

Did you get any feedback from your EPA coordinator on this? Thanks



Scott Crandall, PE  
Director of EH&S  
813-335-5341

---

**From:** Crandall, Scott  
**Sent:** Tuesday, December 15, 2015 7:51 AM  
**To:** [pamela.fellabaum@dep.state.fl.us](mailto:pamela.fellabaum@dep.state.fl.us)  
**Subject:** Fwd:HCC Jacksonville Branch

Ms Fellabaum

Our HCC Jacksonville branch shows up on EPA ECHO as out of compliance as a result of a 6/6/14 inspection you and EPA performed. It looks like we were responsive to all the request for info. See attached email. Can give me some guidance on whether we still owe you some information or if the ECHO just needs to be updated. If the latter, is that FDEP or EPA

Thanks for your assistance

Scott Crandall, PE  
Heritage Crystal Clean

Vice President, EHS  
813-335-5341

Begin forwarded message:

**From:** "Crandall, Scott" <[Scott.Crandall@Crystal-Clean.com](mailto:Scott.Crandall@Crystal-Clean.com)>  
**Date:** December 14, 2015 at 11:28:43 AM EST  
**To:** "Glorioso, Vinnie" <[vinnie.glorioso@Crystal-Clean.com](mailto:vinnie.glorioso@Crystal-Clean.com)>, "Michelle Walper ([Michelle.Walper@Crystal-Clean.com](mailto:Michelle.Walper@Crystal-Clean.com))" <[Michelle.Walper@Crystal-Clean.com](mailto:Michelle.Walper@Crystal-Clean.com)>  
**Cc:** "Michael Borst ([Michael.Borst@Crystal-Clean.com](mailto:Michael.Borst@Crystal-Clean.com))" <[Michael.Borst@Crystal-Clean.com](mailto:Michael.Borst@Crystal-Clean.com)>  
**Subject:** Jacksonville Branch

Vinnie and Michelle

Mike Borst is getting inspected by a client today who point out that on ECHOs Jacksonville is list as being out of compliance for 6 quarters. Looking at the state data base I have attached the FDEPs inspection and our email response. We have appearedly never heard back that this is closed out and finalized.

<https://echo.epa.gov/detailed-facility-report?fid=110038900240>

The information contained in this e-mail communication and any attached documentation is intended only for the exclusive use of the designated recipient(s). If the reader or recipient of this e-mail and any attached documentation is not the intended recipient or an employee or agent of the intended recipient who is responsible for delivering it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this e-mail and any attached documentation is strictly prohibited. If you have received this e-mail in error, please immediately notify the sender by return e-mail and promptly delete the e-mail and any attached documentation. This e-mail and any attached documentation may contain information that is privileged, confidential, proprietary or otherwise protected by law. This notice serves as a confidentiality marking for the purpose of any confidentiality or nondisclosure agreement. Receipt of this e-mail and the attached documentation by anyone other than the intended recipient shall not be deemed a waiver of any rights of confidentiality.