

Kennedy, Shannon

From: Kevin Allen <anywhereii@aol.com>
Sent: Tuesday, June 13, 2017 1:47 PM
To: Kennedy, Shannon
Subject: Re: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151
Attachments: Resized_20170613_115704.jpg; Resized_20170613_115705.jpg; Resized_20170613_115709.jpg

Thanks Shannon, Sorry it took so long I had to take Kevin Back to the hospital. I hope this is ok, let me know

Merry Allen

Anywhere Fleet Repair
813-714-3891

-----Original Message-----

From: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>
To: 'Kevin Allen' <anywhereii@aol.com>
Sent: Fri, Jun 2, 2017 12:26 pm
Subject: RE: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good afternoon Mr. & Mrs. Allen,

I am following up on the voicemail I just left you at 813-714-3891. At this time, FDEP is requesting photos of the secondary containment you recently implemented at your facility Anywhere Fleet Repair (EPA ID # FLR000188151). Please snap a few photos showing that the drums of used oil are in secondary containment.

Once you have submitted proof of compliance with secondary containment of the used oil drums, we can close out the remaining violations. Please feel free to contact me with any questions or concerns. We appreciate your cooperation and prompt attention to these matters.

Thanks,



Shannon Kennedy
Environmental Specialist II
Florida Department of Environmental
Protection
Southwest District
13051 North Telecom Parkway
Temple Terrace, FL 33637
Office: 813-470-5789
Fax: 813-470-5995
Shannon.Kennedy@dep.state.fl.us

From: Kennedy, Shannon
Sent: Friday, May 26, 2017 11:30 AM
To: Kevin Allen <anywhereii@aol.com>
Subject: RE: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good morning Merry – would you be able to send me a photo of the covered car port where you are proposing moving the used crushed oil filters? Thanks!



Shannon Kennedy
Environmental Specialist II
Florida Department of Environmental
Protection
Southwest District
13051 North Telecom Parkway
Temple Terrace, FL 33637
Office: 813-470-5789
Fax: 813-470-5995
Shannon.Kennedy@dep.state.fl.us

From: Kevin Allen [mailto:anywhereii@aol.com]
Sent: Thursday, May 25, 2017 3:30 AM
To: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>
Subject: Re: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Shannon, Just the used crushed oil filters will be moved under covered carport with walls on the asphalt, the crusher will stay where it is.

Thank you

Merry Allen
Anywhere Fleet Repair, LLC

-----Original Message-----

From: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>
To: Kevin Allen <anywhereii@aol.com>
Sent: Wed, May 24, 2017 7:58 am
Subject: RE: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good morning Merry,

Thank you for sending over a copy of the 5-23-2017 used oil pick up receipt; I have added the receipt to the inspection file.

Did you receive my email response on 5/19/17? If not, I have copied and pasted my responses below:

- We cannot fit a drum container under the Drum that is under the Filter Crusher would it be appropriate to put a 30 gallon Drum inside a 55 gallon drum and be acceptable?

Yes. Placing one drum inside the other would be an acceptable form of secondary containment for the filter crusher.

- Also we will be moving the crushed filters outside under the carport sitting on the asphalt with lids on them if this is also acceptable.

Will you be moving the drums of the drained crushed filters or the actual crusher outside? Is the carport an enclosed area or a covered area (no walls)? Is the ground asphalt, poured concrete, stone, etc.?

Please call or email me regarding the follow up questions above, so we can discuss further. Thank you for your ongoing cooperation.

Thanks,



Shannon Kennedy

Environmental Specialist II

Florida Department of Environmental
Protection

Southwest District

13051 North Telecom Parkway

Temple Terrace, FL 33637

Office: 813-470-5789

Fax: 813-470-5995

Shannon.Kennedy@dep.state.fl.us

From: Kevin Allen [<mailto:anywhereii@aol.com>]

Sent: Tuesday, May 23, 2017 11:00 AM

To: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

Subject: Re: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Shannon Copy of Receipt from Heritage Crystal Clean with our FLR000188151 number on form. Just wanted to update you on this matter.

Thank you,

Merry Allen

Anywhere Fleet Repair, LLC
813-714-3891

-----Original Message-----

From: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

To: anywhereii <anywhereii@aol.com>

Cc: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

Sent: Thu, May 11, 2017 8:56 am

Subject: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good afternoon Mr. and Mrs. Allen,

As discussed during our visit on April 20, 2017, I have attached a PDF copy of the DEP's "Used Oil Management Training" power point presentation. After reviewing the information, please feel free to contact me with any questions or concerns you may have.

Additionally, also attached please find a copy of the compliance inspection report and compliance assistance offer letter, related to FDEP's compliance inspection of Anywhere Fleet Repair on April 20, 2017. As indicated during the site visit, as well as in the inspection report, the used oil and used oil filter drums must be in secondary containment. *Please email me back within 14 days and indicate in writing how and when you will comply with these requirements.*

We appreciate your ongoing cooperation and look forward to working with you to resolve any outstanding issues or violations.

Thank you,



Shannon Kennedy

Environmental Specialist II

Florida Department of Environmental
Protection

Southwest District

13051 North Telecom Parkway

Temple Terrace, FL 33637

Office: 813-470-5789

Fax: 813-470-5995

Shannon.Kennedy@dep.state.fl.us

From: SWD_Clerical

Sent: Wednesday, May 10, 2017 11:12 AM

To: anywhereii@aol.com

Cc: SWD_Clerical <SWD_Clerical@dep.state.fl.us>; Ammon, Pamela <Pamela.Ammon@dep.state.fl.us>; Vaughn, Richard <Richard.Vaughn@dep.state.fl.us>; Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>; cryburn@pascocountyfl.net

Subject: DEP Mail / Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Greetings,

The Department of Environmental Protection is using electronic correspondence rather than paper mail to deliver documents faster while reducing costs and waste. Please click on the link below to access the above referenced document in OCULUS, the Department of Environmental Protection's electronic document management system.

[https://depdms.dep.state.fl.us:443/Oculus/servlet/shell?command=getEntity&\[guid=2.405932.1\]&\[profile=Discovery_Compliance\]](https://depdms.dep.state.fl.us:443/Oculus/servlet/shell?command=getEntity&[guid=2.405932.1]&[profile=Discovery_Compliance])

To access the documents in OCULUS:

1. Click on the link to open OCULUS at the Login screen.
2. Click on PUBLIC OCULUS login to view the search results screen.
3. Click the arrow button next to *view* in the Operations drop-down menu to open and view the document in its native format. Most OCULUS documents are in .pdf format. Acrobat Reader is required to read the document. The free reader can be downloaded from <http://www.adobe.com/products/reader.html>.


If you are interested in reviewing documents from the Department's Information Portal, you can access the portal at <http://webapps.dep.state.fl.us/DepNexus/public/search-portal>.

Thank you for your attention to this matter.

Sincerely,

FL. Department of Environmental Protection
Southwest District Office

PLEASE NOTE: Florida has a very broad public records law. Electronic communications regarding state business are public records available upon request. Your e-mail communications may therefore be subject to public disclosure.



Used Filters
Crushed

PIG Absorbent Sock
PIG Original

PIG Absorbent Sock



DRUM FUNNEL

Used Oil

Used Oil
(CRU)

COOPER
Cooper Automotive

Crystal Clean
LIFE

Pet-BASICS

EverPet-BASICS

316
Absorbent Spill Pad



Kennedy, Shannon

From: Kennedy, Shannon
Sent: Friday, June 02, 2017 12:26 PM
To: 'Kevin Allen'
Subject: RE: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good afternoon Mr. & Mrs. Allen,

I am following up on the voicemail I just left you at 813-714-3891. At this time, FDEP is requesting photos of the secondary containment you recently implemented at your facility Anywhere Fleet Repair (EPA ID # FLR000188151). Please snap a few photos showing that the drums of used oil are in secondary containment.

Once you have submitted proof of compliance with secondary containment of the used oil drums, we can close out the remaining violations. Please feel free to contact me with any questions or concerns. We appreciate your cooperation and prompt attention to these matters.

Thanks,



Shannon Kennedy
Environmental Specialist II
Florida Department of Environmental
Protection
Southwest District
13051 North Telecom Parkway
Temple Terrace, FL 33637
Office: 813-470-5789
Fax: 813-470-5995
Shannon.Kennedy@dep.state.fl.us

From: Kennedy, Shannon
Sent: Friday, May 26, 2017 11:30 AM
To: Kevin Allen <anywhereii@aol.com>
Subject: RE: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good morning Merry – would you be able to send me a photo of the covered car port where you are proposing moving the used crushed oil filters? Thanks!



Shannon Kennedy

Environmental Specialist II

Florida Department of Environmental
Protection

Southwest District

13051 North Telecom Parkway

Temple Terrace, FL 33637

Office: 813-470-5789

Fax: 813-470-5995

Shannon.Kennedy@dep.state.fl.us

From: Kevin Allen [<mailto:anywhereii@aol.com>]

Sent: Thursday, May 25, 2017 3:30 AM

To: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

Subject: Re: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Shannon, Just the used crushed oil filters will be moved under covered carport with walls on the asphalt, the crusher will stay where it is.

Thank you

Merry Allen
Anywhere Fleet Repair, LLC

-----Original Message-----

From: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

To: Kevin Allen <anywhereii@aol.com>

Sent: Wed, May 24, 2017 7:58 am

Subject: RE: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good morning Merry,

Thank you for sending over a copy of the 5-23-2017 used oil pick up receipt; I have added the receipt to the inspection file.

Did you receive my email response on 5/19/17? If not, I have copied and pasted my responses below:

- We cannot fit a drum container under the Drum that is under the Filter Crusher would it be appropriate to put a 30 gallon Drum inside a 55 gallon drum and be acceptable?

Yes. Placing one drum inside the other would be an acceptable form of secondary containment for the filter crusher.

- Also we will be moving the crushed filters outside under the carport sitting on the asphalt with lids on them if this is also acceptable.

Will you be moving the drums of the drained crushed filters or the actual crusher outside? Is the carport an enclosed area or a covered area (no walls)? Is the ground asphalt, poured concrete, stone, etc.?

Please call or email me regarding the follow up questions above, so we can discuss further. Thank you for your ongoing cooperation.

Thanks,



Shannon Kennedy

Environmental Specialist II

Florida Department of Environmental
Protection

Southwest District

13051 North Telecom Parkway

Temple Terrace, FL 33637

Office: 813-470-5789

Fax: 813-470-5995

Shannon.Kennedy@dep.state.fl.us

From: Kevin Allen [<mailto:anywhereii@aol.com>]

Sent: Tuesday, May 23, 2017 11:00 AM

To: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

Subject: Re: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Shannon Copy of Receipt from Heritage Crystal Clean with our FLR000188151 number on form. Just wanted to update you on this matter.

Thank you,

Merry Allen

Anywhere Fleet Repair, LLC
813-714-3891

-----Original Message-----

From: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

To: anywhereii <anywhereii@aol.com>

Cc: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

Sent: Thu, May 11, 2017 8:56 am

Subject: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good afternoon Mr. and Mrs. Allen,

As discussed during our visit on April 20, 2017, I have attached a PDF copy of the DEP's "Used Oil Management Training" power point presentation. After reviewing the information, please feel free to contact me with any questions or concerns you may have.

Additionally, also attached please find a copy of the compliance inspection report and compliance assistance offer letter, related to FDEP's compliance inspection of Anywhere Fleet Repair on April 20, 2017. As indicated during the site visit, as well as in the inspection report, the used oil and used oil filter drums must be in secondary containment. Please email me back within 14 days and indicate in writing how and when you will comply with these requirements.

We appreciate your ongoing cooperation and look forward to working with you to resolve any outstanding issues or violations.

Thank you,



Shannon Kennedy

Environmental Specialist II

Florida Department of Environmental
Protection

Southwest District

13051 North Telecom Parkway

Temple Terrace, FL 33637

Office: 813-470-5789

Fax: 813-470-5995

Shannon.Kennedy@dep.state.fl.us

From: SWD_Clerical

Sent: Wednesday, May 10, 2017 11:12 AM

To: anywhereii@aol.com

Cc: SWD_Clerical <SWD_Clerical@dep.state.fl.us>; Ammon, Pamela <Pamela.Ammon@dep.state.fl.us>; Vaughn, Richard <Richard.Vaughn@dep.state.fl.us>; Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>; cryburn@pascocountyfl.net

Subject: DEP Mail / Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Greetings,

The Department of Environmental Protection is using electronic correspondence rather than paper mail to deliver documents faster while reducing costs and waste. Please click on the link below to access the above referenced document in OCULUS, the Department of Environmental Protection's electronic document management system.

[https://depedms.dep.state.fl.us:443/Oculus/servlet/shell?command=getEntity&\[guid=2.405932.1\]&\[profile=Discovery Compliance\]](https://depedms.dep.state.fl.us:443/Oculus/servlet/shell?command=getEntity&[guid=2.405932.1]&[profile=Discovery Compliance])

To access the documents in OCULUS:

1. Click on the link to open OCULUS at the Login screen.
2. Click on PUBLIC OCULUS login to view the search results screen.
3. Click the arrow button next to *view* in the Operations drop-down menu to open and view the document in its native format. Most OCULUS documents are in .pdf format. Acrobat Reader is required to read the document. The free reader can be downloaded from <http://www.adobe.com/products/reader.html>.

If you are interested in reviewing documents from the Department's Information Portal, you can access the portal at <http://webapps.dep.state.fl.us/DepNexus/public/search-portal>.

Thank you for your attention to this matter.

Sincerely,

FL. Department of Environmental Protection
Southwest District Office

PLEASE NOTE: Florida has a very broad public records law. Electronic communications regarding state business are public records available upon request. Your e-mail communications may therefore be subject to public disclosure.



Kennedy, Shannon

From: Kennedy, Shannon
Sent: Friday, May 26, 2017 11:30 AM
To: Kevin Allen
Subject: RE: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good morning Merry – would you be able to send me a photo of the covered car port where you are proposing moving the used crushed oil filters? Thanks!



Shannon Kennedy
Environmental Specialist II
Florida Department of Environmental
Protection
Southwest District
13051 North Telecom Parkway
Temple Terrace, FL 33637
Office: 813-470-5789
Fax: 813-470-5995
Shannon.Kennedy@dep.state.fl.us

From: Kevin Allen [mailto:anywhereii@aol.com]
Sent: Thursday, May 25, 2017 3:30 AM
To: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>
Subject: Re: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Shannon, Just the used crushed oil filters will be moved under covered carport with walls on the asphalt, the crusher will stay where it is.

Thank you

Merry Allen
Anywhere Fleet Repair, LLC

-----Original Message-----

From: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>
To: Kevin Allen <anywhereii@aol.com>
Sent: Wed, May 24, 2017 7:58 am
Subject: RE: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good morning Merry,

Thank you for sending over a copy of the 5-23-2017 used oil pick up receipt; I have added the receipt to the inspection file.

Did you receive my email response on 5/19/17? If not, I have copied and pasted my responses below:

- We cannot fit a drum container under the Drum that is under the Filter Crusher would it be appropriate to put a 30 gallon Drum inside a 55 gallon drum and be acceptable?

Yes. Placing one drum inside the other would be an acceptable form of secondary containment for the filter crusher.

- Also we will be moving the crushed filters outside under the carport sitting on the asphalt with lids on them if this is also acceptable.

Will you be moving the drums of the drained crushed filters or the actual crusher outside? Is the carport an enclosed area or a covered area (no walls)? Is the ground asphalt, poured concrete, stone, etc.?

Please call or email me regarding the follow up questions above, so we can discuss further. Thank you for your ongoing cooperation.

Thanks,



Shannon Kennedy

Environmental Specialist II

Florida Department of Environmental
Protection

Southwest District

13051 North Telecom Parkway

Temple Terrace, FL 33637

Office: 813-470-5789

Fax: 813-470-5995

Shannon.Kennedy@dep.state.fl.us

From: Kevin Allen [<mailto:anywhereii@aol.com>]

Sent: Tuesday, May 23, 2017 11:00 AM

To: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

Subject: Re: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Shannon Copy of Receipt from Heritage Crystal Clean with our FLR000188151 number on form. Just wanted to update you on this matter.

Thank you,

Merry Allen

Anywhere Fleet Repair, LLC
813-714-3891

-----Original Message-----

From: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>
To: anywhereii <anywhereii@aol.com>
Cc: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>
Sent: Thu, May 11, 2017 8:56 am
Subject: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good afternoon Mr. and Mrs. Allen,

As discussed during our visit on April 20, 2017, I have attached a PDF copy of the DEP's "Used Oil Management Training" power point presentation. After reviewing the information, please feel free to contact me with any questions or concerns you may have.

Additionally, also attached please find a copy of the compliance inspection report and compliance assistance offer letter, related to FDEP's compliance inspection of Anywhere Fleet Repair on April 20, 2017. As indicated during the site visit, as well as in the inspection report, the used oil and used oil filter drums must be in secondary containment. *Please email me back within 14 days and indicate in writing how and when you will comply with these requirements.*

We appreciate your ongoing cooperation and look forward to working with you to resolve any outstanding issues or violations.

Thank you,



Shannon Kennedy
Environmental Specialist II
Florida Department of Environmental
Protection
Southwest District
13051 North Telecom Parkway
Temple Terrace, FL 33637
Office: 813-470-5789
Fax: 813-470-5995
Shannon.Kennedy@dep.state.fl.us

From: SWD_Clerical
Sent: Wednesday, May 10, 2017 11:12 AM
To: anywhereii@aol.com
Cc: SWD_Clerical <SWD_Clerical@dep.state.fl.us>; Ammon, Pamela <Pamela.Ammon@dep.state.fl.us>; Vaughn, Richard <Richard.Vaughn@dep.state.fl.us>; Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>;

cryburn@pascocountyfl.net

Subject: DEP Mail / Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Greetings,

The Department of Environmental Protection is using electronic correspondence rather than paper mail to deliver documents faster while reducing costs and waste. Please click on the link below to access the above referenced document in OCULUS, the Department of Environmental Protection's electronic document management system.

[https://depdms.dep.state.fl.us:443/Oculus/servlet/shell?command=getEntity&\[guid=2.405932.1\]&\[profile=Discovery Compliance\]](https://depdms.dep.state.fl.us:443/Oculus/servlet/shell?command=getEntity&[guid=2.405932.1]&[profile=Discovery Compliance])

To access the documents in OCULUS:

1. Click on the link to open OCULUS at the Login screen.
2. Click on PUBLIC OCULUS login to view the search results screen.
3. Click the arrow button next to *view* in the Operations drop-down menu to open and view the document in its native format. Most OCULUS documents are in .pdf format. Acrobat Reader is required to read the document. The free reader can be downloaded from <http://www.adobe.com/products/reader.html>.

If you are interested in reviewing documents from the Department's Information Portal, you can access the portal at <http://webapps.dep.state.fl.us/DepNexus/public/search-portal>.

Thank you for your attention to this matter.

Sincerely,

FL. Department of Environmental Protection
Southwest District Office

PLEASE NOTE: Florida has a very broad public records law. Electronic communications regarding state business are public records available upon request. Your e-mail communications may therefore be subject to public disclosure.



Kennedy, Shannon

From: Kennedy, Shannon
Sent: Wednesday, June 14, 2017 2:18 PM
To: 'Kevin Allen'
Subject: RE: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Thank you Mrs. Allen. We hope that your husband is feeling better!

I will add these photos to the inspection file and close out the remaining violations. Once the file is closed/complete, we will send you an email letter stating that Anywhere Fleet has returned to compliance.

Thank you for your assistance in these matters. Please feel free to contact us with any future questions or concerns.

Thanks,



Shannon Kennedy
Environmental Specialist II
Florida Department of Environmental
Protection
Southwest District
13051 North Telecom Parkway
Temple Terrace, FL 33637
Office: 813-470-5789
Fax: 813-470-5995
Shannon.Kennedy@dep.state.fl.us

From: Kevin Allen [mailto:anywhereii@aol.com]
Sent: Tuesday, June 13, 2017 1:47 PM
To: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>
Subject: Re: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Thanks Shannon, Sorry it took so long I had to take Kevin Back to the hospital. I hope this is ok, let me know

Merry Allen

Anywhere Fleet Repair
813-714-3891

-----Original Message-----

From: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>
To: 'Kevin Allen' <anywhereii@aol.com>

Sent: Fri, Jun 2, 2017 12:26 pm

Subject: RE: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good afternoon Mr. & Mrs. Allen,

I am following up on the voicemail I just left you at 813-714-3891. At this time, FDEP is requesting photos of the secondary containment you recently implemented at your facility Anywhere Fleet Repair (EPA ID # FLR000188151). Please snap a few photos showing that the drums of used oil are in secondary containment.

Once you have submitted proof of compliance with secondary containment of the used oil drums, we can close out the remaining violations. Please feel free to contact me with any questions or concerns. We appreciate your cooperation and prompt attention to these matters.

Thanks,



Shannon Kennedy

Environmental Specialist II

Florida Department of Environmental
Protection

Southwest District

13051 North Telecom Parkway

Temple Terrace, FL 33637

Office: 813-470-5789

Fax: 813-470-5995

Shannon.Kennedy@dep.state.fl.us

From: Kennedy, Shannon

Sent: Friday, May 26, 2017 11:30 AM

To: Kevin Allen <anywhereii@aol.com>

Subject: RE: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good morning Merry – would you be able to send me a photo of the covered car port where you are proposing moving the used crushed oil filters? Thanks!



Shannon Kennedy

Environmental Specialist II

Florida Department of Environmental
Protection

Southwest District

13051 North Telecom Parkway

Temple Terrace, FL 33637

Office: 813-470-5789

Fax: 813-470-5995

Shannon.Kennedy@dep.state.fl.us

From: Kevin Allen [<mailto:anywhereii@aol.com>]

Sent: Thursday, May 25, 2017 3:30 AM

To: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

Subject: Re: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Shannon, Just the used crushed oil filters will be moved under covered carport with walls on the asphalt, the crusher will stay where it is.

Thank you

Merry Allen
Anywhere Fleet Repair, LLC

-----Original Message-----

From: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

To: Kevin Allen <anywhereii@aol.com>

Sent: Wed, May 24, 2017 7:58 am

Subject: RE: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good morning Merry,

Thank you for sending over a copy of the 5-23-2017 used oil pick up receipt; I have added the receipt to the inspection file.

Did you receive my email response on 5/19/17? If not, I have copied and pasted my responses below:

- We cannot fit a drum container under the Drum that is under the Filter Crusher would it be appropriate to put a 30 gallon Drum inside a 55 gallon drum and be acceptable?

Yes. Placing one drum inside the other would be an acceptable form of secondary containment for the filter crusher.

- Also we will be moving the crushed filters outside under the carport sitting on the asphalt with lids on them if this is also acceptable.

Will you be moving the drums of the drained crushed filters or the actual crusher outside? Is the carport an enclosed area or a covered area (no walls)? Is the ground asphalt, poured concrete, stone, etc.?

Please call or email me regarding the follow up questions above, so we can discuss further. Thank you for your ongoing cooperation.

Thanks,



Shannon Kennedy

Environmental Specialist II

Florida Department of Environmental
Protection

Southwest District

13051 North Telecom Parkway

Temple Terrace, FL 33637

Office: 813-470-5789

Fax: 813-470-5995

Shannon.Kennedy@dep.state.fl.us

From: Kevin Allen [<mailto:anywhereii@aol.com>]

Sent: Tuesday, May 23, 2017 11:00 AM

To: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

Subject: Re: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Shannon Copy of Receipt from Heritage Crystal Clean with our FLR000188151 number on form. Just wanted to update you on this matter.

Thank you,

Merry Allen

Anywhere Fleet Repair, LLC
813-714-3891

-----Original Message-----

From: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

To: anywhereii <anywhereii@aol.com>

Cc: Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>

Sent: Thu, May 11, 2017 8:56 am

Subject: Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Good afternoon Mr. and Mrs. Allen,

As discussed during our visit on April 20, 2017, I have attached a PDF copy of the DEP's "Used Oil Management Training" power point presentation. After reviewing the information, please feel free to contact me with any questions or concerns you may have.

Additionally, also attached please find a copy of the compliance inspection report and compliance assistance offer letter, related to FDEP's compliance inspection of Anywhere Fleet Repair on April 20, 2017. As indicated during the site visit, as well as in the inspection report,

the used oil and used oil filter drums must be in secondary containment. Please email me back within 14 days and indicate in writing how and when you will comply with these requirements.

We appreciate your ongoing cooperation and look forward to working with you to resolve any outstanding issues or violations.

Thank you,



Shannon Kennedy

Environmental Specialist II

Florida Department of Environmental
Protection

Southwest District

13051 North Telecom Parkway

Temple Terrace, FL 33637

Office: 813-470-5789

Fax: 813-470-5995

Shannon.Kennedy@dep.state.fl.us

From: SWD_Clerical

Sent: Wednesday, May 10, 2017 11:12 AM

To: anywhereii@aol.com

Cc: SWD_Clerical <SWD_Clerical@dep.state.fl.us>; Ammon, Pamela <Pamela.Ammon@dep.state.fl.us>; Vaughn, Richard <Richard.Vaughn@dep.state.fl.us>; Kennedy, Shannon <Shannon.Kennedy@dep.state.fl.us>; cryburn@pascocountyfl.net

Subject: DEP Mail / Anywhere Fleet Repair – Routine Compliance Inspection and CAO letter – FLR000188151

Greetings,

The Department of Environmental Protection is using electronic correspondence rather than paper mail to deliver documents faster while reducing costs and waste. Please click on the link below to access the above referenced document in OCULUS, the Department of Environmental Protection's electronic document management system.

[https://depdms.dep.state.fl.us:443/Oculus/servlet/shell?command=getEntity&\[guid=2.405932.1\]&\[profile=Discovery Compliance\]](https://depdms.dep.state.fl.us:443/Oculus/servlet/shell?command=getEntity&[guid=2.405932.1]&[profile=Discovery Compliance])

To access the documents in OCULUS:

1. Click on the link to open OCULUS at the Login screen.
2. Click on PUBLIC OCULUS login to view the search results screen.
3. Click the arrow button next to *view* in the Operations drop-down menu to open and view the document in its native format. Most OCULUS documents are in .pdf format. Acrobat Reader is required to read the document. The free reader can be downloaded from <http://www.adobe.com/products/reader.html>.

If you are interested in reviewing documents from the Department's Information Portal, you can access the portal at <http://webapps.dep.state.fl.us/DepNexus/public/search-portal>.

Thank you for your attention to this matter.

Sincerely,

FL. Department of Environmental Protection
Southwest District Office

PLEASE NOTE: Florida has a very broad public records law. Electronic communications regarding state business are public records available upon request. Your e-mail communications may therefore be subject to public disclosure.

