



**Florida Department of
Environmental Protection
Hazardous Waste Inspection Report**

FACILITY INFORMATION:

Facility Name: Veolia ES Technical Solutions LLC

On-Site Inspection Start Date: 06/14/2017

On-Site Inspection End Date: 06/14/2017

ME ID#: 62668

EPA ID#: FLR000124917

Facility Street Address: 4972 Woodville Hwy (South Lot), Tallahassee, FL 32305-0903

Contact Mailing Address: 342 Marpan Ln, Tallahassee, FL 32305-0904

County Name: LEON

Contact Phone: (850) 877-8299

NOTIFIED AS:

Non-Handler

INSPECTION TYPE:

Routine Inspection for Transfer Facility facility

INSPECTION PARTICIPANTS:

Principal Inspector: Corinna Clanton, Inspector

Other Participants: Melissa Woehle, Environmental Specialist; Heather Perkins, Environmental Specialist; Matt Melott, Operations Manager; Randy Williams, Operations Supervisor; Scott Fulton, Operations Supervisor

LATITUDE / LONGITUDE: Lat 30° 21' 45.5093" / Long 84° 15' 57.5033"

SIC CODE: 4953 - Trans. & utilities - refuse systems

TYPE OF OWNERSHIP: Private

Introduction:

The Veolia Transfer Yard (Veolia) is used for the storage of facility transport trailers and is a registered Universal Waste Transfer Area.

Process Description:

At the time of the inspection a total of 17 trailers were present in the yard. Of these, 10 were empty. Of the 7 remaining, 2 contained E-waste that was outbound for Tampa and 5 contained inbound materials to be processed at the Veolia ES Technical Solutions LLC (FL0000207449) site. The storage times vary depending on the content of the trailers. Trailers that have universal waste stored on them are kept in the transfer yard for a maximum of ten days. On the tenth day, or previous to that day, the universal waste is off-loaded at the main facility's docking area for processing. This 10 day storage is tracked by the facility utilizing an Excel spreadsheet, and was reviewed as part of this inspection.

PHOTO ATTACHMENTS:

Inspection Date: 06/14/2017

Trailer in Transfer Yard



Trailer in Transfer Yard



Trailer in Transfer Yard



Trailer in Transfer Yard



Trailer in Transfer Yard



Trailer in Transfer Yard



Inspection Date: 06/14/2017

Trailer in Transfer Yard



Trailer in Transfer Yard



Conclusion:

No violations were observed during the inspection of the transfer yard. The Veolia transfer yard appeared to be in compliance at the conclusion of the inspection.

Inspection Date: 06/14/2017

1.0 - Pre-Inspection Checklist

Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Item No.	Pre-Inspection Review	Yes	No	N/A
1.1	Has the facility notified with correct status? 262.12	✓		
1.2	Has the facility notified of change of status? 62-730.150(2)(b)	✓		
1.3	Did the facility conduct a waste determination on all wastes generated? 262.11	✓		

Inspection Date: 06/14/2017

Signed:

A hazardous waste compliance inspection was conducted on this date, to determine your facility's compliance with applicable portions of Chapters 403 & 376, F.S., and Chapters 62-710, 62-730, 62-737, & 62-740 Florida Administrative Code (F.A.C.). Portions of the United States Environmental Protection Agency's Title 40 Code of Federal Regulations (C.F.R.) 260 - 279 have been adopted by reference in the state rules under Chapters 62-730 and 62-710, F.A.C.

Corinna Clanton

PRINCIPAL INSPECTOR NAME

Inspector

PRINCIPAL INSPECTOR TITLE**PRINCIPAL INSPECTOR SIGNATURE**

DEP

ORGANIZATION

07/17/2017

DATE

Melissa Woehle

Inspector NAME

Environmental Specialist

Inspector TITLE

Office of Emergency Response

ORGANIZATION

Heather Perkins

Inspector NAME

Environmental Specialist

Inspector TITLE

DEP

ORGANIZATION

Matt Melott

Representative NAME

Operations Manager

Representative TITLE

VEOLIA

ORGANIZATION

NOTE: By signing this document, the Site Representative only acknowledges receipt of this Inspection Report and is not admitting to the accuracy of any of the items identified by the Department as "Potential Violations" or areas of concern.

Scott Fulton

Representative NAME

Operations Supervisor

Representative TITLE

VEOLIA

ORGANIZATION

NOTE: By signing this document, the Site Representative only acknowledges receipt of this Inspection Report and is not admitting to the accuracy of any of the items identified by the Department as "Potential Violations" or areas of concern.

Inspection Date: 06/14/2017

Signed:

A hazardous waste compliance inspection was conducted on this date, to determine your facility's compliance with applicable portions of Chapters 403 & 376, F.S., and Chapters 62-710, 62-730, 62-737, & 62 -740 Florida Administrative Code (F.A.C.). Portions of the United States Environmental Protection Agency's Title 40 Code of Federal Regulations (C.F.R.) 260 - 279 have been adopted by reference in the state rules under Chapters 62-730 and 62-710, F.A.C.

Randy Williams

Representative NAME

Operations Supervisor

Representative TITLE

VEOLIA

ORGANIZATION

NOTE: By signing this document, the Site Representative only acknowledges receipt of this Inspection Report and is not admitting to the accuracy of any of the items identified by the Department as "Potential Violations" or areas of concern.

Report Approvers:**Approver:**

Brad T Hartshorn

Inspection Approval Date:

07/17/2017