





NO SMOKING

10,000 GAL USED OIL

5

4

13,000 GAL

3

2

UNLOAD STATION
TANK'S
456











NON-HAZARDOUS WASTE

NON-HAZARDOUS WASTE

NON-HAZARDOUS WASTE

NON-HAZARDOUS WASTE

NON-HAZARDOUS WASTE

NON-HAZARDOUS WASTE

NON-HAZARDOUS WASTE

NON-HAZARDOUS WASTE

USE NON-HAZARDOUS WASTE

NON-HAZARDOUS WASTE



Ricky's Oil Service
USED ABSORBENTS/
OILY RAGS
(DADE) 305-822-2253
1-800-883-2253

USED
ABSORBANT
ONLY
For Collection Please Call
SPINNEY
ELECTRIC INC
(866) 492-6789

Ricky's Oil Service
USED ABSORBENTS/
OILY RAGS
(DADE) 305-822-2253
1-800-883-2253

3272 APR 18

STOP

2016062107491305

OFFICIAL DOCUMENT



miamidade.gov

Regulatory and Economic Resources
Environmental Resources Management
701 NW 1st Court • 7th Floor
Miami, Florida 33136-3912
T 305-372-6600 F 305-372-6893

Permit No: IW-000071-2016/2017 (2)-GEN SHELL
Permit Issued To: RICKY'S OIL SERVICE
Facility Location: 7209 NW 66 ST
MIAMI, FL 33166-

Contact Name/Address:
Attn: Montinique Buquoi
RICKY'S OIL SERVICE, INC.
P.O. BOX 669295
MIAMI, FL 33166-

INDUSTRIAL WASTE (IW)
ANNUAL OPERATING PERMIT

DESCRIPTION OF FACILITY/EQUIPMENT

This document issued under the provisions of Chapter 24, Miami-Dade County Environmental Protection Ordinance, shall be valid from 01-JUN-2016 through 31-MAY-2017. The above named permittee, is hereby authorized to operate the pollution control facility at the above location which consists of the following:

WASTE OIL COLLECTION FACILITY WITH: A. Reinforced concrete secondary containment area, irregular in shape for: 1. Three (3) 25,000 gal. aboveground used oil tanks (denoted as tanks 1-3); 2. One (1) 13,000 gal. aboveground oily waste water tank (denoted as tank 4); 3. Four (4) 10,000 gal. aboveground tanks: three containing used oil and one containing oily waste water (denoted as tanks 5,6,9 and 10); 4. One (1) 15,000 gal. and one (1) 12,000 gal. aboveground used oil tanks (denoted as tanks 7 & 8); 5. Four (4) concrete loading areas with three (3)-inch concrete berm all around, equipped with a drain connected to an oil/water separator; B. One (1) oil/water separator to serve the loading and tanker truck parking areas including: 1. A 48-inch shallow manhole with a 2-foot sump is provided at the effluent side of the separator to be used as a sampling port; 2. One (1) monitoring well for stormwater discharges from the containment areas via oil/water separator. C. Bermed tanker truck parking area (10' X 24' X 3" high) equipped with a drain connected to the oil/water separator previously described in B.

This facility is subject to conditions listed below and in the following pages (if any) of this permit.

SPECIFIC CONDITIONS

1. Operations to be conducted in accordance with the Spill Prevention and Response Plan (SPRP) as submitted and approved by the Department.
2. All wastes from facility operations shall be stored or disposed of in compliance with County, State and Federal regulations.
3. Pursuant to Section 24-20 of the Code of Miami Dade County, abnormal occurrences at the facility shall be reported to the department (305-372-6955) no later than four (4) hours after the occurrence and a written report submitted within fourteen (14) days describing the nature of the incident and the steps taken to prevent future occurrences.
4. If at any time this facility is found to be operating inadequately, the owner must provide improvements to the operating techniques and/or additional equipment to operate in compliance with the applicable regulations.
5. Department approval shall be obtained prior to any modifications and/or alterations to facility operations and/or processes; including modifications to secondary containment areas.
6. All above ground tanks and storage areas for hazardous and/or industrial materials and wastes (if allowed) must have secondary containment. Design and construction must have departmental

Lee N. Hefty, Assistant Director
Department of Regulatory and Economic Resources
Environmental Resources Management

APPLICANT:
Ricky's Oil & Env
Attention: Chris P
PO BOX 669295
Miami, FL 33166

This license is
hereinafter calle
perform the wo
specifications su
to this license is
and conditions.

ALL GENERAL
requirements o
comply with c
and may subje
of the Code.

Nature of Busi
Discarde
Used C
Nonha
Nonha

Prepared By:
Application Re
Date of Issue:
Renewal App. D
Expiration Date

1221. BEFORE CAL
THREE DIGIT INSP
FOUND ON THE PE
CALL MIAMI-DADE
(786) 315-2100.
INSPECTORS CAN



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STORAGE TANK REGISTRATION PLACARD
2016-2017

BTCM ACCOUNT: 43339
FACILITY ID: 9600832
FACILITY: RICKYS OIL CO
7209 NW 66TH ST
MIAMI FL 33166 MIAMI-DADE COUNTY
FACILITY TYPE: Fuel user/Non-retail

PLACARD NO: 489060
PLACARD ISSUED: 06/27/26
PLACARD EXPIRES: 06/30/26

TANK SYSTEMS REGISTERED: 11

ACCOUNT OWNER: RICKYS OIL SERVICE
PO BOX 669295
MIAMI FL 33166 9430

HASH: 8Z244 HR0 Z424

The Storage Tank Registration placard must be posted at the facility.
It must be placed out of the weather and in plain view of inspectors entering the facility.

Under Section 376.3077, Florida Statutes, it is unlawful to deposit motor fuel into a stationary storage tank system that requires registration unless valid registration is displayed at the facility.

Acceptance of this placard constitutes agreement to operate the registered tanks in compliance with applicable Statutes and Department Rules.

DEPARTMENT OF ENVIRONMENTAL PROTECTION IS ON THE INTERNET

The Web address for DEP is <http://www.dep.state.fl.us>

You can access the Storage Tank Website by using <http://www.dep.state.fl.us/waste/categories/tanks>.
Look under the HIGHLIGHTS section to find the links to storage tank rules, forms, database reports and program information.

CONTACT TANK REGISTRATION BY:

EMAIL - TankRegistration@dep.state.fl.us
PHONE - (850) 245-8839



Florida Department of Environmental Protection
Twin Towers Office Bldg, 2600 Blair Stone Road, Tallahassee, Florida, 32399-2400
Division of Waste Management
Petroleum Storage Systems
Storage Tank Facility Annual Compliance Site Inspection Report

Facility Information:

Facility ID:	9600832	County:	MIAMI-DADE	Inspection Date:	11/15/2016
Facility Type:	C - Fuel user/Non-retail			# of Inspected ASTs:	11
Facility Name:	RICKYS OIL CO			USTs:	0
	7209 NW 66TH ST			Mineral Acid Tanks:	0
	MIAMI, FL 33166				
Latitude:	25° 50' 2.5335"				
Longitude:	80° 18' 53.3219"				
LL Method:	DPHO				

Inspection Result:

Result: In Compliance

Also Performed:

Financial Responsibility:

Financial Responsibility:	INSURANCE	
Insurance Carrier:	INDIAN HARBOR	
Effective Date:	05/01/2016	Expiration Date: 05/01/2019

Findings:

Signatures:

TKDERM - MIAMI - DADE DEPT OF REGULATORY & ECON RESOURCES

Storage Tank Program Office

72-6807

Storage Tank Program Office Phone Number

Dexsil Test Instruction


- 1- Put the tubes into the holes of the box.
- 2- Take off the white cap from the tube.
- 3- Get the green syringe and put it into the oil sample. And fill the syringe till it stops. (About halfway).
- 4- Put the oil sample into the white cap tube and replace cap. to be compressing both sides of the tube.

Ibel Cruz

ation Address:

7209 NW 66 ST
MIAMI, FL 33166

Measurement calculation



DEXSIL[®]
CLOR-D-TECT[®]
1000 Chlorine Halogen
Test Kit

Conforms to EPA SW-846 Method 9077, "Test Methods for Total Chlorine in New and Used Petroleum Products."
Conforms to ASTM Method D 5384-95 "Standard Test Methods for Chlorine in Used Petroleum Products."

Disposable test kit for determining chlorine contamination in used oil

WARNING: This kit contains metallic sodium and flammable solvents. Metallic sodium is a flammable solid and water reactive. Read enclosed instructions and Material Safety Data Sheet before performing this test. Wear safety glasses and gloves while performing test. Keep out of reach of children.

DEXSIL[®]
CLOR-D-TECT[®]
1000

Rev 10, 11/09/15



WASTE TRANSPORTER LICENSE

APPLICANT:
Ricky's Oil & Environmental Services, LLC
Attention: Chris Ricci, President
PO BOX 669295
Miami, FL 33166

License Number: WT-16-0118

This license is issued under the provisions of Chapter 27 of the Broward County Code of Ordinances hereinafter called the Code. The above-named applicant, hereinafter called Licensee, is hereby authorized to perform the work or operate the facility shown on the approved drawings, plans, documents, and specifications submitted by Licensee and made a part hereof and described specifically below. If no objection to this license is received within 14 days, you will be deemed to have accepted it and all the attached terms and conditions.

ALL GENERAL CONDITIONS and SPECIFIC CONDITIONS, as attached, are considered to constitute the requirements of this license. The Licensee is required to fully comply with all these conditions. Any failure to comply with conditions or requirements as set forth may result in revocation or suspension of this license and may subject the Licensee to enforcement action in accordance with the provisions of Article 1, Division 4 of the Code.

- Nature of Business:**
- Discarded Hazardous Material Hauling
 - Used Oil
 - Nonhazardous Industrial Waste (Solid)
 - Nonhazardous Industrial Waste (Liquid)

Prepared By: Didier Dupuy
Application Received: 10/21/2016
Date of Issue: 10/27/2016
Renewal App. Due: 09/01/2018
Expiration Date: 10/31/2018

Damaris Lopez
 Environmental Licensing and Building Permitting Division

1221. BEFORE CALLING HAVE YOUR TEN DIGIT...
 THREE DIGIT INSPECTION TYPE READY. THE INSPECTION TYPE CAN BE
 FOUND ON THE PERMIT CARD NEXT TO THE REQUIRED INSPECTION. OR
 CALL MIAMI-DADE PERMITTING AND INSPECTION CENTER - 11805 SW 26 ST

FIRE DEPARTMENT
DIVISION

PERMIT

Below is the Annual Operating Permit is
 Miami-Dade Fire Rescue Depart
 Should you have any questions rega
 permit, please contact the Fire Prevent
 at (786) 331-4800

9126-04741
 SERVICE
 95
 6

(Please cut along dotted line and post permit in your

PERMIT CERTIFICATE

MIAMI-DADE FIRE RESCUE DEPART
 ANNUAL OPERATING PERMIT
 9300 NW 41 STREET
 MIAMI, FLORIDA 33178
 (786) 331-4800

GEORGIA INTERNATIONAL FUEL TAX AGREEMENT

Department of Revenue Motor Vehicle/IFTA
 P.O. Box 740382, Atlanta, GA 30374-0382 - Phone: 1-8

PERMIT NUMBER 359383101 EFFECTIVE 01-Jan-2015 EXPIRES 31-Dec-2015

WASTE RECYCLING LLC
 11111 W. BELL AVE
 ATLANTA, GA 302131642

03624

D. Lopez
 COMMISSIONER

CERTIFICATE HOLDER
ACORD 25 (2014/01) 1 of 1
#S3023485/M3014175

The ACORD name and logo are registered marks of ACORD

CANCELLATION
SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
AUTHORIZED REPRESENTATIVE

© 1958-2014 ACORD CORPORATION. All rights reserved

201105187 5900



Carlos Alvarez, Mayor

Environmental Resources Management
Pollution Regulation & Enforcement
701 NW 1st Court • 7th Floor
Miami, Florida 33136-3912
T 305-372-6600 F 305-372-6410

miamidade.gov

Terry

From:
Sent:
To:
Subject:

PERMIT NO: IW-000071-2011/2012 (2)-GEN SHELL
RICKY'S OIL SERVICE
7209 NW 66 ST
MIAMI, FL 33166-

PERMITTEE:
Mr. Chris Ricci
RICKY'S OIL SERVICE, INC.
P.O. BOX 669295
MIAMI, FL 33166-

From: Emelle TSC
Sent: Thursday, A
To: mbuquoi@syn
Cc: mbuquoi@syn
Subject: [WMSol

INDUSTRIAL WASTE (IW) ANNUAL OPERATING PERMIT

DESCRIPTION OF FACILITY/EQUIPMENT

This document issued under the provisions of Chapter 24, Miami-Dade County Code (Dade County Pollution Control Ordinance), shall be valid from 01-JUN-2011 through 31-MAY-2012. The above named permittee, is hereby authorized to operate the pollution control facility at the above location which consists of the following:

WASTE OIL COLLECTION FACILITY WITH: A. Reinforced concrete secondary containment area, irregular in shape for: 1. Three (3) 25,000 gal. aboveground used oil tanks (denoted as tanks 1-3); 2. One (1) 13,000 gal. aboveground oily waste water tank (denoted as tank 4); 3. Four (4) 10,000 gal. aboveground tanks: three containing used oil and one containing oily waste water (denoted as tanks 5, 6, 9 and 10); 4. One (1) 15,000 gal. and one (1) 12,000 gal. aboveground used oil tanks (denoted as tanks 7 & 8); 5. Four (4) concrete loading areas with three (3)-inch concrete berm all around, equipped with a drain connected to an oil/water separator; B. One (1) oil/water separator to serve the loading and tanker truck parking areas including: 1. A 48-inch shallow manhole with a 2-foot sump is provided at the effluent side of the separator to be used as a sampling port; 2. One (1) monitoring well monitoring for stormwater discharges from the containment areas via oil/water separator. C. Bermed tanker truck parking area (10' X 24' X 3" high) equipped with a drain connected to the oil/water separator previously described in B.

This facility is subject to conditions listed below and in the following pages (if any) of this permit.

SPECIFIC CONDITIONS

- Operations to be conducted in accordance with the Spill Prevention and Response Plan (SPRP) as submitted and approved by this Department.
- All wastes from facility operations shall be stored or disposed of in compliance with County, State and Federal regulations.
- Pursuant to Chapter 24-20 of the Code of Miami Dade County, abnormal occurrences at the facility shall be reported to this Department (305-372-6955) no later than four (4) hours after the occurrence and a written report submitted within fourteen (14) days describing the nature of the incident and the steps taken to prevent future occurrences.
- If at any time this facility is found to be operating inadequately, the owner must provide improvements to the operating techniques and/or additional equipment to operate in compliance with the applicable regulations.
- No violations of the Sanitary Sewer Discharge Standards, as provided in Chapter 24-42.4 of the Code of Miami Dade County, shall occur as a result of the facility operations. Violations of said Standards may result in orders for immediate corrective action, possible modification to the operation, revocation of this operating permit and/or closure of the facility.

File Number: 10030

Miami-Dade County
Department of Environmental Resources Management
Hardeep Arand
Carlos Espinosa, P.E., Director

RESPONSE TO COMMENTS LETTER

**RICKY'S OIL & ENVIRONMENTAL SERVICES, LLC
7209 NW 66TH ST., MIAMI,
MIAMI DADE COUNTY, FL
FAC ID # FLD981019755**

Prepared for:

**FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
HAZARDOUS WASTE REGULATION SECTION
2600 BLAIR STONE ROAD,
TALLAHASSEE, FLORIDA, 32399-2400**

Prepared by:

ECT

Environmental Consulting & Technology, Inc.

**550 W. Cypress Creek Road, Suite 170
Fort Lauderdale, Florida 33309
(954) 771-0444**

FEBRUARY 2013

ECT No. 12-1015-0200

24 | 23

ATTACHMENT B

Process Flow Description

Ricky's Oil & Environmental Service, LLC (ROES) maintains a fleet of 11 trucks; consisting of box trucks, combination tanker/flat-bed pump trucks and roll off tank trailer. Specifically, five pump trucks (three 3,000 gallon, one 2,800 gallon and one 4,650 gallon), one flat bed truck and one box truck both with a lift gates for collecting used oil filters, one 3,000 gallon vac truck, one roll-off and two trailer rigs with a capacity of 7,000 gallons each.

The routes for each pump truck and the specific product to be collected by that pump truck are determined by Ricky's Oil management staff at the beginning of each workday. Only non-hazardous products shall be collected by the fleet vehicle operators.

Accordingly, each oil collection truck is equipped with a Tek Mate Leak Detector and the vehicle operator is trained on the use of it. The product from each client is tested with this device, which will give off a beeping noise if the halogen content is >1000 ppm. If the beeper goes off the vehicle operator will then use a "Dexsil" halogen solvent test kit. No product will be collected which tests positive for halogenated solvents. In such cases, the client will be instructed to have their product analytically profiled by a certified laboratory. The product may be subsequently collected if laboratory analysis indicates that the product is non-hazardous per 40 CFR 261 or the generator is found to be CESQG.

Liquid product (used oils, off-specification diesel fuel, antifreeze and oily wastewater) are collected and transported by the fleet vehicles which are multi-compartment tanker trucks and these products are transferred into designated "product-specific" above ground storage tanks (AST) at the used oil processing facility for storage and processing. These products are subsequently transported off-site using a tank truck, box truck or a combination truck. The on-specification used oil is marketed as an industrial fuel.

Used oil filters and absorbent/oily rags are collected in flat bed trucks. These products are then transferred into a designated "product-specific" sealed roll-off container at the facility. The used oil filters are transported off-site in the sealed roll-off container to a foundry or other licensed and approved facility where the filters are recycled. The oily rags/absorbents are transported off-site in the sealed roll-off container- to an approved incinerator for energy recovery.

Each liquid product will be stored separately in a designated "product-specific" AST (See Figure 2- Site Plan). Each AST will have a product designation label with the tank capacity indicated. See attachment 6 of the SPCC plan for AST details.

**APPENDIX C
ANALYSIS PLAN**

24 | 23
1/4/191

ATTACHMENT C

Analysis Plan

Each truck is equipped with a Tek Mate Leak Detector and the vehicle operator is trained on the use of it. The product from each client is tested with this device, which will give off a beeping noise if the halogen content is >1000 ppm. If the beeper goes off, the vehicle operator will then use a "Dexsil" halogen solvent test kit. No product will be collected which tests positive for halogen solvents. In such cases, the client will be instructed to have their product analytically profiled by a certified laboratory. The product may be subsequently collected if laboratory analysis indicates that the product is non-hazardous per 40 CFR 261 or the generator if found to be a CESQG.

Upon arriving at the facility, each shipment of used oil is checked before off-loading for water content percentage, halogen content and gallons quantity verification. Trucks are measured with a truck specific calibration stick for gallons amount. A sample is collected and checked at the facility for water percentage and halogen content.

For outgoing shipment, batch samples are collected and sent to a certified Laboratory and analyzed for arsenic, cadmium, chromium, lead and PCBs. Samples are tested at the facility for Flash-point using ASDM Method D-93. Upon receiving the analytical results that indicates that the product is on-specification per 40 CFR 261. The product is sold as industrial fuel or refinery feedstock.

ATTACHMENT D

Sludge, Residue and Byproduct Management Description

Ricky's Oil & Environmental Services, LLC (ROES) does not need to remove any sludge, residue and byproducts from the ASTs as defined in 40 CFR Parts 279.10(e) and 279.59 during operation. In the event that ROES facility is closed, the sludge, residues and byproducts will be removed from the ASTs as required by Rule 62- 710.800(9)(a) FAC and 62-761.800(5) FAC.

Sludges generated at the facility from the units used to filter product prior to tank storage are mixed in with the material in the oily rags container and sent off-site for management.

Attachment 3 Discharge Notification Procedures

Contact	Phone Number	Reporting Requirement	Time Requirement
Ricky's Oil & Environmental Services, LLC Emergency Response Coordinator and Paul Managing Member Spill Up Facility Response Coordinator Jerry Swaim	305-822-2253 305-986-2724	Any amount of oil that has entered a storm drain or grass/dirt surface	Immediately (verbal)
Federal Government National Response Center	800-424-9436	Any amount of oil reaching navigable waters *Discharges of 1,000 gal or more; or second discharge of 42 gallons or more over a 12 month period	Within 1 hour (verbal) Written notification within 60 days
State Government State Warning Point FDEP Bureau of Emergency Response	800-320-0519 850-245-2010	Any amount oil reaching navigable waters Any amount oil reaching navigable waters Discharge of 1,000 gal or more; or second discharge of 42 gallons or more over a 12 month period Discharges of >25 gallons onto a previous surface.	Within 1 hour (verbal) Within 24 hours (verbal) Written notification within 60 days Within 24 hours (verbal) A Source Removal Report within 60 days (written).
Local Government Miami Dade County, Department of Regulatory Economic Resources Management	305-372-6600	Any amount oil reaching navigable waters Discharges of >25 gal onto a previous surface Discharge >500 gal onto impervious secondary containment	Immediately (verbal) Immediately (verbal) 7 calendar days (written) Within 24 hours (written)
<u>The following information will be reported to the governmental agencies listed above</u>	Name, address and facility location, facility phone number, date and time of discharge, type of material discharged, total quantity discharged, source of discharge, description of all affected media, actions being used to stop, remove, and mitigate the effects of the discharge, organizations who have also been notified, damages or injuries, cause of discharge, whether an evacuation may be needed.		
<u>The following written information will be reported to the EPA Regional Administrator.</u>	Name of facility, Name of owner/operator, location of the facility, Maximum storage, normal daily throughput, Corrective actions and countermeasures including a description of equipment repairs and replacements, description of facility, including maps, flow diagrams, and topographical maps, cause of discharges to navigable waters and adjoining shorelines, including a cause analysis of the system and subsystem in which the failure occurred, and preventative measures taken or contemplated, to minimize the possibility of reoccurrence and other pertinent information requested by the Administrator.		

Terry Swaim
1518 SW 27th CT
Ft. Lauderdale, Fl 33315
Cell: (305)986-2724

The emergency coordinators listed above are responsible for coordinating all emergency response measures, and thoroughly familiar with all aspects of the SPCC Plan, all operations and activities at the facility, the location and characteristics of all used oil handled, the location of all records within the facility, and the layout of the facility. In addition, the emergency coordinators are authorized to commit funds and resources as may be necessary for response to emergency incidents at the facility.

Evacuation Plan

As shown on Figure 2, the facility maintains one (1) driveway entrance. It is located on the southwest corner of the facility, and it accesses N.W. 66th Street. In case of an emergency involving a fire, explosion or spill, all facility personnel will be evacuated through the entrance. In the case that an emergency exists which dictates evacuations, the emergency coordinator will signal an evacuation alarm. Details of the alarm system are provided in Attachment 8 of the SPCC Plan.

Fire and Explosion Response Procedures

In the case of an imminent or actual emergency situation involving a fire or explosion, the emergency coordinator or his designee on-site will activate internal facility alarm signals and communication systems. The emergency coordinator shall assess the safest facility exit and advise employees to proceed to evacuate the premises. The emergency coordinator shall also notify the appropriate local or State agencies. Notification to local or State agencies will include identification of the character, source, amount and extent, if any, of released materials. Concurrently, the emergency coordinator shall be responsible for assessment of the possible hazard to human health or the environment in the surrounding area that may result from the fire or explosion. If a situation is found to exist which could threaten human health or the environment, the emergency coordinator shall:

- a) Notify local authorities if evacuation of surrounding areas is advisable.
- b) Notify the local and/or regional emergency response center, reporting his name and telephone number, name and address of the facility, time and type of incident, name and quantity of materials involved the extent of inquiries, and possible hazards to human health and the environment.

emergency coordinator will take all reasonable measures to insure that additional or explosions do not occur.

**RICKY'S OIL & ENVIRONMENTAL SE
RECYCLE / TRANSPORTATION /
RECEIVING MANIFEST**

MANIFEST DOCUMENT NO.
499925

**SERVICE HOTLINE
(305) 822-2253**

Mailing Address: Facility Address:
7209 NW 65TH STREET
Miami, FL 33166
EPA ID# FLD981019755

Customer # **15487 003**
City **MIAMI** State **FL**
City **MIAMI** State **FL**
Mailing Address _____ State _____ Zip _____
Time _____ Telephone # _____

Description / Classification: Non-Hazardous

Lubricants, Flash Greater than 200F No Placard Required	Quantity Gallons 206	Halogen Test Method: (Circle Result)
Antifreeze, Flash Greater than 200F No Placard Required	Quantity Gallons _____	Halogen Leak Detector
Water, Flash Greater than 200F No Placard Required	Quantity Gallons _____	Pass Fail
Oil Filter, Flash Greater than 200F No Placard Required	Quantity Drums _____	Dexsil
Absorbents, Flash Greater than 200F No Placard Required	Quantity Drums _____	Pass Fail

DESCRIPTION/SPECIAL HANDLING INSTRUCTIONS:

All is subject to regulation by the Florida DEP Statute 403, Florida Administrative Code 62-710 and The United States EPA 40 Part 279
Skin & Tissue Contact. Wear Gloves & Eye Protection. In case of emergency contact the Florida Department of Environmental Protection and Synergy Recycling at (886) 492-6879

GENERATOR CERTIFICATION:

I, the generator of this product, hereby certify that we have not mixed any hazardous waste with this product being collected by RICKY'S OIL & ENVIRONMENTAL SE. This product is being transported to RICKY'S OIL & ENVIRONMENTAL SE to be recycled in accordance with all federal, state, and local laws. We the generator also certify that this product does not contain any detectable levels of PCB,s (53 Fed. Reg. 24206, June 27, 1988).
I hereby declare that the contents of this shipment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international, national, and state regulations.
Unless I am a small generator who has been exempted by statute or regulation from the duty to make a waste minimization certification under Section 3002(b) of RCRA, I also certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and I have selected the method of treatment, storage, or

Printed Name **Walter** Signature *[Signature]* Date **2-1-17**

TRANSPORTER ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS

Printed Name **Blanco** Signature *[Signature]* Date **2-1-17**

RECEIVING FACILITY ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS

Printed Name _____ Signature _____ Date _____

ADDITIONAL BILLING INFORMATION OR COMMENTS:

Ricky's Oil & Env. Services

Did you inspect the work performed? Yes No
Was the work performed to your satisfaction? _____
How do you rate the overall performance? Poor Fair Excellent

**RICKY'S OIL & ENVIRONMENTAL SE
RECYCLE / TRANSPORTATION /
RECEIVING MANIFEST**

MANIFEST DOCUMENT NO.
504348

**SERVICE HOTLINE
(305) 822-2253**

Corporate/Mailing Address: Facility Address:
Box 88 7209 NW 66TH STREET
Wesley Chapel, GA 30277 Miami, FL 33166
EPA ID# FLD981019755

Name MINI COOPER	EPA # 0	Customer # 17309-003
Address ECHOBEE BLVD	City WPB	State FL
Name MINI COOPER	City WPB	
Mailing Address ECHOBEE BLVD	State FL	Zip 33409
Weight lb	Time	Telephone # 561-307-2256

Description / Classification: Non-Hazardous

Used Lubricants, Flash Greater than 200F No Placard Required	Quantity Gallons _____ Tanks _____ Drums _____	Halogen Test Method: (Circle Result)
Used Antifreeze, Flash Greater than 200F No Placard Required	Quantity Gallons _____ Tanks _____ Drums _____	Halogen Leak Detector
Used Water, Flash Greater than 200F No Placard Required	Quantity Gallons _____ Tanks _____ Drums _____	Pass Fail
Used Oil Filter, Flash Greater than 200F No Placard Required	Quantity Drums _____ Crushed _____ Uncrushed _____	Dexsil
Used Absorbents, Flash Greater than 200F No Placard Required	Quantity Drums _____	Pass Fail

DESCRIPTION/SPECIAL HANDLING INSTRUCTIONS:

This is subject to regulation by the Florida DEP Statute 403, Florida Administrative Code 62-710 and The United States EPA 40 CFR 179.2. This material is highly flammable and may be irritating to the skin & tissue contact. Wear Gloves & Eye Protection. In case of emergency contact the Florida Department of Environmental Protection and Synergy Recycling at (886) 492-6879

GENERATOR CERTIFICATION:

I, the generator of this product, hereby certify that we have not mixed any hazardous waste with this product being collected by RICKY'S OIL & ENVIRONMENTAL SE. This product is being transported to RICKY'S OIL & ENVIRONMENTAL SE to be recycled in accordance with all federal, state, and local laws. We the generator also certify that this product does not contain any detectable levels of PCBs (53 Fed. Reg. 24206, June 27, 1988). I declare that the contents of this shipment are fully and accurately described above by proper shipping name and are properly labeled, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, national, and state regulations. If I am a small generator who has been exempted by statute or regulation from the duty to make a waste minimization certification under Section 3002(b) of RCRA, I also certify that I have a program in place to reduce the volume and toxicity of waste generated to the maximum degree I have determined to be economically practicable and I have selected the method of treatment, storage, or disposal.

Name _____ Signature _____ Date _____

TRANSPORTER ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS

Name Leonardo Signature _____ Date 2/24/17

RECEIVING FACILITY ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS

Name Scott McSpade Signature _____ Date 2-24-17
Ricky's Oil & Env. Service

SPECIAL BILLING INFORMATION OR COMMENTS:

Setup I & JV for used filters

Did you inspect the work performed? _____ Yes _____ No
Are you satisfied with the work performed to your satisfaction? _____
How would you rate the overall performance? _____ Poor _____ Fair _____ Excellent

**RICKY'S OIL & ENVIRONMENTAL SE
RECYCLE / TRANSPORTATION /
RECEIVING MANIFEST**

MANIFEST DOCUMENT NO.
500611

Date/Mailing Address:
Box 88
Burg, GA 30277

Facility Address:
7209 NW 66TH STREET
Miami, FL 33166
EPA ID# FLD981019755

**SERVICE HOTLINE
(305) 822-2253**

EPA #	0	Customer #	13322
City	MIAMI	State	FL
City	MIAMI	State	FL
Zip		Zip	33126
Telephone #	305-436-8400		

Description / Classification: Non-Hazardous

Lubricants, Flash Greater than 200F Placard Required	Quantity Gallons	333	e39	Halogen Test Method: (Circle Result)
Antifreeze, Flash Greater than 200F Placard Required	Quantity Gallons			Halogen Leak Detector
Water, Flash Greater than 200F Placard Required	Quantity Gallons			Pass Fail
Oil Filter, Flash Greater than 200F Placard Required	Quantity Drums			Dexsil
Absorbents, Flash Greater than 200F Placard Required	Quantity Drums			Pass Fail

DESCRIPTION/SPECIAL HANDLING INSTRUCTIONS:
subject to regulation by the Florida DEP Statute 403, Florida Administrative Code 62-710 and The United States EPA 40
& Tissue Contact. Wear Gloves & Eye Protection. In case of emergency contact the Florida Department of Environmental
and Synergy Recycling at (886) 492-6879

GENERATOR CERTIFICATION:
I, the generator of this product, hereby certify that we have not mixed any hazardous waste with this product being collected by
RICKY'S OIL & ENVIRONMENTAL SE. This product is being transported to RICKY'S OIL & ENVIRONMENTAL SE to be recycled in
accordance with all federal, state, and local laws. We the generator also certify that this product does not contain any detectable level
of hazardous waste (53 Fed. Reg. 24206, June 27, 1988).
I declare that the contents of this shipment are fully and accurately described above by proper shipping name and are
properly packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable
federal, national, and state regulations.
I am a small generator who has been exempted by statute or regulation from the duty to make a waste minimization certification
under section 3002(b) of RCRA, I also certify that I have a program in place to reduce the volume and toxicity of waste generated to
the maximum extent feasible. I have determined to be economically practicable and I have selected the method of treatment, storage, or disposal

Name: PHAR Signature: [Signature] Date: 2/7/17

TRANSPORTER ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS
Name: Luis Blanco Signature: [Signature] Date: 2-7-17

RECEIVING FACILITY ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS
Name: Ricky's Oil & Env. Services Signature: [Signature] Date:

BILLING INFORMATION OR COMMENTS:

Inspected the work performed? Yes No

Work performed to your satisfaction? Poor Fair Excellent

How do you rate the overall performance? Poor Fair Excellent

**RICKY'S OIL & ENVIRONMENTAL SE
RECYCLE / TRANSPORTATION /
RECEIVING MANIFEST**

Corporate/Mailing Address:
P.O. Box 88
Sharpsburg, GA 30277

Facility Address:
7209 NW 66TH STREET
Miami, FL 33166
EPA ID# FLD981019755

MANIFEST DOCUMENT NO. 99261
**SERVICE HOTLINE
(305) 822-2253**

Generator Name
DORAL BUICK/GMC R7
Location
8447 NW 12 ST
Billed To
DORAL BUICK/GMC R7
Business Mailing Address
8447 NW 12 ST
Date Shipped
8/2017

City
MIAMI
City
MIAMI

EPA #
0

Customer #
12022
State
FL

State
FL
Zip
33126
Telephone #
305-436-8400

Description / Classification: Non-Hazardous	Quantity Gallons	Tanks	Drums	Halogen Test Method: (Circle Result)
Used Lubricants, Flash Greater than 200F No Placard Required	333		e39	Pass
Used Antifreeze, Flash Greater than 200F No Placard Required				
Wash Water, Flash Greater than 200F No Placard Required				
Used Oil Filter, Flash Greater than 200F No Placard Required				
Spent Absorbents, Flash Greater than 200F No Placard Required			e35	Pass

DESCRIPTION/SPECIAL HANDLING INSTRUCTIONS:
This material is subject to regulation by the Florida DEP Statute 403, Florida Administrative Code 62-710 and The United States EPA 40 CFR Part 279.
Avoid Skin & Tissue Contact. Wear Gloves & Eye Protection. In case of emergency contact the Florida Department of Environmental Protection and Synergy Recycling at (886) 492-6879

GENERATOR CERTIFICATION:
I, the generator of this product, hereby certify that we have not mixed any hazardous waste with this product being collected by RICKY'S OIL & ENVIRONMENTAL SE. This product is being transported to RICKY'S OIL & ENVIRONMENTAL SE to be recycled in accordance with all federal, state, and local laws. We the generator also certify that this product does not contain any detectable levels of hazardous materials as defined in 40 CFR Part 261.3 Fed. Reg. 24206, June 27, 1988). We are aware that the contents of this shipment are fully and accurately described above by proper shipping name and are properly packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, national, and state regulations. As a small generator who has been exempted by statute or regulation from the duty to make a waste minimization certification under 40 CFR 3002(b) of RCRA, I also certify that I have a program in place to reduce the volume and toxicity of waste generated and that I have determined to be economically practicable and I have selected the method of treatment, storage, or disposal.

Signature: *[Signature]* Date: 2/7/17

TRANSPORTER ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS
Signature: *[Signature]* Date: 2-7-17

RECEIVING FACILITY ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS
Signature: Ricky's Oil & Env. Services Date: _____

ADDITIONAL INFORMATION OR COMMENTS:
Yes No

Date: 01/02/17

SAMPLE COMPLIANCE FORM

Generator Name & Address	Driver	Sniffer Results	Clor/D/Tect, Dexsil	NOTES
Bridgestone 110 NE ST. Homestead, FL 33030	A B Ael 01/04/17	Failed	<1000	Driver check tank and the sniffer went off, check sample driver brought in. with Dexsil. OK.
CARMAX #7202 1700 NW 36 ST. POMPANO BEACH, FL 33064	George 01/17/17	Failed	<1000	Driver check tank and the sniffer went off. check sample with Dexsil. OK.

Date: 05/01/17

SAMPLE COMPLIANCE FORM

Generator Name & Address	Driver	Sniffer Results	Clor/D/Tect, Dexsil	NOTES
Braman BMW WPB	Eddie 05/01/17	Failed	<1000	Driver check the oil tank, the sniffer went off, test the sample with Dexsil, OK.

Recalibrate sniffer due to they were going off.

410 - 259.31

RICKY'S OIL & ENVIRONMENTAL SE RECYCLE / TRANSPORTATION / RECEIVING MANIFEST

Corporate/Mailing Address:
P.O. Box 88
Sharpsburg, GA 30277

Facility Address:
7209 NW 66TH STREET
Miami, FL 33166
EPA ID# FLD981019755
EPA # 0

MANIFEST DOCUMENT NO. 500567
SERVICE HOTLINE
(305) 822-2253

Generator Name: ALPINE JAGUAR R7
 Location: 6606 ANDREWS AVE
 Billed To: ALPINE JAGUAR R7
 Business Mailing Address: 6606 ANDREWS AVE
 Date Shipped: 02/06/2017
 City: FT. LAUDERDALE
 State: FL
 Zip: 33309
 Telephone #: 954-202-8500

Description / Classification: **Non-Hazardous**

- Used Lubricants, Flash Greater than 200F
No Placard Required
- Used Antifreeze, Flash Greater than 200F
No Placard Required
- Oily Water, Flash Greater than 200F
No Placard Required
- Used Oil Filter, Flash Greater than 200F
No Placard Required
- Spent Absorbents, Flash Greater than 200F
No Placard Required

Quantity Gallons: 324.59
 Tanks _____ Drums _____
 Quantity Gallons _____
 Tanks _____ Drums _____
 Quantity Gallons _____
 Tanks _____ Drums _____
 Quantity Drums _____
 Crushed _____ Uncrushed 35

Halogen Test Method:
(Circle Result)
Halogen Leak Detector
Pass Fail
Dexsil
Pass Fail

ADD'L DESCRIPTION/SPECIAL HANDLING INSTRUCTIONS:
 Used Oil is subject to regulation by the Florida DEP Statute 403, Florida Administrative Code 62-710 and The United States EPA 40 CFR Part 279
 Avoid Skin & Tissue Contact. Wear Gloves & Eye Protection. In case of emergency contact the Florida Department of Environmental Protection and Synergy Recycling at (886) 492-6879

GENERATOR CERTIFICATION:
 We the generator of this product, hereby certify that we have not mixed any hazardous waste with this product being collected by RICKY'S OIL & ENVIRONMENTAL SE. This product is being transported to RICKY'S OIL & ENVIRONMENTAL SE to be recycled in accordance with all federal, state, and local laws. We the generator also certify that this product does not contain any detectable levels of PCB,s (53 Fed. Reg. 24206, June 27, 1988).
 I hereby declare that the contents of this shipment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international, national, and state regulations.
 Unless I am a small generator who has been exempted by statute or regulation from the duty to make a waste minimization certification under Section 3002(b) of RCRA, I also certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and I have selected the method of treatment, storage, or disposal

Printed Name: George W. Baras Signature: [Signature] Date: 2/9/17

TRANSPORTER ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS
 Printed Name: [Signature] Signature: [Signature] Date: 2/9/17

RECEIVING FACILITY ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS
 Printed Name: _____ Signature: [Signature] Date: _____
 Ricky's Oil & Env. Services

SPECIAL BILLING INFORMATION OR COMMENTS:

Have you inspected the work performed? Yes _____ No _____
 Was the work performed to your satisfaction? _____
 How would you rate the overall performance? Poor _____ Fair _____ Excellent _____

25934
A Julie

**RICKY'S OIL & ENVIRONMENTAL
RECYCLE / TRANSPORTATION /
RECEIVING MANIFEST**

Corporate/Mailing Address:
P.O. Box 88
Sharpsburg, GA 30277

Facility Address:
7205 NW 55TH STREET
Miami, FL 33166
EPA ID# FLD981019755

SEVA
(305) 822-2253

Generator Name: AMERICAN AMBULANCE
 Location: 6767 NW 74 AVE, City: MEDLEY, State: FL
 Billed To: AMERICAN AMBULANCE, City: MEDLEY, State: FL, Zip: 33166
 Business Mailing Address: 6767 NW 74 AVE, State: FL, Zip: 33166
 Date Shipped: 02/14/2017, Time: _____, Telephone #: 786-577-2165

Description / Classification: Non-Hazardous

<input checked="" type="checkbox"/> Used Lubricants, Flash Greater than 200F No Placard Required	Quantity Gallons: 414 Tanks: _____ Drums: _____	Halogen Test Method: (Circle Result)
<input checked="" type="checkbox"/> Used Antifreeze, Flash Greater than 200F No Placard Required	Quantity Gallons: 49 Tanks: _____ Drums: _____	Halogen Leak Detector: Pass Fail
<input type="checkbox"/> Oily Water, Flash Greater than 200F No Placard Required	Quantity Gallons: _____ Tanks: _____ Drums: _____	Dexsil: Pass Fail
<input checked="" type="checkbox"/> Used Oil Filter, Flash Greater than 200F No Placard Required	Quantity Drums: _____ Crushed: _____ Uncrushed: _____	Pass Fail
<input type="checkbox"/> Spent Absorbents, Flash Greater than 200F No Placard Required	Quantity Drums: _____	

ADD'L DESCRIPTION/SPECIAL HANDLING INSTRUCTIONS:
Used Oil is subject to regulation by the Florida DEP Statute 403, Florida Administrative Code 62-710 and The United States EPA 40 CFR Part 279
Avoid Skin & Tissue Contact. Wear Gloves & Eye Protection. In case of emergency contact the Florida Department of Environmental Protection and Synergy Recycling at (886) 492-6879

GENERATOR CERTIFICATION:
We the generator of this product, hereby certify that we have not mixed any hazardous wastes with this product being collected by RICKY'S OIL & ENVIRONMENTAL SE. This product is being transported to RICKY'S OIL & ENVIRONMENTAL SE. This product is being transported in accordance with all federal, state, and local laws. We the generator also certify that this product does not contain any detectable levels of PCB,s (53 Fed. Reg. 24206, June 27, 1988).
I hereby declare that the contents of this shipment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international, national, and state regulations.
Unless I am a small generator who has been exempted by statute or regulation from the duty to make a waste minimization certification under Section 3002(b) of RCRA, I also certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and I have selected the method of treatment, storage, or disposal

Printed Name: Ariel
Signature: _____
Date: _____
TRANSPORTER ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS

Printed Name: Luis Blanco
Signature: _____
Date: 2-15-17
RECEIVING FACILITY ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS

Printed Name: _____
Signature: Ricky's Oil & Env. Services
Date: _____

SPECIAL BILLING INFORMATION OR COMMENTS:
Have you inspected the work performed? _____ Yes _____ No
Was the work performed to your satisfaction? _____
How would you rate the overall performance? _____ Poor _____ Fair _____ Excellent

Address: Sharpsburg, GA 30277

Facility Address: 7209 NW 66TH STREET Miami, FL 33166 EPA ID# FLD981019755

SERVICE (305) 822-2253

Generator Name: AMERICAN AMBULANCE
 Location: 6767 NW 74 AVE
 Billed To: AMERICAN AMBULANCE
 Business Mailing Address: 6767 NW 74 AVE
 Date Shipped: 02/14/2017

City: MEDLEY
 State: FL
 Zip: 33166

EPA #: 0
 Customer #: 14834
 Telephone #: 786-877-2765

Description / Classification: Non-Hazardous

<input checked="" type="checkbox"/> Used Lubricants, Flash Greater than 200F No Placard Required	Quantity Gallons <u>414</u>	Tanks _____	Drums _____	Halogen Test Method: (Circle Result) Halogen Leak Detector <u>Pass</u> Fail Dexsil Pass Fail
<input checked="" type="checkbox"/> Used Antifreeze, Flash Greater than 200F No Placard Required	Quantity Gallons <u>49</u>	Tanks _____	Drums _____	
<input type="checkbox"/> Oily Water, Flash Greater than 200F No Placard Required	Quantity Gallons _____	Tanks _____	Drums _____	
<input checked="" type="checkbox"/> Used Oil Filter, Flash Greater than 200F No Placard Required	Quantity Drums _____	Crushed _____	Uncrushed _____	
<input type="checkbox"/> Spent Absorbents, Flash Greater than 200F No Placard Required	Quantity Drums _____	Crushed _____	Uncrushed _____	

ADD'L DESCRIPTION/SPECIAL HANDLING INSTRUCTIONS:
 Used Oil is subject to regulation by the Florida DEP Statute 403, Florida Administrative Code 62-710 and The United States EPA 40 CFR Part 279
 Avoid Skin & Tissue Contact. Wear Gloves & Eye Protection. In case of emergency contact the Florida Department of Environmental Protection and Synergy Recycling at (886) 492-6879

GENERATOR CERTIFICATION:
 We the generator of this product, hereby certify that we have not mixed any hazardous waste with this product being collected by RICKY'S OIL & ENVIRONMENTAL SE. This product is being transported to RICKY'S OIL & ENVIRONMENTAL SE to be recycled in accordance with all federal, state, and local laws. We the generator also certify that this product does not contain any detectable levels of PCB,s (53 Fed. Reg. 24206, June 27, 1988).
 I hereby declare that the contents of this shipment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international, national, and state regulations.
 Unless I am a small generator who has been exempted by statute or regulation from the duty to make a waste minimization certification under Section 3002(b) of RCRA, I also certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and I have selected the method of treatment, storage, or disposal

Printed Name: Ariel Signature: [Signature] Date: _____

TRANSPORTER ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS

Printed Name: Mis Blanco Signature: [Signature] Date: 2-15-17

RECEIVING FACILITY ACKNOWLEDGEMENT OF RECEIPT OF MATERIALS

Printed Name: _____ Signature: Ricky's Oil & Env. Services Date: _____

SPECIAL BILLING INFORMATION OR COMMENTS:

Have you inspected the work performed? _____ Yes _____ No
 Was the work performed to your satisfaction? _____
 How would you rate the overall performance? _____ Poor _____ Fair _____ Excellent

**RICKY'S OIL & ENVIRONMENTAL
RECYCLE / TRANSPORTATION /
RECEIVING MANIFEST**

MANIFEST DOCUMENT NO.
514990

**SERVICE HOTLINE
(305) 822-2253**

Corporate/Mailing Address:
P.O. BOX 669295
7209 NW 66TH STREET
MIAMI, FL 33166-9430
(305) 887-2800 FAX

Facility Address:
7209 NW 66TH STREET
Miami, FL 33166
EPA ID# FLD981019755

Transferred From RICKY'S OIL & ENVIRONMENTAL	EPA# FLD981019755	Customer # 11801-015
Location 7209 NW 66 ST	City MIAMI	State FL
Receiving Facility VERTEX ENERGY	EPA# 110003260337	State LA
Address 5000 RIVER ROAD	City MARRERO	Zip 70072
Date Shipped 01/16/2017	Transporter ID FLORIDA EAST COAST	Telephone # 305-822-2253

Used Lubricants, Not Regulated as a Hazardous Material
 Other: Specify

Description / Classification: Non-Hazardous
Quantity Gallons 27,171

GATX 25881

ADD'L DESCRIPTION/SPECIAL HANDLING INSTRUCTIONS:
Used Oil is subject to regulation by the Florida DEP Statute 403, Florida Administrative Code 62-710 and The United States EPA 40 CFR Part 279
Avoid Skin & Tissue Contact. Wear Gloves & Eye Protection. In case of emergency contact the Florida Department of Environmental Protection and Synergy Recycling at (886) 492-6879

TRANSFER FACILITY CERTIFICATION:
I hereby declare that the contents of this shipment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international, national, and state regulations.

Printed Name: Rick Sminkus Signature: [Signature] Date: 1/16/17

Printed Name: Florida East Coast Signature: _____ Date: _____

Printed Name: R.E. - See Attachment Signature: _____ Date: _____

SPECIAL BILLING INFORMATION OR COMMENTS:

UNIVERSAL 21127



Solid Waste Management
7131 SW 87th Street • 3100
Miami, Florida 33147
305-314-6666

March 3, 2017

Elliott Paul, Managing Member
Ricky's Oil Service, Inc.
810 Shotgun Road, Suite 110
Burrhead, FL 33338

RE: Decal for Vehicle Permitted to Transport Waste Tires

Dear Mr. Paul:

Thank you for submitting your Waste Tire Hauler Permit application. The application has met all of the requirements as outlined in the Code of Miami-Dade County and as such, permit account number 22444 assigned to Ricky's Oil Service, Inc. has been approved and is valid through February 28, 2018.

Enclosed you will find one decal (TH18-0073) assigned to the vehicles listed on the permit application to transport waste tires within Miami-Dade County.

The Miami-Dade County waste tire hauler permit decals should be affixed permanently on the inside of the windshield of all vehicles permitted to transport waste tires within Miami-Dade County. Vehicles that do not have decals permanently affixed to the windshield are considered in violation of the Code of Miami-Dade County.

Please note that the Department of Solid Waste Management has the authority to request an accounting of the waste tires collected from each tire generator, corresponding collection dates and disposal receipts. You are advised to maintain accurate records in the event such a request is made. It is recommended that you keep this document on the as proof of your Waste Tire Hauler Permit approval.

Should you require additional information specific to your permit, contact the Permit Unit at 305-514-0610.

Sincerely,

Michelle J. Jackson
Michelle J. Jackson, CPA 2
Special Projects Administrator
Code Enforcement Division

Invoice

Invoice # 331066
Invoice Date 9/20/2016
Client Ricky's Oil Service
Nancy Munoz
Ricky's Oil Service
P.O. Box 66295
Miami, FL 33166-0430

Advanced Environmental Laboratories, Inc.
Account ID ROS
Location PO
Workorder Workorder Date
Quotient Sampling (M1603121)

Description	Qty	Unit Price	Extended Price
Nickel EPA 200.7 ICP Aqueous	1	\$12.00	\$12.00
Zinc EPA 200.7 ICP Aqueous	1	\$12.00	\$12.00
1.5 Hours FT at \$60.00/hour	1	\$90.00	\$90.00
Cadmium EPA 200.7 ICP Aqueous	1	\$12.00	\$12.00
Lead EPA 200.7 ICP Aqueous	1	\$70.00	\$70.00
Fl Pro. Water	1	\$12.00	\$12.00
Chromium EPA 200.7 ICP Aqueous	1	\$12.00	\$12.00
Invoice Total			\$220.00

Charge Details	Amount	Due	Charge
Lab fee	\$90.00		\$90.00
Sample ID			\$12.00
M16031201		9/20/2016	\$12.00
1.5 Hours FT at \$60.00/hour			\$90.00
Cadmium EPA 200.7 ICP Aqueous			\$12.00
Chromium EPA 200.7 ICP Aqueous			\$12.00
Fl Pro. Water			\$12.00
Lead EPA 200.7 ICP Aqueous			\$70.00
Nickel EPA 200.7 ICP Aqueous			\$12.00
Zinc EPA 200.7 ICP Aqueous			\$12.00

Payment Details
TERMS: Payment is due upon completion of work unless prior arrangements have been made. The client will be charged at a rate of 1.5% interest for each month after the first 30 days. In the event of non-payment, the client agrees to pay all collection costs and attorney's fees in addition to the original price amount and the accrued interest.

THANK YOU FOR USING OUR SERVICES
Jacksonville, FL 32246-1680

Permit to Advanced Environmental Laboratories, Inc. PO Box 66295

JSL 10-3-16
ENTERED

Page 1 of 1

MIAMI-DADE COUNTY PERMIT
Permit # 09126-04741
RICKY'S OIL SERVICE
PO BOX 66295
MIAMI, FL 33166

Permit Express Last Date in the Month of: June 2017

Business Name: RICKY'S OIL SERVICE / Business Office
Business Owner / Rep: ELLIOTT PAUL


Billing Address: RICKY'S OIL SERVICE
PO BOX 66295
MIAMI, FL 33166
Location Address: RICKY'S OIL SERVICE
7229 NW 46 ST
MIAMI, FL 33166

This Permit is issued in accordance with Article 18, Section 14-63, of the Code of Miami-Dade County and the South Florida Fire Prevention Code under conditions set forth herein. Violations of the aforementioned will be grounds for immediate revocation.

Permit Authorized by: *A.R. C...*
Chief Alan R. Cunniff, Fire Marshal
Miami-Dade Fire Rescue Department

Local Business Tax Receipt
Miami-Dade County, State of Florida
719644
RICKY'S OIL SERVICE
PO BOX 66295
MIAMI, FL 33166

Local Business Tax Receipt
Miami-Dade County, State of Florida
141500
RICKY'S OIL SERVICE
PO BOX 66295
MIAMI, FL 33166



Environmental Protection and Growth Management Department
ENVIRONMENTAL LICENSING AND BUILDING PERMITTING DIVISION
Miami University Drive, Room 322, Plantation, FL 33324
954-619-1200 • FAX 954-619-1484

APPLICATION FOR
WASTE TRANSPORT LICENSE

- (Check all that apply)
- Sludge Hauling
 - Discarded Hazardous Material Hauling
 - Biomedical Waste Hauling

The application fee for a new license is \$55. The renewal application fee of \$25 is waived for licenses with no violations during the expiring term. Please make your check payable to BROWARD COUNTY BOARD OF COUNTY COMMISSIONERS and submit with your application.

The license operating fee is now based on usage. Your monthly usage report and fees are due by the 15th of each month for the prior months usage.

1. Purpose of application (check one):
- New License / \$55 license fee
 - Renewal / (Fee waived if no violations during last license term)
 - Modification
 - Added Trucks; Specify # of trucks added: _____
 - Other, specify: _____

2. General Information

Name of Business: Ricky's Oil & Environmental Services
Address: 7209 NW 46th Street
City: Miami State: FL ZIP: 33166
Telephone: 305-492-1489 email: cathy@sumergreencycling.com
Mailing Address (if different from above): 510 Shotgun Rd Ste 110
City: Sunrise State: FL ZIP: 33326 Telephone: 305-492-1489
Name of Contact: Rich Smerekas Title: General Manager

Broward County Board of County Commissioners
Mark Bogen • Brian Furr • Dale V.C. Hodges • Martin D. Smith • Steve L. Smith • Tim Ryan • Barbara Shum • Lou Weaver
1 North University Drive, Suite 322, Plantation, FL 33324
www.broward.org

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STORAGE TANK REGISTRATION PLACARD
2017-2018

STEM ACCOUNT: 4339 FACILITY NO: 900412 PLACARD NO: 49991
FACILITY: RICKY'S OIL SERVICE 7209 NW 46TH ST MIAMI, FL 33166 MIAMI-DADE COUNTY PLACARD NUMBER: 05293611 PLACARD EXPIRES: 06/30/2018
FACILITY TYPE: Fuel use/hazardous TANK SYSTEMS REGISTERED: 11
ACCOUNT OWNER: RICKY'S OIL SERVICE PO BOX 66295 MIAMI, FL 33166 4430
HASH: UYXKJAKT8V8M

The Storage Tank Registration placard must be posted at the facility.
Under Section 316.3077, Florida Statutes, it is unlawful to deposit motor fuel into a stationary storage tank system that requires registration unless proof of valid registration is displayed at the facility.
Acceptance of this placard constitutes agreement to operate the registered tanks in compliance with applicable Statutes and Department Rules.
DEPARTMENT OF ENVIRONMENTAL PROTECTION IS ON THE INTERNET
The Web address for DEP is <http://www.dep.state.fl.us>
You can access the Storage Tank Website by using <http://www.dep.state.fl.us/water/containers/tanks>.
Look under the HIGHLIGHTS section to find the links to storage tank rules, forms, database reports and program information.

CONTACT TANK REGISTRATION BY:
EMAIL: TankRegistration@dep.state.fl.us
PHONE: (850) 245-4839


20170518180153C OFFICIAL DOCUMENT
Regulatory and Economic Resources
Environmental Resources Management
701 NW 1st Court • 7th Floor
Miami, Florida 33136-3912
305-372-6600 / 305-372-6691
miamidade.gov

Permit No: 16-00071-2017/2018 (2)-0001
Permit Issued To: RICKY'S OIL SERVICE
Facility Location: 7209 NW 46 ST
MIAMI, FL 33166

CONTACT NAME/ADDRESS:
AYLA BOUTINQUE BUGH
RICKY'S OIL SERVICE, INC.
510 SHOTGUN RD SUITE 110
SUNRISE, FL 33326

INDUSTRIAL WASTE (IW)
ANNUAL OPERATING PERMIT

DESCRIPTION OF FACILITY/EQUIPMENT
This document issued under the provisions of Chapter 24, Miami-Dade County Environmental Protection Ordinance, shall be valid from 01-JUN-2018 through 31-MAY-2019. The above named permittee, in hereby authorized to operate the pollution control facility at the above location which consists of the following:
WASTE OIL COLLECTION FACILITY WITH A. Reinforced concrete secondary containment area, irregular in shape for: 1. Three (3) 25,000 gal. aboveground used oil tanks (denoted as tanks 1, 2 & 3); One (1) 11,500 gal. aboveground used oil tank (denoted as tank 4); 2. Four (4) 12,000 gal. aboveground used oil tanks (denoted as tanks 5, 6, 7 & 8); 3. One (1) 15,000 gal. and one (1) 12,000 gal. aboveground used oil tanks (denoted as tanks 9 & 10); 4. One (1) 15,000 gal. and one (1) 12,000 gal. aboveground used oil tanks (denoted as tanks 11 & 12); 5. Four (4) concrete loading areas with three (3) lock separator to serve tanks 1 & 2; 6. One (1) oil/water separator; 7. One (1) oil/water separator to serve tanks 3 & 4; 8. One (1) oil/water separator; 9. One (1) oil/water separator to serve tanks 5 & 6; 10. One (1) oil/water separator to serve tanks 7 & 8; 11. One (1) oil/water separator to serve tanks 9 & 10; 12. One (1) oil/water separator to serve tanks 11 & 12; 13. One (1) oil/water separator to serve tanks 13 & 14; 14. One (1) oil/water separator to serve tanks 15 & 16; 15. One (1) oil/water separator to serve tanks 17 & 18; 16. One (1) oil/water separator to serve tanks 19 & 20; 17. One (1) oil/water separator to serve tanks 21 & 22; 18. One (1) oil/water separator to serve tanks 23 & 24; 19. One (1) oil/water separator to serve tanks 25 & 26; 20. One (1) oil/water separator to serve tanks 27 & 28; 21. One (1) oil/water separator to serve tanks 29 & 30; 22. One (1) oil/water separator to serve tanks 31 & 32; 23. One (1) oil/water separator to serve tanks 33 & 34; 24. One (1) oil/water separator to serve tanks 35 & 36; 25. One (1) oil/water separator to serve tanks 37 & 38; 26. One (1) oil/water separator to serve tanks 39 & 40; 27. One (1) oil/water separator to serve tanks 41 & 42; 28. One (1) oil/water separator to serve tanks 43 & 44; 29. One (1) oil/water separator to serve tanks 45 & 46; 30. One (1) oil/water separator to serve tanks 47 & 48; 31. One (1) oil/water separator to serve tanks 49 & 50; 32. One (1) oil/water separator to serve tanks 51 & 52; 33. One (1) oil/water separator to serve tanks 53 & 54; 34. One (1) oil/water separator to serve tanks 55 & 56; 35. One (1) oil/water separator to serve tanks 57 & 58; 36. One (1) oil/water separator to serve tanks 59 & 60; 37. One (1) oil/water separator to serve tanks 61 & 62; 38. One (1) oil/water separator to serve tanks 63 & 64; 39. One (1) oil/water separator to serve tanks 65 & 66; 40. One (1) oil/water separator to serve tanks 67 & 68; 41. One (1) oil/water separator to serve tanks 69 & 70; 42. One (1) oil/water separator to serve tanks 71 & 72; 43. One (1) oil/water separator to serve tanks 73 & 74; 44. One (1) oil/water separator to serve tanks 75 & 76; 45. One (1) oil/water separator to serve tanks 77 & 78; 46. One (1) oil/water separator to serve tanks 79 & 80; 47. One (1) oil/water separator to serve tanks 81 & 82; 48. One (1) oil/water separator to serve tanks 83 & 84; 49. One (1) oil/water separator to serve tanks 85 & 86; 50. One (1) oil/water separator to serve tanks 87 & 88; 51. One (1) oil/water separator to serve tanks 89 & 90; 52. One (1) oil/water separator to serve tanks 91 & 92; 53. One (1) oil/water separator to serve tanks 93 & 94; 54. One (1) oil/water separator to serve tanks 95 & 96; 55. One (1) oil/water separator to serve tanks 97 & 98; 56. One (1) oil/water separator to serve tanks 99 & 100; 57. One (1) oil/water separator to serve tanks 101 & 102; 58. One (1) oil/water separator to serve tanks 103 & 104; 59. One (1) oil/water separator to serve tanks 105 & 106; 60. One (1) oil/water separator to serve tanks 107 & 108; 61. One (1) oil/water separator to serve tanks 109 & 110; 62. One (1) oil/water separator to serve tanks 111 & 112; 63. One (1) oil/water separator to serve tanks 113 & 114; 64. One (1) oil/water separator to serve tanks 115 & 116; 65. One (1) oil/water separator to serve tanks 117 & 118; 66. One (1) oil/water separator to serve tanks 119 & 120; 67. One (1) oil/water separator to serve tanks 121 & 122; 68. One (1) oil/water separator to serve tanks 123 & 124; 69. One (1) oil/water separator to serve tanks 125 & 126; 70. One (1) oil/water separator to serve tanks 127 & 128; 71. One (1) oil/water separator to serve tanks 129 & 130; 72. One (1) oil/water separator to serve tanks 131 & 132; 73. One (1) oil/water separator to serve tanks 133 & 134; 74. One (1) oil/water separator to serve tanks 135 & 136; 75. One (1) oil/water separator to serve tanks 137 & 138; 76. One (1) oil/water separator to serve tanks 139 & 140; 77. One (1) oil/water separator to serve tanks 141 & 142; 78. One (1) oil/water separator to serve tanks 143 & 144; 79. One (1) oil/water separator to serve tanks 145 & 146; 80. One (1) oil/water separator to serve tanks 147 & 148; 81. One (1) oil/water separator to serve tanks 149 & 150; 82. One (1) oil/water separator to serve tanks 151 & 152; 83. One (1) oil/water separator to serve tanks 153 & 154; 84. One (1) oil/water separator to serve tanks 155 & 156; 85. One (1) oil/water separator to serve tanks 157 & 158; 86. One (1) oil/water separator to serve tanks 159 & 160; 87. One (1) oil/water separator to serve tanks 161 & 162; 88. One (1) oil/water separator to serve tanks 163 & 164; 89. One (1) oil/water separator to serve tanks 165 & 166; 90. One (1) oil/water separator to serve tanks 167 & 168; 91. One (1) oil/water separator to serve tanks 169 & 170; 92. One (1) oil/water separator to serve tanks 171 & 172; 93. One (1) oil/water separator to serve tanks 173 & 174; 94. One (1) oil/water separator to serve tanks 175 & 176; 95. One (1) oil/water separator to serve tanks 177 & 178; 96. One (1) oil/water separator to serve tanks 179 & 180; 97. One (1) oil/water separator to serve tanks 181 & 182; 98. One (1) oil/water separator to serve tanks 183 & 184; 99. One (1) oil/water separator to serve tanks 185 & 186; 100. One (1) oil/water separator to serve tanks 187 & 188; 101. One (1) oil/water separator to serve tanks 189 & 190; 102. One (1) oil/water separator to serve tanks 191 & 192; 103. One (1) oil/water separator to serve tanks 193 & 194; 104. One (1) oil/water separator to serve tanks 195 & 196; 105. One (1) oil/water separator to serve tanks 197 & 198; 106. One (1) oil/water separator to serve tanks 199 & 200; 107. One (1) oil/water separator to serve tanks 201 & 202; 108. One (1) oil/water separator to serve tanks 203 & 204; 109. One (1) oil/water separator to serve tanks 205 & 206; 110. One (1) oil/water separator to serve tanks 207 & 208; 111. One (1) oil/water separator to serve tanks 209 & 210; 112. One (1) oil/water separator to serve tanks 211 & 212; 113. One (1) oil/water separator to serve tanks 213 & 214; 114. One (1) oil/water separator to serve tanks 215 & 216; 115. One (1) oil/water separator to serve tanks 217 & 218; 116. One (1) oil/water separator to serve tanks 219 & 220; 117. One (1) oil/water separator to serve tanks 221 & 222; 118. One (1) oil/water separator to serve tanks 223 & 224; 119. One (1) oil/water separator to serve tanks 225 & 226; 120. One (1) oil/water separator to serve tanks 227 & 228; 121. One (1) oil/water separator to serve tanks 229 & 230; 122. One (1) oil/water separator to serve tanks 231 & 232; 123. One (1) oil/water separator to serve tanks 233 & 234; 124. One (1) oil/water separator to serve tanks 235 & 236; 125. One (1) oil/water separator to serve tanks 237 & 238; 126. One (1) oil/water separator to serve tanks 239 & 240; 127. One (1) oil/water separator to serve tanks 241 & 242; 128. One (1) oil/water separator to serve tanks 243 & 244; 129. One (1) oil/water separator to serve tanks 245 & 246; 130. One (1) oil/water separator to serve tanks 247 & 248; 131. One (1) oil/water separator to serve tanks 249 & 250; 132. One (1) oil/water separator to serve tanks 251 & 252; 133. One (1) oil/water separator to serve tanks 253 & 254; 134. One (1) oil/water separator to serve tanks 255 & 256; 135. One (1) oil/water separator to serve tanks 257 & 258; 136. One (1) oil/water separator to serve tanks 259 & 260; 137. One (1) oil/water separator to serve tanks 261 & 262; 138. One (1) oil/water separator to serve tanks 263 & 264; 139. One (1) oil/water separator to serve tanks 265 & 266; 140. One (1) oil/water separator to serve tanks 267 & 268; 141. One (1) oil/water separator to serve tanks 269 & 270; 142. One (1) oil/water separator to serve tanks 271 & 272; 143. One (1) oil/water separator to serve tanks 273 & 274; 144. One (1) oil/water separator to serve tanks 275 & 276; 145. One (1) oil/water separator to serve tanks 277 & 278; 146. One (1) oil/water separator to serve tanks 279 & 280; 147. One (1) oil/water separator to serve tanks 281 & 282; 148. One (1) oil/water separator to serve tanks 283 & 284; 149. One (1) oil/water separator to serve tanks 285 & 286; 150. One (1) oil/water separator to serve tanks 287 & 288; 151. One (1) oil/water separator to serve tanks 289 & 290; 152. One (1) oil/water separator to serve tanks 291 & 292; 153. One (1) oil/water separator to serve tanks 293 & 294; 154. One (1) oil/water separator to serve tanks 295 & 296; 155. One (1) oil/water separator to serve tanks 297 & 298; 156. One (1) oil/water separator to serve tanks 299 & 300; 157. One (1) oil/water separator to serve tanks 301 & 302; 158. One (1) oil/water separator to serve tanks 303 & 304; 159. One (1) oil/water separator to serve tanks 305 & 306; 160. One (1) oil/water separator to serve tanks 307 & 308; 161. One (1) oil/water separator to serve tanks 309 & 310; 162. One (1) oil/water separator to serve tanks 311 & 312; 163. One (1) oil/water separator to serve tanks 313 & 314; 164. One (1) oil/water separator to serve tanks 315 & 316; 165. One (1) oil/water separator to serve tanks 317 & 318; 166. One (1) oil/water separator to serve tanks 319 & 320; 167. One (1) oil/water separator to serve tanks 321 & 322; 168. One (1) oil/water separator to serve tanks 323 & 324; 169. One (1) oil/water separator to serve tanks 325 & 326; 170. One (1) oil/water separator to serve tanks 327 & 328; 171. One (1) oil/water separator to serve tanks 329 & 330; 172. One (1) oil/water separator to serve tanks 331 & 332; 173. One (1) oil/water separator to serve tanks 333 & 334; 174. One (1) oil/water separator to serve tanks 335 & 336; 175. One (1) oil/water separator to serve tanks 337 & 338; 176. One (1) oil/water separator to serve tanks 339 & 340; 177. One (1) oil/water separator to serve tanks 341 & 342; 178. One (1) oil/water separator to serve tanks 343 & 344; 179. One (1) oil/water separator to serve tanks 345 & 346; 180. One (1) oil/water separator to serve tanks 347 & 348; 181. One (1) oil/water separator to serve tanks 349 & 350; 182. One (1) oil/water separator to serve tanks 351 & 352; 183. One (1) oil/water separator to serve tanks 353 & 354; 184. One (1) oil/water separator to serve tanks 355 & 356; 185. One (1) oil/water separator to serve tanks 357 & 358; 186. One (1) oil/water separator to serve tanks 359 & 360; 187. One (1) oil/water separator to serve tanks 361 & 362; 188. One (1) oil/water separator to serve tanks 363 & 364; 189. One (1) oil/water separator to serve tanks 365 & 366; 190. One (1) oil/water separator to serve tanks 367 & 368; 191. One (1) oil/water separator to serve tanks 369 & 370; 192. One (1) oil/water separator to serve tanks 371 & 372; 193. One (1) oil/water separator to serve tanks 373 & 374; 194. One (1) oil/water separator to serve tanks 375 & 376; 195. One (1) oil/water separator to serve tanks 377 & 378; 196. One (1) oil/water separator to serve tanks 379 & 380; 197. One (1) oil/water separator to serve tanks 381 & 382; 198. One (1) oil/water separator to serve tanks 383 & 384; 199. One (1) oil/water separator to serve tanks 385 & 386; 200. One (1) oil/water separator to serve tanks 387 & 388; 201. One (1) oil/water separator to serve tanks 389 & 390; 202. One (1) oil/water separator to serve tanks 391 & 392; 203. One (1) oil/water separator to serve tanks 393 & 394; 204. One (1) oil/water separator to serve tanks 395 & 396; 205. One (1) oil/water separator to serve tanks 397 & 398; 206. One (1) oil/water separator to serve tanks 399 & 400; 207. One (1) oil/water separator to serve tanks 401 & 402; 208. One (1) oil/water separator to serve tanks 403 & 404; 209. One (1) oil/water separator to serve tanks 405 & 406; 210. One (1) oil/water separator to serve tanks 407 & 408; 211. One (1) oil/water separator to serve tanks 409 & 410; 212. One (1) oil/water separator to serve tanks 411 & 412; 213. One (1) oil/water separator to serve tanks 413 & 414; 214. One (1) oil/water separator to serve tanks 415 & 416; 215. One (1) oil/water separator to serve tanks 417 & 418; 216. One (1) oil/water separator to serve tanks 419 & 420; 217. One (1) oil/water separator to serve tanks 421 & 422; 218. One (1) oil/water separator to serve tanks 423 & 424; 219. One (1) oil/water separator to serve tanks 425 & 426; 220. One (1) oil/water separator to serve tanks 427 & 428; 221. One (1) oil/water separator to serve tanks 429 & 430; 222. One (1) oil/water separator to serve tanks 431 & 432; 223. One (1) oil/water separator to serve tanks 433 & 434; 224. One (1) oil/water separator to serve tanks 435 & 436; 225. One (1) oil/water separator to serve tanks 437 & 438; 226. One (1) oil/water separator to serve tanks 439 & 440; 227. One (1) oil/water separator to serve tanks 441 & 442; 228. One (1) oil/water separator to serve tanks 443 & 444; 229. One (1) oil/water separator to serve tanks 445 & 446; 230. One (1) oil/water separator to serve tanks 447 & 448; 231. One (1) oil/water separator to serve tanks 449 & 450; 232. One (1) oil/water separator to serve tanks 451 & 452; 233. One (1) oil/water separator to serve tanks 453 & 454; 234. One (1) oil/water separator to serve tanks 455 & 456; 235. One (1) oil/water separator to serve tanks 457 & 458; 236. One (1) oil/water separator to serve tanks 459 & 460; 237. One (1) oil/water separator to serve tanks 461 & 462; 238. One (1) oil/water separator to serve tanks 463 & 464; 239. One (1) oil/water separator to serve tanks 465 & 466; 240. One (1) oil/water separator to serve tanks 467 & 468; 241. One (1) oil/water separator to serve tanks 469 & 470; 242. One (1) oil/water separator to serve tanks 471 & 472; 243. One (1) oil/water separator to serve tanks 473 & 474; 244. One (1) oil/water separator to serve tanks 475 & 476; 245. One (1) oil/water separator to serve tanks 477 & 478; 246. One (1) oil/water separator to serve tanks 479 & 480; 247. One (1) oil/water separator to serve tanks 481 & 482; 248. One (1) oil/water separator to serve tanks 483 & 484; 249. One (1) oil/water separator to serve tanks 485 & 486; 250. One (1) oil/water separator to serve tanks 487 & 488; 251. One (1) oil/water separator to serve tanks 489 & 490; 252. One (1) oil/water separator to serve tanks 491 & 492; 253. One (1) oil/water separator to serve tanks 493 & 494; 254. One (1) oil/water separator to serve tanks 495 & 496; 255. One (1) oil/water separator to serve tanks 497 & 498; 256. One (1) oil/water separator to serve tanks 499 & 500; 257. One (1) oil/water separator to serve tanks 501 & 502; 258. One (1) oil/water separator to serve tanks 503 & 504; 259. One (1) oil/water separator to serve tanks 505 & 506; 260. One (1) oil/water separator to serve tanks 507 & 508; 261. One (1) oil/water separator to serve tanks 509 & 510; 262. One (1) oil/water separator to serve tanks 511 & 512; 263. One (1) oil/water separator to



Solid Waste Management
 2525 NW 62nd Street • 5100
 Miami, Florida 33147
 T 305-514-6666

March 3, 2017

Elliott Paul, Managing Member
 Ricky's Oil Service, Inc.
 510 Shotgun Road, Suite 110
 Sunrise, FL 33326

RE: Decal for Vehicle Permitted to Transport Waste Tires

Dear Mr. Paul:

Thank you for submitting your Waste Tire Hauler Permit application. The application has met all of the requirements as outlined in the Code of Miami-Dade County and as such, permit account number 22444 assigned to **Ricky's Oil Service, Inc.** has been approved and is valid through **February 28, 2018.**

Enclosed you will find one decal (TH18-0073) assigned to the vehicles listed on the permit application to transport waste tires within Miami-Dade County.

The Miami-Dade County waste tire hauler permit decals should be affixed permanently on the inside of the windshield of all vehicles permitted to transport waste tires within Miami-Dade County. Vehicles that do not have decals permanently affixed to the windshield are considered in violation of the Code of Miami-Dade County.

Please note that the Department of Solid Waste Management has the authority to request an accounting of the waste tires collected from each tire generator, corresponding collection dates and disposal receipts. You are advised to maintain accurate records in the event such a request is made. It is also recommended that you keep this document on file as proof of your Waste Tire Hauler Permit approval.

Should you require additional information specific to your permit, contact the Permit Unit at 305-514-6610.

Sincerely,

Michelle J. Jackson, SPA 2
 Special Projects Administrator
 Code Enforcement Division



Environmental Protection and Growth Management Department
 ENVIRONMENTAL LICENSING AND BUILDING PERMITTING DIVISION
 Mailing Address: One N. University Drive, Suite 102, Plantation, FL 33324
 954-519-1260 • FAX 954-519-1494

Invoice

Invoice # 331066
 Invoice Date 9/20/2016

Client Ricky's Oil Service
 Invoice To Nancy Munoz
 Ricky's Oil Service
 P.O. Box 669295
 Miami, FL 33166-9430

Description
Nickel, EPA 200.7, ICP, Aqueous
Zinc, EPA 200.7, ICP, Aqueous
1.5 Hours F/T at \$60.00/hour
Cadmium, EPA 200.7, ICP, Aqueous
Lead, EPA 200.7, ICP, Aqueous
FI-Pro, Water
Chromium, EPA 200.7, ICP, Aqueous

Charge Details

Lab ID	Sample ID
M1603121001	MW-5
	1.5 Hours F/T at \$60.00/hour
	Cadmium, EPA 200.7, ICP, Aqueous
	Chromium, EPA 200.7, ICP, Aqueous
	FI-Pro, Water
	Lead, EPA 200.7, ICP, Aqueous
	Nickel, EPA 200.7, ICP, Aqueous
	Zinc, EPA 200.7, ICP, Aqueous

Payment Details

TERMS: Payment is due upon completion of service at a rate of 1.5% interest for each month in arrears on collection costs and attorney's fees.

Remit To Advanced Environmental Services

Waste Management
62nd Street • 5100
Miami, Florida 33147
T 305-514-6666

net all of
number
ary 28,

permit

on the
i-Dade
sidered

est an
dates
such a
of your

305-

Invoice

Invoice # 331066
Invoice Date 9/20/2016

Client: Ricky's Oil Service
Invoice To: Nancy Munoz
Ricky's Oil Service
P.O. Box 669295
Miami, FL 33166-9430

Account ID: ROS
Location: Quarterly Sampling [M1603121]
Workorder: PO
Workorder Desc: Quarterly Sampling [M1603121]

Description	Qty	Unit Price	Extended Price
Nickel, EPA 200.7, ICP, Aqueous	1	\$12.00	\$12.00
Zinc, EPA 200.7, ICP, Aqueous	1	\$12.00	\$12.00
1.5 Hours F/T at \$60.00/hour	1	\$90.00	\$90.00
Cadmium, EPA 200.7, ICP, Aqueous	1	\$12.00	\$12.00
Lead, EPA 200.7, ICP, Aqueous	1	\$12.00	\$12.00
FI-Pro, Water	1	\$70.00	\$70.00
Chromium, EPA 200.7, ICP, Aqueous	1	\$12.00	\$12.00
Invoice Total			\$220.00

Charge Details

Lab ID	Sample ID	Collected	Received	Mx	Charge
M1603121001	MW-5	9/13/2016 12:36	9/13/2016	WA	\$90.00
	1.5 Hours F/T at \$60.00/hour				\$12.00
	Cadmium, EPA 200.7, ICP, Aqueous				\$12.00
	Chromium, EPA 200.7, ICP, Aqueous				\$70.00
	FI-Pro, Water				\$12.00
	Lead, EPA 200.7, ICP, Aqueous				\$12.00
	Nickel, EPA 200.7, ICP, Aqueous				\$12.00
	Zinc, EPA 200.7, ICP, Aqueous				\$12.00

Payment Details

TERMS: Payment is due upon completion of work unless prior arrangements have been made. The client will be charged at a rate of 1.5% interest for each month after the first 30 days. In the event of non-payment, the client agrees to pay all collection costs and attorney's fees in addition to the original billing amount and the accrued interest.

THANK YOU FOR USING OUR SERVICES

Remit To: Advanced Environmental Laboratories, Inc. P.O. Box 551580 Jacksonville, FL 32255-1580


J.S.L. 10-3-16

ENTERED

Page 1 of 1

MIAMI-DADE FIRE RESCUE DEPARTMENT
FIRE PREVENTION DIVISION
9300 NW 41ST STREET
MIAMI, FLORIDA 33178

PERMIT#:09126-04741
RICKY'S OIL SERVICE
PO BOX 669295
MIAMI, FL 33166



PERMIT#:09126-04741

Business Name:
RICKYS OIL SERVICE / Business

Billing Address:
RICKY'S OIL SERVICE
PO BOX 669295
MIAMI, FL 33166

This Permit is issued in accordance with Florida Fire Prevention Code and subject to immediate revocation.



**FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STORAGE TANK REGISTRATION PLACARD
2017-2018**

STCM ACCOUNT: 43339
FACILITY ID: 9600832
FACILITY: RICKYS OIL CO
7209 NW 66TH ST
MIAMI FL 33166 MIAMI-DADE COUNTY
FACILITY TYPE: Fuel user/Non-retail

PLACARD NO: 499091
PLACARD ISSUED: 05/25/2017
PLACARD EXPIRES: 06/30/2018

TANK SYSTEMS REGISTERED: 11

ACCOUNT OWNER: RICKYS OIL SERVICE
PO BOX 669295
MIAMI FL 33166 9430

MIAMI-DADE FIRE RESCUE DEPARTMENT
FIRE PREVENTION DIVISION
9300 NW 41ST STREET
MIAMI, FLORIDA 33178


PERMIT

Below is the Annual Operating Permit issued by the
Miami-Dade Fire Rescue Department.
Should you have any questions regarding this
permit, please contact the Fire Prevention Division
at (786) 331- 4800



PERMIT#:09126-04741
RICKY'S OIL SERVICE
PO BOX 669295
MIAMI, FL 33166

(Please cut along dotted line and post permit in your place of business)



PERMIT CERTIFICATE

MIAMI-DADE FIRE RESCUE DEPARTMENT
ANNUAL OPERATING PERMIT
9300 NW 41 STREET
MIAMI, FLORIDA 33178
(786) 331-4800

PERMIT#:09126-04741

Permit Expires Last Date In The Month Of: June/2017

Business Name:

RICKYS OIL SERVICE / Business Offices

Business Owner / Rep:

ELLIOT PAUL

Billing Address:

RICKY'S OIL SERVICE
PO BOX 669295
MIAMI, FL 33166

Location Address:

RICKYS OIL SERVICE
7209 - NW 66 ST
MIAMI, FL 33166

This Permit is issued in accordance with Article III, Section 14-53, of the code of Miami-Dade County and the South Florida Fire Prevention Code under conditions set forth herein. Violations of the aforementioned will be grounds for immediate revocation.



Permit Authorized by:

Chief Alan R. Cominsky, Fire Marshal
Miami-Dade Fire Rescue Department

ENTERED



**FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STORAGE TANK REGISTRATION PLACARD
2017-2018**

STCM ACCOUNT: 43339

FACILITY ID: 9600832

FACILITY: RICKYS OIL CO
7209 NW 66TH ST
MIAMI FL 33166 MIAMI-DADE COUNTY

FACILITY TYPE: Fuel user/Non-retail

PLACARD NO: 499091

PLACARD ISSUED: 05/25/2017

PLACARD EXPIRES: 06/30/2018

TANK SYSTEMS REGISTERED: 11

ACCOUNT OWNER: RICKYS OIL SERVICE
PO BOX 669295
MIAMI FL 33166 9430

HASH: USVXX3AKTSSXS5

The Storage Tank Registration placard must be posted at the facility.
It must be placed out of the weather and in plain view of inspectors entering the facility.

Under Section 376.3077, Florida Statutes, it is unlawful to deposit motor fuel into a stationary storage tank system that requires registration unless proof of valid registration is displayed at the facility.

Acceptance of this placard constitutes agreement to operate the registered tanks in compliance with applicable Statutes and Department Rules.

DEPARTMENT OF ENVIRONMENTAL PROTECTION IS ON THE INTERNET

The Web address for DEP is <http://www.dep.state.fl.us>


You can access the Storage Tank Website by using <http://www.dep.state.fl.us/waste/categories/tanks>.
Look under the HIGHLIGHTS section to find the links to storage tank rules, forms, database reports and program information.

CONTACT TANK REGISTRATION BY:


EMAIL - TankRegistration@dep.state.fl.us
PHONE - (850) 245-8839

accounting of the waste tires collected from each... and disposal receipts. You are advised to maintain accurate records in the event such a request is made. It is also recommended that you keep this document on file as proof of your Waste Tire Hauler Permit approval.
Should you require additional information specific to your permit, contact the Permit Unit at 954-514-6610.

Sincerely,



Michelle J. Jackson, SPA 2
Special Projects Administrator
Code Enforcement Division



Environmental Protection and Growth Management Department
ENVIRONMENTAL LICENSING AND BUILDING PERMITTING DIVISION
Mailing Address: One N. University Drive, Suite 102, Plantation, FL 33324
954-519-1260 • FAX 954-519-1494

APPLICATION FOR:
WASTE TRANSPORT LICENSE

(Check all that apply)

- Sludge Hauling
- Discarded Hazardous Material Hauling
- Biomedical Waste Hauling

The application fee for a new license is \$55. The renewal application fee of \$25 is waived for licenses with no violations during the expiring term. Please make your check payable to BROWARD COUNTY BOARD OF COUNTY COMMISSIONERS and submit with your application.

The license operating fee is now based on usage. Your monthly usage report and fees are due by the 15th of each month for the prior months usage.

1. Purpose of application (check one):
- New License / \$55 license fee
 - Renewal / (Fee waived if no violations during last license term)
 - Modification
 - Added Trucks: Specify # of trucks added: _____
 - Other, specify: _____

2. General Information:

Name of Business: Ricky's Oil & Environmental Services

Address: 7209 NW Leleka Street

City: Miami State: FL ZIP: 33166


Telephone: 866-492-6789 email: cathy@synergyrecycling.org

Mailing Address (if different from above): 510 Shotgun Rd Ste 110

City: Sunrise State: FL ZIP: 33326 Telephone: 866-492-6789

Name of Contact: Rick Smerbers Title: General Manager

Broward County Board of County Commissioners
Mark Bogen • Beam Furr • Dale V.C. Holness • Martin David Kiar • Chip LaMarca • Stacy Ritter • Tim Ryan • Barbara Sharief • Lois Wexler
www.broward.org



Regulatory and Economic Resources
Environmental Resources Management
701 NW 1st Court • 7th Floor
Miami, Florida 33136-3912
T 305-372-6600 F 305-372-6893

miamidade.gov

Permit No: IW-000071-2017/2018 (2)-GEN SHELL
Permit Issued To: RICKY'S OIL SERVICE
Facility Location: 7209 NW 66 ST
MIAMI, FL 33166-

Contact Name/Address:
Attn: Montinique Buquoi
RICKY'S OIL SERVICE, INC.
510 SHOTGUN RD SUITE 110
SUNRISE, FL 33326-

**INDUSTRIAL WASTE (IW)
ANNUAL OPERATING PERMIT**

DESCRIPTION OF FACILITY/EQUIPMENT

This document issued under the provisions of Chapter 24, Miami-Dade County Environmental Protection Ordinance, shall be valid from 01-JUN-2017 through 31-MAY-2018. The above named permittee, is hereby authorized to operate the pollution control facility at the above location which consists of the following:

WASTE OIL COLLECTION FACILITY WITH: A. Reinforced concrete secondary containment area, irregular in shape for: 1. Three (3) 25,000 gal. aboveground used oil tanks (denoted as tanks 1-3); 2. One (1) 13,000 gal. aboveground oily waste water tank (denoted as tank 4); 3. Four (4) 10,000 gal. aboveground tanks: three containing used oil and one containing oily waste water (denoted as tanks 5, 6, 9 and 10); 4. One (1) 15,000 gal. and one (1) 12,000 gal. aboveground used oil tanks (denoted as tanks 7 & 8); 5. Four (4) concrete loading areas with three (3)-inch concrete berm all around, equipped with a drain connected to an oil/water separator; B. One (1) oil/water separator to serve the loading and tanker truck parking areas including: 1. A 48-inch shallow manhole with a 2-foot sump is provided at the effluent side of the separator to be used as a sampling port; 2. One (1) monitoring well monitoring for stormwater discharges from the containment areas via oil/water separator. C. Bermed tanker truck parking area (10' X 24' X 3" high) equipped with a drain connected to the oil/water separator previously described in B.

This facility is subject to conditions listed below and in the following pages (if any) of this permit.

SPECIFIC CONDITIONS

1. Operations to be conducted in accordance with the Spill Prevention and Response Plan (SPRP) as submitted and approved by the Department.
2. All wastes from facility operations shall be stored or disposed of in compliance with County, State and Federal regulations.
3. Pursuant to Section 24-20 of the Code of Miami Dade County, abnormal occurrences at the facility shall be reported to the department (305-372-6955) no later than four (4) hours after the occurrence and a written report submitted within fourteen (14) days describing the nature of the incident and the steps taken to prevent future occurrences.
4. If at any time this facility is found to be operating inadequately, the owner must provide improvements to the operating techniques and/or additional equipment to operate in compliance with the applicable regulations.
5. Department approval shall be obtained prior to any modifications and/or alterations to facility operations and/or processes; including modifications to secondary containment areas.
6. All above ground tanks and storage areas for hazardous and/or industrial materials and wastes (if allowed) must have secondary containment. Design and construction must have departmental


Lee N. Hefty, Assistant Director
Department of Regulatory and Economic Resources,
Environmental Resources Management

WORKERS' COMP W


\$25,000 Reward

Anti-Fraud Reward Program

If you



Environmental Protection and Growth Management Department
ENVIRONMENTAL LICENSING AND BUILDING PERMITTING DIVISION
One North University Drive, Mailbox 302, Plantation, FL 33324
954-765-4400 · FAX 954-519-1493



Environmental Protection and Growth Management Department
ENVIRONMENTAL LICENSING AND BUILDING PERMITTING DIVISION
Environmental Engineering and Licensing Section
1 North University Drive, Room 201-A, Plantation, Florida 33324
954-519-1483 * FAX 954-519-1412

WASTE TRANSPORTER LICENSE

APPLICANT:

License Number: WT-16-0118

Ricky's Oil & Environmental Services, LLC
Attention: Chris Ricci, President
PO BOX 669295
Miami, FL 33166


This license is issued under the provisions of Chapter 27 of the Broward County Code of Ordinances hereinafter called the Code. The above-named applicant, hereinafter called Licensee, is hereby authorized to perform the work or operate the facility shown on the approved drawings, plans, documents, and specifications submitted by Licensee and made a part hereof and described specifically below. If no objection to this license is received within 14 days, you will be deemed to have accepted it and all the attached terms and conditions.

ALL GENERAL CONDITIONS and SPECIFIC CONDITIONS, as attached, are considered to constitute the requirements of this license. The Licensee is required to fully comply with all these conditions. Any failure to comply with conditions or requirements as set forth may result in revocation or suspension of this license and may subject the Licensee to enforcement action in accordance with the provisions of Article 1, Division 4 of the Code.

Nature of Business:

Discarded Hazardous Material Hauling
Used Oil
Nonhazardous Industrial Waste (Solid)
Nonhazardous Industrial Waste (Liquid)

Prepared By: Didier Dupuy
Application Received: 10/21/2016
Date of Issue: 10/27/2016
Renewal App. Due: 09/01/2018
Expiration Date: 10/31/2018


Environmental Licensing and Building Permitting Division