








Hy-Way
OBERG
SB-300




OBERG
SB-300



USED OIL

USED OIL

TROPERT
TOOXERT














OAKES ROAD (SW 36 STREET)
N
PERMA-FIX FACILITY
270' PROX
30'
SLIDING GATE
OFFICE & STORAGE
STORAGE
HAZ SECTION
104'
EXIT FROM PLANT
SLIDING GATE
DRUM PROCESSING
PROCESS TANK
TANK FARM
H2O Plant
SW 47 AVE.
FIRE HYDRANT
400'
CONCRETE WALL
EMERGENCY RESPONSE EQUIPMENT IN STORAGE AND OFFICE & STORAGE TRAILERS
= FIRE EXTINGUISHER
EVACUATION ROUTE




CHEMICAL STORAGE AREA





SAFETY DATA SHEET
According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.5 Revision Date: 01/11/2016 Print Date: 05/02/2016

SECTION 1. IDENTIFICATION

WPC YARD

SAFETY DATA SHEET
CHEMSAFE CITRUS SOLVENT DEGREASER (57009)
Version 1.0 Revision Date 05/27/2015 Print D

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name Citrus Solvent Degreaser

WPC YARD

USED OIL

MATERIAL SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION


PRODUCT NAME:	USED OIL
SYNONYMS:	Waste oil; Used lubricating oil; Oil and water mixture
PRODUCT PART NUMBER(S):	Not applicable.
PRODUCT USE:	Oil or water mixture for re-refining or reprocessing. If this product is used in combination with other products, refer to the Material Safety Data Sheets for those products.

24-HOUR EMERGENCY PHONE NUMBERS
MEDICAL AND TRANSPORTATION (SPILL):


1-800- 468-1760

MANUFACTURER/ SUPPLIER: World Petroleum Corporation
3650 SW 47th Ave
Davie, FL 33314

TECHNICAL INFORMATION: 1-305-728-6821







ACORD

CERTIFICATE OF LIABILITY INSURANCE

WORLPET-01 | ONAPOLES | DATE (MM/DD/YYYY) 07/10/2017

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER: Cottingworth, Alter, Fowler & French, LLC, 8000 Governors Square Blvd Suite 301, Miami Lakes, FL 33016
CONTACT NAME: PHONE (A/C, No, Ext): (305) 822-7800 FAX (A/C, No): (305) 362-2443
E-MAIL ADDRESS:

INSURED: World Petroleum Corp, 3701 SW 47th Ave, Suite 101, Davie, FL 33314

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER A: Nautilus Ins Company	17370
INSURER B: Great Divide Insurance Co	25224
INSURER C: Amerisure Mutual Ins Co	23396
INSURER D:	
INSURER E:	
INSURER F:	

COVERAGES | CERTIFICATE NUMBER: | REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	X COMMERCIAL GENERAL LIABILITY						EACH OCCURRENCE	$ 1,000,000
	CLAIMS-MADE X OCCUR	X	X	GLP202312510	07/07/2017	07/07/2018	DAMAGE TO RENTED PREMISES (Ea occurrence)	$ 300,000
							MED EXP (Any one person)	$ 10,000
							PERSONAL & ADV INJURY	$ 1,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER: POLICY X PRO- JECT LOC						GENERAL AGGREGATE	$ 2,000,000
	OTHER:						PRODUCTS - COMP/OP AGG	$ 2,000,000
								$
B	AUTOMOBILE LIABILITY						COMBINED SINGLE LIMIT (Ea accident)	$ 1,000,000
	ANY AUTO	X	X	BAP202312610	07/07/2017	07/07/2018	BODILY INJURY (Per person)	$
	OWNED AUTOS ONLY X SCHEDULED AUTOS						BODILY INJURY (Per accident)	$
	X HIRED AUTOS ONLY X NON-OWNED AUTOS ONLY						PROPERTY DAMAGE (Per accident)	$
								$
A	UMBRELLA LIAB X OCCUR						EACH OCCURRENCE	$ 5,000,000
	X EXCESS LIAB CLAIMS-MADE			FFX202312810	07/07/2017	07/07/2018	AGGREGATE	$ 5,000,000
	DED RETENTION $							$
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY						PER STATUTE OTH-ER	
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) Y/N N/A		X	WC21056280002	07/07/2017	07/07/2018	E.L. EACH ACCIDENT	$ 1,000,000
	If yes, describe under DESCRIPTION OF OPERATIONS below						E.L. DISEASE - EA EMPLOYEE	$ 1,000,000
A	Pollution Liability			SSP202312710	07/07/2017	07/07/2018	E.L. DISEASE - POLICY LIMIT	$ 1,000,000
							Aggregate	2,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Certificate Holder Only Loc#1 3701 SW 47th Ave, #101, Davie, FL 33314 Loc#2: 3650 SW 47th Ave., Davie, FL 33314

State of Florida is named as addtional insured with respect to general liability.

CERTIFICATE HOLDER

The Department of Environmental Protection
PO Box 3070
Tallahassee, FL 32315-3070

CANCELLATION


SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

25 (2016/03)

The ACORD name and logo are registered marks of ACORD

© 1988-2015 ACORD CORPORATION. All rights reserved.



Florida Department of Environmental Protection

Bob Martinez Building / MS 4548
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott, Governor
Carlos López-Cantera, Lt. Governor
Jonathan P. Steverson, Secretary

July 10, 2016

Sent Via E-Mail
EMiranda@WPCorp.net

Mr. Eric Miranda
World Petroleum Corporation
P. O. Box 291197
Davie, Florida 33329-1197

Re: FLD 980 709 075
World Petroleum Corporation
3650 Southwest 47th Avenue
Davie, Florida 33314

Subject: **Financial Responsibility Compliance for 2016**

Dear Mr. Miranda:

The Department has reviewed the documentation submitted to demonstrate financial responsibility for the above referenced facility. The US Bank trust fund account number 120648000, established on January 10, 2008, indicates an amount of **$83,499** to cover the inflation adjusted closing cost.

Therefore, World Petroleum Corporation is in compliance with the used oil facility financial responsibility requirements of 40 CFR Part 264 Subpart H, as adopted by reference in Rule 62-710.800 of the Florida Administrative Code.


If you have any questions, please contact me at 850-245-8793.

Sincerely,

Edgar Echevarría

Edgar Echevarría
Permitting & Compliance Assistance Program
Division of Waste Management

Copy: Bastek.Brian@EPA.gov
Bheem.Kothur@DEP.State.Fl.US
Kathy.Winston@DEP.State.Fl.US
FDEP File



Florida Department of Environmental Protection

Bob Martinez Building / MS 4548
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott, Governor
Carlos López-Cantera, Lt. Governor
Jonathan P. Steverson, Secretary

July 10, 2016

Sent Via E-Mail
EMiranda@WPCorp.net

Mr. Eric Miranda
World Petroleum Corporation
P. O. Box 291197
Davie, Florida 33329-1197

Re: FLD 980 709 075
World Petroleum Corporation
3650 Southwest 47th Avenue
Davie, Florida 33314

Subject: **Financial Responsibility Compliance for 2016**

Dear Mr. Miranda:

The Department has reviewed the documentation submitted to demonstrate financial responsibility for the above referenced facility. The US Bank trust fund account number 120648000, established on January 10, 2008, indicates an amount of **$83,499** to cover the inflation adjusted closing cost.

Therefore, World Petroleum Corporation is in compliance with the used oil facility financial responsibility requirements of 40 CFR Part 264 Subpart H, as adopted by reference in Rule 62-710.800 of the Florida Administrative Code.

If you have any questions, please contact me at 850-245-8793.

Sincerely,

Edgar Echevarría

Edgar Echevarría
Permitting & Compliance Assistance Program
Division of Waste Management

Copy: Bastek.Brian@EPA.gov
Bheem.Kothur@DEP.State.Fl.US
Kathy.Winston@DEP.State.Fl.US
FDEP File

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STORAGE TANK REGISTRATION PLACARD
2017-2018

STCM ACCOUNT: 65853
FACILITY ID: 9300963
FACILITY: WORLD PETROLEUM CORP
3650 SW 47TH AVE
FORT LAUDERDALE FL 33314 BROWARD COUNTY
FACILITY TYPE: Collection Station

PLACARD NO: 513209
PLACARD ISSUED: 06/16/2017
PLACARD EXPIRES: 06/30/2018
TANK SYSTEMS REGISTERED: 9

'COUNT OWNER: WORLD PETROLEUM CORP
3701 SW 47TH AVE #101 ATTN: ERIC MIRANDA
FORT LAUDERDALE FL 33314

HASH: VTBYYTWBH6BLYT

The Storage Tank Registration placard must be posted at the facility.
It must be placed out of the weather and in plain view of inspectors entering the facility.

r Section 376.3077, Florida Statutes, it is unlawful to deposit motor fuel irto a stationary storage tank system that requires registration unless p registration is displayed at the facility.

ptance of this placard constitutes agreement to operate the registered tanks in compliance with applicable Statutes and Department Rules.

DEPARTMENT OF ENVIRONMENTAL PROTECTION IS ON THE INTERNET

/eb address for DEP is http://www.dep.state.fl.us

an access the Storage Tank Website by using http//www.dep.state.fl.us/waste/categories/tanks.
nder the HIGHLIGHTS section to find the links to storage tank rules, forms, database reports and program information.

CONTACT TANK REGISTRATION BY:

EMAIL - TankRegistration@dep.state.fl.us
PHONE - (850) 245-8839

UNITED STATES OF AMERICA
DEPARTMENT OF TRANSPORTATION
PIPELINE AND HAZARDOUS MATERIALS SAFETY ADMINISTRATION

HAZARDOUS MATERIALS
CERTIFICATE OF REGISTRATION
FOR REGISTRATION YEAR(S) 2015-2018

Registrant: WORLD PETROLEUM CORPORATION
Attn: ERIC MIRANDA
PO BOX 291197
DAVIE, FL 33329

This certifies that the registrant is registered with the U.S. Department of Transportation as required by 49 CFR Part 107, Subpart G.

This certificate is issued under the authority of 49 U.S.C. 5108. It is unlawful to alter or falsify this document.

Reg. No: 060415 551 020XZ **Issued: 06/04/2015** **Expires: 06/30/2018**
HM Company ID: 082592

Record Keeping Requirements for the Registration Program

The following must be maintained at the principal place of business for a period of three years from the date of issuance of this Certificate of Registration:

(1) A copy of the registration statement filed with PHMSA; and
(2) This Certificate of Registration

Each person subject to the registration requirement must furnish that person's Certificate of Registration (or a copy) and all other records and information pertaining to the information contained in the registration statement to an authorized representative or special agent of the U. S. Department of Transportation upon request.

Each motor carrier (private or for-hire) and each vessel operator subject to the registration requirement must keep a copy of the current Certificate of Registration or another document bearing the registration number identified as the "U.S. DOT Hazmat Reg. No." in each truck and truck tractor or vessel (trailers and semi-trailers not included) used to transport hazardous materials subject te the registration requirement. The Certificate of Registration or document bearing the registration number must be made available, upon request, to enforcement personnel.

For information, contact the Hazardous Materials Registration Manager, PHH-52, Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, 1200 New Jersey Avenue, SE, Washington, DC 20590, telephone (202) 366-4109.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Annual Report by Used Oil and Used Oil Filter Handlers*

*(*Handlers are any persons subject to the registration requirements of rule 62-710.500 and 62-710.850, F.A.C. See Section A, Box 5 below.)*

For the reporting period January 1, 2017 through December 31, 2017

Use the information recorded in your **Record Keeping Form** 62-710.901(2)] or equivalent to complete this document.

SECTION A TO BE COMPLETED BY ALL REGISTERED HAULERS

1. Company Name: World Petroleum Corp — Telephone No.: 954 3270724
Site Address: 3650 SW 47th Ave
Davie, Florida 33314 — I.D. No.: FLD980709075

☐ Check box if any of the above items (1-3) have changed since your last registration.

4. Name of person preparing report (please print): Philip Pierre-Louis
Title: General Manager — Phone number (if different from #2, above): ( )

5. Type of operation (check as many as apply to your operation)
Used Oil: ☒ Transporter ☐ Transfer Facility ☐ Collection Center/Aggregation Point ☒ Processor ☒ Marketer ☐ Burner (of off-specification used oil)
Used Oil Filters: ☒ Transporter ☐ Transfer Facility ☐ Processor ☐ End User

SECTION B USED OIL (TO BE COMPLETED BY ALL REGISTERED USED OIL HANDLERS. USED OIL FILTER HANDLERS SEE SECTION C)

3. Amount (in gallons) of Used Oil and Oily Wastes collected (type code):

	Automotive	Industrial	Mixed	Total
a. In Florida	1,603,005	1,045,780	0	2,648,785
b. From out of State	0	0	0	0
c. Beginning Inventory				22,134
d. Total (sum of totals from Lines a + b + c)				2,670,919

2. Amount (in gallons) of Used Oil and Oily Wastes managed (mid use code)

	In State	Out of State
N - Transferred to another facility (not an end use)	0	
O - Marketed as an on-specification used oil fuel	420,400	1,080,040
F - Marketed as an off-specification used oil fuel	0	0
I - Marketed for an industrial process	0	0
B - Burned as an off-specification used oil fuel	0	0
D- Disposed of: Landfilled	0	0
Treated at a wastewater treatment unit	1,154,062	0
Incinerated	0	0
3. Total amount (in gallons) of Used Oil managed	2,654,502	0
4. End of year, on hand estimate (difference between Line 1d and Line 3)	16,417	0

SECTION C USED OIL FILTERS (OPTIONAL) (USE TABLE BELOW FOR CONVERSION)

	CHECK COLUMN IF OUT OF STATE →	
1. Number of filters on hand from previous year	0	
2. Number of used oil filters collected	689,000	
3. Total number of used oil filters to manage (Line 1 plus Line 2)	689,000	
4. Disposition of used oil filters collected: a. Transferred to another registered facility	0	
b. Burned for energy recovery in a Waste-To-Energy facility	0	
c. Transferred directly to a metal foundry for recycling	689,000	
d. TOTAL	689,000	
5. End of year, on hand estimate (Line 3 minus Line 4d)	0	
6. Gallons of used oil collected as a result of filter processing	14,650	
7. Gallons of used oil transferred to a used oil handler (transporter or processor)	0	
8. Volume of oily waste collected and managed as a result of filter processing: ☒ gallons ☐ cubic yards	14,650	

9. Description of oily waste management: Metal recycled & oil processed


DIRECTIONS FOR SECTION C

Conversion Table

One 55-gallon drum of **crushed** used oil filters = approximately **400** used oil filters
One 55- gallon drum of **uncrushed** used oil filters = approximately **150** used oil filters
One **ton** of drained used oil filters = approximately **2,350** used oil filters

1. Enter the number of Used Oil Filters on hand, from previous year's inventory.
2. Enter the number of Used Oil Filters collected.
3. Enter the sum of Line 1 + Line 2.
4. Enter the number of filters managed by your facility in blocks 4a-c. Enter the sum of 4a-c in block 4d.
5. Enter the number of filters on hand at your site as of December 31, last year.
6. Fill in the number of gallons of used oil collected by your filter operation.
7. Enter the number of gallons transferred to a used oil transporter or processor.
8. List the volume (gallons or cubic yards) of the oily wastes collected through your filter handling. Oily wastes are identified in Flor Administrative Code Rule 62-710.201(1), and include wastewaters, filter residues or sludges, tank bottoms, sorbents, wipes, etc.
9. Describe how oily wastes were managed (sent to a WTE, hazardous waste facility, landfilled after appropriate testing, etc.).

For assistance with this form, please call the Used Oil Coordinator at 850-245-8707.



WPC Tank Farm - Daily Inspection Checklist

Daily Storage Tank/Solid Processing Area Checks

Facility: World Petroleum Corp Location: Davie, Florida Supervisor: Mario Vargas Month: July Year: 2017

Daily Inspections


	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
General Housekeeping/Maintenance	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Security and Fire Safety	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Leaks	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bonding Cables	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fire Extinguishers	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hoses & Nozzles	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Signs & Placards	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Tank Exterior	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Tank High Level Controls	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Pipe Surface	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MSDS (Available)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SPCC Plan (Available)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Tank 1,2,3,4,5,6,7,8,9,10

Maintenance Action: NO Action Required

Signature of person performing tasks or person accepting responsibility that tasks were performed: Mario Vargas

Comments: Mario Vargas STG



DEPARTMENT OF ENVIRONMENTAL PROTECTION
Mail Station 4560, 2600 Blair Stone Road, Tallahassee, Florida 32399-2400

Annual Report by Used Oil and Used Oil Filter Handlers*

(*Handlers are any persons subject to the registration requirements of rule 62-710.500 and 62-710.800, F.A.C. See Section A, Box 5 below.)

For the reporting period January 1, 2016 through December 31, 2016

Use the information recorded in your Record Keeping Form [62-710.901(2)] or equivalent to complete this document.

SECTION A TO BE COMPLETED BY ALL REGISTERED PERSONS

1. Company Name: World Petroleum Corp 2. Telephone No: 954 327-0724
Site Address: 3650 SW 47th Ave
Davie, Florida 33314 3. EPA ID No: FLD980709075

☐ Check box if any of the above items (1-3) have changed since your last registration.

4. Name of person preparing report (please print): Philip Pierre-Louis
Title: General Manager Phone number (if different from #2, above): ( )

5. Type of operation (check as many as apply to your operations)
Used Oil: ☒ Transporter ☐ Transfer Facility ☐ Collection Center/Aggregation Point ☐ Processor ☐ Marketer ☐ Burner (of off-specification used oil) ☐ End User
Used Oil Filter: ☒ Transporter ☐ Transfer Facility ☒ Processor

SECTION B USED OIL (TO BE COMPLETED BY ALL REGISTERED USED OIL HANDLERS. USED OIL FILTER HANDLERS SEE SECTION C)


1. Amount (in gallons) of Used Oil and Oily Wastes collected (type code)

	Automotive	Industrial	Mixed	Total
a. In Florida	2,177,801	1,045,718	0	3,223,519
b. From out of State	0	0	0	0
c. Beginning Inventory				24,065
d. Total (sum of totals from Lines a + b + c)				3,247,584

2. Amount (in gallons) of Used Oil and Oily Wastes managed (end use code)

	In State	Out of State
N - Transferred to another facility (not an end use)	0	0
O - Marketed as an on-specification used oil fuel	576,080	1,588,281
F - Marketed as an off specification used oil fuel	0	0
I - Marketed for an industrial process	0	0
B - Burned as an off-specification used oil fuel	0	0
D- Disposed of: Landfilled	0	0
Treated at a wastewater treatment unit	1,061,089	0
Incinerated	0	0
3 Total amount (in gallons) of Used Oil managed	3,225,450	0
4. End of year, on hand estimate (difference between Line 1d and Line 3)	22,134	0

Page 1 of 2



SECTION C USED OIL FILTERS (OPTIONAL) (USE TABLE BELOW FOR CONVERSIONS) | CHECK COLUMN IF OUT OF STATE

1. Number of filters on hand from previous year	214	
2. Number of used oil filters collected	893,786	
3. Total number of used oil filters to manage (Line 1 plus Line 2)	894,000	
4. Disposition of used oil filters collected: a. Transferred to another registered facility	0	
b. Burned for energy recovery in a Waste-To-Energy facility	0	
c. Transferred directly to a metal foundry for recycling	894,000	
d. TOTAL	894,000	
5. End of year, on hand estimate (Line 3 minus Line 4d)	0	
6. Gallons of used oil collected as a result of filter processing	16,254	
7. Gallons of used oil transferred to a used oil handler (transporter or processor)	0	
8. Volume of oily waste collected and managed as a result of filter processing ☒ gallons ☐ cubic yards	16,254	

9. Description of oily waste management: Metal recycled & oil processed

DIRECTIONS FOR SECTION C


Conversion Table

One 55-gallon drum of crushed used oil filters = approximately 800 used oil filters
One 55- gallon drum of uncrushed used oil filters = approximately 450 used oil filters
One ton of drained used oil filters = approximately 2,350 used oil filters

1. Enter the number of Used Oil Filters on hand, from previous year's inventory.
2. Enter the number of Used Oil Filters collected.
3. Enter the sum of Line 1 + Line 2.
4. Enter the number of filters managed by your facility in blocks 4a-c. Enter the sum of 4a-c in block 4d.
5. Enter the number of filters on hand at your site as of December 31, last year.
6. Fill in the number of gallons of used oil collected by your filter operation.
7. Enter the number of gallons transferred to a used oil transporter or processor.
8. List the volume (gallons or cubic yards) of the oily wastes collected through your filter handling. Oily wastes are identified in Florida Administrative Code Rule 62-710.201(1), and include wastewaters, filter residues or sludges, tank bottoms, sorbents, wipes, etc.
9. Describe how oily wastes were managed (sent to a WTE, hazardous waste facility, landfilled after appropriate testing, etc.).

For assistance with this form, please call the Used Oil Coordinator at 850-245-8707.

Page 2 of 2



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road MS 4548
Tallahassee, Florida 32399-2400

Rick Scott
Governor
Carlos Lopez-Cantera
Lt. Governor
Ryan Matthews
Interim Secretary

February 24, 2017

Via e-mail: emiranda@wpcorp.net

Mr. Eric Miranda
World Petroleum Corp
Post Office Box 291197
Davie, Florida 33329

Re: FLD980709075 – World Petroleum Corp

Dear Mr. Miranda:

I reviewed the documentation submitted to demonstrate financial assurance for the above referenced facility and find it is in order. The trust fund valuation dated February 23, 2017 from U.S. Bank National Association indicating an account balance of $84,263.98 demonstrates adequate financial assurance covering the Department approved closing cost estimate of $84,250.00, dated January 17, 2017. Therefore, the World Petroleum Corp facility is in compliance with the financial assurance requirements of 40 CFR Part 264, Subpart H, as adopted by reference in Rule 62-701.630, Florida Administrative Code, at this time.

Please contact me at (850) 245-8740 if you have any questions.


Sincerely,

SE Eldredge

Susan Eldredge
Environmental Specialist
Solid Waste Financial Assurance

cc: Bheem Kothur, DEP/Used Oil Program

www.dep.state.fl.us/waste/categories/swfr



FACILITY CLOSURE PROCEDURES

In accordance with Rule 62-710.800(9)(a) FAC, in the event that the World Petroleum Corp facility is closed, steps will be taken to ensure that: (1) there will be no need for further facility maintenance; and (2) that used oil will not contaminate surface or groundwater.

All tanks, piping, secondary containment and ancillary equipment including the storage pad for oily rags/absorbents and drums will be emptied, cleaned and decontaminated, and all materials removed and managed. All aboveground storage and process tanks and all integral piping will be closed pursuant to Rule 62-762.801, FAC.

The above requirements will be met by closing the aboveground storage tank system and assessing the site in accordance with Rule 62-762.801, FAC. These activities will include:

1. Notification of Broward County and FDEP at least 30 days prior to closure of the storage tank system;
2. Removal of all liquid and sludge from the tanks and integral piping and off-site disposal of the contents at properly licensed and permitted disposal/recycling facilities, (Three weeks after initiation of closure activities).
3. A high pressure water rinse of all containment areas and the storage pad (7 business days following completion of Step 2 above). A visual inspection will be performed and serve as the standard for completion of the decontamination. No visible stain should remain on the containment.
4. A Closure Assessment will be conducted in accordance with 62-762.801(4). Waste material generated through the investigation process will be tested and managed by Department guidelines for investigative wastes. The petroleum product contaminants of concern are defined in Table A of 62-770, F.A.C. Raider will collect representative soil samples from around and beneath the tank area, and perform visual inspection for evidence of contamination. Additional field screening of the soil will be done using a Flame Ionization Detector. Samples will be obtained from 0 to 2 feet below surface. Groundwater samples will be obtained from areas indicating contamination, and will be collected by installing temporary monitoring wells. Installation of permanent wells will be contingent upon results of the temporary groundwater well samples.

The Contamination Assessment is not intended to provide a complete horizontal and vertical characterization of any contamination detected. A complete site characterization would be addressed based upon the results of the Contamination Assessment.

August 15, 2016 Page 4

Should evidence of contamination be present, then additional soil and groundwater contamination assessment and possibly remedial activities will be conducted in accordance with Rule 62-780, FAC.

Assuming no significant contamination is discovered, the contamination assessment will be completed 1 business day after completion of Step 3).


The total time for closure of the facility, assuming no significant contamination is discovered, will be 35 days following initiation of Step 2 above.

A closure certification report will be submitted to certify closure was completed in accordance with the closure plan. Soil sample locations will identified and FDEP approval for the sampling locations prior to implementing the sampling plan. All liquid and solid samples will be analyzed for the same constituents as the sampling for used oil or sludges managed at the facility with the addition of TRPH for soil samples. If necessary, a permit modification request for approval of a revised closure plan shall be submitted to DEP.

CLOSURE COST ESTIMATE

The Closure Cost Estimate is included with this Attachment.

August 15, 2016




Emergency Response

Spill Prevention and Response Plan

All on-specification used oil fuel must meet the following specifications:

Constituent/Property	Allowable Level
Arsenic	5 ppm Max.
Cadmium	2 ppm Max.
Chromium	10 ppm Max.
Lead	100 ppm Max.
Flash Point	100°F Minimum
Total Halogens	1000 ppm Maximum

Records of analysis conducted or information used to comply with the tracking requirements of 40 CFR 279 must be maintained for at least three years.



INTRODUCTION

World Petroleum Corp is a company engaged in the collection, transport, storage and processing of used oil and oily wastewaters. The facility is located at 5650 SW 47th Street, Davie, Florida. The following Closure Plan has been prepared for World Petroleum Corp pursuant to the permitting requirements set forth in Rule 62-710.800(9)(a), Florida Administrative Code (FAC). A copy of this Closure Plan will also be maintained on file at the World Petroleum Corp facility, in accordance with the record keeping requirements set forth in Rule 62-710.510(4), FAC.

PROCESS DESCRIPTION

World Petroleum Corp operates a waste oil collection, transportation, processing and recycling business with serves a variety of automotive commercial and industrial businesses throughout Florida with operations and management as described in the following:

Types of Products Collected

Automotive, industrial waste oils, as well as oily wastewaters, off-specification diesel fuel, oil filters, oily rags/absorbents, and used automotive coolants are collected. Hazardous waste products, as defined in 40 CFR 261 are not collected.

Fleet Vehicles

World Petroleum Corp maintains a fleet of vacuum trucks, trailers, roll-off containers, tractor trailers, and other ancillary equipment to collect and transport used oil and other oily waste to the Davie facility.

Product Collection

Each truck is equipped with a Tek Mate Leak Detector (or equivalent device) and the vehicle operator is trained on the use of it. The product from each client is tested with this device, which will give off a beeping noise if the halogen content is >800 ppm. If the beeper goes off the vehicle operator will then use a "Dexsil" halogen solvent test kit. No product is collected that test positive for halogen solvents. In such a case, the client is instructed to have their product profiled through analytical test methods by a certified laboratory. If the product is then shown to be non-hazardous pursuant to 40 CFR 261, it will be collected.

2016 Page 2

Product Storage and Disposal

Product collected by fleet vehicles is transferred into designated product-specific ASTs in the facility for temporary storage. The product is subsequently transferred into large capacity trailer rigs. Dependent upon the pre-characterization requirements, the product may be marketed as industrial fuel destined for recycling, reprocessing, used fuel on a licensed energy recovery industrial furnace or disposal of, otherwise at a permitted facility.

USED OIL MANAGEMENT

Process Description

World Petroleum Corp uses a combination of physical and chemical mechanisms to separate water from the oil. Phase separation is achieved by heating the oil. Heating is accomplished by using an internal coil in a process tank. As the water/oil mixture is heated, the oil layer rises and the aqueous layer sinks. As the water/oil mixture is the bottoms of the storage tanks. Processed oil contains high thermal content and is sold as an energy source.


Inventory of Stored Products

Weekly inventory reconciliation of the products currently stored on-site against the transportation and disposal manifest is performed. Any discrepancies are investigated.

Other Product Management

Used oil filters and absorbents/oily rags are collected in containers. These products are then transferred into a designated "product-specific" sealed roll-off container at the facility. The used oil filters are processed to recover used oil. The oil is transferred to the processing facility. Metal is then compacted and sent to a metal recycler or foundry. The oily rags/absorbents are transported off-site in the sealed roll-off container to an approved disposal facility.

August 15, 2016



Emergency Response

Spill Prevention and Response Plan

All on-specification used oil fuel must meet the following specifications:

Constituent/Property	Allowable Level
Arsenic	5 ppm Max.
Cadmium	2 ppm Max.
Chromium	10 ppm Max.
Lead	100 ppm Max.
Flash Point	100°F Minimum
Total Halogens	1000 ppm Maximum

Records of analysis conducted or information used to comply with the tracking requirements of 40 CFR 279 must be maintained for at least three years.

VERTEX ENERGY

5000 River Road
Marrero, LA
Phone: 504-349-7700
Fax: 504-349-7225

Date: Thursday, June 22, 2017
Product: Used Motor Oil
Lot #: VR17-1005

Customer: World Petroleum (Railcar)
Lab Number: 2658-17
Vessel: GATX071886
Status: PASS

TEST	UNIT	METHOD	LIMITS	ACTUAL
Kinematic Viscosity @ 40C	cSt	ASTM D7279	32-120	40.34
Polychlorinated Biphenyls	ug/g	SW846/USEPA 8082	ND	ND
Halogens	ppm	ASTM 6052	800 Max	151
Styrene	ppm	GC	100 Max	7
Water, Karl Fisher	wt%	ASTM E203	5 Max	0.68
Glycol	%	GC	1.5 max	0.2
Sediment (Centrifuge)	vol%	ASTM D1796	1.5 Max	0.5
Caustic Coagulation	N/A	OHLI 0708	Pass	Pass
Specific Gravity @ 60F	N/A	ASTM D4052	0.8654-0.8984	0.8674
API @ 60F	Deg API	ASTM D4052	26-32	31.64
Density	lbs/gal	ASTM D4052	Report	7.232
Flash Point, CC, Setaflash	°F	ASTM D3278	Pass	Pass
Arsenic	ppm	ASTM D5185	5 Max	0.7
Cadmium	ppm	ASTM D5185	2 Max	0.1
Calcium	ppm	ASTM D5185	3500 Max	1251
Chromium	ppm	ASTM D5185	10 Max	1
Iron	ppm	ASTM D5185	150 Max	76
Lead	ppm	ASTM D5185	100 Max	24
Phosphorus	ppm	ASTM D5185	1100 Max	685
Silicon	ppm	ASTM D5185	150 Max	56
Sodium	ppm	ASTM D5185	250 Max	41
Sulfur	wt%	ASTM D5185	0.5 Max	0.289
Vanadium	ppm	ASTM D5185	10 Max	4
Zinc	ppm	ASTM D5185	1500 Max	788

Florida Department of Environmental Regulation
State Warning Point: (850) 413-9911

Department of Planning and Environmental Protection: (954) 519-1400

Emergency Coordinators On-Site

Chief: Eric Miranda — Cell Phone: 754-581-2233

Deputy: Chad Gregory — Office: 954-327-0724, Cell Phone: 954-445-6242

Deputy: Mario Vergara — Cell Phone: 305-986-9931

Emergency Coordinators Off-Site

Eric Miranda, President 954-327-0724

Consultant: Jones Ecosystem Management
John Jones: 479-353-1368


Emergency Response Team


All operations personnel will comprise the Emergency Response Team and will be under the authority of the Emergency Coordinator.

The Chief Emergency Coordinator will determine whether additional assistance is needed from local fire or police units or other emergency response agencies as needed.

Vehicle and Equipment List

Spill Prevention and Response Plan



SITE PLAN
SCALE IN FEET
0 4 8 16
32
48
EXISTING 8" HIGH CONTAINMENT WALL
EXISTING 150 GAL DRUM PUMP
EXISTING 1,000 GAL. POD TANK (FOR HEATER)
HEATER
COOLING TOWER
419.22'
NEW CONTAINMENT
NEW CONTAINMENT WALL
30,000 GALLON (10'-0"Ø x 40'-0") AST
EXISTING C.E.S. CONTAINMENT WALL
EXISTING 4" POST CONTAINMENT WALL
EXISTING C.E.S. CONTAINMENT WALL
15'
FSP
FSP
18'
EXISTING 6" HIGH CONTAINMENT WALL
EXISTING C.E.S. CONTAINMENT WALL
TRANSPORT CONTAINMENT AREA
EXISTING C.E.S. CONTAINMENT WALL
EXISTING C.E.S. CONTAINMENT WALL
EXISTING C.E.S. CONTAINMENT WALL



WORLD PETROLEUM CORPORATION

Vehicle and Equipment List

Unit Number	Year, Make and Model	Capacity and Type	VIN Number	Tag No.	DPEP Sticker No.
T 01	1967 TRAILER	8400-Gallon Tank Trailer	FT154CCH	C9893W	3699
T 02	1974 HEIL	9000-Gallon Tank Trailer	HEI92519174	X28MGW	3297
T 03	1973 TRLM	8550-Gallon Tank Trailer	J40670	784JBL	5359
T 04	1975 TRLM	8500-Gallon Tank Trailer	M40186	785JBL	5358
T 05	1977 FRUE	8000-Gallon Tank Trailer	UNY572402	C31/5N	2996



Record of Compliance


EMPLOYEE/ DRIVERS FORM

Record of Compliance

EMPLOYEE/ DRIVERS FORM

Record of Compliance


EMPLOYEE/ DRIVERS FORM



WORLD PETROLEUM CORPORATION


Vehicle and Equipment List

Unit Number	Year, Make and Model	Capacity and Type	VIN Number	Tag No.	DPEP Sticker No.	OERM Permit No.
10	2006 Kenworth T-300	Combo	3BKMLD9X76F129644	N84941	3732	
11	2001 International	2700-Gallon Pump Truck	1HTSCAAN51H316726	N5728M	2985	
12	1997 Kenworth T-800	3600-Gallon Pump Truck	1XKDD99X6VJ736392	681VJZ	2945	WO07-043-007 RF07-208-007 HW07-259-007
13	1996 Freightliner	3100-Gallon Pump Truck	1FUYDMDB61H625141	788JBL	2955	WO07-043-001 RF07-208-001 HW07-259-001
14	1999 International	3200-Gallon Pump Truck	1HTSDAAN9XH638551	N7379N	5278	
	Kenworth T-800	Tractor	2XDD49X96M149097	5921KV		
	Kenworth	Tractor	1XDD49X47J208744	X650QP		
	PeterBilt	3100-Gallon Vac Truck	1XP5D89X770743164	458VDV		
	Freightliner	3600-Gallon Vac Truck (2 Compartments)	1FUY3MDBXXDA38699	N8548I	3674	WO07-043-008 RF07-208-008 HW07-259-008
	Freightliner	Vac Truck	1FUYDSEBOYPB02829	N8123N		
		1000-Gallon Vac-Con	1NKDL00X39J253762	N2117Q	5701	WO07-043-006 RF07-208-006 HW07-259-006
	ISUZU	Box Truck	1FDYR82QE4SVA68741	N5742M	3355	
		24 Foot Box Truck	JALB4B14XX7012540	682VJZ	3296	WO07-043-005 RF07-208-005 HW07-259-005
	2000 STERLING	Utility Truck	2FZHAJAA7YAG94897	N5743M	3284	
			1GBHC24U66E105032	T537US		



DESIGNATED FACILITY TO GENE

BLC-O 6 10498 (Rev. 9/09)



Record of Compliance

EMPLOYEE/ DRIVERS FORM

I hereby acknowledge receipt of a copy of the *Used Oil Transporters Certification and Training Manual*. I have familiarized myself with these regulations and will comply with their provisions at all times on duty as a driver/employee.

I understand that by signing this form I am indicating that I have reviewed and understand the materials in the certification manual.

I further understand that a copy of this form will remain on file as a personnel record at the firm and that a copy will be available upon request to the Department.

At least once a year, I will review the applicable state and federal laws and rules governing used oil transporting and sign a new form for the personnel record.

(Signature of Driver)

Chris Lithey

(Print Full Name of Driver)

1/09/2015

(Today's Date: Include Month, Date & Year)

World Petroleum Corp

(Name of Employer/Firm)

3701 SW 47 Ave, Suite 101

(Address of Firm)

Davie, FL, 33314


(City, State and Zip Code)

(954) 327-0724

(Work Phone, Include Area Code)

(Signature of Owner/Manager)

Instructions: This receipt is to be read and signed by the driver/employee. It should be countersigned by the firm's owner/ manager and placed in the driver's qualification file. It must be updated annually. Violations of the certification law can lead to denial or revocation of certification. (Make copies of this form for additional employees.)



Record of Compliance

EMPLOYEE/DRIVERS FORM

(Signature of Driver)

Chris Lithey

(Print Full Name of Driver)

2/02/2016

(Today's Date: Include Month, Date & Year)

World Petroleum Corp

(Name of Employer/Firm)

3701 SW 47 Ave, Suite 101

(Address of Firm)

Davie FL 33314


(City, State and Zip Code)

(954) 327-0724

(Work Phone, Include Area Code)

(Signature of Owner/Manager)

uctions: This receipt is to be read and signed by the driver/employee. It should be countersigned by the firm's owner/ ger and placed in the driver's qualification file. It must be updated annually. Violations of the certification law can lead to or revocation of certification. (Make copies of this form for additional employees.)



Record of Compliance

EMPLOYEE/DRIVERS FORM

(Signature of Driver)

Chris Lithey

(Print Full Name of Driver)

01/27/2017

(Today's Date: Include Month, Date & Year)

World Petroleum Corp

(Name of Employer/Firm)

3701 SW 47 Ave, Suite 101

(Address of Firm)

Davie FL 33314

(City, State and Zip Code)

(954) 327 0724

(Work Phone, Include Area Code)

(Signature of Owner/Manager)

Instructions: This receipt is to be read and signed by the driver/employee. It should be countersigned by the firm's owner/ manager and placed in the driver's qualification file. It must be updated annually. Violations of the certification law can lead to denial or revocation of certification. (Make copies of this form for additional employees.)



Solutions Group, Inc.

Certifies that

Tony Machado

has successfully completed the certificate requirements for

Hour Hazardous Waste Operations & Emergency Response Training

{Annual Re-Certification per 29 CFR 1910.120 (e)(8)}

and in evidence thereof is awarded this

Certificate of Completion

on February 27th, 2017

GROUP

Brandon G. Dow C.H.M.M.

Instructor


BRANDON G. DOW


12174

MASTER CERTIFIED HAZARDOUS MATERIALS MANAGER


te #: 17-2011


te Expire: 02-2018


WorldPetroleum
NON HAZARDOUS WASTE MANIFEST
WorldPetroleum
NON HAZARDOUS WASTE MANIFEST
Petroleum



TRANSPORTER'S CO


Solutions Group, Inc.
Certifies that
Chad Gregory
has successfully completed the certificate requirements for
8 Hour Department of Transportation
HM181, 126F, 215A & Security
{Certification per 49 CFR}
and in evidence thereof is awarded this
Certificate of Completion
on February 28th, 2017
CERTIFIED HAZARDOUS MATERIALS MANAGER
12174
BRANDON G. DOW
Brandon G. Dow C.H.M.M.
Instructor
ificate #: 17-5001
ificate Expire: 02-2020



Petroleum
Daily Oil Vendor Work Sheet




UNIFORM HAZARDOUS WASTE MANIFEST
1. Generator ID Number: FLSQ19
2. Page 1 of 1
3. Emergency Response Phone: 954-377-0724
4. Manifest Tracking Number: 015912465 JJK
5. Generator's Name and Mailing Address: Ecoplus Recycling 17340 N Federal Hwy Miami Gardens, FL 33160
Generator's Site Address (if different than mailing address)
Generator's Phone: 954-563-6033
6. Transporter 1 Company Name: World Petroleum Corporation
U.S. EPA ID Number: FLD 980709075
7. Transporter 2 Company Name: Clean Harbors Environmental Services
U.S. EPA ID Number: LAD000602461
8. Designated Facility Name and Site Address: PSC Allworth 500 Medina Rd Birmingham, Alabama
Facility's Phone: 205-841-1707
U.S. EPA ID Number: ALDO 044476793
9a. HM | 9b. U.S. DOT Description (Including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) | 10. Containers No. | Type | 11. Total Quantity | 12. Unit Wt./Vol. | 13. Waste Codes
UN1263 Waste Paint Related Material 3 PG II RQ (D001 = 100 lbs) | 001 | DM | 55 | GL | D001 D035 F003 F005
14. Special Handling Instructions and Additional Information
1). 1 x 55 GL Drum
2) Profile # 765993-00
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.
Generator's/Offeror's Printed/Typed Name: [illegible] | Signature: X | Month: 5 | Day: 09 | Year: 17
16. International Shipments: Import to U.S. | Export from U.S. | Port of entry/exit: | Date leaving U.S.:
Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Edwin Delarbe | Signature | Month: 5 | Day: 09 | Year: 17
Transporter 2 Printed/Typed Name: Gladys Bonilla | Signature | Month: 5 | Day: 9 | Year: 17
17. Discrepancy
17a. Discrepancy Indication Space: Quantity | Type | Residue | Partial Rejection | Full Rejection
Manifest Reference Number:
18a. Alternate Facility (or Generator) | U.S. EPA ID Number | Month | Day | Year
18b. Alternate Facility (or Generator)
18c. Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems): 1. | 2. | 3. | 4.
19. Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Signature | Month | Day | Year
05) Previous editions are obsolete.
TRANSPORTER'S COP



UNIFORM HAZARDOUS WASTE MANIFEST
1. Generator ID Number: FLSQ19
2. Page 1 of 1
3. Emergency Response Phone: 954-377-0724
4. Manifest Tracking Number: 015912464 JJK
5. Generator's Name and Mailing Address: Ecoplus Recycling 19351 W Sunrise Blvd Sunrise, FL 33351
Generator's Site Address (if different than mailing address)
Generator's Phone: 954-851-9911
6. Transporter 1 Company Name: World Petroleum Corp
U.S. EPA ID Number: FLD 980709075
7. Transporter 2 Company Name: Clean Harbors Environmental Services
U.S. EPA ID Number: LAD000602461
8. Designated Facility Name and Site Address: PSC Allworth 500 Medina Rd Birmingham, Alabama
Facility's Phone: 205-841-1707
U.S. EPA ID Number: ALDO 044476793
9a. HM | 9b. U.S. DOT Description (Including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) | 10. Containers No. | Type | 11. Total Quantity | 12. Unit Wt./Vol. | 13. Waste Codes
UN1263 Waste Paint Related Material 3 PG II RQ (D001) | 001 | DM | 55 | GL | D001 D035 F003 F005
14. Special Handling Instructions and Additional Information
1). 1 x 55 GL Drum
2) Profile ZD36002-02
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.
Generator's/Offeror's Printed/Typed Name: [illegible] | Signature | Month: 5 | Day: 09 | Year: 17
16. International Shipments: Import to U.S. | Export from U.S. | Port of entry/exit: | Date leaving U.S.:
Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Edwin Delarbe | Signature | Month: 5 | Day: 09 | Year: 17
Transporter 2 Printed/Typed Name: Gladys Bonilla | Signature | Month: 5 | Day: 9 | Year: 17
17. Discrepancy
17a. Discrepancy Indication Space: Quantity | Type | Residue | Partial Rejection | Full Rejection
Manifest Reference Number:
18a. Alternate Facility (or Generator) | U.S. EPA ID Number | Month | Day | Year
18b. Alternate Facility (or Generator)
18c. Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems): 1. | 2. | 3. | 4.
19. Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Signature | Month | Day | Year
3-05) Previous editions are obsolete.
TRANSPORTER'S COPY



UNIFORM HAZARDOUS WASTE MANIFEST
1. Generator ID Number: FLSQ19
2. Page 1 of 1
3. Emergency Response Phone: 954-377-0724
4. Manifest Tracking Number: 015912460 JJK
5. Generator's Name and Mailing Address: Ecoplus Recycling 8335 Rainbow Dr Davie, FL 33328
Generator's Site Address (if different than mailing address)
Generator's Phone: 954-[illegible]
6. Transporter 1 Company Name: World Petroleum Corp
U.S. EPA ID Number: FLD 980709075
7. Transporter 2 Company Name: Clean Harbors Environmental Services
U.S. EPA ID Number: LAD000602461
8. Designated Facility Name and Site Address: PSC Allworth 500 Medina Rd Birmingham, AL
Facility's Phone: 205-841-1707
U.S. EPA ID Number: ALDO 044476793
9a. HM | 9b. U.S. DOT Description (Including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) | 10. Containers No. | Type | 11. Total Quantity | 12. Unit Wt./Vol. | 13. Waste Codes
UN1993 Waste Flammable Liquids, N.O.S. 3 PG II RQ (D001 = 100 lbs) | 002 | DM | 110 | GL | D001
14. Special Handling Instructions and Additional Information
1). 2x 55 GL Drums
2) Profile # 432396-00
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.
Generator's/Offeror's Printed/Typed Name: Patrick Dill | Signature | Month: 06 | Day: 15 | Year: 17
16. International Shipments: Import to U.S. | Export from U.S. | Port of entry/exit: | Date leaving U.S.:
Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Billy Hicks | Signature | Month: 6 | Day: 15 | Year: 17
Transporter 2 Printed/Typed Name: Gladys Bonilla | Signature | Month: 6 | Day: 15 | Year: 17
17. Discrepancy
17a. Discrepancy Indication Space: Quantity | Type | Residue | Partial Rejection | Full Rejection
Manifest Reference Number:
18a. Alternate Facility (or Generator) | U.S. EPA ID Number | Month | Day | Year
18b. Alternate Facility (or Generator)
18c. Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems): 1. | 2. | 3. | 4.
19. Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Signature | Month | Day | Year
v. 3-05) Previous editions are obsolete.
TRANSPORTER'S COPY



UNIFORM HAZARDOUS WASTE MANIFEST
1. Generator ID Number: FLSQ19
2. Page 1 of 1
3. Emergency Response Phone: 954-377-0724
4. Manifest Tracking Number: 015912459 JJK
5. Generator's Name and Mailing Address: Ecoplus Recycling 17340 NW 130 St Miami, FL 33196
Generator's Site Address (if different than mailing address)
Generator's Phone: 305-378-6041
6. Transporter 1 Company Name: World Petroleum Corp
U.S. EPA ID Number: FLD 980709075
7. Transporter 2 Company Name
U.S. EPA ID Number
8. Designated Facility Name and Site Address: PSC Allworth 500 Medina Rd Birmingham, AL
Facility's Phone: 205-841-1707
U.S. EPA ID Number: ALDO 044476793
9a. HM | 9b. U.S. DOT Description (Including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) | 10. Containers No. | Type | 11. Total Quantity | 12. Unit Wt./Vol. | 13. Waste Codes
UN1263 Waste Paint Related Material 3 PG II RQ (D001 = 100 lbs) (F003, F005) RQ (D001) | 002 | DM | 110 | GL | D001
14. Special Handling Instructions and Additional Information
1) 2 x 55 GL Drums
2) Profile # 852720-00
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.
Generator's/Offeror's Printed/Typed Name: [illegible] | Signature | Month: 6 | Day: 15 | Year: 17
16. International Shipments: Import to U.S. | Export from U.S. | Port of entry/exit: | Date leaving U.S.:
Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Billy Hicks | Signature | Month: 6 | Day: 15 | Year: 17
Transporter 2 Printed/Typed Name: Clarence Dorsey | Signature | Month: 6 | Day: 15 | Year: 17
17. Discrepancy
17a. Discrepancy Indication Space: Quantity | Type | Residue | Partial Rejection | Full Rejection
Manifest Reference Number:
18a. Alternate Facility (or Generator) | U.S. EPA ID Number | Month | Day | Year
18b. Alternate Facility (or Generator)
18c. Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems): 1. | 2. | 3. | 4.
19. Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Signature | Month | Day | Year
-22 (Rev. 3-05) Previous editions are obsolete.
TRANSPORTER'S COPY

August 1

NOTHING CAN SEPARATE YOU from My Love. Let this divine assurance trickle through your mind and into your heart and soul. Whenever you start to feel fearful or anxious, repeat this unconditional promise: "Nothing can separate me from Your Love, Jesus."

Most of mankind's misery stems from feeling unloved. In the midst of adverse circumstances, people tend to feel that love has been withdrawn and they have been forsaken. This feeling of abandonment is often worse than the adversity itself. Be assured that I never abandon any of My children, not even temporarily. *I will never leave you or forsake you!* My Presence watches over you continually. *I have engraved you on the palms of My hands.*

ROMANS 8:38–39; JOSHUA 1:5;
ISAIAH 49:15–16

