

Florida Department of Environmental Regulation

Southeast District • 1900 S. Congress Ave., Suite A • West Palm Beach, Florida 33406

Lawton Chiles, Governor

Telephone: 407/433-2650 Fax: 407/433-2666

Carol M. Browner, Secretary

APR 2 6 1992

CERTIFIED MAIL RETURN RECEIPT REQUESTED

Mr. Victor L. San Agustin, P.E. Regional Environmental Engineer Safety-Kleen Corporation 129 South Kentucky Ave., Suite 701 Lakeland, FL 33801

FLD984167791

Modification of Hazardous Waste Operating Permit Re: Safety-Kleen/Boynton Beach, HO 50-195905

Dear Mr. San Agustin:

The above referenced permit modification has been finalized. The modifications included in the permit are as follows:

-addition of Fluid Recovery service (FRS) wastes as permitted wastestreams;

-addition of references to Toxicity Characteristic Leaching Procedure (TCLP), including spent ethylene glycol;

-deletion of references to specific container colors and sizes;

-conversion of an unused oil tank to the collection of spent ethylene glycol;

-various informational changes to update the permit.

The attached revised permit replaces the previously issued permit.

This letter constitutes final agency action unless a person substantially affected by this action requests an administrative hearing pursuant to Section 120.57, Florida Statutes. The petition must be filed within fourteen (14) days from receipt of this letter. The petition must comply with the requirements of Florida Administrative Code Rule 28-5.201 and be filed pursuant to Rule 17-103.155(1) in the Office of General Counsel of the Department of Environmental Regulation at 2600 Blair Stone Road, Tallahassee, Florida 32399-2400. Petitions which are not filed in accordance with the above provisions will not be accepted by the department. If a formal proceeding pursuant to Section 120.57(1) is requested, at such formal hearing all parties shall have an opportunity to respond, to present evidence and argument on all issues involved, to conduct cross-examination of witnesses and submit rebuttal evidence, to submit proposed findings of facts and orders, to file exceptions to any order or hearing officer's recommended order, and to be represented by If an informal proceeding is requested, the agency will, in counsel. accordance with its rules of procedure, give affected persons or parties or their counsel an opportunity, at a convenient time and place, to present to the agency or hearing officer written or oral evidence in opposition to the agency's action or refusal to act, or a written statement challenging the grounds upon which the agency has chosen to justify its action or inaction, pursuant to Section 120.57(2), Florida The hearing process is designed to formulate agency action. Statutes. Accordingly, the Department's final action as a result of a hearing may be different from the position taken by it in this stage. Therefore, any person who may wish to contest the Department's ultimate permitting decision must petition for hearing within the fourteen day period described above. Failure to file a request for hearing within this time period shall constitute a waiver of any right such person may have to request a hearing under Section 120.57, Florida Statutes.

Sincerely,

Boly a. Cooly

Bobby A. Cooley Acting Director of District Management

BAC:km:gm1/965.49

cc: Satish Kastury, DER/Tlh. Alan Farmer, EPA/Atlanta DERM Tim Grey, DER/WPB



PERMITTEE:

Tampa Region

Safety-Kleen Corporation

777 Big Timber Road Elgin, IL 60120 Attn: Mr. Victor L. San Agustin, Regional Environmental Engineer

Florida Department of Environmental Regulation

Southeast District • 1900 S. Congress Ave., Suite A • West Palm Beach, Florida 33406

Lawton Chiles, Governor

Telephone: 407/433-2650 Fax: 407/433-2666 Carol M. Browner, Secretary

FLD984167791 NUMBER: I.D. PERMIT/CERTIFICATION NUMBER: HO 50-195905 DATE OF ISSUE: August 26, 1991 DATE OF EXPIRATION: August 26, 1996 DATE OF MODIFICATION: COUNTY: Palm Beach County LATITUDE/LONGITUDE: 26°32'22"N/80°06'04"55W SECTION/TOWNSHIP/RANGE: PROJECT: Hazardous Waste Storage Facility

This permit is issued under the provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Rule 17-4, and in conformance with all existing regulations of the Florida Department of Environmental Regulation. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents attached hereto or on file with the Department and made a part hereof and specifically described as follows:

TO OPERATE: A Hazardous Waste Storage Facility consisting of a container storage area, return/fill area and above-ground storage tanks.

CONTAINER STORAGE AREA:

The container storage is equipped with the following features: impervious floors with slopes toward spill containment areas, fire suppression system and controlled access (inside fenced area with locked gate). The capacity of the container storage area will be 6912 gallons (432 16-gallon containers, or the equivalent). The hazardous waste to be stored in the containers is as follows:

> Dumpster Sediment Spent Immersion Cleaner Dry Cleaning Wastes Paint Wastes Transfer/Fluid Recovery Service Waste (FRS)

The waste codes for these waste streams are listed in the table labled as Attachment I to this permit.

The transfer/fluid recovery service waste will be stored within the container storage area, but apart from those wastes with manifests which are terminated at the facility. The facility will manage the FRS waste in accordance with 17-730.171 F.A.C. and insure that the transfer (FRS) waste is maintained within a permanently designated, distinctly separate, area. A diagram of the facility is included as Attachment II to this permit.

Page 1 of 9

I.D. NUMBER: FLD984167791 PERMIT/CERTIFICATION NUMBER: HO 50-195905 DATE OF ISSUE: Thgust 26, 1991 DATE OF EXPIRATION: August 26, 1996 DATE OF MODIFICATION:

TANK SYSTEM:

The secondary containment of the tank farm building will house two above-ground waste storage tanks. The capacity of the waste mineral spirits (D001, D006, D008) tank is 15,000 gallons. The capacity of the used antifreeze (D004-D011, D018, D019, D021-D030, D032-D043) tank is 20,000 gallons. The tanks will be constructed with adequate secondary containment/leak detection systems and operated at a volume of 95% of their total capacity. Each tank may be filled beyond 95% of their total capacity only for testing purposes. The tank testing will be provided to ensure the proper functioning of each tank's high level alarm system.

IN ACCORDANCE WITH: Application DER Form 17-730.900(2) dated April 23, 1991 and with additional information submitted June 28, 1991, December 6, 1991, December 31, 1991, April 7, 1992 and Public Notice dated July 5, 1991 and March 7, 1992.

LOCATED AT: Safety-Kleen Corporation, Lot 46B, Quantum Industrial Park, Boynton Beach, Florida.

SUBJECT TO: General Conditions 1-16 and Specific Conditions 1-36.

I.D. NUMBER: FLD984167791 PERMIT/CERTIFICATION NUMBER: HO 50-195905 DATE OF ISSUE: Sust 26, 1991 DATE OF EXPIRATION: August 26, 1996 DATE OF MODIFICATION:

GENERAL CONDITIONS:

٠,

- 1. The terms, conditions, requirements, limitations, and restrictions set forth herein are "permit conditions" and are binding and enforceable pursuant to Sections 403.141, 403.727, or 403.859 through 403.861, F.S. The permittee is placed on notice that the Department will review this permit periodically and may initiate enforcement action for any violation of these conditions.
- 2. This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings, exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action by the Department.
- 3. As provided in Subsections 403.087(6) and 403.722(5), Florida Statutes, the issuance of this permit does not convey any vested rights or any exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations. This permit is not a waiver of or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in this permit.
- 4. This permit conveys no title to land or water, does not constitute State recognition or acknowledgement of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the state. Only the Trustees of the Internal Improvement Trust Fund may express state opinion as to title.
- 5. This permit does not relieve the permittee from liability for harm or injury to human health or welfare, animal, plant life or property caused by the construction or operation of this permitted source, or from penalties therefore; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.
- 6. The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed or used by the permittee to achieve compliance with the conditions of this permit, as required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.
- 7. The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law, access to the premises, at reasonable times, where the permitted activity is located or conducted to:
 - (a) Have access to and copy any records that must be kept under the conditions of the permit;
 - (b) Inspect the facility, equipment, practices, or operations regulated or required under this permit; and
 - (c) Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.

Reasonable time may depend on the nature of the concern being investigated.

۰,

I.D. NUMBER: FLD984167791 PERMIT/CERTIFICATION WIMBER: HO 50-195905 DATE OF ISSUE: August DATE OF EXPIRATION: 6, 1991 August 26, 1996 DATE OF MODIFICATION:

GENERAL CONDITIONS Cont'd:

- If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in the permit, the permittee shall immediately notify and provide the Department with the following information: 8.
 - (a) a description of and cause of non-compliance; and
 - (b) the period of non-compliance, including exact dates and times; or, if not corrected, the anticipated time the non-compliance is expected to continue, and steps being taken to reduce, eliminate, and prevent recurrence of the non-compliance. The permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or revocation of this permit.
- In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source, which are submitted to the Department, may be used by the Department as evidence in any enforcement case arising under the Florida Statutes or Department rules, except where such use in prescribed by Sections 403.73 and 403.111, Florida Statutes. Such evidence shall only be used to the estent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules. 9.
- The permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance, provided however, the permittee does not waive any other rights granted by Florida Statutes or Department rules. 10.
- This permit is transferable only upon Department approval in accordance with Florida Administrative Code Rules 17-4.120 and 17-730.300, as applicable. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department. 11.
- This permit or a copy thereof shall be kept at the work site of the permitted 12. activity.
- 13. This permit also constitutes:
 - (a)
 - (b)
 - Determination of Best Available Control Technology (BACT) Determination of Prevention of Significant Deterioration (PSD) Certification of Compliance with State Water Quality Standards (Section 401, PL 92-500) (c)
 - (đ) Compliance with New Source Performance Standards
- 14. The permittee shall comply with the following:
 - Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records will be extended automatically, unless otherwise stipulated by the (a) Department.
 - The permittee shall hold at the facility or other location designated by this (b) permit records of all monitoring information (including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation), required by this permit, copies of all reports required by this permit, and records of all data used to complete the application for this permit. These materials shall be retained at least three years from the date of the sample, measurement, report or application unless otherwise specified by Department rule.

Page 4 of 9

I.D. NUMBER: FLD984167791

DATE OF EXPIRATION: August 26, 1996 DATE OF MODIFICATION:

GENERAL CONDITIONS Cont'd:

- (c) Records of monitoring information shall include:
 - 1. the date, exact place, and time of sampling or measurements; 2. the person responsible for performing the sampling or measurements

 - the date(s) analyses were performed;
 the person responsible for performing the analyses;
 - 5. analytical techniques or methods used; and 6. results of such analyses.
- 15. When requested by the Department, the permittee shall within a reasonable time furnish any information required by law which is needed to determine compliance with the permit. If the permittee becomes aware that relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be submitted or corrected promptly.
- 16. In the case of an underground injection control permit, the following permit conditions also shall apply:
 - All reports or information required by the Department shall be certified as (a) being true, accurate and complete.
 - Reports of compliance or noncompliance with, or any progress reports on, requirements contained in any compliance schedule of this permit shall be submitted no later than 14 days following each schedule date. (b)
 - (c) Notification of any noncompliance which may endanger health or the environment shall be reported verbally to the Department within 24 hours and again within 72 hours, and a final written report provided within two weeks.
 - 1. The verbal reports shall contain any monitoring or other information which indicate that any contaminant may endanger an underground source of drinking water and any noncompliance with a permit condition or malfunction of the injection system which may cause fluid migration into or between underground sources of drinking water.

Page 5 of 9



	MBER: FLD984167791 CERTIFICATION WWMBER: HO 50-19590
DATE OF	ISSUE: August 5, 1991 EXPIRATION: August 26, 1996
DATE OF DATE OF	EXPIRATION: August 26, 1996 MODIFICATION:

SPECIFIC CONDITIONS:

- The permittee shall notify the Department in writing four weeks prior to receipt of hazardous waste from a foreign source (40 CFR 264.12). 1.
- This permit allows the permittee to store only those wastes specified, in Attachment I to the permit, at the facility. Prior to acceptance of new hazardous waste, the permittee shall submit to the Department, for approval, waste analysis of the proposed new waste stream. This analysis must also be incorporated in the 2. general waste analysis plan and retained on-site (40 CFR 264.13).
- The permittee shall employ the security procedures described in Part IIA, 3. Attachment II.A.4(a) of the application to control access to the facility (40 CFR 264.14).
- The permittee shall inspect the facility operating, emergency and safety equipment in accordance with the schedule approved in Part IIA, Attachment II.A.4(d) of the application. Changes, additions, or deletions to the schedule must be approved in writing by the Department. The schedule must be maintained as part of the operating record at the facility (40 CFR 264.15 and 264.174). 4.
- Facility personnel must successfully complete the approved training program indicated in Part IIA, Attachment II.A.4(e) of the application. Verification of this training shall be kept with the personnel training records and maintained on site. Personnel shall not work unsupervised until training has been completed (40 CFR 264.16). 5.
- In accordance with 40 CFR 264.56, whenever there is an imminent or actual hazardous waste emergency situation, the permittee shall follow the emergency procedures specified in the approved contingency plan that is described in Part IIA, Attachment II.A.4(b) of the application. The permittee shall give proper notification to the Department of any incident that requires implementing the contingency plan; including, within fifteen (15) days, submitting a written report of the incident documenting all information required in 40 CFR 264.56(j). 6.
- The contingency plan must be amended and distributed to the appropriate agencies if: 7.

 - $\begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}$
 - The facility permit is revised. The plan fails in an emergency. The facility changes in its design, construction, operation, maintenance or other circumstances in a way that increases the potential for fires, explosions or release of hazardous waste or hazardous waste constituents, or changes the response necessary in an emergency. The list of emergency coordinators changes. The list of emergency equipment changes (40 CFR 264.54(7).
 - $\binom{4}{5}$
- The permittee shall comply with the manifest requirements indicated in 40 CFR 264.71. 8.
- The permittee shall maintain compliance with Part 264, 40 CFR Subpart H, Financial 9. Requirements.
- 10. The permittee shall keep a written operating record at the facility which includes:
 - The description and quantity of each hazardous waste received, including the (a)
 - FRS wastes. The location of each hazardous waste within the facility and the quantity at (b) each location.
 - $\left\{ \begin{array}{c} c \\ d \end{array} \right\}$
 - The results of the waste analysis. A summary report and details of incidents that require implementation of the contingency plan. Manifest records (for 3 years). Notices to off-site generators (if applicable). The results of inspections (for 3 years).
 - (e) (f)

•

- (g) (h)
- Closure plan and cost estimates.
- (i) Annual certification of waste minimization.

Page 6 of 9

. .

I.D. NUMBER: FLD984167791 PERMIT/CERTIFICATION
DATE OF ISSUE: August 6, 1991
DATE OF EXPIRATION: August 26, 1996 DATE OF MODIFICATION:

SPECIFIC CONDITIONS Cont'd:

These records must be updated in a timely manner and maintained at the facility until completion and certification of closure. (40 CFR 264.73 and 264.12)

- 11. The permittee shall certify to the Department, no less often than annually, that the permittee has a program in place to reduce the volume and toxicity of hazardous waste the permittee generates to the degree determined by the permittee as economically practicable; and that the method of storage is the best practicable to minimize the present and future threat to human health and the environment. (40 CFR 264.73).
- 12. The permittee shall submit an application for renewal of the permit at least 135 days prior to expiration of this permit (F.A.C. 17-730.300(1)). This permit will remain in effect beyond the permit's expiration date if the applicant has submitted a timely, completed application and the Department has not taken final agency action.
- 13. The permittee shall apply for a closure permit at least 180 days prior to beginning closure at the facility. (F.A.C. 17-730.260)
- 14. The Department may modify the conditions of this permit if any of the conditions of FAC 17-730.290(1) apply.

CONTAINER STORAGE AREA:

- 15. The permittee is allowed to store the hazardous waste(s) approved in Table II.A.6-1 of the modification request, in the container storage area. The FRS wastes are to be managed as a segregated transfer facility waste stream. The FRS transfer waste will be stored within the container storage area but apart from the wastes which have their manifests terminated at the facility. The facility will manage the FRS waste in accordance with 17-730.171 F.A.C. and insure that the transfer (FRS) waste is maintained within a permanently designated, distinctly separate area. Containers must be managed in accordance with the approved operation plan. Containers shall be kept closed except when adding or removing waste and be handled in a manner that will not allow the containers to rupture or leak. If a container holding hazardous waste is not in good condition, or begins to leak, the waste shall be overpacked or transferred to another container in good condition. Containers shall be made or lined with materials which will not react with, and are otherwise compatible with the hazardous waste to be stored in them. All containers shall be managed in accordance with the plan approved in Part IIB, Attachment II.B.1, revision 2-12/06/91, of the application.
- 16. The maximum storage volume of the container storage area will be 6912 gallons (432 16-gallon containers, or the equivalent). (40 CFR 265.171 and 40 CFR 264.173)
- 17. Spilled or leaked waste must be removed from the collection system, analyzed and disposed of in accordance with Part II B, Attachment II.B.l. of the application (40 CFR 264.175).
- 18. The permittee shall take precautions to prevent accidental ignition or reaction of reactive wastes as described in 40 CFR 264.17.
- 19. Containers holding ignitable or reactive waste must be located at least 15 meters (50 feet) from the facility property line. (40 CFR 264.17)
- 20. Incompatible Waste shall not be stored or placed in unwashed containers that have previously held an incompatible waste. (40 CFR 264.177) Waste streams and container sizes will be managed in accordance with Table II.B.4-1, Revision 2a-12/31/91 of the permit application.
- 21. The permittee shall pump the liquid in the spill collection system into a compatible container upon a discovery of any spills or leaks.

Page 7 of 9

٠,



Ι	.D	•	NU	MB	ER		I	\mathbf{LI})9	84)	167	79]	L					
Ρ	ER	MI	T/	CE	RT	'IF	'I(CA'	CI.	ON		MBI	ER	:	HO	50-	-19	5905
D	AT:	Ē	0F	I	SS	UE	:	A۱	ıg	us	1	б,	19	991	l , 19			
D	AT:	Ë	OF	E	XP	IR	A]	CIC)Ñ	: .	Aug	ust	t i	26,	, 19	996		
D	AT:	E	OF	M	IOD	IF	'I (CAC	CI.	ON	: -							

SPECIFIC CONDITIONS Cont'd:

- The permittee shall handle the compatible containers of the spilled hazardous 22. material as hazardous waste and dispose of it under the appropriate RCRA rules and regulations.
- The permittee shall maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of the facility operation in an emergency. 23.

TANK SYSTEM:

- The used mineral spirits tank (15,000 gallon capacity) may be operated at a maximum volume of 14,250 gallons (95 percent of total capacity) and the used anitfreeze tank (20,000 gallon capacity) may be operated at a maximum volume of 19,000 gallons (95 percent of total capacity) as provided in Part IIC, Attachment II.C.2., Revision 2-12/06/91 (40 CFR 264.194(b)). Each tank may be filled beyond 95% of its maximum capacity only for testing purposes in order to ensure that each tank's high level alarm system is functional. 24.
- The permittee shall pump the liquid in the spill collection trench into a compatible container or tank within 24 hours of any spills or leaks. The liquid pumped into the compatible container or tank must be subsequently handled as hazardous waste and disposed of under the appropriate RCRA rules and regulations. (40 CFR 264.193(c)(4)). 25.
- The permittee must keep on file at the facility the written statments certifying the design of the tank system in accordance with 40 CFR 264.193(b) and (f) which attest that the tank system has been designed, installed and maintained as per 40 CFR 264.193(b) and (d). 26.
- The permittee must inspect daily the tank and ancillary equip,ment documenting the daily inspections in the operating record of the facility inaccordance with Part II.C, Atachment II.C.11 of the application. (40 CFR 264.195(b) and (d)). 27.
- The permittee, as the application presents in Part II.C, Attachment II.Cll, will internally inspect the hazardous waste storage tanks once every five years. The internal inspection must verify structural integrity and performance in accordance with original design specifications as assessed and certified in Part IIC, Attachment II.C.1, revision 2-12/06/91, of the application. 28.
- The permittee shall prevent the release of hazardous waste or hazardous constituents to the environment. The secondary containment system should be maintained according to Part IIC, Attachment II.C.l of the application and shall comply with the requirements of 40 CFR 264.193. 29.
- The permittee shall satisfy the requirements of 40 CFR 264.196 when a tank system or secondary containment system produces a leak or spill, or is determined to be unfit for use. These requirements include, as they are made applicable by 40 CFR 30. 264.196:

 - (a) Cessation of use; prevent flow or addition of waste.
 (b) Removal of waste from tank system or secondary containment system.
 (c) Containment of identifiable releases to the environment.
 (d) Notifications, reports.
 (e) Provision of secondary containment, repair or closure.
 (f) Certification of major repairs.

Page 8 of 9

ι,



I.D. NUMBER: FLD984167791 PERMIT/CERTIFICATION MBER: HO 50-195905 DATE OF ISSUE: August 6, 1991 DATE OF EXPIRATION: August 26, 1996 DATE OF MODIFICATION:

SPECIFIC CONDITIONS Cont'd:

- The permittee shall comply with the protective distance requirements of the tank placement as set forth in Tables 2-1 through 2-6 of the National Fire Protection Association's "Flammable and Combustible Liquids Code" (1977 or 1981) as required 31. by 40 CFR 264.198(b).
- The permittee shall not store incompatible waste in tanks or place it in contaminated tanks that have previously held incompatible waste in accordance with 40 CFR Part 264.199. 32.
- The permittee shall, as part of the general operating requirements of 40 CFR 264.194: 33.

 - (a) Not place hazardous wastes or treatment reagents in a tank system if possibility exists that this may cause the tank system to fail.
 (b) Use appropriate controls and practices to prevent spills and overflows, and
 (c) Comply with the requirements of 40 CFR 264.196 if a leak or spill occurs.
- The permittee shall maintain, inspect, and operate the spill and overfill prevention controls during loading and unloading procedures occurring at the tank storage units in accordance with 40 CFR Part 264.194. 34.

RETURN/FILL AREA:

- The permittee shall pump the liquid in the spill collection trench into a compatible container or tank upon discovery of any spills or leaks. The liquid pumped into the compatible container or tank must be subsequently handled as hazardous waste and disposed of under the appropriate RCRA rules and regulations. 35.
- Dumpster sediment removed from the drum washers must be put into compatible containers. The containers must subsequently be handled as hazardous wastes and stored in the Container Storage Area in accordance with the plan approved in Part IIB, Attachment II.B.1 of the application. 36.

Issued this $27^{\pm 4}$ day of_ 1991

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL REGULATION

Bolga. Cool Bobby A. Cooley, P.E. Acting Director of District Management

Page 9 of 9

ATTACHMENT I.D.3-1 SAFETY-KLEEN CORP. FACILITY BOYNTON BEACH, FLORIDA

Waste Type	Process Code(s)	Estimated Annual Amounts (Tons)	Waste Codes			
Spent Mineral Spirits	S01* S02**	993	D001 and D-Codes Listed in Note Below			
Dumpster Sediment	_ S01*	Included Above	D001 and D-Codes Listed in Note Below			
Tank Bottoms	S01*	Included Above	D001 and D-Codes Listed in Note Below			
Spent Ethylene Glycol	S01* S02***	5,000	D-Codes Listed in Note Below			
Spent Immersion Cleaner (Old Formula)	S01*	31	F002, F004, and D- Codes Listed in Note Below			
(New Formula)	S01*	Included Above	D-Codes Listed in Note Below			
Dry Cleaning Waste	S01*	350	D001 or F002 and D- Codes Listed in Note Below			
Paint Waste	S01*	50	D001, F003, F005 and D-Codes Listed in Note Below			
Fluid Recovery Service (FRS) Waste	S01* ****	250	D001, D002, and D- Codes, F-Codes, K- Codes, U-Codes Listed in Note Below			

Attachment I

Revision 2a - 12/12/91

G

ŧ

I.D.3-1A

ATTACHMENT I.D.3-1 - Continued SAFETY-KLEEN CORP. FACILITY BOYNTON BEACH, FLORIDA

NOTE:

D-Codes: D004, D005, D006, D007, D008, D009, D010, D011, D018, D019, D021, D022, D023, D024, D025, D026, D027, D028, D029, D030, D032, D033, D034, D035, D036, D037, D038, D039, D040, D041, D042, D043

F-Codes: F001, F002, F003, F004, F005, F006, F019, F024, F039


K-Codes: K006, K016, K019, K022, K029, K030, K031, K048, K049, K050, K051, K052, K085, K086, K095, K096, K009, K010, K011, K013, K014, K015, K002, K003, K004, K005

U-Codes: U001, U002, U003, U009, U031, U037, U043, U044, U051, U052, U055, U056, U057, U068, U069, U070, U071, U072, U075, U077, U078, U079, U080, U083, U084, U107, U108, U110, U112, U113, U117, U118, U121, U125, U140, U154, U159, U161, U162, U165, U169, U171, U188, U191, U196, U210, U211, U213, U220, U226, U227, U228, U239, U359

- * These wastes will be stored in containers in the container storage area. The maximum drum capacity in the container storage area for hazardous waste and product is 29,400 gallons with 6,912 gallons being waste.
- ** The mineral spirits storage tank has a maximum storage capacity of 20,000 gallons.
- *** The ethylene glycol storage tank has a maximum storage capacity of 20,000 gallons.
- ****FRS wastes are transfer wastes only. They will be managed in accordance with FAC 17-730.171.

ATTACHMENT I CONT'D.

G



Group R