

From: [Acosta, Kayla](#)
To: ["jbarnes@transflo.net"](mailto:jbarnes@transflo.net)
Cc: ["cchewning@transflo.net"](mailto:cchewning@transflo.net); [Blandin, Norva](#)
Subject: Return to Compliance Letter - Fort Lauderdale Transflo Terminal EPA ID FLD984253542
Date: Friday, October 26, 2018 10:08:00 AM
Attachments: [image001.png](#)

Dear Mrs. Jan Barnes:

On March 14, 2018, the Department conducted a hazardous waste Compliance Evaluation Inspection (CEI) at your facility. The documentation requested at the conclusion of the inspection was provided to the Department, and it appears that your facility has since returned to compliance.

Please continue to comply with all state and federal regulations. Keep this communication and inspection report in your records. Most information received or sent by the Department is public record and is placed in OCULUS, an electronic database. You can view the final inspection report and other documents for this facility at the following link: [Ft Lauderdale Transflo FLD984253542](#)

Please contact me if you have any questions about the inspection or any other compliance-related issues. Thank you for your cooperation and assistance.

Sincerely,



Kayla M. Acosta
Environmental Specialist I
Florida Department of Environmental Protection
Southeast District – West Palm Beach
3301 Gun Club Road, MSC 7210-1
West Palm Beach, FL 33406
Kayla.Acosta@floridadep.gov
Office: 561.681.6636