

From: [Bill Kelly](#)
To: [Buselli, Bradley](#)
Cc: [Kurt Fogleman \(Perma-Fix\)](#)
Subject: Status Update - Supplemental Site Assessment - Perma-Fix of Florida, Gainesville - Fac ID FLD 780 7111 071 (COM_17680)
Date: Wednesday, October 24, 2018 4:31:34 PM
Attachments: [image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.png](#)
[image007.png](#)
[image008.png](#)

Mr. Buselli,

As you are aware, in a letter dated July 25, 2018, the FDEP responded to a Site Assessment Report dated May 3, 2018 for the subject facility. The FDEP letter requested additional assessment efforts. Perma-Fix of Florida, Inc. has requested that we respond to the FDEP's letter. The letter stipulated that a Supplemental Site Assessment Report should be submitted within 60 days following receipt of the laboratory analytical data. Trihydro has initiated supplemental assessment efforts and we will strive to expedite completion of the work. We currently anticipate completion of the field activities within the next 30 days and our response will be transmitted within 60 days following receipt of the corresponding analytical results. We will notify you regarding our scheduled field dates. In the interim, we request that you please include Mr. William Kelly as a contact for future communications regarding this effort. Our mailing address and other contact information is provided below.

Respectfully submitted,

William C. (Bill) Kelly, PG
Senior Project Manager



OUR SAFETY IS MY RESPONSIBILITY

HUBZone Certified (NAICS 562910)

3740 Saint Johns Bluff Road S., Suite 14
Jacksonville, FL 32224
(904) 513-9742 (phone)
(307) 745-7729 (fax)
(904) 328-0585 (cell)
bkelly@trihydro.com

Connect with us on:



CONFIDENTIAL INFORMATION: This electronic message is intended only for the use of the person or entity to which it is addressed and may contain information that is privileged and confidential, the disclosure of which is governed by applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this information is STRICTLY PROHIBITED. If you have received this message in error, please immediately notify the sender by either email or telephone. Please destroy the related message. Thank you for your cooperation.