

From: [Lenhart, Shannon](#)
To: [Nicole Wilson- Office Manager](#)
Cc: [Kennedy, Shannon](#); [Knauss, Elizabeth](#)
Subject: RE: [FWD: RE: Electrical Engineering Enterprises - FLR000215376 - Hazardous Waste Compliance Inspection Follow Up]
Date: Friday, December 14, 2018 1:53:00 PM

Good afternoon Nicole,

Thank you for providing documentation of the corrective actions. The Department does not require any additional information at this time.

Regards,



Shannon Lenhart
Florida Department of Environmental Protection
Southwest District
Environmental Specialist
Shannon.Lenhart@FloridaDEP.gov
Office: 813-470-5939

PLEASE NOTE: Florida has a very broad public records law. Most written communications to or from state owned e-mail accounts are considered to be public records and will be made available to the public or the media upon request. Therefore, your e-mail messages may be subject to public disclosure.

 Please consider the environment before printing this e-mail.

From: Nicole Wilson- Office Manager [mailto:wilson@electeng.com]
Sent: Friday, December 14, 2018 10:49 AM
To: Wayne H. Ellis- President/Owner <ellis@electeng.com>; Lenhart, Shannon <Shannon.Lenhart@FloridaDEP.gov>
Cc: Knauss, Elizabeth <Elizabeth.Knauss@FloridaDEP.gov>; Kennedy, Shannon <Shannon.Kennedy@FloridaDEP.gov>
Subject: RE: [FWD: RE: Electrical Engineering Enterprises - FLR000215376 - Hazardous Waste Compliance Inspection Follow Up]

Hi Shannon,

Attached please find the pictures for the below referenced. Also the attached is the training for the employees.

Please let me know if you need anything further.

*Nicole Wilson-Office Manager
Electrical Engineering Enterprises, Inc.
5316 E. Henry Ave
Tampa, FL 33610*

877-740-9601 FAX: (813)740-9360
wilson@electeng.com
www.electricalengineeringenterprises.com

----- Original Message -----

Subject: [FWD: RE: Electrical Engineering Enterprises - FLR000215376 - Hazardous Waste Compliance Inspection Follow Up]
From: "Wayne H. Ellis- President/Owner" <ellis@electeng.com>
Date: Fri, December 14, 2018 10:41 am
To: wilson@electeng.com

Wayne Ellis
President/Owner
Electrical Engineering Enterprises, Inc.
5316 East Henry Avenue
Tampa, FL 33610
877-740-9601

----- Original Message -----

Subject: RE: Electrical Engineering Enterprises - FLR000215376 - Hazardous Waste Compliance Inspection Follow Up
From: "Lenhart, Shannon" <Shannon.Lenhart@FloridaDEP.gov>
Date: Fri, December 14, 2018 8:17 am
To: "ellis@electeng.com" <ellis@electeng.com>
Cc: "Knauss, Elizabeth" <Elizabeth.Knauss@FloridaDEP.gov>, "Kennedy, Shannon" <Shannon.Kennedy@FloridaDEP.gov>

Good morning Mr. Ellis,

As discussed during our telephone conversation yesterday, December 13, 2018, please ensure that documentation of the following corrective actions are received prior to noon today, December 14, 2018:

- One drum located in the outdoor area contained mercury-containing lamps and was not properly closed and labeled. Please provide photo documentation of the properly closed, labeled drum.
- Several totes of used oil located in the covered area were not properly labeled with the words "used oil." Please provide photo documentation of the properly labeled totes.
- Please provide documentation of the transporter's used oil training certifications, as well as documentation of training for the handling of mercury-containing devices. I have attached to this email items that can be used for training.

Please do not hesitate to contact me if you have any questions or would like to discuss further. Have a great day.

Regards,



Shannon Lenhart
Florida Department of Environmental Protection
Southwest District
Environmental Specialist
Shannon.Lenhart@FloridaDEP.gov
Office: 813-470-5939

PLEASE NOTE: Florida has a very broad public records law. Most written communications to or from state owned e-mail accounts are considered to be public records and will be made available to the public or the media upon request. Therefore, your e-mail messages may be subject to public disclosure.

 Please consider the environment before printing this e-mail.

From: Lenhart, Shannon
Sent: Monday, November 26, 2018 3:25 PM
To: 'ellis@electeng.com' <ellis@electeng.com>
Cc: Knauss, Elizabeth <Elizabeth.Knauss@FloridaDEP.gov>; Kennedy, Shannon <Shannon.Kennedy@FloridaDEP.gov>
Subject: Electrical Engineering Enterprises - FLR000215376 - Hazardous Waste Compliance Inspection Follow Up

Good afternoon Mr. Ellis,

Thank you for accompanying the Department on the Hazardous Waste Compliance inspection conducted on 11/26/18 of Electrical Engineering Enterprises, Inc. During the inspection of this facility, the following areas were noted as being out of compliance:

- One drum located in the outdoor area contained mercury-containing lamps and was not properly closed and labeled. Please provide photo documentation of the properly closed, labeled drum.
- Several totes of used oil located in the covered area were not properly labeled with the words "used oil." Please provide photo documentation of the properly labeled totes.
- Please provide documentation of the transporter's used oil training certifications, as well as documentation of training for the handling of mercury-containing devices. I have attached to this email items that can be used for training.

Please provide the necessary documents, as well as photo documentation that the mentioned concerns have been fixed in order to ensure that this facility returns to compliance. I appreciate your time and assistance with this matter.

Please feel free to contact me directly with any questions or concerns. The Department looks forward to assisting your facility with its return to compliance.

Regards,



Shannon Lenhart

Florida Department of Environmental Protection

Southwest District

Environmental Specialist

Shannon.Lenhart@FloridaDEP.gov

Office: 813-470-5939

PLEASE NOTE: Florida has a very broad public records law. Most written communications to or from state owned e-mail accounts are considered to be public records and will be made available to the public or the media upon request. Therefore, your e-mail messages may be subject to public disclosure.



Please consider the environment before printing this e-mail.

