

From: [Blandin, Norva](#)
To: [Sterytec, LLC](#); info@sterytec.com
Subject: Letter In Compliance - Sterytec, LCC EPA ID FLR000216622 - CEI"s for 03/05/2019 & 2/18/2018
Date: Tuesday, April 9, 2019 10:40:00 AM
Attachments: [image001.png](#)

Dear Mr. Garcia:

On **March 5, 2019** and **February 18, 2016**, the Department conducted a hazardous waste and used oil compliance evaluation inspections (CEI) at your facility. It appears that your facility was in compliance at the time of inspection. Please continue to comply with all state and federal regulations.

The Department did not issued the letter and it was an oversight.

Most information received or sent by the Department is public record and is placed in OCULUS, an electronic database. You can view this and other documents for this facility at the following link:

[https://depdms.dep.state.fl.us:443/Oculus/servlet/shell?command=hitlist&\[freeText=\]&\[folderName=\]&\[profile=Discovery_Compliance\]&\[creator=\]&\[entityType=any\]&\[createdDateTo=\]&\[catalog=2\]&\[searchBy=Profile\]&\[sortBy=Document+Date\]&\[createdDate=\]&{County=_EQ_MIAMI-DADE}&{District=_EQ_SED}&{Facility-Site+ID=_EQ_FLR000216622}](https://depdms.dep.state.fl.us:443/Oculus/servlet/shell?command=hitlist&[freeText=]&[folderName=]&[profile=Discovery_Compliance]&[creator=]&[entityType=any]&[createdDateTo=]&[catalog=2]&[searchBy=Profile]&[sortBy=Document+Date]&[createdDate=]&{County=_EQ_MIAMI-DADE}&{District=_EQ_SED}&{Facility-Site+ID=_EQ_FLR000216622})

Please contact me if you have any questions about the inspection or any other compliance related issues. Thank you for your cooperation.

Best regards,



Norva Blandin, MSEM
Environmental Manager
Compliance Assurance Program (CAP)
Florida Department of Environmental Protection
Southeast District – West Palm Beach
3301 Gun Club Road, MSC 7210-1
West Palm Beach, FL 33406
Norva.Blandin@floridadep.gov
Office: 561.681.6728
Main: 561.681.6600
Fax: 561-681-6755