

Clean Harbors Florida, LLC. 7001 Kilo Avenue Bartow, Florida 33830 863.533.6111 www.cleanharbors.com RECEIVED
Florida Department of Environmental
Protection

AUG 2 J 2019

Permitting & Compliance Assistance Program

August 16, 2019

SENT FEDERAL EXPRESS

Environmental Administrator
Hazardous Waste Program & Permitting Section M.S. 4560
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Re: Un-manifested Waste Report

To whom it concerns:

Pursuant to 40 CFR 264.76 as adopted by the Florida Department of Environmental Protection, this correspondence is being submitted to provide the following information:

- 1) Facility EPA ID #, name, and address: FLD980729610; Clean Harbors Florida, LLC; 7001 Kilo Avenue, Bartow, FL 33830
- 2) Date facility received waste: 08/08/19
- 3) EPA ID #, name and address of generator and transporter:
 Generator FLD148107550, Fanatics, 4408 W. Linebaugh Avenue, Tampa, FL 33624
 Transporter TXR000081205, Safety-Kleen Systems, Inc., 2600 North Central
 Expressway, Suite 400, Richardson, TX 75080
- 4) Description and quantity of un-manifested hazardous waste as received: See Attachments
- 5) Method of treatment, storage or disposal for the subject hazardous waste: S01/H141
- 6) I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on the inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment.

Name: John Bosek	Title: General Manager
Signature:	



Clean Harbors Florida, LLC.

7001 Kilo Avenue Bartow, Florida 33830

863.533.6111

www.cleanharbors.com

Explanation as to why waste was un-manifested: Upon arrival at designated receiving facility, drum was found to not match the original profile used to classify the material. Generator was notified of the off-specification findings, and a new profile, 1653788, was provided by them on 08/15/19 to reclassify the material with the proper shipping description of RQ, UN1210, Waste Printing Ink, 3, PG II, with RCRA waste codes D001, D006, D007, D008, D009, and D035.

Please contact me at (863) 519-6331 or <u>bosek.john@cleanharbors.com</u> with any questions or comments concerning this matter.

Sincerely,

John Bosek

Facility General Manager

Attachments

cc:

Hazardous Waste Supervisor Department of Environmental Protection 13051 North Telecom Parkway Temple Terrace, Florida 33637-0926

Bartow Customer File



Clean Harbors Florida, LLC. 7001 Kilo Avenue Bartow, Florida 33830 863.533.6111 www.cleanharbors.com

Attachment

TRANSPORTER: Jared A Martin

	dnesday, Week 31 of 2019	
	31/2019 1:13:38 PM	□pw
	Chain Code: Customer Number: FA22586 Segment Code: 41 Classification: E Payment Preference: Pay By Check	□PW □OR □CWS □VAC
	Unit Price Rate Price SKDOT Re- SDS Remain Price 0 0 N/A	ks
	0 0 0 85.00 N/A N/A N/A	
	87.52 287.52 0 287.52 557 Y Y 187.52 287.52 0 287.52 557 Y Y 187.52 287.52 0 287.52 557 Y Y 187.52 287.52 0 287.52 557 Y Y	
	287.52 287.52 0 287.52 557 Y Y 287.52 287.52 0 287.52 557 Y Y 227.46 227.46 0 227.46 941 N/A N/A	300 N
-	227.46 227.46 0 227.46 941 N/A N/A 0 0 0 352.22 8233949 N/A N/A	
	0 0 0 499 02 8233845 N/A N/A 0 0 0 60 48 N/A N/A N/A N/A	
		Ť
	0084 0080536836 0084 0080536836 0084 028935738 0084 028935738	
	TAM	
	Legal Backer Required	
	941 124 15.7 N 1 941 124 15.7 N 557 134 16.96 N 2 557 134 16.96 N 9 557 134 16.96 N	r Profile? C C C C C C C
Cherry	9 557 134 1696 N	

1903578140

THE HAZARDOUS WASTES IDENTIFIED ON THE HAZARDOUS WASTE MANIFEST IDENTIFIED ABOVE AND BEARING THE EPA HAZARDOUS WASTE CODES LISTED BELOW ARE RESTRICTED WASTES WHICH ARE PROHIBITED FROM LAND DISPOSAL WITHOUT FURTHER TREATMENT UNDER THE LAND DISPOSAL RESTRICTIONS, 40 CFR PART 268.7 (a)(2), AND RCRA SECTION 3004(D). IN ACCORDANCE WITH 40 CFR 268.7 (a), THE EPA WASTE CODE, WASTE SUBCATEGORY, AND TREATABILITY GROUPS, AS APPLICABLE, ARE INCLUDED BELOW

INSTRUCTIONS -- COMPLETE ALL SECTIONS. REFER TO PAGE 3 OF THIS FORM FOR KEY TERMS/DEFINITIONS.

- Column 1 Line Item: Enter the manifest line item number (e.g., 11a) that corresponds to the waste code(s).
- Column 2 Waste Codes/Subcategory: Check off all applicable waste codes. For D001 through D043, also check applicable subcategory; for F001 through F005, check applicable constituents.
- Column 3 Wastewater/Non-wastewater: Check off "WW" for wastewater and "Non-WW" for non-wastewaters.
- Column 4 LDR Handling Code: Circle the appropriate handling code, as follows:
 - The waste is a characteristic hazardous waste D001, D002, D003, D004-D011, or D016-43 which is intended for treatment/disposal in a CWA system, CWA-equivalent system, or Class I SDWA system. Underlying Hazardous Constituents (UHC's) are NOT required to be identified.
 - 1A = The waste is a characteristic hazardous waste D001 High TOC Ignitable Liquids Subcategory (i.e., greater than or equal to 10% TOC). Pursuant to 40 CFR 268.40, the waste must be treated using organic recovery (RORGS) or combustion (CMBST) technology. UHC's are NOT required to be identified.
 - The waste is a characteristic hazardous waste D001 (other than High TOC Ignitable Liquids), D002, D003 Explosive, Water Reactive or Other Reactive subcategory, D004-D011, D012-17 non-wastewater, or D018-43 which is intended for treatment/disposal in a non-CWA system, non-CWA-equivalent system, or non-Class I SDWA system located in the United States. All UHC's which are reasonably expected to be present must be identified, except for D001 waste that is intended to be treated using organic recovery (RORGS) or combustion (CMBST) technologies. Identify UHC's by completing Sections I and IV of CHI Form LDR-1 Addendum and attach completed Addendum to this form.
 - The waste is a characteristic (i.e., D-code) or listed (i.e., F-, K-, U-, or P-code) hazardous waste which is intended for export and treatment/disposal at a facility located outside the United States. LDR treatment standards do not apply to hazardous waste treated/disposed in a foreign country, and per USEPA guidance, the identification of UHC's (if applicable) is not required for hazardous waste that is intended to be exported. Note however that if the exported waste is subsequently returned for treatment/disposal in the United States, all applicable LDR regulations would apply and a revised LDR notification would be required.
 - The waste meets the definition of hazardous debris pursuant to 40 CFR 268.2(h) and is inlended for treatment disposal in compliance with the alternate debris treatment technologies of 40 CFR 268.45. In accordance with the requirements of 40 CFR 268.7(a)(2): the contaminants subject to treatment (CSTT's) must be identified as part of this notification. Identify CSTT's by completing Section III and IV of the CHI Form LDR-1 Addendum and attach completed Addendum to this form. These constituents are being treated to comply with 40 CFR 268.45.
 - 5 = The waste is a characteristic waste D003 Reactive Sulfide, Reactive Cyanide, or Unexploded Ordnance subcategory, a characteristic waste D012- 17 wastewater, or a listed (i.e., F-, K-, U-, or P-code) hazardous waste. UHC's are NOT required to be identified
 - The waste is a lab pack that is intended for incineration using the alternative lab pack treatment standard, under 40 CFR 268.42(c). UHC's are NOT—required to be identified; however, the generator must complete and attach the lab pack certification statement on CHI Form LDR-LP. Note that in accordance with 40 CFR Part 268 Appendix IV, lab packs which contain waste codes D009, F019, K003, K004, K005, K006, K062, K071, K100, K106, P010, P011, P012, P076, P078, U134, and U151 are not eligible for alternative lab pack treatment standard.
 - "" NOTE: IF THE WASTE IS A SOIL CONTAMINATED WITH A LISTED OR CHARACTERISTIC WASTE AND THE GENERATOR WANTS TO USE THE ALTERNATE TREATMENT STANDARD FOR SOILS, CONTACT CORPORATE COMPLIANCE FOR THE APPROPRIATE LDR. NOTIFICATION FORM.

SECTION I. CHARACTERISTIC WASTES D001 THROUGH D043

COLUMN 1: LINE ITEM SEE MANIFEST	COLUMN 2: WASTE CODE / SUBCATEGORY	COLUMN 3: WASTEWATER/ YON-WASTEWATER	COLUMN 4: HANDLING CODE				
		M Non-WW only	1 (1A)		3 3	4 6	6
77	(Greater than or equal to 10% TOC) [] D002 Corrosives [] D003	[] WW [] Non-WW	1	2	3	4	6
··· . · · · · · · · · · · · · · · · · ·	[] Reactive Sulfide, per 261.23 (a)(5)		1	3	4	5	6
	Reactive Cyanide, per 261.23(a)(5)	NW-NON-I NON-WW	1	3	4	5	6
	Explosive, per 261.23(a)(6), (7) & (8)	[]WW []Non-WW	1	2	3	4	6
	Water Reactive, per 261.23(a)(2), (3) & (4)	Non-VVV only	1	2	3	4	6
	Other Reactive, per 261,23(a)(1)	Non-WW	1	2	3	4	6
	[] Unexploded Ordnance, Emergency Response		1	3.	4	5	6.
	[] D004 Arsenic	[]WW []Non-WW	1.	2	3	4	e
	[] D005 Barium	[] WW] Non-WW	1	2	3	4	6
		() WW Minou-WW	1	2	3 6	4	6
	[] Cadmium Containing Batteries	[] Non-WW only	2	3	6 3		
.2	🔀 D007 Chromium	[] MM X NOU-MM	(1)	2.	3	4	8
2-		[] Mon-WW only	<u>(1)</u>	2 3	3	4	6

SECTION I. CHARACTERISTIC WASTES D001-43 (CONTINUED)

COLUMN 1: LINE ITEM SEE MANIFEST	. COLUMN 2: WASTE CODE ! SUBCATEGORY	COLUMN 3. WASTEWATER/ NON-WASTEWATER	COLUMN 4: HANDLING CODE
2 SECTION II.	Note	[]WW Non-WW []Non-WW (]Non-WW (]WW []Non-WW (]WW []Non-WW (]WW []WW []Non-WW (]WW []WW []Non-WW (]WW (]Non-WW (]WW (]WW (]Non-WW (]WW (]WW (]Non-WW (]WW (]WW (]WW (]Non-WW (]WW (]WW (]WW (]Non-WW (]WW (]WW (]WW (]WW (]WW (]WW (]WW (1 2 3 4 6 1 2 3 4 6 1 2 3 4 6 1 2 3 4 6 1 2 3 4 6 1 1 2 3 4 6
COLUMN 1: LINE ITEM SEE MANIFES	COLUMN 2: WASTE CODE / SUBCATEGORY ST	COLUMN 3: WASTEWATER! NON-WASTEWATE	COLUMN 4: HANDLING CODE R
	[]F001 {]F002 {]F003 {}F004 {}F	-005 []WW []Non-W	W 3 4 5 6
	1 2. Acetone	hyl acetate hyl benzene thyl ether obutyl alcohol	[] 25. Pyridine [] 26. Tetrachloroethylene [] 27. Toluene [] 28. 1,1,1-Trichloroethane [] 29. 1,1,2-Trichloroethane [] 30. Trichloroethylene [] 31. 1,1,2-Trichloro- 1,2,2-trifluoroethan [] 32. Trichloromonofluor methane [] 33. Xylene - mixed isc (sum of o., m-, a p-xylene)

SECTION III. CALIFORNIA LIST WASTES

COLUMN 1: LINE ITEM SEE MANIFEST	COLUMN 2: WASTE CODE / SUBCATEGORY	COLORIN S.			JIMN 4: ING COD	E-		
	Hazardous waste containing one or more of the following California List constitu		[] Non-WW	1 2	3 4	6		
	 ALL CALIFORNIA LIST CONSTITUENTS Liquids with nickel greater than or equal to 134 m Liquids with thallium greater than or equal to 130 Liquids with PCB's > or = 50 ppm Waste containing HOC's > or = 1,000 mg/kg 							
SECTION IV. OT	HER LISTED WASTES (F006-12, F019-F028, F037-38,	F039, K-, U-	AND P-CODES)				
COLUMN 1: LINE ITEM SEE MANIFEST	COLUMN 2: WASTE CODE / SUBCATEGORY		COLUM WASTEW NON-WAST	IATERI	HANDL	ING (E
and Millerman games garage			[]ww [] Non-WW	3	4	5	6
			1) WW [] Non-\vv	3	4	5	6
-			[]WW [) Non-WW	3	4	5	6
			() WW (] Non-WW	3	4	5	6
			{ } WW {] Non-WW	3	4	5	6
SHEET.	RE IF ADDITIONAL LISTED WASTE CODES ARE PRES RE IF WASTE CODE F039 (MULTISOURCE LEACHATI IG SECTIONS II AND IV OF CHI FORM LDR-1 ADDENI	FUS PRESE	NT. IDENTIFY	F039 CONS	TITUENT	S BY		DRM.
SECTION V. <u>CC</u>	DNTACT NAME AND DATE							
Print Name:	Susan K. Wilex	Date: <u>C</u>	7/3/19					
KEY TERMS/DI	FFINITIONS							

CLASS I SDWA SYSTEM means a Class I deep well facility regulated under the Safe Drinking Water Act (SDWA).

CWA SYSTEM means a centralized wastewater treatment facility discharging under a Clean Water Act (CWA) permit. For example, a CWA facility would treat organic or inorganic aqueous wastes and discharge the treated effluent to the local sewer system. Examples of CWA treatment systems owned and operated by Clean Harbors include the wastewater treatment operations at Baltimore (including the CES system), Bristof, Chicago, Cincinnati and Cleveland.

CWA-EQUIVALENT SYSTEM means a "zero discharge system" that engages in "CWA-equivalent" treatment before land disposal. Zero-discharge facilities treat hazardous wastes using "CWA-equivalent" treatment methods, but do not discharge the treatment effluent to a sewer or water body (e.g., spray irrigation land farm). "CWA-equivalent" treatment methods means biological treatment for organics, alkali chlorination, or ferrous sulfate precipitation for cyanide, precipitation/ sedimentation for metals, reduction of hexavalent chromium, or other treatment technology that can be demonstrated to perform equally or greater than these technologies.

HIGH TOC IGNITABLE LIQUIDS SUBCATEGORY means an ignitable liquid hazardous waste (waste code D001) which contains greater than or equal to 10% total organic carbon (TOC). Pursuant to 40 CFR 268.40, such wastes must be treated using organic recove (RORGS) or combustion (CMBST) technology. Examples of RORGS technologies include the CES unit at Clean Harbors of Baltimore. Examples of CMBST technologies include hazardous waste fuel blending and subsequent reuse at a cement kiln, or destruction at a RC incidental.

WASTEWATERS are wastes that contain less than 1% by weight total organic carbon (TOC) and less than 1% by weight total suspende solids (TSS). [See 40 CFR 268.2(f)]