



**Florida Department of
Environmental Protection
Hazardous Waste Inspection Report**

FACILITY INFORMATION:

Facility Name: Medigreen Waste Services LLC
On-Site Inspection Start Date: 08/08/2019 **On-Site Inspection End Date:** 08/08/2019
ME ID#: 54602 **EPA ID#:** FLD097842363
Facility Street Address: 9633 Oak Crossing Rd #400 , Orlando , Florida 32837-8489
Contact Mailing Address: 9633 Oak Crossing Rd #400, Orlando, Florida 32837
County Name: Orange **Contact Phone:** (407) 641-6822

NOTIFIED AS:

Non-Handler
Transporter

INSPECTION TYPE:

Routine Inspection for Transporter Facility

INSPECTION PARTICIPANTS:

Principal Inspector: John E. White, Inspector
Other Participants: Michael Eckoff, Inspector; Azia Bennouna, Managing Director

LATITUDE / LONGITUDE: Lat 28° 24' 57.6828" / Long 81° 24' 0.9756"

NAIC: 562112 - Hazardous Waste Collection

TYPE OF OWNERSHIP: Private

Introduction:

On August 8, 2019, John White and Michael Eckoff, Florida Department of Environmental Protection (FDEP, Department), inspected Medigreen Waste Services for compliance with state and federal hazardous waste regulations. Medigreen Waste Services, located at 9633 Oak Crossing Road #400, Orlando, Florida, was represented by Aziz Bennouna, Managing Director.

Medigreen Waste Services notified the Department as a hazardous waste transporter on April 17, 2018, and received EPA identification number FLD097842363 on May 15, 2018. This is the initial inspection of the facility by the Department for compliance with hazardous waste regulations.

Process Description:

Medigreen Waste Services provides biomedical, biohazardous, and hazardous waste disposal services in the Southeastern United States. The Orlando facility typically transports medical waste, paper, non-hazardous pharmaceutical waste, trace chemotherapy waste. No hazardous waste is transported by the Orlando facility. Based on this information, no hazardous waste manifests were available for review.

Inspection of the warehouse found it is just used for storage of supplies. Biomedical waste remains in the box trucks prior to disposal at a permitted facility.

Medigreen Waste Services provided the Department with an updated Certificate of Liability Insurance on June 25, 2019.

Conclusion:

Medigreen Waste Services was inspected as a hazardous waste transporter and was in compliance at the time of this inspection.

Inspection Date: 08/08/2019

1.0: Pre-Inspection Checklist

Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Note: Checklist items with shaded boxes are for informational purposes only.

Item No.	Pre-Inspection Review	Yes	No	N/A
1.1	Has the facility notified with correct status? 262.18(a)	✓		
1.2	Has the facility notified of change of status? 62-730.150(2)(b)			✓
1.3	Did the facility conduct a waste determination on all wastes generated? 262.11			✓

Inspection Date: 08/08/2019

Signed:

A hazardous waste compliance inspection was conducted on this date, to determine your facility's compliance with applicable portions of Chapters 403 & 376, F.S., and Chapters 62-710, 62-730, 62-737 & 62 -740 Florida Administrative Code (F.A.C.). Portions of the United States Environmental Protection Agency's Title 40 Code of Federal Regulations (C.F.R.) 260 - 279 have been adopted by reference in the state rules under Chapters 62-730 and 62-710, F.A.C

John E. White**Principal Investigator Name**Inspector**Principal Investigator Title**JW**Principal Investigator Signature**DEP**Organization**10/02/2019**Date**Michael Eckoff**Inspector Name**Inspector**Inspector Title**FDEP**Organization**Azia Bennouna**Representative Name**Managing Director**Representative Title**Medigreen Waste Services**Organization**

NOTE: By signing this document, the Site Representative only acknowledges receipt of this Inspection Report and is not admitting to the accuracy of any of the items identified by the Department as "Potential Violations" or areas of concern.

Report Approvers:**Approver:**Daniel K. Hall**Inspection Approval Date:**10/02/2019