

# FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southeast District Office 3301 Gun Club Road, MSC 7210-1 West Palm Beach, FL 33406 561-681-6600

December 20, 2019

Max Wigglesworth, Director, Cargo Operations Crowley Liner Services, Inc. 4300 McIntosh Road Fort Lauderdale, FL 33316 maxwell.wigglesworth@crowley.com

Re: Request for Additional Information – Crowley Liner Services, Inc.

EPA ID: FL0000360560

**Broward County** 

Dear Mr. Wigglesworth:

Upon further review, it was determined that additional information is required to accurately evaluate the facility with respect to the applicability of the Resource Conservation and Recovery Act (RCRA) under Title 40, Code of Federal Regulation (CFR) Parts 260-268, 273, and 279 (as adopted and incorporated by reference in Rules 62-730.160(1) and 62-737.150(2), Florida Administrative Code (F.A.C.)).

The purpose of this letter is to formally request additional information related to the hazardous waste compliance evaluation inspection performed on May 28, 2019. Please provide a written response within fifteen (15) days of the receipt of this letter.

Your response shall be addressed to Jared Heyns of the Southeast District Office. Should you have any questions concerning this matter, please contact Mr. Heyns at 561-681-6616 or via e-mail at <a href="mailto:jared.heyns@floridadep.gov">jared.heyns@floridadep.gov</a>. We look forward to your cooperation with this matter.

Sincerely,

Norva Blandin, MSEM Environmental Administrator Southeast District Florida Department of Environmental Protection

NB/jh

Enclosure: Hazardous Waste Final Inspection Report

cc: Dwight Campbell, Crowley, via email Dwight.campbell@crowley.com

Emily Reiblein, Crowley, via email Emily.reiblein@crowley.com

Norva Blandin, Jared Heyns - FDEP

Crowley Liner Services, Inc. EPA ID No. FL0000360560 Request for Additional Information Page 2 of 2

## Request for Additional Information

- 1. Please submit a photo of the area designated for holding hazardous waste cargo containers while in the port terminal. Also, please submit in writing the Crowley Standard Operating Procedure stating the implemented policy for segregating the hazardous waste cargo containers.
- 2. Please submit documentation verifying it is now Crowley's policy to inspect and document all hazardous waste cargo containers while they are in the terminal facility. Per Rule 62-730.160(3), these container inspections are to be documented with all required elements and kept on-site for a period of three years.
- **3.** As discussed in the informal meeting on 12/17/2019, Crowley staff have attended training in the management of hazardous waste and have implemented that training in the operations of the facility. Please submit this training information and the policies that have been implemented.
- **4.** Pertaining to the third violation cited in the enclosed Hazardous Waste Final Inspection Report dated 05/28/2019 (40 CFR 263.12), a hazardous waste cargo container was determined to be held at the facility for a period of 16 days (exceeding the 10-day storage limit for Transfer facilities). This shipment, dated 04/06/2016, was documented via a bill of lading. Please submit the uniform hazardous waste manifest accompanied with this shipment, and any other relevant information pertaining to the transport and destination of this shipment. As discussed in the meeting, if this pick-up was conducted on behalf of the U.S. Government, please provide documentation regarding the contract or work order. When you provide this information, the Department will determine the applicability of 40 CFR 262.84(b)(1).



## Florida Department of

#### **Environmental Protection**

## **Hazardous Waste Inspection Report**

#### **FACILITY INFORMATION:**

Facility Name: **Crowley Liner Services** 

**On-Site Inspection Start Date:** 05/28/2019 **On-Site Inspection End Date:** 05/28/2019

ME ID#: 21129 EPA ID#: FL0000360560

**Facility Street Address:** 4300 Macintosh Rd, Fort Lauderdale, FL 33316 **Contact Mailing Address:** 4300 McIntosh Road, Ft Lauderdale, FL 33316

Contact Phone: County Name: Broward (305) 470-4087

**NOTIFIED AS:** Transfer Facility

Transporter

**VSQG** 

#### **INSPECTION TYPE:**

Routine Inspection for Transporter facility Routine Inspection for Transfer Facility facility Routine Inspection for VSQG (<100 kg/month) facility

## **INSPECTION PARTICIPANTS:**

Principal Inspector: Jared T Heyns, Inspector

Norva Blandin, Environmental Manager; Romina Lancellotti, Inspector; Dwight Other Participants:

Campbell, HSSE Manager; Shevon Spence, Supervisor, Freight Services; Joseph

Beaudry, Manager, Maintenance

LATITUDE / LONGITUDE: Lat 26° 4' 5.4186" / Long 80° 7' 19.456"

NAIC 512250 - Record Production and Distribution

TYPE OF OWNERSHIP: Private

### Introduction:

On May 28th, 2019 (05/28/2019), three (3) representatives of the Florida Department of Environmental Protection (DEP) conducted a routine hazardous waste compliance evaluation inspection (CEI) of Crowley Liner Services, Inc. (Crowley).

During the inspection, Crowley was represented by Mr. Dwight Campbell, the HSSE Manager of the facility, Ms. Shevon Spence, the Supervisor of Freight Services, and Mr. Joseph Beaudry, the Maintenance Manager. DEP was represented by Ms. Norva Blandin, Environmental Manager, Ms. Romina Lancellotti, Environmental Specialist II, and Mr. Jared Heyns, Environmental Specialist II.

Crowley has been operating at this location for over 30 years, employs approximately 250 people, and is connected to city utilities.

## **Notification History:**

- > The facility's most recent Hazardous Waste Generator Notification form (EPA Form 8700-12FL) was filed on May 9th, 2019 (05/09/2019), which identified Crowley as a Very Small Quantity Generator (VSQG) of hazardous waste and a Transporter of hazardous waste.
- > Department inspectors noted that the facility had a lapse in notification status the facility's previous notification expired on 11/30/2018 and was not re-registered until 05/09/2019. The current registration for the facility expires on 11/30/2019.

Inspection History:

- > The most recent facility inspection conducted by DEP was on September 4th, 2012 (09/04/2012). This inspection resulted as In-Compliance.
- > Previous inspection was conducted on May 20th, 2010 (05/20/2010). This inspection resulted as In-Compliance.

Personal Protective Equipment (PPE) was required to enter the port facility. The inspectors were safety boots, high-visibility vests, safety glasses, hearing protection, and hard hats throughout the walk-through portion of the inspection.

# **Process Description:**

The Crowley facility consists of indoor offices, a storage/processing yard where all cargo containers are processed, and one (1) freight truck maintenance area. The entire facility is surrounded by a security fence.

Crowley is a transporter of hazardous materials and waste through its ocean-going barge and intermodal fleet transport operations. Crowley transports hazardous material/waste and other cargo between Puerto Rico, the U.S. Virgin Islands, other Caribbean ports, and Fort Lauderdale via triple-decked barges. Each barge is capable of accommodating over 400 trailers (cargo) which, upon arrival at their respective terminal destinations, are staged at the facility pending transport to final destinations. Mr. Dwight Campbell accompanied the Department inspectors throughout the facility inspection.

Cargo Container Processing Yard (Transfer facility):

Facility does not take wastes off/out of cargo containers. They accept shipping containers, move them into the parking area, and ship them off all without unloading. Mr. Campbell stated that the only time any of the containers are opened is if the Coast Guard or Customs mandates it for an inspection. Based on the inspectors' observations, cargo containers received by Crowley that are identified as containing hazardous materials are not segregated to a hazardous materials-specified area. Mr. Campbell stated that the terminal planner controls the placement of all cargo containers. During the inspection, the inspectors were unable to determine if hazardous waste cargo containers were on-location. Additional information regarding this matter was requested by the Department on 06/03/2019. No visible leaks or issues were detected at any point during the inspection of the cargo container yard. However, it was observed that the USDA inspection dock did not have eye wash liquid in the station; Mr. Campbell stated that this was corrected in the e-mail submittal on 6/24/2019. Crowley has a contract with Cliff Berry Inc. (CBI) which describes CBI as their cleanup contractor in case of any environmental emergency response on their property at the port.

# Freight Truck Maintenance Shop:

Facility performs maintenance on their own vehicles in a 12-bay maintenance shop and generates the following waste streams:

- > used oil stored in 55-gallon drums; outdoors in a covered storage area; within secondary containment; managed by Cliff Berry
- > used oil filters stored in 55-gallon drums; indoors; within secondary containment; managed by Cliff Berry
- > spent antifreeze stored in 55-gallon drums; indoors; within secondary containment; managed by Cliff Berry
- > parts washer mineral spirits wastes 2 System One parts washers; managed by Crystal Clean

There are 2 underground fuel tanks - one holding gasoline and one holding diesel. A gas and diesel filling station is located in this area. No issues were observed at the time of the inspection. These tanks are registered under the Tanks Program.

There is an underground 3-unit oily water separator system. Each unit is about 2000 gallons, all are maintained by Cliff Berry, and waste is picked up on annual basis.

During the inspection of the maintenance shop area, Department inspectors observed two (2) 55-gallon drums containing used oil that were stored outside uncovered and unlabeled, one (1) 55-gallon drum containing used oil filters that was not labeled or sealed, and one pallet of used batteries that was stored outside exposed to the weather elements. All of these violations were corrected the day of the inspection (after DEP inspectors left the facility) and Mr. Joseph Beaudry submitted photos of the corrective actions. Department inspectors also observed two (2) 55-gallon drums containing an unknown liquid that were stored outside and unlabeled. Mr. Beaudry suggested the contents of both drums were brake cleaner (non-

hazardous) but an accurate waste determination has not been conducted by the facility. Mr. Beaudry followed up with the Department and stated that Cliff Berry took the drums off-site the next day (05/29/2019), and the content of both 55-gallon drums were indeed non-hazardous brake cleaner.

#### Records Review:

Before conducting the walk-through inspection portion, the DEP inspectors conducted a records review with Mr. Campbell and Ms. Shevon Spence. Most of the requested records were not available at the time of the inspection, and Department staff followed up with the facility to request the remaining records:

- > Documentation of daily container inspections (hazardous waste containing cargo containers only)(40 CFR 265 Subpart B).
- > SPCC/Contingency plan and notification letters to the authorities (including the facility's emergency coordinator and his/her job duties) Submitted by Crowley on 6/24/2019.
- > Employee training in used oil and hazardous waste management from past 3 years including those employees that manage hazardous wastes (for example, planners, on site drivers, etc) and also, include hazardous materials under 49 CFR 1910 Submitted by Crowley on 6/24/2019.
- > A copy of a Closure Plan demonstrating that the transfer facility will be closed in a manner which satisfies the closure performance, notification, and decontamination standards of 40 CFR 265.111, 265.112, 265.114, and 265.115 [as adopted by reference in subsection 62-730.180(2), FAC]. During the time of the inspection, the facility did not have any closure plan or closure estimate cost reports available for review.
- > Log of transfer waste (hazardous waste and pharmaceutical waste) inbound and outbound of the facility from three (3) years. This document should include generator name and ID #'s, manifest numbers, dates entering and leaving facility, and amount of HW and HW codes (Section 62-730.171 (6)) A log of Manifested Waste was submitted by Crowley on 6/24/2019 but more detailed information (pertaining to amounts of and actual waste transported) was requested by the Department on 6/27/2019.
- > SOP documentation describing the facility's response plan pertaining to leaks and/or spills (40 CFR 263.30 and 263.31) Submitted by Crowley on 6/24/2019.
- > Record of date of registration for the two underground storage tanks on-site (gasoline and diesel station) Submitted by Crowley on 6/24/2019.

Financial responsibility: Records of the facility's Hazardous Waste Certification of Liability Insurance forms from the last three (3) years were available for review. According to the observations of the inspector, these Certification of Liability forms appeared to be complete and in-order. The facility provided proof of Pollution Liability Insurance policy covering up to two million dollars (\$2,000,000) through Old Republic Insurance Company that is effective from April 1, 2019 through April 1, 2020.

For the facility's used oil activities, Crowley has contracted the service of Cliff Berry Inc. to pick-up their used oil, used oil filters, oily water, oily rags, and spent solvent. All information and documentation appeared to be in order. At least three (3) years of records were available for review during the inspection.

As part of the inspection, it was unclear if the facility meets the Siting Requirements under 403.7211 Florida Statutes. Based on the inspector file review, it appears to be that the Crowley facility is currently located in an area that complies with the following: 1,000 yards from any residence; 1,000 yards from the egress road of a residential neighborhood; 1,500 yards from hospitals, prisons, schools, nursing homes, day care facilities, stadiums, places of worship, or similar sites where reasonable access to immediate evacuation is not available.

## **New Potential Violations and Areas of Concern:**

## **Violations**

Type: Violation Rule: 262.11

Explanation: The inspectors observed two (2) 55-gallon drums of an unknown liquid stored un-labeled

outside the maintenance shop area. Facility staff suggested the contents were brake cleaner, but the facility shall provide a copy of the disposal record confirming if the waste

was hazardous or not.

Corrective Action: The facility determined the contents of both 55-gallon drums were non-hazardous brake

cleaner, and provided the SDS sheet and disposal record on 06/24/2019 . Please ensure

that all waste determinations are correctly done in the future.

Type: Violation

Rule: 263.11(a), 62-730.150(2)(a)

Question Number: 6.1

Question: Has the transporter notified the Department as a transporter and received an EPA

identification number? 62-730.150(2)(a), 263.11(a)

Explanation: The facility had a lapse in notification status - the previous notification expired on

11/30/2018 and was not re-registered until 5/9/2019.

Corrective Action: Please be sure in the future that the facility does not have any more lapses in registration

status. The facility shall submit the re-registration to the Department at least sixty (60) days in advance of the expiration of the current registration which expires on 11/30/2019.

Type: Violation Rule: 263.12

Explanation: Facility stored hazardous waste-containing cargo containers mixed with non-hazardous

cargo containers. After reviewing the facility's document submittal from 07/03/19, it was determined that a cargo container holding hazardous waste was stored for more than 10

days (16 days - 04/06/16 through 04/22/16). A transfer facility who accumulates

hazardous waste for more than 10 days is an operator of a storage facility and is subject to the requirements of Rule 62-730 of the Florida Administrative Code Annotated [40]

CFR Parts 264, 265, and 267].

Corrective Action: Facility shall establish a separate staging area for hazardous waste-containing cargo

containers. Also, please be sure that hazardous waste cargo containers are stored onsite for no more than 10 days. Otherwise, the facility will be operating as an unpermitted

Treatment, Storage, and Disposal Facility (TSDF).

\*\*\*This violation is pending resolution.

Type: Violation Rule: 263.22(a)

Question Number: 6.16

Question: Does the transporter retain a copy of the manifest signed by the generator, himself, and

the next designated transporter or designated facility for a period of three years from the

date the hazardous waste was accepted by the initial transporter? 263.22(a)

Explanation: Facility did not have manifest records readily available at the time of the inspection.

Corrective Action: Facility shall submit to the Department manifest transfer records dating back to the

previous three years.

\*\*\*Facility submitted manifest records for previous three (3) years on 07/03/2019. No

further action is required at this time.

Type: Violation Rule: 273.13(a)

Explanation: Department inspectors observed a pallet of batteries outside exposed to the weather

conditions.

Corrective Action: Please ensure that batteries are moved inside where they are protected from the weather

elements. Please submit a picture to the Department of the corrective action.

\*\*\*This violation is pending resolution.

Type: Violation

Rule: 279.22(c)(1), 62-710.401(6)

Question Number: 5.13

Question: Double-walled or stored on an oil-impermeable surface with engineered secondary

containment that has the capacity to hold 110% of the volume of the largest container

within the secondary containment? 62-710.401(6)

Explanation: The facility stored 2 55-gallon drums outside uncovered, not placed on secondary

containment, and not labeled with the words "Used Oil".

Corrective Action: No further action is required. The facility corrected this the day of the inspection.

Type: Violation

Rule: 62-710.850(5)(a)

Question Number: 5.25

Question: Are the used oil filter containers closed or otherwise protected from weather? 62-

710.850(5)(a)

Explanation: The facility stored used oil filters in a 55-gallon drum that was not sealed and labeled with

the words "Used Oil Filters".

Corrective Action: No further action is required. Facility corrected this at the time of the inspection.

Type: Violation

Rule: 62-730.160(3)

Explanation: The facility failed to conduct and document weekly container inspections of the

hazardous waste-containing cargo containers when present at the port facility.

Corrective Action: The facility shall conduct and document inspections of the hazardous waste-containing

cargo containers and keep the documentation logs for a period of three (3) years. If the facility does not have any hazardous waste containers on-site, this requirement is not applicable. For the period in which the facility was acting as a transfer facility (04/06/2016)


through 04/22/2016) no weekly inspection logs were kept on-site.

#### PHOTO ATTACHMENTS:

Drum containing used oil filters was properly labeled on-site



Cargo container processing yard



Pallet of batteries located outside the maintenance shop




Facility moved used oil drums into covered storage area



USDA inspection dock



One of two full service Crystal Clean parts washers



Located in maintenance shop (contains SDS's & spill response info)



Hazardous material containers co-mingled with non-hazardous



## Conclusion:

A hazardous waste compliance inspection was conducted on this date, to determine the facility's compliance with applicable portions of Chapters 403 & 376, F.S., and Chapters 62-710, 62-730, 62-737, & 62-740 Florida Administrative Code (F.A.C.). Portions of the United States Environmental Protection Agency's Title 40 Code of Federal Regulations (C.F.R.) 260 - 279 have been adopted by reference in the state rules under Chapters 62-730 and 62-710, F.A.C.

An exit interview was provided (via email) to Mr. Campbell on 6/3/2019. In the exit interview, the Department requested that Crowley resolve the potential non-compliance issues observed during the inspection by undertaking any and all necessary corrective actions. Furthermore, the Department requested (in the exit interview email) that Crowley submit photographs/documentation illustrating that the facility has resolved all potential non-compliance issues by 6/17/2019. Mr. Campbell requested a week extension on 6/17/2019 to submit the requested information by close-of-business on 6/24/2019.

On 6/24/2019, the Department received (via email) a corrective actions submittal package from Mr. Campbell, which included documentation indicating that the following corrective actions had been undertaken:

- > SPCC/Contingency Plan which contained the Emergency Coordinator's information (Mr. Dwight Campbell), as well as notification to the local responding authorities.
- > Employee training records.
- > Log of Manifested Waste.
- > Facility license to operate Underground Storage Tanks.

After this submittal, the Department requested additional information regarding all manifests of hazardous waste dating back to 2016 be submitted by close-of-business 07/03/2019.

On 07/03/2019, the Department received (via email) all manifests dating back to 2016. Only one manifest (#HAIN6M00092, dated 04/06/16) detailed a transfer of hazardous waste from Port Au Prince, Haiti (flammable, corrosive, and toxic liquids) - all other manifests were loads containing bio-medical or non-regulated wastes. After review, this cargo container of hazardous waste was present at the port facility for a period of sixteen (16) days from 04/06/2016 to 04/22/2016. Based on this information, it appears that Crowley has not operated as a hazardous waste transfer facility after this shipment was picked up by the second hazardous waste transporter.

On 07/09/2019, the Department also requested any and all manifests of Crowley-generated hazardous waste shipped out of the facility as part of spill response or cleanup be submitted by close-of-business 07/12/2019. As mentioned in the inspection report, Crowley has a contract with CBI to cleanup any spills/leaks and no manifests have been received by the Department detailing any response/cleanup wastes.

As of 07/15/2019, the Department is further reviewing the facility's corrective action submittal package in order to determine if the facility is compliant with all applicable regulations, and plans to continue working with Mr. Dwight Campbell, Ms. Shevon Spence, and Crowley staff.

# 2.0 - VSQG Checklist

# Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Note: Checklist items with shaded boxes are for informational purposes only.

Item No.	Standards for Very Small Quantity Generators	Yes	No	N/A
2.1	Generator Size Determination (If the answer is No for any one question then facility is not a VSQG)			
2.2	Does the facility generate less than 100 kg/mo (220 lb/mo) of all hazardous wastes? 262.14(a)(1)	~		
2.3	Does the facility generate less than 1kg/mo of acutely toxic (P-listed, 40 CFR 261.33(e)) hazardous wastes? 262.14(a)(1)			
2.4	Does the facility accumulate onsite no greater than 1,000 Kilograms (2,200 pounds) of hazardous waste at any one time? 262.14(a)(4)			
2.5	Does the facility accumulate onsite less than a total of 1 kg of acute hazardous waste listed in 261.31 or 261.33(e)? 262.14(a)(3)	<b>&gt;</b>		
Item No.	Hazardous Waste Determination	Yes	No	N/A
2.6	Has the facility properly identified all hazardous waste streams? (Check any that are not OK) 262.11			
	Is it excluded under 261.4?			
	Is it listed in subpart D of 261 or appendix IX of 261?	~		
	Has the waste been analyzed?			
	Has generator knowledge of the hazard characteristics of the waste in light of the materials used been applied?			
Item No.	Record Keeping		No	N/A
2.7	Has the facility documented delivery of its hazardous waste to a facility permitted or authorized to accept the waste? (Check any that are not OK) 262.14(a)(5)			
	Name and address of the generator and TSD/authorized facility.	88		
	Type and amount of hazardous waste delivered.	~		
	Date of shipment			
2.8	Are written records and other receipts documenting proper disposal retained for at least 3 years? 62-730.030(2)	~		

# 5.0 - Used Oil Generator Checklist

# Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Note: Checklist items with shaded boxes are for informational purposes only.

Item No.	Used Oil Container and Tank Management	Yes	No	N/A
5.1	Does the facility store used oil only in tanks, containers or permitted hazardous waste storage units? 279.22(a)	~		
5.2	Are used oil containers/tanks in good condition? 279.22(b)(1)	~		
5.3	Are used oil containers/tanks not leaking? 279.22(b)(2)	~		
5.4	Are used oil containers/tanks labeled or marked clearly with the words "Used Oil"? 279.22(c)(1)	~		
5.5	Are fill pipes used to fill underground tanks labeled or marked clearly with the words "Used Oil"? 279.22(c)(2)			~
Item No.	Secondary Containment		No	N/A
5.6	Are containers/tanks 55-gallons or smaller that are stored inside:			
5.7	Stored on an oil-impermeable surface? 62-710.401(6)	~		
5.8	Are containers/tanks larger than 55-gallons that are stored inside:			
5.9	Stored on an oil-impermeable surface? 62-710.401(6)	~		
5.10	Does the building provide adequate secondary containment, or are the containers/tanks double-walled, or stored within or on engineered secondary containment that has the capacity to hold 110% of the volume of the largest container/tank, or are the containers/tanks portable/wheeled and typically emptied every 24 hours? 62-710.401(6)			
5.11	Are containers/tanks (regardless of size) that are stored outside:			
5.12	Closed or otherwise protected from the weather? 62-710.401(6)			
5.13	Double-walled or stored on an oil-impermeable surface with engineered secondary containment that has the capacity to hold 110% of the volume of the largest container within the secondary containment? 62-710.401(6)		~	
Item No.	Used Oil Releases	Yes	No	N/
5.14	Has the generator, upon detection of a release, done all of the following, as applicable:			
5.15	stop the release? 279.22(d)(1)	~		
5.16	contain the released oil? 279.22(d)(2)	~		
5.17	clean up and manage properly the released used oil and other materials? 279.22(d)(3)	~		
5.18	if necessary, repair or replace any leaking used oil storage containers or tanks prior to returning them to service? 279.22(d)(4)	~		
5.19	Is the facility in compliance with the prohibition against discharges of used oil into soils, sewers, drainage systems, septic tanks, surface or ground waters, watercourses, or marine waters? 62-710.401(2)	~		
5.20	Is the facility in compliance with the prohibition against using used oil for road or pavement oiling for dust control, weed abatement, or other similar uses that have the potential to release used oil into the environment? 62-710.401(5)	~		
Item No.	Used Oil Filter Container Management	Yes	No	N/
5.21	Does the facility store used oil filters in containers? 62-710.850(5)(a)	~		
5.22	Are the used oil filter containers clearly labeled "Used Oil Filters"? 62-710.850(5)(a)	~		
5.23	Are the used oil filter containers in good condition? 62-710.850(5)(a)	~		
5.24	Are the used oil filter containers not leaking? 62-710.850(5)(a)	~		
5.25	Are the used oil filter containers closed or otherwise protected from weather? 62-710.850(5)(a)		~	

Item No.	Used Oil Filter Container Management	Yes	No	N/A
5.26	Are the used oil filter containers stored on an oil-impervious surface? 62-710.850(5)(a)	>		
Item No.	Releases from Used Oil Filter Containers	Yes	No	N/A
5.27	Has the generator, upon detection of a release, done all of the following, as applicable:			
5.28	stop the release? 62-710.850(5)(b)	٧		
5.29	contain the released oi62-710.850(5)(b)	>		
5.30	clean up and manage properly the released oil and any subsequent oily waste? 62-710.850(5)62-710.850(5)(b)	٧		
5.31	repair or replace any leaking used oil filter storage containers prior to returning them to service? 662-710.850(5)(b)4	٧		
Item No.	Used Oil Mixtures	Yes	No	N/
	Is the facility a VSQG that mixes hazardous waste with used oil and manages the mixture under 279? Note: VSQGs can mix both listed and characteristic wastes with used oil.			
	Is the facility a SQG or LQG that is mixing listed waste (except for listed waste that only is listed because it exhibits a characteristic - see question below) with used oil? [VSQGs may mix HW and used oil, but they must maintain disposal documentation per 62-730.030(3), FAC.] If so:			
5.32	Is the mixture being managed as listed hazardous waste? 279.10(b)(1)			V
	Is the facility a SQG or LQG that mixes only characteristic waste (or listed waste that only exhibits a characteristic) with used oil? [NOTE: This is also considered HW Treatment and other rules apply. However, VSQGs may mix HW and used oil, but they must maintain disposal documentation per 62-730.030(3), FAC.] If so:			
5.33	Is ignitability the only characteristic of the hazardous waste prior to mixing (or is the HW listed only for ignitability)? If so:			
5.34	Is the mixture managed as HW if it exhibits the ignitability characteristic? 279.10(b)(2)(iii)			Ų
5.35	Does the hazardous waste exhibit ANY characteristic other than ignitability prior to mixing (or is the HW listed only for a characteristic other than ignitability)? If so:			
5.36	Is the mixture managed as HW if it exhibits ANY characteristic (even if the characteristic of the mixture is from the used oil, rather than from the HW)? 279.10(b)(2)(i)			v
5.37	Does the facility generate mixtures of other materials contaminated with used oil (i.e. absorbents, rags, dirt)? If so:			
5.38	Are UO-contaminated materials that contain visible free-flowing UO managed under 279 used oil standards? 279.10(c)(3)			v
5.39	Does the facility either manage UO-contaminated materials that do not contain visible free-flowing UO as hazardous waste have records documenting the materials are not hazardous waste? 279.10(c)(1)(ii)			V
5.40	Are UO-contaminated materials that will be burned for energy recovery being managed as used oil under 279? (Used oil-contaminated materials should have a heating value of at least 5000 Btu/pound to be burned for energy recovery under 279, so low-Btu-value materials like contaminated soils and clay absorbents are solid waste, subject to 262 HW determinations.) 279.10(c)(3)			
5.41	Does the facility generate mixtures of used oil with fuel or fuel products? If so:			
5.42	Does the facility manage mixtures of UO and fuel/fuel products under 279 used oil standards? [Note: 279.10(d)(2) allows on-site mixing of UO with diesel fuel for use in the generator's own vehicles.] 279.10(d)(1)			V
5.43	Is the facility in compliance with the prohibition against mixing or commingling used oil with solid waste that is to be disposed of in landfills or directly disposing of used oil in landfills? (Persons unknowingly disposing into a landfill used oil or used oil filters which have not been properly segregated or separated from other solid wastes by the generator are not subject to this prohibition. Oily waste, sorbents or other materials used for maintenance or clean up as a result of spills or release are not subject to this prohibition.) 62-710.401(3)	>		
5.44	Is the facility in compliance with the prohibition against mixing or commingling used oil with hazardous substances that make it unsuitable for recycling or beneficial use? (Notwithstanding the provisions found in 40 CFR 279.10(b)(3)). 62-710.401(4)	>		
Item No.	Space Heaters	Yes	No	N,
5.45	Does the generator burn used oil on-site in a used oil-fired space heater? [Generators who burn off site, non household oil, or burn oil in devices not meeting the space heater exemption must comply with 40 CFR 279 - Subpart G.]			
5.46	If so, does the facility burn only used oil generated on-site or only household DIY used oil? 279.23(a)			V
5.47	If so, does the heater have a capacity of no more than 0.5 million BTU/hr? 279.23(b)			V
5.48	If so, are combustion gasses vented to the atmosphere? 279.23(c)			

Item No.	Off-site Shipments	Yes	No	N/A
5.49	Does the generator only use transporters who have received EPA Identification numbers? (Include names and numbers in report narrative) 279.24	~		
5.50	Self transport to collection centers - Does the generator only transport their own used oil and used oil from household DIY to a used oil collection center? If so:			
5.51	Does the generator transport the used oil in a vehicle owned by the generator or an employee of the generator? 279.24(a)(1)			>
5.52	Does the generator transport no more than 55 gallons of used oil at one time? 279.24(a)(2)			^
5.53	Does the generator transport the used oil to a used oil collection center that is registered, licensed, permitted or recognized by a state/county/municipal government to manage used oil ? 279.24(a)(3)			~
5.54	Self transport to aggregation points - Does the generator transport used oil that is generated at the generator's site to an aggregation point? If so:			
5.55	Does the generator transport the used oil in a vehicle owned by the generator or an employee of the generator? 279.24(b)(1)			>
5.56	Does the generator transport no more than 55 gallons of used oil at one time? 279.24(b)(2)			~
5.57	Does the generator transport the used oil to an aggregation point that is owned/operated by the same generator? 279.24(b)(3)			~
5.58	Tolling Agreement - is the used oil transported and then reclaimed under a contractual agreement pursuant to which reclaimed oil is returned by the processor.re-refiner to the generator for use as a lubricant, cutting oil, or coolant? If so:			
5.59	Does the contract indicate the type and frequency of shipments? 279.24(c)(1)			~
5.60	Does the contract indicate that the vehicle used to transport the used oil to the processing/re-refining facility is owned and operated by the used oil processor/re-refiner? 279.24(c)(2)			~
5.61	Does the contract indicate that the reclaimed oil will be returned to the generator? 279.24(c)(3)			~
Item No.	Marketing and Processing	Yes	No	N/A
	Does the generator claim that the used oil meets the specification in 40 CFR 279.11? [If so, and the oil is to be burned for energy recovery, the generator is a marketer subject to 40 CFR 279 Subpart H.]			
_	Does the generator process used oil by filtering, oil/water separation or other methods prior to direct shipment to an off site used oil burner? [If so, the generator is also a used oil processor subject to 40 CFR 279 - Subpart F.]			

# 6.0 - Transporters Checklist

## Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Note: Checklist items with shaded boxes are for informational purposes only.

Item No.	Transporter Requirements	Yes	No	N/A
6.1	Has the transporter notified the Department as a transporter and received an EPA identification number? 62-730.150(2)(a), 263.11(a)		~	
6.2	Does the transporter repackage wastes with different USDOT shipping descriptions?			
6.3	If YES, does the transporter comply with 40 CFR 262 Generator Standards? 263.10(c)			~
6.4	Does the transporter transport waste into the US from abroad?			
6.5	If YES, does the transporter comply with 40 CFR 262 Generator Standards? 263.10(c)	~		
6.6	Does the transporter obtain a signed and dated manifest prior to accepting a hazardous waste for transport?			
6.7	If NO, is the waste exempt from the manifest requirement? 263.20(a)(1)			
	Exemption Type - Tolling Agreement	~		
	Exemption Type - VSQG Bill-of-Lading			
6.8	Does the transporter sign and date the manifest upon acceptance? 263.20(b)	~		
6.9	Does the transporter leave a signed copy of the manifest acknowledging acceptance of the waste?	~		
6.10	263.20(b)  Does the transporter ensure the manifest and, in the case of exports the Acknowledgment of	0.0		
	Consent, accompany the waste during transport? 263.20(c)	~		
6.11	Does the transporter obtain the signature and date of delivery of the receiving (designated) facility or other transporter upon transferring custody of the waste? 263.20(d)(1)	~		
6.12	Does the transporter retain one copy of the manifest signed and dated by the designated facility or other transporter? 263.20(d)(2)	~		
6.13	Does the transporter give the remaining copies of the manifest to the designated facility or accepting transporter? 263.20(d)(3)	~		
6.14	If the entire quantity of hazardous waste cannot be delivered, does the transporter contact the generator for further direction and revise the manifest in accordance with the generator's instructions? 263.21(b)	V		
6.15	For a partial load rejection, while the transporter is on the facility's premises, does the transporter obtain a new manifest for the rejected material, accompanied by a copy of the original manifest that includes the manifest tracking number of the new manifest? 263.21(b)	~		
6.16	Does the transporter retain a copy of the manifest signed by the generator, himself, and the next designated transporter or designated facility for a period of three years from the date the hazardous waste was accepted by the initial transporter? 263.22(a)		~	
Item No.	Rail Transporters	Yes	No	N/A
6.17	If initial rail transporter, when accepting hazardous waste from a non-rail transporter does the rail transporter sign and date the manifest acknowledging receipt of the hazardous waste? 263.20(f)(1)(i)	~		
6.18	If initial rail transporter, does the rail transporter return a signed copy of the manifest to the non-rail transporter? 263.20(f)(1)(ii)	~		
6.19	If initial rail transporter, does the rail transporter forward at least three copies of the manifest to the next designated non-rail transporter or facility? 263.20(f)(1)(iii)	~		
6.20	If initial rail transporter, does the rail transporter retain one copy of the manifest and rail shipping paper? 263.20(f)(1)(iv)	~		
6.21	Does the rail transporter ensure the shipping paper and, in the case of exports the Acknowledgment of Consent, accompany the waste during transport? 263.20(f)(2)	~		
6.22	Does the final rail transporter obtain the date of delivery and handwritten signature of the designated facility on the manifest or shipping paper? 263.20(f)(3)(i)	~		
6.23	Does the final rail transporter retain a copy of the manifest or signed shipping paper? 263.20(f)(3)(ii)	~		
6.24	When delivering hazardous waste to a non-rail transporter, does the rail transporter obtain the date of delivery and handwritten signature of the next non-rail transporter on the manifest and retain one copy of the manifest? 263.20(f)(4)	~		

Item No.	Water (Bulk) Transporters	Yes	No	N/A
6.25	Does the water (bulk) transporter obtain the date of delivery and handwritten signature of the designated facility on the manifest or shipping paper? 263.20(e)(3)			~
6.26	Does the water (bulk) transporter retain a copy of the manifest or signed shipping paper? 263.20(e)(5)			~
Item No.	SQG Waste		No	N/.
6.27	For SQG waste, if a manifest is not used is the waste being transported pursuant to a recalmation (tolling) agreement per 262.20(e)? 263.20(h)(1)			v
6.28	Is the following information recorded on a log or shipping paper for each shipment? (Check items below that are NOT in compliance): 263.20(h)(2)  Name, address, and EPA identification number of the generator of the waste  Quantity of waste accepted  All DOT-required shipping information  The date the waste is accepted	>		
6.29	Does the transporter carry the shipping paper/log when transporting waste to the reclamation facility? 263.20(h)(3)			
6.30	Does the transporter retain shipping papers/logs for a period of at least three years after termination or expiration of the tolling agreement? 263.20(h)(4)	~		
6.31	If hazardous waste was discharged during transport, did the transporter give notice, if required by 49 CFR 171.15, to the National Response Center (800-424-8802)? 263.30(c)(1)			
6.32	If hazardous waste was discharged during transport, did the transporter report in writing as required by 49 CFR 171.16 to the Director, Office of Hazardous Materials Regulations, Materials Transportation Bureau, Department of Transportation, Washington, DC 20590? 263.30(c)(2)			
6.33	If hazardous waste was discharged during transport, did the transporter clean up the discharge so that it no longer presents a hazard to human health or the environment? 263.31			
6.34	Has the transporter demonstrated the financial responsibility required under 62-730.150(2)(a)? 62-730.150(2)(a)			
6.35	Does the transporter verify the evidence of financial responsibility annually? 62-730.150(3)	~		

# Signed:

A hazardous waste compliance inspection was conducted on this date, to determine your facility's compliance with applicable portions of Chapters 403 & 376, F.S., and Chapters 62-710, 62-730, 62-737, & 62-740 Florida Administrative Code (F.A.C.). Portions of the United States Environmental Protection Agency's Title 40 Code of Federal Regulations (C.F.R.) 260 - 279 have been adopted by reference in the state rules under Chapters 62-730 and 62-710, F.A.C.

Jared T Heyns	Inspector				
Principal Inspector Name	Principal Inspector Title	Principal Inspector Title			
<i>11</i>					
9 d A=	DEP	07/15/2019			
Principal Inspector Signature	Organization	Date			
Norva Blandin	Environmental Manager				
Inspector Name	Inspector Title				
	DEP				
	Organization				
Romina Lancellotti	Inspector				
Inspector Name	Inspector Title				
	DEP				
	Organization				
Dwight Campbell	HSSE Manager				
Representative Name	Representative Title				
	Crowley Liner Services				
	Organization				
NOTE: By signing this document, the Site Report and is not admitting to the accuracy Violations" or areas of concern.					
Shevon Spence	Supervisor, Freight Services				
Representative Name	Representative Title				
	Crowley Liner Services				
	Organization				

NOTE: By signing this document, the Site Representative only acknowledges receipt of this Inspection Report and is not admitting to the accuracy of any of the items identified by the Department as "Potential Violations" or areas of concern.

# Signed:

A hazardous waste compliance inspection was conducted on this date, to determine your facility's compliance with applicable portions of Chapters 403 & 376, F.S., and Chapters 62-710, 62-730, 62-737, & 62-740 Florida Administrative Code (F.A.C.). Portions of the United States Environmental Protection Agency's Title 40 Code of Federal Regulations (C.F.R.) 260 - 279 have been adopted by reference in the state rules under Chapters 62-730 and 62-710, F.A.C.

Joseph Beaudry		Manager, Maintenance	
Representative Name		Representative Title	
		Crowley Liner Services	
		Organization	_
Report and is	•	e Representative only acknowledges receipt of thi acy of any of the items identified by the Departmen	•
Report Appr	overs:		
Approver:	Norva Blandin	Inspection Approval Date:	07/15/2019