

Florida Department of

Environmental Protection

Hazardous Waste Inspection Report

FACILITY INFORMATION:

Facility Name:Drew Fuel Services IncOn-Site Inspection Start Date:09/22/2020On-Site Inspection End Date:09/22/2020ME ID#:105969EPA ID#:FLR000194274Facility Street Address:4101 Ravenswood Rd #309, Ft Lauderdale, Florida 33312-5353Contact Mailing Address:4101 Ravenswood Road #309, Fort Lauderdale, Florida 33312County Name:BrowardContact Phone: (954) 306-6853

NOTIFIED AS: Closed, Non-Handler, Transporter

WASTE ACTIVITIES: Generator: CLOSED Transporter: Commercial Waste Used Oil: Transporter, Oil Filters

INSPECTION TYPE: File Review Inspection for Closed Facility

INSPECTION PARTICIPANTS:

Principal Inspector: Justin Stark, Inspector Other Participants: N/A

LATITUDE / LONGITUDE: Lat 26° 4' 18.5304" / Long 80° 10' 7.5936" NAIC: 562219 - Other Nonhazardous Waste Treatment and Disposal TYPE OF OWNERSHIP: Private

Introduction: Facility moved to a different location (1862 NW 21st St, Pompano Beach, FL 33069).

Conclusion:

1.0: Pre-Inspection Checklist

Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Note: Checklist items with shaded boxes are for informational purposes only.

| Item No. | Pre-Inspection Review | Yes | No | N/A |
|----------|--|-----|----|-----|
| 1.1 | Has the facility notified with correct status? 262.18(a) | | | 1 |
| 1.2 | Has the facility notified of change of status? 62-730.150(2)(b) | | | 1 |
| 1.3 | Did the facility conduct a waste determination on all wastes generated? 262.11 | | | 1 |

Drew Fuel Services Inc Inspection Report

Signed:

A hazardous waste compliance inspection was conducted on this date, to determine your facility's compliance with applicable portions of Chapters 403 & 376, F.S., and Chapters 62-710, 62-730, 62-737 & 62 -740 Florida Administrative Code (F.A.C.). Portions of the United States Environmental Protection Agency's Title 40 Code of Federal Regulations (C.F.R.) 260 - 279 have been adopted by reference in the state rules under Chapters 62-730 and 62-710, F.A.C.

| Justin Stark | Environmental Specialist II | | | |
|----------------------------------|-----------------------------|------------|--|--|
| Principal Investigator Name | Principal Investigator Titl | e | | |
| | FDEP | 09/22/2020 | | |
| Principal Investigator Signature | Organization | Date | | |

N/A

Representative Name

NOTE: By signing this document, the Site Representative only acknowledges receipt of this Inspection Report and is not admitting to the accuracy of any of the items identified by the Department as "Potential Violations" or areas of concern.

Report Approvers:

Approver: Alannah B Irwin

Inspection Approval Date:

09/22/2020