

**Thursby, Kim**

---

**From:** Chad Plata <cplata@Trilogymedwaste.com>  
**Sent:** Wednesday, May 26, 2021 5:39 PM  
**To:** Epost HWRS  
**Subject:** 05-26-21 Request for Withdrawal of Petition for Variance or Waiver from Subsection 403.7211(2)(b), Florida Statutes, dated April 27, 2021 Trilogy MedWaste Southeast, Orlando, FL EPA ID No: FLR 000 230 839

Please accept this email as verification of receipt.



**Chad Plata**  
Compliance Director and ES&H  
8554 Katy Fwy Ste 200 Houston TX 77024  
713.205.7233

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager. This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail by mistake and delete this e-mail from your system. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.

## Thursby, Kim

---

**From:** Outley, Debra  
**Sent:** Wednesday, May 26, 2021 1:54 PM  
**To:** 'cplata@Trilogymedwaste.com'  
**Cc:** Smith, Michell M.; Walker, Kim (Waste); Kothur, Bheem; Petersen, Dane; Horlick, Susan; Perrigan, Glen; 'bclark@trilogymedwaste.com'; 'mmgann@trilogymidwaste.com'; Hall, Daniel K.  
**Subject:** 05-26-21 Request for Withdrawal of Petition for Variance or Waiver from Subsection 403.7211(2)(b), Florida Statutes, dated April 27, 2021 Trilogy MedWaste Southeast, Orlando, FL EPA ID No: FLR 000 230 839  
**Attachments:** Request for Withdrawal for Variance Petition 052521.pdf

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Program and Permitting section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to [epost\\_hwrs@dep.state.fl.us](mailto:epost_hwrs@dep.state.fl.us) (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at [www.adobe.com/products/acrobat/readstep2.html](http://www.adobe.com/products/acrobat/readstep2.html).

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Michell Mason Smith  
Environmental Administrator  
Hazardous Waste Program & Permitting



# FLORIDA DEPARTMENT OF Environmental Protection

Bob Martinez Center  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Ron DeSantis  
Governor

Jeanette Nuñez  
Lt. Governor

Noah Valenstein  
Secretary

May 26, 2021

Mr. Chad Plata, Director of Compliance and ES&H  
Trilogy MedWaste Southeast, LLC  
10805 Southport Drive  
Orlando, Florida 32824  
[cplata@Trilogymedwaste.com](mailto:cplata@Trilogymedwaste.com)

**Re: Request for Withdrawal of Petition for Variance or Waiver from Subsection  
403.7211(2)(b), Florida Statutes, dated April 27, 2021  
Trilogy MedWaste Southeast, Orlando, FL  
EPA ID No: FLR 000 230 839**

On April 27, 2021, the Florida Department of Environmental Protection (Department) received your request to withdraw Trilogy MedWaste Southeast, LLC's, petition for variance or waiver from the siting criteria in subsection 403.7211(2)(b), Florida Statutes (F.S.), for operation of a transfer facility located at 10805 Southport Drive, Orlando, Florida 32824 (Facility).

The Department agrees with Trilogy's determination that the Facility and its operations currently meet the exemption provided in subsection 403.7211(6), F.S., and that the Facility does not require a variance or waiver from the siting criteria in subsection 403.7211, F.S., to operate as a transfer facility under 62-730.171, Florida Administrative Code, so long as the Facility is not re-located and there is no substantial modification in the structure or operation of the Facility.

For questions regarding this review, please contact Michell Mason Smith by phone at (850) 245-8721, or via email at: [Michell.M.Smith@floridadep.gov](mailto:Michell.M.Smith@floridadep.gov).

Sincerely,

A handwritten signature in blue ink that reads "Michell Mason Smith".

Michell Mason Smith, Environmental Administrator  
Hazardous Waste Program & Permitting

**cc:**

Bheem Kothur, DEP Tallahassee, [bheem.kothur@floridadep.gov](mailto:bheem.kothur@floridadep.gov)  
Dane Petersen, DEP OGC, [dane.petersen@floridadep.gov](mailto:dane.petersen@floridadep.gov)  
Susan Horlick, DEP Tallahassee, [susan.horlick@floridadep.gov](mailto:susan.horlick@floridadep.gov)  
John White, DEP Central District, [john.white@floridadep.gov](mailto:john.white@floridadep.gov)  
Glen Perrigan, DEP Tallahassee, [glen.perrigan@floridadep.gov](mailto:glen.perrigan@floridadep.gov)  
Bobby Clark, VP of Operations, [bclark@trilogymedwaste.com](mailto:bclark@trilogymedwaste.com)  
Mike McGann, Director, Pharm and HW Programs, [mmgann@trilogymidwaste.com](mailto:mmgann@trilogymidwaste.com)