

Thursby, Kim

From: Curtis, Jeffery S <Jeff.Curtis@safety-kleen.com>
Sent: Monday, June 7, 2021 12:17 PM
To: Kruchell, Carrie L.
Cc: Thursby, Kim
Subject: RE: Safety-Kleen Tampa; FL 980 847 271;First Request for Additional Information (RAI)

Revisions are done. I e-mailed Michelle a few minutes ago to see if she has time this afternoon to get on the phone and go over what needs to be done to put it back together. She is on Mountain time, so if I don't hear from her soon I'll give her a call so we can get it done today and uploaded again. I'll let you know once it's ready.

From: Kruchell, Carrie L. <Carrie.L.Kruchell@FloridaDEP.gov>
Sent: Monday, June 07, 2021 12:12 PM
To: Curtis, Jeffery S <Jeff.Curtis@safety-kleen.com>
Cc: Thursby, Kim <Kim.Thursby@FloridaDEP.gov>
Subject: RE: Safety-Kleen Tampa; FL 980 847 271;First Request for Additional Information (RAI)

Thanks, Jeff.

I'm working on the Intent – how are you guys coming with the revisions?

Kind regards,

Carrie

Carrie L. Kruchell, P.G.
RCRA
850-245-8765
Carrie.L.Kruchell@FloridaDEP.gov
M:9-5; T-F: 8-4

From: Curtis, Jeffery S <Jeff.Curtis@safety-kleen.com>
Sent: Monday, June 7, 2021 11:36 AM
To: Kruchell, Carrie L. <Carrie.L.Kruchell@FloridaDEP.gov>
Cc: Thursby, Kim <Kim.Thursby@FloridaDEP.gov>
Subject: RE: Safety-Kleen Tampa; FL 980 847 271;First Request for Additional Information (RAI)

Hi Carrie,

Sorry, I must have forgot to respond to that e-mail. I did receive it on 6/2/21 though!

Thank you,
Jeff

From: Kruchell, Carrie L. <Carrie.L.Kruchell@FloridaDEP.gov>
Sent: Monday, June 07, 2021 9:10 AM
To: Curtis, Jeffery S <Jeff.Curtis@safety-kleen.com>

Cc: Thursby, Kim <Kim.Thursby@FloridaDEP.gov>

Subject: FW: Safety-Kleen Tampa; FL 980 847 271;First Request for Additional Information (RAI)

Hi Jeff.

Hope you had a nice weekend.

Could you please reply and let us know that you received the attached?

Kind regards,

Carrie

Carrie L. Kruchell, P.G.

RCRA

850-245-8765

Carrie.L.Kruchell@FloridaDEP.gov

M:9-5; T-F: 8-4

From: Thursby, Kim <Kim.Thursby@FloridaDEP.gov>

Sent: Wednesday, June 2, 2021 10:51 AM

To: 'Jeff.Curtis@safety-kleen.com' <Jeff.Curtis@safety-kleen.com>

Cc: Smith, Michell M. <Michell.M.Smith@FloridaDEP.gov>; Walker, Kim (Waste) <Kim.Walker@FloridaDEP.gov>; 'bastek.brian@epa.gov' <bastek.brian@epa.gov>; 'merizalde.carlos@epa.gov' <merizalde.carlos@epa.gov>; Echevarria, Edgar <Edgar.Echevarria@FloridaDEP.gov>; Pedigo, Leslie <Leslie.Pedigo@FloridaDEP.gov>; Kruchell, Carrie L. <Carrie.L.Kruchell@FloridaDEP.gov>

Subject: Safety-Kleen Tampa; FL 980 847 271;First Request for Additional Information (RAI)


In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Program and Permitting section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to epost_hwrs@dep.state.fl.us (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at www.adobe.com/products/acrobat/readstep2.html.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Michell Mason Smith
Environmental Administrator
Hazardous Waste Program & Permitting





FLORIDA DEPARTMENT OF Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

REQUEST FOR ADDITIONAL INFORMATION

June 2, 2021

Mr. Jeff Curtis, EHS Manager
Safety-Kleen Systems, Inc.
5610 Alpha Drive
Boynton Beach, FL 33426
Jeff.Curtis@safety-kleen.com

Re: **First Request for Additional Information (RAI)**
Operating Permit Renewal, Safety-Kleen Tampa Facility
5309 24th Avenue South, Tampa, Hillsborough County, Florida
EPA ID Number: FL 980 847 271; Current Operating Permit: 34744-009-HO

Dear Mr. Curtis:

Thank you for your operating permit renewal application received on May 26, 2021 for the above referenced Facility. Based upon a combined Department and Safety-Kleen staff review and discussion held on June 1, 2021, the Department and Safety-Kleen have concluded that a revised application is needed.

In the revised application, all text and figures relating to the management of Pharmaceutical Wastes at the Tampa facility will be removed. As discussed and agreed to, once the facility has made certain security modifications and has received the needed registration from the Department of Business of Professional Regulation (DBPR), Safety-Kleen will apply for a future permit modification which will entail information regarding management of hazardous and non-hazardous Pharmaceutical Wastes.

Pursuant to the provisions of Rule 62-730.220 F.A.C. and Rule 62-730.220(6), F.A.C., please submit the document listed below:

***Revised Hazardous Waste Operating Permit for Container and Tank Storage and
Implementation of HSWA Corrective Action Requirements.***

Refer to this correspondence in your response. The response to this correspondence must be signed, sealed, and dated by a registered Florida Professional Engineer.

June 2, 2021

In order for the Department to continue processing your application, please submit the requested information as soon as possible. The Department must receive a response within 30 days of the date of this letter, or no later than July 2, 2021, unless a written request for additional time to provide the requested information is submitted and approved. Pursuant to Rule 62-730.220(6), F.A.C. and Section 120.60, F.S., failure of an applicant to provide the timely requested information by the applicable deadline may result in denial of the application.

You are encouraged to contact this office to discuss the items requested to assist you in developing a complete and adequate response.

Please submit the response in electronic format to HWPP@dep.state.fl.us , with a copy to Carrie.L.Kruchell@floridadep.gov . If the file is very large, you may post it to a folder on this office's ftp site at: [ftp://ftp.dep.state.fl.us/pub/incoming/DWM/\[name of folder\]](ftp://ftp.dep.state.fl.us/pub/incoming/DWM/[name of folder]). After posting the document, send an e-mail to HWPP@dep.state.fl.us, with a copy to Carrie.L.Kruchell@floridadep.gov , alerting us that it has been posted.

If you have any questions, please contact Carrie Kruchell, P.G., by telephone at 850-245-8765 or by e-mail at Carrie.L.Kruchell@floridadep.gov .

Sincerely,



Michell Mason Smith, Environmental Administrator
Hazardous Waste Program & Permitting

cc:

Brian Bastek, EPA Region 4, bastek.brian@epa.gov

Carlos Merizalde, EPA Region 4, merizalde.carlos@epa.gov

Edgar Echevarria, DEP Headquarters, edgar.echevarria@floridadep.gov

Leslie Pedigo, DEP Southwest District, leslie.pedigo@floridadep.gov