

# Cummins Power South



06.15.2021 00:54





06.15.2021 01:32



Cummins Sales and Service  
1-800-Cummins  
salesandservice.cummins.co

06.15.2021 01:33





Sales and  
**Service**

Cummins Sales and Service  
1-800-Cummins  
salesandservice.cummins.com

17225

06.15.2021 01:33





06.15.2021 01:34





GO PANTHERS  
FLORIDAPANTHERS.COM

06.15.2021 01:34



**Fleetguard**<sup>®</sup>

**DO NOT ADD WATER**

# 50/50 Prediluted Heavy Duty Antifreeze/Coolant

FOR USE IN  
ALL HEAVY  
DUTY DIESEL  
AND GAS  
ENGINES

# Fleetcool<sup>™</sup>

ETHYLENE GLYCOL

- No SCA Pre-Charge Required
- Liner Pitting, Scale, and Corrosion Protection
- Compatible with ALL Coolants
- Meets OEM Specifications

55 US GAL

BATCH# BO-11938

PART# CC0897200

Cummins 14603 approved and also meets the performance requirements of other OEMs. Meets or exceeds all fully formulated heavy-duty specifications including: TMC RP-329, TMC RP-338, ASTM D-6210, ASTM D-4985, ASTM D-3306, and SAE J1941.

**DO NOT ADD WATER.** Fleetcool<sup>™</sup> EG Concentrate is a fully formulated heavy duty antifreeze/coolant that does not require an SCA precharge.

### Getting Started

Fleetcool<sup>™</sup> is fully formulated and does not require an SCA pre-charge. This product is pre-diluted and ready to use. Do not add water.

### Benefits

- Compatible with All Antifreezes
- Provides Liner Pitting Protection
- For ALL Heavy Duty Diesel and Gas Engines

### Maintaining Your System\*\*

Top up with pre-diluted Fleetcool fully formulated coolant as needed. Maintain system per your engine manufacture's recommendations.

**For more information and to find a Cummins Dealer near you contact Cummins Filtration Technical Assistance (1-800-223-4583).**

\*\*Ensure proper additive levels through the use of coolant testing and the addition of SCA's or new coolant if necessary. Testing your coolant at every oil drain interval is recommended to identify system contamination and to screen for engine problems.

**Fleetcool<sup>™</sup>**  
ETHYLENE GLYCOL PREMIX 50/50

Freeze-Up Protection	Boilover Protection
-34° F	+262° F (using a 15psi pressure cap)



Cummins Filtration  
2931 Elm Hill Pike  
Nashville, TN 37214  
1-800-223-4583  
cumminsfiltration.com  
email: fleetmaster@cummins.com  
Made in the U.S.A.

Fleetcool<sup>™</sup> EG Premix 50/50



**Warning!** Harmful if swallowed. May cause drowsiness or dizziness. May damage fertility or the unborn child. May cause damage to organs. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist. Wash hands and face thoroughly after handling. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection.

IF EXPOSED or concerned: Call a POISON CENTER or doctor/physician. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**In case of fire:** In case of fire, use water fog, dry chemical, CO2 or "alcohol-resistant" foam. **In case of spills or leaks:** Use appropriate Personal Protection Equipment (PPE). Absorb and/or contain spill with inert material (e.g. sand), then place in a suitable container. Prevent run-off from entering drains, sewers, or water ways. Dispose of contents/container in accordance with local regulations.

**WARNING:** This product contains chemicals known to the State of California to cause birth defects or other reproductive harm.

This product contains: Water (CAS#7732-18-5); Ethylene glycol (CAS#107-21-1); Diethylene glycol (CAS#111-46-6); Sodium nitrite (CAS#7632-00-0); Sodium formate (CAS#1330-43-4); Sodium mercap-tobenzothiazole (CAS#2492-26-4).

Cummins Filtration 2931 Elm Hill Pike Nashville, TN 37214  
1-800-223-4583

06:15.2021 01:34





85 306729  
Cummins  
Saco, Maine  
Miami Lakes  
FL

85 306729  
Cummins  
Saco, Maine  
Miami Lakes  
FL

85 306729  
Cummins  
Saco, Maine  
Miami Lakes  
FL

85 306729  
Cummins  
Saco, Maine  
Miami Lakes  
FL

06.15.2021 01:35





DO NOT SMOKING OR OPEN FLAMES  
IN THIS AREA  
1. NO OPEN FLAMES PERMITTED  
2. STOP MOTOR  
3. NO OPEN FLAMES PERMITTED  
4. CRYOGENIC LIQUID OR COLD GAS  
5. FLAMMABLE GAS  
6. UNODORIZED GAS

AT AREAS THAT SERVICE LNG/CNG VEHICLES  
1. NO SMOKING WITHIN 25 FEET  
2. STOP MOTOR  
3. NO OPEN FLAMES PERMITTED  
4. CRYOGENIC LIQUID OR COLD GAS  
5. FLAMMABLE GAS  
6. UNODORIZED GAS

PT 030

06.15.2021 01:35





06.15.2021 01:37





06.15.2021 01:39





AeroVent 1 Can Gauge

Insert Plunger For 3"	Insert Plunger For 2 1/2"	Insert Plunger For 2"
-----------------------------	---------------------------------	-----------------------------

Select Correct Plunger For Can Diameter

06.15.2021 01:39





06.15.2021 01:39





06.15.2021 01:40



# HAZARDOUS WASTE

FEDERAL LAWS PROHIBIT IMPROPER DISPOSAL

IF FOUND, CONTACT THE NEAREST POLICE OR PUBLIC SAFETY  
AUTHORITY OR THE U.S. ENVIRONMENTAL PROTECTION AGENCY

## GENERATOR'S INFORMATION:

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_ PHONE \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

EPA ID NO. \_\_\_\_\_ EPA WASTE NO. \_\_\_\_\_

ACCUMULATION START DATE \_\_\_\_\_ MANIFEST TRACKING NO. \_\_\_\_\_

UN/NA NO. WITH PREFIX

[ ]

[ \_\_\_\_\_ ]  
[ \_\_\_\_\_ ]  
[ \_\_\_\_\_ ]

D.O.T. PROPER SHIPPING NAME

**HANDLE WITH CARE!**

BRADY #121155 BRADYID.COM

TAMMAC PRODUCTS, INC.

RELEASED

Material Product Name: 100% POLYETHYLENE GLYCOL

CODE: PW-1225

11 Month Lot #: PW-1213-01

100% Supplier: GPC JAGUAR

Ship Lot: 1100000

SN: Date: 04/15

RELEASED BY: 32

DATE: 04/15

06.15.2021 01:40





06.15.2021 01:41





waterMaze  
WATER TREATMENT SYSTEM

waterMaze

BIOSTAX 1800

STATION

waterMaze

06.15.2021 01:41





06.15.2021 01:41





06.15.2021 01:42






**CHEMSTATION.**  
www.chemstation.com

**6385**

## Heavy Duty Degreaser Dilution 10-1



**Danger**

H290 May be corrosive to metals.


H314 Causes severe skin burns and eye damage.



Mop & Pail



Spray Bottle



Floor Scrubber

### Directions:

FOR INDUSTRIAL USE ONLY: Contact your sales representative for product usage.

### Dilutions:

1-10% typical

### Prevention:

Keep only in original container.

Do not breathe dust, fume, mist, vapors or spray.

Wash thoroughly after handling.

Wear protective gloves, eye protection, face protection.

### Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing.

Rinse skin with water, shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

Immediately call a POISON CENTER, doctor or physician.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

### Storage:

Store locked up.

Store in a corrosive resistant, container with a resistant inner liner.

### Disposal:

Dispose of contents or container in accordance with local and national regulations.

Refer to SDS for detailed PPE recommendations. Revised 01/12/2021

ChemStation of Florida | 5350 NW 35th Terrace, Suite 111, Fort Lauderdale FL 33309 | (954) 731-4993

CHEMTRAC (USA) (800) 424-9300

06.15.2021 01:42



# CHEM-TAINER

INDUSTRIES, INC.

CHEMTAINER.COM 1-800-ASK-CHEM

Manufacturers of Molded Plastic Tanks and Containers

NEW YORK - RHODE ISLAND - PENNSYLVANIA - ILLINOIS - FLORIDA - CALIFORNIA - HAWAII - TENNESSEE



## WARNING



### IMPORTANT: READ BEFORE USING YOUR TANK

1. Confined spaces must be considered hazardous. Do not enter tank without first taking proper precautions.
2. Fill tank with water prior to use to prevent material loss through unsecure fittings, shipping damage, or manufacturing defects. Manufacturer is not responsible for loss of materials.
3. Use only with chemicals listed as resistant in manufacturer's current catalog and at temperatures recommended: high density polyethylene 140°F max, polypropylene 212°F.
4. Use only for atmospheric storage of chemicals, never for vacuum or pressure applications.
5. Support tank bottom firmly and completely.
6. Support sides of rectangular tanks. In general, tanks with depths greater than 18" must be supported. However, specific applications must be considered: smaller tanks with contents that have higher specific gravity and/or high temperatures must be supported.
7. Do not mount heavy equipment on tank sides.
8. Do not allow weight on tank fittings, support pipes and valves.
9. Use expansion joints to prevent damage at fittings from differential expansion and contraction of piping and tank.
10. Protect tanks from impact, especially at temperatures below 40°F.

**Note:** The information on this label is intended as a general guide only. Actual performance of tanks may vary due to mechanical stress, temperatures, weight of contents, types of chemicals and other factors. For chemical resistance data go to ChemTainer.com. For further details contact: ChemTainer Industries, 367 Neptune Ave., W. Babylon, NY 11724, Tel 631-667-8300, info@chem-tainer.com.

06.15.2021 01:43





06.15.2021 01:43





**PEE DEE TANK**  
1-800-868-2265  
**\*\* WARNING! \*\***


This Tank is intended For Stationary Installation Only.

THE STORAGE OF PETROLEUM OR OTHER VOLATILE SUBSTANCES CAN BE DANGEROUS. PEE DEE TANK ENCOURAGES COMPLIANCE WITH ALL LOCAL, STATE, & FEDERAL LAWS. THIS TANK SHOULD BE PROFESSIONALLY FITTED, INSTALLED AND MAINTAINED. TANKS ARE SHIPPED FROM THE FACTORY WITH PLASTIC CAPS IN ALL OPENINGS. REMOVE CAPS AND REPLACE WITH STANDARD PIPE FITTINGS BEFORE FILLING TANK.

THE MANUFACTURER WARRANTS THAT THIS TANK IS FREE FROM ALL DEFECTS AT THE TIME OF SHIPMENT. ALL TANKS SHOULD BE RE-TESTED FOR LEAKS BEFORE INSTALLATION. FAILURE TO RE-TEST TANKS BEFORE INSTALLATION VOIDS ALL WARRANTIES. ALL OTHER WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING RIGHTS TO ANY AND ALL CONSEQUENTIAL DAMAGES, WHETHER TO PERSON OR PROPERTY ARE EXPRESSLY DENIED.

[www.2800gastank.com](http://www.2800gastank.com)

THIS TANK REQUIRES EMERGENCY RELIEF  
VENTING CAPACITY NOT LESS THAN 119750  
CUBIC FEET PER HOUR. TANK IS INTENDED  
FOR STATIONARY INSTALLATION ONLY.  
[www.PDTank.com](http://www.PDTank.com)

 **UL LISTED**

ABOVEGROUND TANK FOR FLAMMABLE LIQUIDS  
NO. E-10370303

WH-12846

06.15.2021 01:44



**PLEASE  
KEEP  
AREA  
CLEAN**



06.15.2021 01:47





KEEP  
ARE  
CLEAR

GENUINE  
PARTS

06.15.2021 01:48





06.15.2021 01:49





06.15.2021 01:49





06.15.2021 01:50





06.15.2021 01:51





06.15.2021 01:51





Crystal  
Clean®  
Parts Cleaning Service

06.15.2021 01:52





06.15.2021 01:53





06.15.2021 01:54





BEFORE USING THIS PRODUCT, PLEASE  
READ THE ENTIRE LABEL.  
FOR ADDITIONAL INFORMATION  
REFERENCE THE PRODUCT SAFETY DATA SHEET (SDS).

KEEP OUT OF REACH OF CHILDREN  
FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY  
NOT FOR HOUSEHOLD USE OR RESALE

**DISCLAIMER:**  
As required by law, all use instructions must be written in both English and Spanish. (To the user: If you cannot read English, do not use this product until the label has been fully translated to you.)

This product is designed exclusively for industrial and institutional use. It is not intended for household use. It is not intended for use in areas where it may be in contact with food, feed, or other products that may be consumed by humans or animals. The user will be responsible for the safety, use, and disposal of this product in accordance with applicable laws and regulations.

MADE IN THE  
U.S.A.

© 2016 Zep

www.zep.com

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

1-800-451-7373

**Z MAXX**  
MAXIMUM CLEANING POWER

Brake Wash (X-4402)

Z-Maxx Brake Wash is a fast-evaporating, solvent-based brake parts cleaner formulated for use through a Zep Dura Shot, Zep Model B or other suitable pressurized sprayer.

**DIRECTIONS:**

Fill sprayer with Z-Maxx Brake Wash and pressurize according to manufacturer's directions. Spray onto brake calipers, rotors, wheel cylinders, or drums to remove brake dust and grease.

(IMPORTANT: Appropriate respiratory protection should be worn when spraying to avoid breathing brake dust.)

Catch run-off in container for proper disposal.

Allow parts to air dry prior to reassembly.

**NOTE:** Product is EXTREMELY FLAMMABLE. Do not smoke or weld or allow any other type ignition (sparks, electric motors, etc.) while using.

**NOTE:** As of February 1, 2016, this product, due to its volatile organic compound content, is prohibited for sale and use in the following states: CA, CT, DE, IL, IN, MA, MD, ME, MI, NH, NJ, NY, OH, PA, RI, DC and the regulated areas of VA and UT. Other locales may also prohibit its sale or use. Check local and state regulations.



**Danger:** Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness.

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves, eye protection/face protection. **Response:** IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. **Storage:** Store in a well-ventilated place. Keep container tightly closed. Keep cool. **Disposal:** Dispose of contents/container in accordance with local regulation.

**Supplemental Information:**

**DISPOSAL AND/OR SPILL INFORMATION:** As with all cleaning and maintenance procedures, run-off from the cleaning or maintenance process should be diverted to a collection vessel and not allowed to soak into the ground or to enter a storm sewer. If this product is spilled or contaminated and cannot be used, creating the need for disposal, absorb product on an inert absorbent material, and deposit in a sealable container. Thoroughly clean area with detergent solution and rinse well with water.

**STORAGE:** Store in a cool area away from direct sunlight at temperatures between 40°F (4°C) and 120°F (49°C). Keep container tightly closed at all times when not in use to decrease evaporation of volatile solvents.

**WARNING:** This product can expose you to chemicals including benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**CAS NUMBERS:** Hydrotreated Light Petroleum Naphtha 64742-49-0; Heptane 142-82-5.

PROD. #066665  
0119F

Batch Code#

W2006300



53 Gallons  
200.63 Liters

06.15.2021 01:54





20025

BROWARD  
COUNTY  
Transit

ard.org/BCT • f

06.15.2021 01:55





06.15.2021 01:55





06.15.2021 01:55





06.15.2021 01:56





CNG

BATTERY CUT-OFF  
SWITCH INSIDE

Restore-Plus  
Cooling System  
Cleaner

FASTENAL

Cooling System  
Cleaner  
Restore-Plus

06.15.2021 01:56





Crystal  
Clean®  
Parts Cleaning Service

© 2004 FD 2016

06.15.2021 01:57





06.15.2021 01:58





# JUSTRITE®

MADE IN U.S.A.

MATTOON, IL 61938

HM08314

## MODEL

- 09500 RED
- 09501 YELLOW
- 09504 SILVER, SoundGard
- 09508 RED, SoundGard
- 09510 RED, w/o lever
- 09511 YELLOW, w/o lever

## OILY WASTE CAN

AN APPROVED SAFETY PRODUCT

PAT. NO. 1,754,802

CAPACITY  
14 GALLONS  
53 LITERS



**EMPTY EVERY NIGHT**  
**VACIELO TODAS LAS NOCHES**  
**VIDER TOUS LES SOIRS**

JUSTRITE MFG. CO., LLC MATTOON, IL 61938  
[www.justritemfg.com](http://www.justritemfg.com)

06.15.2021 01:58





06.15.2021 01:58





## U.S. ENVIRONMENTAL PROTECTION AGENCY TIER I QUALIFIED FACILITY SPCC PLAN TEMPLATE

*\*Please note: Editorial comments for the purposes of this guidance document are identified by red italicized text to distinguish this information from the template text.\**

### Instructions to Complete this Template

This template is intended to help the owner or operator of a Tier I qualified facility develop a self-certified Spill Prevention, Control, and Countermeasure (SPCC) Plan. To use this template, your facility must meet all of the applicability criteria of a Tier I qualified facility listed under §112.3(g)(1) of the SPCC rule. This template provides every SPCC rule requirement necessary for a Tier I qualified facility, which you must address and implement.

You may use this template to comply with the SPCC regulation or use it as a model and modify it as necessary to meet your facility-specific needs. If you modify the template, your Plan must include a section cross-referencing the location of each applicable requirement of the SPCC rule and you must ensure that your Plan is an equivalent Plan that meets all applicable rule requirements of 40 CFR 112.6(a)(3).

You may complete this template either electronically or by hand on a printed copy. This document is a reformatted version of the template found in Appendix G of 40 CFR part 112.<sup>a</sup> No substantive changes have been made. Please note that a "Not Applicable" ("N/A") column has been added to both Table G-10 (General Rule Requirements for Onshore Facilities) and Table G-11 (General Rule Requirements for Onshore Oil Production Facilities). The "N/A" column should help you complete your self-certification when a required rule element does not apply to your facility. Use of the "N/A" column is optional and is not required by rule.

All Tier I qualified facility self-certifiers must complete Sections I, II, and III. Additionally, the owner or operator of an:

- Onshore facility (excluding production) must complete Section A.
- Onshore oil production facility (excluding drilling and workover facilities) must complete Section B.
- Onshore oil drilling and workover facility must complete Section C.

*This example Plan does not include Sections B and C. These sections are not applicable to the facility addressed in this sample Plan.*

Complete and include with your Plan the appropriate attachments. You should consider printing copies of the attachments for use in implementing the SPCC Plan (e.g. Attachment 3.1 - Inspection Log & Schedule; Attachment 4 - Discharge Notification Form).

To complete the template, check the box next to the requirement to indicate that it has been adequately addressed. Either write "N/A" in the column or check the box under the "N/A" column to indicate those requirements that are not applicable to the facility. Where a section requires a description or listing, write in the spaces provided (or attach additional descriptions if more space is needed).

Below is a key for the colors used in the section headers:

<b>Sections I, II, and III:</b> Required for all Tier I qualified facilities
<b>Section A:</b> Onshore facilities (excluding production)
<b>Section B:</b> Onshore oil production facilities (excluding drilling and workover facilities)
<b>Section C:</b> Onshore oil drilling and workover facilities
<b>Attachments:</b> 1 - Five Year Review and Technical Amendment Logs 2 - Oil Spill Contingency Plan and Checklist 3 - Inspections, Dike Drainage and Personnel Training Logs 4 - Discharge Notification Form

After you have completed all appropriate sections, certify and date your Plan, and then implement it by the compliance date. If your facility was in operation before August 16, 2002, and you do not already have a Plan, then implement this template immediately. Conduct inspections and tests in accordance with the written procedures that you have developed for your facility. You must keep with the SPCC Plan a record of these inspections and tests, signed by the appropriate supervisor or inspector, for a period of three years.

Do not forget to periodically review your Plan (at least once every five years) or to update it when you make changes to your facility. You must prepare amendments within six months of the facility change, and implement them as soon as possible, but

<sup>a</sup> Please note that the use of this template is not mandatory for a Tier I qualified facility. You may also meet the SPCC Plan requirement by preparing a satisfactory Tier II qualified facility Plan, preparing a satisfactory Plan that is certified by a Professional Engineer, or by developing an equivalent Plan for a Tier I qualified facility. Further information on the requirements of these methods can be found in 40 CFR part 112.6(a)(1). If you use any of these alternative methods you must include a cross reference in your Plan that shows how the equivalent Plan meets all applicable 40 CFR part 112 requirements.

06:15:02 2021-02-00




Ver. 1-E-doc-3-18-10

06.15.2021 02:01

- include any measures pursuant to §112.9(c)(6) for produced water containers and any associated piping.
8. This Plan and individual(s) responsible for implementing this Plan have the full approval of management and I have committed the necessary resources to fully implement this Plan.

I also understand my other obligations relating to the storage of oil at this facility, including, among others:

1. To report any oil discharge to navigable waters or adjoining shorelines to the appropriate authorities. Notification information is included in this Plan.
  2. To review and amend this Plan whenever there is a material change at the facility that affects the potential for an oil discharge, and at least once every five years. Reviews and amendments are recorded in an attached log. [See Five Year Review Log and Technical Amendment Log in Attachments 1.1 and 1.2.]
  3. Optional use of a contingency plan. A contingency plan:
    - a. May be used in lieu of secondary containment for qualified oil-filled operational equipment, in accordance with the requirements under §112.7(k), and;  
(NOTE: The facility does not have oil-filled operational equipment that are 55 gallons or greater in capacity; therefore, the contingency plan is not applicable for this scenario (so the checkboxes in Attachment 2 are not filled in).
    - b. Must be prepared for flowlines and/or intra-facility gathering lines which do not have secondary containment at an oil production facility, and;
    - c. Must include an established and documented inspection or monitoring program; must follow the provisions of 40 CFR part 109; and must include a written commitment of manpower, equipment and materials to expeditiously remove any quantity of oil discharged that may be harmful. If applicable, a copy of the contingency plan and any additional documentation will be attached to this Plan as Attachment 2.
- I certify that I have satisfied the requirement to prepare and implement a Plan under §112.3 and all of the requirements under §112.6(a). I certify that the information contained in this Plan is true.

Signature   
Name Michael Erlick

Title: Operations Manager  
Date: 4.16.21

## II. Record of Plan Review and Amendments


### Five Year Review (§112.5(b)):

Complete a review and evaluation of this SPCC Plan at least once every five years. As a result of the review, amend this Plan within six months to include more effective prevention and control measures for the facility, if applicable. Implement any SPCC Plan amendment as soon as possible, but no later than six months following Plan amendment. Document completion of the review and evaluation, and complete the Five Year Review Log in Attachment 1.1. If the facility no longer meets Tier I qualified facility eligibility, the owner or operator must revise the Plan to meet Tier II qualified facility requirements, or complete a full PE certified Plan.

Table G-1 Technical Amendments (§§112.5(a), (c) and 112.6(a)(2))	
This SPCC Plan will be amended when there is a change in the facility design, construction, operation, or maintenance that materially affects the potential for a discharge to navigable waters or adjoining shorelines. Examples include adding or removing containers, reconstruction, replacement, or installation of piping systems, changes to secondary containment systems, changes in product stored at this facility, or revisions to standard operating procedures.	<input checked="" type="checkbox"/>
Any technical amendments to this Plan will be re-certified in accordance with Section I of this Plan template. [§112.6(a)(2)] [See Technical Amendment Log in Attachment 1.2]	<input checked="" type="checkbox"/>

Facility Name: DBU Miami, FL





Storm Water Flow Direction →

### Figure 1- Site Map

Cummins South  
6350 NW 167<sup>th</sup> St.  
Miami Lakes, FL 33014  
6.98 Acres

### Legend

- 1 (1) 500-gallon New Oil AST
- 2 (1) 500-gallon Used Oil AST
- 3 (3) 165-gallons Oily Water AST
- 4 (4) 55-gallon drums Used Oil
- 5 (1-70) 55-gallon drums New Oil

- 6 (1-60) 55-gallon drums DEF
- 7 (2) 55-gallons drums Degreaser
- 8 (1) 55-gallon drums Transmission Fluid
- 9 (1) 55-gallon drum Alum Sulfate
- 10 (1) 150 gallons Degreaser AST

06.15.2021 02:01



## Monthly SPCC Inspection Checklist

This inspection record must be completed monthly for all tanks and containers located on site. Provide further description and comments, if necessary, on a separate sheet of paper and attach to this sheet. Any item receiving a "NO" must be described and corrective actions stated and addressed immediately.

BRANCH: Miami, FL

DATE: \_\_\_\_\_

Oil Storage Container Name or ID and capacity. Indicate whether above ground (A) or completely buried (B) and spill kits.	Location:
(1) New Oil AST (A) 500 gallons	Shop
(1) Used Oil AST (A) 500 gallons	Wash Rack Room
(3) Oily Water AST (A) 165 gallons	Wash Rack Room
(4) Drums Used Oil(A) 55 Gallons	Wash Rack Room
(1-70) Drums New Oil (A) 55 gallons	Awning
(1-60) Drums DEF (A) 55 gallons	Awning
(2) Drum Degreaser (A) 55 gallons	Awning
(1) Drum Transmission Fluid (A) 55 gallons	Awning
(1) Drum Aluminium Sulphate (A) 55 gallons	Wash Rack Room
(1) Degreaser AST (A) 150 gallons	Wash Rack Room
Spill Kit No.1 Bay/Area	
Spill Kit No.2 Bay/Area	
Spill Kit No.3 Bay/Area	

Check Above Ground Storage Tanks	Check			Description & Comments
	Yes	No	N/A	
Tank surfaces show no signs of leakage.				
Tanks show no signs of damage, rust, or deterioration.				
Bolts, rivets, or seams are undamaged.				
Concrete pad or ground below tank shows no signs of leakage.				
Tank area is not obstructed by equipment, vegetation, or trash.				
No water present in outdoor secondary containment.				
Containment structure shows no signs of damage or staining.				
Check Drum Storage Area	Check			Description & Comments
	Yes	No	N/A	
Drums show no signs of leakage or deterioration.				
Drums show no signs of spillage on their tops, sides, or surrounding ground.				
No trash or other materials are stacked on drums.				
Drum lids/bungs are in place and tightly closed.				
Drums are not stored directly on the floor or ground and are placed on secondary containment where practical.				
Drums are labelled to identify contents.				
Drum area is not obstructed by equipment, vegetation, or trash				
Drums stored outside are covered to prevent rainwater accumulation on lid.				
Drums stored outside are not placed on/near soil or drains.				
Check Spill Kits	Check			Description & Comments
	Yes	No	N/A	
A spill kit is staged near potential spill sources and is appropriately stocked with supplies (this includes battery spill kits).				

06.15.2021 02:02



Heritage - Crystal Clean, LLC

877-938-7948

www.crystal-clean.com



WORK ORDER NBR: 00-00HLSLW

**\*\*THIS IS NOT AN INVOICE\*\***

SERVICE REQUEST NBR: 271988

CUSTOMER ID NBR: 210329

COMMENTS:

**EMERGENCY NBR: 800-424-9300 (CHEMTREC CCN10430)**

(for accidents/spills)

DATE: 6/1/2021 7:55:52 AM

CRYSTAL CLEAN REPRESENTATIVE: TIMOTHY BLANCHARD

CUSTOMER/SHIPPER:

CUMMINS

6350 167TH ST NW

MIAMI LAKES, FL 33014

CONTACT NAME : ERIC FLECHET (305)824-4601

GEN. STATUS: VSQG

FEDERAL EPA ID NBR: FLR000233379

STATE EPA ID NBR:

COMMENTS:

DESTINATION:

HERITAGE-CRYSTAL CLEAN, LLC

1300 NE 48TH STREET

POMPANO BEACH , FL 33064

Phone Number: 877-938-7948

CARRIER: HERITAGE-CRYSTAL CLEAN, LLC

Phone Number: (847)836-5670

EPA ID NBR: ILR000130062

BILL OF LADING

NON-DOT/RCRA REGULATED, (NON-HAZARDOUS  
ABSORBENT/DEBRIS)

Container Type: DM (55G)

Container Count:1

Total Units:50 GAL

NON-DOT/RCRA REGULATED USED PARTS CLEANER  
SOLVENT, (< 119 G CONT), (NON-HAZ, NAPHTHA)

Container Type: DM (30G Returned Drum)

Container Count:2

Total Units:36 GAL

DETAILS

Item	Description	Qty	Price	Subtotal
1014A	55G NON-HAZ ENERGY R	1	135.00	

06.15.2021 02:08



Total Units:36 GAL

10000 55G NON-HAZ ENERGY R 1 185.00 185.00 CHARGE

Interval: 12 Week

Ws Nbr:225614-1-1014 - NON

Container Type:DM (55G)

Container Qty:1 Units Per Container:50 GAL



1000010008000017761291

1602 DRUM MOUNT 30 GAL DR 1 151.00 151.00 CHARGE

Physical Location: WARNING - NOT A REUSE GENERATOR

Interval: 4 Week Unit Nbr: 232479

Ws Nbr:10-49-USED 142 5

Container Type:DM (30G Returned Drum)

Container Qty:1 Units Per Container:18 GAL



1000010008000017761293

1602 DRUM MOUNT 30 GAL DR 1 151.00 151.00 CHARGE


Physical Location: WARNING - NOT A REUSE GENERATOR

Interval: 4 Week Unit Nbr: 232478

Ws Nbr:10-49-USED 142 5

Container Type:DM (30G Returned Drum)

Container Qty:1 Units Per Container:18 GAL



1000010008000017761294

1256 55 GAL DRUM OPEN 1 63.00 63.00 CHARGE

Interval: 12 Week

Net Invoice: \$ 550.00

Tax: \$ 25.55

Total Invoice: \$575.55


This is to certify that the above-named materials are properly classified, described, packaged, marked, and labeled and are in proper condition for transport according to the applicable regulations of the Department of Transportation, as required. I also certify that neither hazardous waste, nor PCB's have been mixed with the used oil or waste cleaner solvent (if applicable).  
Customer also hereby certifies that the above services were performed and that said services and completeness of all information contained in this work order and all documentation previously submitted to HSE. This work order is deemed part of the service agreement between HSE and the customer. HSE and the certifications contained therein concerning the materials to be handled and the services to be provided are incorporated herein by reference and deemed part hereof and said certifications are deemed made for the services covered by this work order.

CUSTOMER SIGNATURE

06.15.2021 02:08



Heritage - Crystal Clean, LLC  
877-938-7948  
www.crystal-clean.com



WORK ORDER NBR: 00-00HGGJP  
**\*\*THIS IS NOT AN INVOICE\*\***  
SERVICE REQUEST NBR: 271988  
CUSTOMER ID NBR: 210329

COMMENTS:  
**EMERGENCY NBR: 800-424-9300 (CHIENTREC CCN10430)**  
(for accidents/spills)  
DATE: 5/4/2021 7:34:19 AM  
CRYSTAL CLEAN REPRESENTATIVE: TIMOTHY BLANCHARD

CUSTOMER/SHIPPER:

CUMMINS  
6350 167TH ST NW  
MIAMI LAKES, FL 33014  
CONTACT NAME : ERIC FLECHET (305)824-4601

GEN. STATUS: VSQG  
FEDERAL EPA ID NBR: FLR000233379  
STATE EPA ID NBR:  
COMMENTS:

DESTINATION:

HERITAGE-CRYSTAL CLEAN, LLC  
1300 NE 48TH STREET  
POMPANO BEACH , FL 33064  
Phone Number: 877-938-7948

CARRIER: HERITAGE-CRYSTAL CLEAN, LLC

Phone Number: (847)836-5670  
EPA ID NBR: ILR000130062

BILL OF LADING

NON-DOT/RCRA REGULATED, (NON-HAZARDOUS  
ABSORBENT/DEBRIS)  
Container Type: DM (55G)  
Container Count: 1  
Total Units: 50 GAL

NON-DOT/RCRA REGULATED USED PARTS CLEANER  
SOLVENT, (< 119 G CONT), (NON-HAZ, NAPHTHA)  
Container Type: DM (30G Returned Drum)  
Container Count: 2  
Total Units: 36 GAL

DETAILS

Heritage

877-938-

www.cry



WORK ORDER

**\*\*THIS IS NOT AN INVOICE\*\***

SERVICE REQUEST

CUSTOMER ID

CUMMINS

6350 167TH

MIAMI LAKES

CONTACT

GEN. STATUS

FEDERAL EPA

STATE EPA

COMMENTS:

CUMMINS

6350 167TH

MIAMI LAKES

CONTACT

HERITAGE-CRY

1300 NE 48TH

POMPANO BEACH

Phone Number:

CARRIER: HERI

Phone Number:

EPA ID NBR: ILR

BILL OF LADING

NON-DOT/RCRA RE

ABSORBENT/DEBRIS

Container Type:

Container Count:

Total Units: 50 GAL

NON-DOT/RCRA REGU

SOLVENT, (< 119 G

Container Type: DM

Container Count: 2

Total Units: 36 GAL

DETAILS

Item Description

1014A 55G NON-HA



1256 55 GAL DRUM OPEN 1 63.00 63.00 CHARGE  
Interval: 12 Week

1602 DRUM MOUNT 30 GAL DR 1 151.00 151.00 CHARGE  
Physical Location: WARNING - NOT A REUSE GENERATOR  
Interval: 4 Week Unit Nbr: 232478  
Ws Nbr:10-49-USED 142 S  
Container Type:DM (30G Returned Drum)  
Container Qty:1 Units Per Container:18 GAL




1000010008000017720068

1602 DRUM MOUNT 30 GAL DR 1 151.00 151.00 CHARGE  
Physical Location: WARNING - NOT A REUSE GENERATOR  
Interval: 4 Week Unit Nbr: 232479  
Ws Nbr:10-49-USED 142 S  
Container Type:DM (30G Returned Drum)  
Container Qty:1 Units Per Container:18 GAL



1000010008000017720069

1014A 55G NON-HAZ ENERGY R 1 185.00 185.00 CHARGE  
Interval: 12 Week  
Ws Nbr:225614-1-1014 - NON  
Container Type:DM (55G)  
Container Qty:1 Units Per Container:50 GAL



1000010008000017720074

Net Invoice: \$ 550.00  
Tax: \$ 25.55  
Total Invoice: \$575.55

This is to certify that the above-named materials are properly classified, described, packaged, marked, and labeled and are in proper condition for transport according to the applicable regulations of the Department of Transportation as required. I also certify that neither hazardous waste, nor PCB's have been mixed with the used oil or parts cleaner solvent (if applicable).  
Customer also hereby certifies that the above services were performed and that said services and charges therefore are hereby accepted. Customer also hereby reaffirms the accuracy and completeness of all information contained in this work order and all documentation previously submitted to HCR. This work order is deemed part of the service agreement between Heritage-Crystal Clean, LLC and the certifications contained therein concerning the materials to be handled and the services to be provided are incorporated herein by reference and deemed part hereof and said certifications are deemed remade for the services covered by this work order.

CUSTOMER SIGNATURE

Heritage  
877-938-7  
www.cry



WORK ORDER N  
\*\*THIS IS N  
SERVICE REQ  
CUSTOMER ID

CUMMINS  
6350 16  
MIAMI L  
CONTACT

COMMENTS:  
EMERGENCY  
(for office)  
DATE: 1/2  
CRYSTAL C  
FEDERAL E  
STATE EPA  
COMMENTS:

CUMMINS  
6350 16  
MIAMI L  
CONTACT

HERITAGE-CR  
1300 NE 48TH  
POMPANO BEAC  
Phone Number

GEN. S  
FEDER/  
STATE  
COMME

CARRIER: HER  
Phone Number:  
EPA ID NBR: IL

BILL OF LADING  
NON-DOT/RCRA R  
ABSORBENT/DEBR  
Container Type:  
Container Count:  
Total Units:50

NON-DOT/RCRA REC  
SOLVENT, (< 119  
Container Type:  
Container Count:  
Total Units:36 G

DETAILS  
Item Descripti  
1014A 55G NON