Capacity is calculated for the existing physical space at the facility. Capacity of an area is calculated using either the maximum number of drums on pallets, or the number of whole lamps on pallets. Since all wastes are compatible it is assumed that each area will be used for any combination of lamps, drums, or other containers of mercury-containing devices (MCDs), batteries, crushed lamps, PCB ballasts, etc.; therefore, area inventory and volume will vary. Storage capacities listed here include all incoming and 10-day transfer material. Our estimates are that 90% of the inventory will be materials awaiting shipment to a recycler and 10% in-transit.

NOTE: Each Storage Area is intended for use as either a drum storage area or palletized lamp box storage area. The information presented in this summary details maximum calculated capacity for each area based on either of these assumptions - totaling all areas to achieve maximum storage capacity.

S = Area contains only pallets of drums. **Four (4) 55gal. Drum equivalent.**
L = Area contains only pallets of boxed lamps. **900 - whole lamps** (in boxes) **Not to exceed 9ft.**

Maximum Storage Capacity
Total Capacity (all S Designations) = 968 Drums
Total Capacity (all L Designations) = 223,200 Lamps

ROW	AREA	STORAGE CAPACITY		Materials Approved for Storage	Waste Codes	Storage Limit
S-1	12ft x 8ft	6pallets double stacked	**48 drums**	**Mixed Universal Waste: Lamps, MCDs, Batteries, HAZARDOUS waste (10-Day transfer material)**	**Various - Non-Haz I Haz I Universal Wastes**	**1 year for UW | 10 days for Transfer**
L-1			**10,800 lamps**			
S-2	20ft x 4ft	5pallets double stacked	**40 drums**			
L-2			**9,000 lamps**			
S-3	20ft x 4ft	5pallets double stacked	**40 drums**			
L-3			**9,000 lamps**			
S-4	24ft x 4 ft	6pallets **SINGLE** stacked	**24 drums**	Mixed Universal Waste: Lamps, MCDs, Batteries, HAZARDOUS waste (10-Day transfer material)	***Various - Non-Haz I Haz I Universal Wastes***	***1 year for UW | 10 days for Transfer***
L-4		6pallets double stacked	**10,800 lamps**			
S-5	44ft x 4ft	11pallets double stacked	**88 drums**			
L-5			**19,800 lamps**			
S-6	40ft x 4ft	10pallets double stacked	**80 drums each row**			
L-6						
S-7						
L-7						
S-8						

L-8			**18,000 lamps each row**	**Mixed Universal Waste: Lamps, MCDs, Batteries, HAZARDOUS waste (10-Day transfer material)**	**Various - Non-Haz I Haz I Universal Wastes**	**1 year for UW | 10 days for Transfer**
S-9						
L-9						
S-10	36ft x 4ft	9pallets double stacked	**72 drums each row**			
L-10						
S-11						
L-11						
S-12			**16,200 lamps each row**			
L-12						
S-13						
L-13						
S-14	28ft x 4ft	7pallets double stacked	**56 drums**	**<u>PCBs</u>** and Non-PCB ballasts, Mixed Universal Waste: Lamps, MCDs & Batteries, HAZARDOUS waste (10-Day transfer material)	**TSCA Exempt PCBs | Various - Non-Haz I Haz I Universal Wastes**	**1 year for UW | 10 days for Transfer**
L-14			**12,600 lamps**			
S-15	32ft x 4ft	8pallets double stacked	**64 drums**	**Shipping & Receiving Staging Area**	**Various - Non-Haz I Haz I Universal**	
L-15			**14,400 lamps**			