From: Valentine, Sarah K
To: Mitchell, Cheryl L

Cc: <u>Bradshaw, Bonnie M.</u>; <u>Ashwood, Janet</u>; <u>Perrigan, Glen</u>; <u>Horlick, Susan</u>

Subject: FW: NED CASE REVIEW - CROWLEY LINER SERVICES, DUVAL COUNTY (#FLR000054221)

Date:Tuesday, June 1, 2021 11:32:17 AMAttachments:3001 Crowley - Final Inspection Report.pdf3001 Crowley - H PH Ranking.xlsx

3001 Crowley - H PH Ranking.xlsx 3001 Crowley - CASE REVIEW (rev i).pdf

Good morning Cheryl,

The Division conducted a Case Specific Classification Review for Crowley Liner Services (FLR000054221). The Division concurs with the District that formal enforcement is not appropriate at this time.

Sincerely,

SK

From: Mitchell, Cheryl L < cheryl.L.Mitchell@FloridaDEP.gov>

Date: Wednesday, May 26, 2021 at 6:58 PM

To: Perrigan, Glen < Glen.Perrigan@FloridaDEP.gov>

Cc: Bradshaw, Bonnie M. <<u>Bonnie.Bradshaw@floridadep.gov</u>>, Ashwood, Janet

<<u>Janet.Ashwood@FloridaDEP.gov</u>>, Valentine, Sarah K <<u>Sarah.K.Valentine@floridadep.gov</u>>

Subject: NED CASE REVIEW - CROWLEY LINER SERVICES, DUVAL COUNTY (#FLR000054221)

Glen – the inspection report, Case Review Form and Harm/Potential Harm Form for subject facility are attached. We do not feel that formal enforcement is appropriate at this time.

Please let me know if you have any questions. Thank you,

r/

Cheryl