CORROSIVE
NO TOP FREIGHT
SHIP TO:
WORLD PETROLEUM
360 SW 47th AVENUE
DAVIE, FL 33314

OT 3051
CORROSIVE
8
UN1760
SHIP TO:
WORLD PETROLEUM
360 SW 47TH AVENUE
DAVIE, FL 33314
NO TOP FREIGHT
Transport
1650 kg max
FOR IBC PICKUP
USAM5578
InTerraChem
OT 3051
CORROSIVE
8
UN1760
SHIP TO:
WORLD PE
360 SW 47TH A
DAVIE, FL 33314

WorldPetroleum
CORPORATION
Davie, Florida
USDOT 1118579 FL

32
KENWORTH
WorldPetroleum
CORPORATION
Davie, Florida
USDOT 1118579 FL

32

Expires
05-23

WorldPetroleum
CORPORATION
Davie, Florida

USDOT 1118579 FL

HYDRAULIC PRESSURE
WARNING
DANGER
DANGER
CRUSHING HAZARD
IMPORTANT
DRAIN AFTER EACH USE
WARNING

KEITH HUBER INC.
P.O. BOX 1968
U.S. HWY 49 NORTH
GULFPORT, MS 39505
228-832-0992

C.T.M.V. MANUFACTURER:
KEITH HUBER INC.
GULFPORT, MISSISSIPPI U.S.A.

D.O.T. [illegible] WATER CAP. [illegible] GAL. ORIG. TEST DATE [illegible]
C.T. MFR. KEITH HUBER, INC. MAX. UNLOAD RATE [illegible] G.P.M. AT [illegible] P.S.I.G.
DESIGN TEMP. RANGE -20 °F TO 150 °F MIN. SHELL THICK. [illegible] IN.
MAX. LADING DENSITY 13 LBS./GAL. SHELL MATL. [illegible]
MAX. LOAD RATE [illegible] G.P.M. AT 15 P.S.I.G. HEADS MATL. [illegible]
LINING N/A MIN. HEADS THICK. [illegible] IN.
MFD. SHELL THICK. .3125 IN. MFD. HEADS THICK. [illegible] IN.
EXPOSED SURFACE AREA 352.59 SQ. FT. C.T.M.V. CERT. DATE 09/03/08
C.T. DATE OF MFR. 09/2008 WELD MAT. [illegible]
M.A.W.P. 175 P.S.I.G. MAX. PAYLOAD [illegible] LBS. TEST P. [illegible] P.S.I.G.

CERTIFIED BY
KEITH HUBER INC.
[illegible] PSI AT 150 °F
[illegible] PSI AT 150 °F
MDMT -20 °F AT 25 PSI
SERIAL NUMBER [illegible]
YEAR BUILT [illegible]

Peterbilt
30
WorldPetroleum
CORPORATION
Davie, Florida
USDOT 1118579 FL
WATER
WorldPetroleum
CORPORATION
Envirowaste Series
N66 727
BROWARD

NON-
HAZARDOUS
WASTE
UNCRUSHED USED
OIL FILTERS ONLY
877-938-7948
Crystal Clean
UNCRUSHED USED
OIL FILTERS ONLY
877-938-7948
Crystal Clean

HyWay

UNCRUSHED USED
OIL FILTERS ONLY
The addition of any other materials will lead to additional charges.
CONTACT CRYSTAL CLEAN
877-938-7948
Crystal Clean
FOOD OR DRINK
MADE IN THE USA

UNCRUSHED USED
OIL FILTERS ONLY
The addition of any other materials will lead to additional charges.
CONTACT CRYSTAL CLEAN
877-938-7948
Crystal Clean

HAZARDOUS
WASTE
FEDERAL LAW PROHIBITS IMPROPER DISPOSAL
IF FOUND, CONTACT THE NEAREST POLICE OR PUBLIC SAFETY
AUTHORITY OR THE U.S. ENVIRONMENTAL PROTECTION AGENCY
ACCUMULATION
DATE
GENERATOR'S
NAME
ADDRESS
CITY
E.P.A.
I.D. NO.
HAZARDOUS WASTE
HANDLE WITH CARE
FLAMMABLE LIQUID
3

USED OIL FILTERS
FOR RECYCLING
FOR DISPOSAL OR EMERGENCY RESPONSE CONTACT
WorldPetroleum
800 524-5645
(954) 327-0724
NON-
HAZARDOUS
WASTE
Solid
Waste

USED OIL
FILTERS
NON-
HAZARDOUS
WASTE
UN1A2/Y1.2/100
USA/M4067/22

NON HAZARDOUS
END:06-11-21
DEMILEC SEALECTION 500

1118 0000012
World Petroleum Corporation
(954) 327-0724
USED OIL FILTERS
FOR RECYCLING
FOR DISPOSAL OR EMERGENCY
CONTACT
800 524-56
(954) 327-0
ONLY
WorldPetrole
CORPORATION

MAINTENANCE: INSPECT MONTHLY OR AT MORE FREQUENT INTERVALS WHEN CIRCUMSTANCES REQUIRE. MAKE SURE HOSE AND HORN ARE UNOBSTRUCTED. GAUGE PRESSURE MUST BE IN OPERABLE RANGE. LOCKPIN & TAMPER SEAL MUST BE IN PLACE. GROSS WEIGHT OF EXTINGUISHER (INCLUDING HOSE AND HORN) IS 34 LB 12 OZ ±17 OZ (15.42 KG ± .48 KG).
RECHARGE: RECHARGE IMMEDIATELY AFTER ANY USE. PARTIAL DISCHARGE MAY CAUSE EXTINGUISHER TO LEAK. HAVE EXTINGUISHER RECHARGED WITH 20 LB (9.07 KG) OF AMEREX ABC DRY CHEMICAL AND PRESSURIZED WITH NITROGEN TO 195 PSI (1345 kPa) BY AN AUTHORIZED AMEREX DISTRIBUTOR (RECHARGER) IN ACCORDANCE WITH SERVICE MANUAL NO. 05602.
TO BE INSTALLED, INSPECTED, MAINTAINED, AND TESTED IN ACCORDANCE WITH THE OWNER'S MANUAL SUPPLIED WITH EXTINGUISHER AND THE NATIONAL FIRE PROTECTION ASSOCIATION STANDARD NO. 10, "PORTABLE FIRE EXTINGUISHERS."
CAUTION: AFTER USE IMMEDIATELY CLEAN ALL SURFACES CONTACTED BY DRY CHEMICAL TO AVOID CORROSION.
FOR INDUSTRIAL USE
CONTENTS: ABC DRY CHEMICAL / HMIS I-0-0 / MUSCOVITE MICA, AMMONIUM PHOSPHATE, AMMONIUM SULFATE / NUISANCE DUST, IRRITANT / CONTENTS UNDER PRESSURE
AMEREX CORP.
TRUSSVILLE, AL 35173
(205)655-3271
A
B
C
SQUEEZE LEVER.
SWEEP SIDE TO SIDE.
APLICAR
JAN.
FEB.
MAR.
APR.
MAY.
JUNE
JULY
AUG.
SEPT.
OCT.
NOV.
DEC.
2019
2020
2022
2023
RECHARGED
HOSE
WET AGENT
SYSTEM
CARTRIDGE
WATER
FOAM
CLEAN AGENT
HALOTRON
PULL
PUSH
SQUEEZE
SWEEP
AIM LOW
AIM HIGH
NO. BR-
A411

Hy
ay
OBERG
SB-300

PROPERTY OF
UNIVERSAL
ENVIRONMENTAL
SERVICES

CBERG
SB-300

USED OIL FILTERS
SEMBY LOH OIL
NO HOT ASHES
World Petroleum Corporation
(954) 327-0724

9400032

DRAINED
USED OIL
FILTERS

USED OIL FILTERS ONLY

World Petroleum Corporation
(954) 327-0724
USED OIL FILTERS
Oil Rags

(954) 32

Dayton
CO 16683

HAZARDOUS WASTE
FLAMINGO OIL CO.
MAXIMA E.P.
400 LBS. NET
7-110-19
10784
ECO-MAXX
USED OIL FILTERS
USED OIL FILTERS

FLAMINGO OIL CO.
MAXIMA E.P.

CAT
NO HOT ASHES
STREET

USED OIL FILTERS
FOR RECYCLING
FOR DISPOSAL OR EMERGENCY RESPONSE
CONTACT
800 524-5645
(954) 327-0724
ARROWS TOWARD STREET
ARROWS TOWARD STREET
Waste Oil Rags
NON-
HAZARDOUS

NON-
HAZARDOUS
WASTE
NON-
HAZARDOUS
WASTE
NON-HAZARDOUS WASTE

FLAMMABLE LIQUID
NON-HAZARDOUS WASTE

CAT

TDK

USED OIL
FILTERS

Mystik
JT-8
ENGINE
30G


PREMIUM AW 68
HYDRAULIC OIL
Xtreme
LIQUID ARMOR
A WARNING
A AVISO

AW 68
HYDRAULIC OIL
5/8" NB A

Folgers

NO GLOVES
NO GLOVES
OIL PROCESS

NON-
HAZARDOUS
WASTE

SED OIL

INSTRUCTIONS

AMEREX

CITY FIRE, INC.

3
USED OIL
1
USED OIL

9
USED OIL
7
USED OIL
5
USED OIL
3
USED OIL

OIL

MDP 25,27,29-480V

A-B

ALLEN-BRADLEY

ON

OFF

DULTMEIER SALES™

USED OIL
DULTMEIER
SALES™

GALLONS
0701
DO NOT RESET WHILE COUNTING
OPW
3630-0302

9
USED OIL

ISO 1217
5-200 HP
CAGI
USA
NON-
HAZARDOUS
WASTE
Ingersoll Rand
ULINE

CHEMICAL
STORAGE
AREA

SAFETY CAN

ROPER
PUMPS
COMMERCE, GEORGIA
MADE IN U.S.A.

PREMIER
SPHAGNUM
PEAT MOSS
TOURBE
DE SPHAIGNE
for organic growing
pour culture biologique
para cultivos organicos

CARQUEST
SAE 5W-20
SAE 10W-40
MOTOR OIL
SAE 15W-40
SAE 20W-50
MULTI-VEHICLE ATF
Valvoline
CVT
FULL SYNTHETIC
LUBRIPLATE HO-3
Heavy duty, extreme pressure, anti-wear oils
DESIGNED FOR:
Hydraulic applications, Gear cases
Air Compressors, Turbines
General lubrication
ISO Viscosity Grade 150
SUS @ 100 F: 690
BORCK OIL
GEAR OIL
ACEITE DE ENGRANAJES
SAE 80W-90
TACNA® HD GREASE NO. 2
WEAREVER
BRAKE PARTS CLEANER
LIMPIADOR DE PIEZAS DE FRENOS
LIMPIADOR PARA PIEZAS DE FRENOS NO INFLAMABLE
900-08-21
900-03-22
900-08-23
900-04-62
900-04-61

ULINE
GLOVES IN A BUCKET
NITRILE

23-06

Shell ROTELLA T4 TRIPLE PROTECTION 15W-40 HEAVY DUTY DIESEL ENGINE OIL HUILE MOTEUR DIESEL DE HAUTE PERF ACEITE DE MOTOR DIESEL DE ALTA RENDIMIENTO 5 GAL/18.9L

LUBRIPLATE HO-3
LUBRIPLATE HO-3
Heavy duty, extreme pressure, anti-wear oils
DESIGNED FOR:
Hydraulic applications, Gear cases
Air Compressors, Turbines
General lubrication
ISO Viscosity Grade 150
SUS @ 100 F 690
L0764-060

CARQUEST MULTI-VEHICL

900-08-21
412

900-05-63
900-05-64
900-05-65
900-04-61
216

Expires
05-22
M M Y Y
MIAMI-DADE COUNTY
WorldPetroleum
CORPORATION
Davie, Florida
USDOT 1118579 FL

21
3001
21
WorldPetroleum
HXV 553
998 BTX

1
ED OIL

WASTEQUIP
DO NOT PARK OR BLOCK
NO HAZARDOUS WASTES ACCEPTED
CAUTION
CAUTION
NO PUBLIC DUMPING $500.00 FINE
Coastal
Waste & Recycling
954-947-4000
www.coastalwasteinc.com
3yd
SERVICE PROVIDED BY
MWM
Marine Waste Management
PORTA POTTY • MOBILE PUMP OUT • ON DEMAND HOLDING TANKS
TANK & BILGE CLEANING • TANK COATING • DUSTLESS SANDBLASTING
954-370-2628