



# PASCO COUNTY, FLORIDA

*"Bringing Opportunities Home"*

DADE CITY (352) 523-2411  
LAND O' LAKES (813) 996-2411  
NEW PORT RICHEY (727) 847-8902  
FAX (727) 847-8112

UTILITIES SERVICES BRANCH  
ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DR.  
NEW PORT RICHEY, FL 34654  
E-MAIL: [cmulhern@pascocountyfl.net](mailto:cmulhern@pascocountyfl.net)

October 19, 2010

Mr. John Morris  
Waste Management Section  
Florida Department of  
Environmental Protection  
13051 N. Telecom Pkwy.  
Temple Terrace, FL 33637

Dept. Of Environmental Protection  
OCT 25 2010  
Southwest District

RE: Hays Road Class I and III Landfill  
Quarter IV, 2010  
Gas Monitoring

Dear Mr. Morris:

Enclosed please find the results of gas monitoring conducted at the Hays Road Class I Landfill as required in the permit for this facility. The gas monitoring was conducted using a CES Landtec GEM2000 Gas Meter. Calibration of the instrument was conducted prior to field analysis using a 40% methane gas and 50% LEL methane gas. The meter was allowed to run for two minutes and the highest reading obtained was recorded.

This completes the Quarter IV, 2010 gas monitoring requirement at this facility. If you have any questions please feel free to contact me.

Sincerely,

Candia E. Mulhern  
Laboratory Manager

cc: MS 4565 Solid Waste Section, Florida DEP, 2600 Blair Stone Rd., Tallahassee, FL 32399-2400  
Aamod Sonawane, CDM, Westshore Center Suite 875, 1715 North Westshore Blvd., Tampa, FL 33607  
Robert J. Sigmond, Utilities Fiscal Services/Special Projects Director  
John Power, Solid Waste Facility Manager



# PASCO COUNTY, FLORIDA

Dept. Of Environmental Protection

OCT 25 2010

Southwest District

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54740 SAMPLE ID 2MW1 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 14:15  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	14:15	WM	0.0	D	% LEL	0
METER	10/18/2010	14:15	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	14:15	WM	DRY	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54742 SAMPLE ID 2MW2 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 8:50  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	8:50	WM	0.0	D	% LEL	0
METER	10/18/2010	8:50	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	8:50	WM	23.87	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123





# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54744 SAMPLE ID 2MW4 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 9:35  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	9:35	WM	0.0	D	% LEL	0
METER	10/18/2010	9:35	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	9:35	WM	DRY	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54746 SAMPLE ID 2MW5 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 12:25  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	12:25	WM	0.0	D	% LEL	0
METER	10/18/2010	12:25	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	12:25	WM	DRY	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54748 SAMPLE ID 2MW6 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 9:04  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	9:04	WM	0.0	D	% LEL	0
METER	10/18/2010	9:04	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	9:04	WM	DRY	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123





# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54757 SAMPLE ID 2MW15 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 14:05  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

ANALYSIS								DET. LIMIT
METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT		
METER	10/18/2010	14:05	WM	0.0	D	% LEL	0	
METER	10/18/2010	14:05	WM	0.0	D	% VOL	0	
DEP-SOP	10/18/2010	14:05	WM	23.44	D	Feet	0	

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, Fl  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54758 SAMPLE ID 2MW17S @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 10:24  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	10:24	WM	0.0	D	% LEL	0
METER	10/18/2010	10:24	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	10:24	WM	27.98	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123





# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54759 SAMPLE ID 2MW18D @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 10:18  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	10:18	WM	0.0	D	% LEL	0
METER	10/18/2010	10:18	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	10:18	WM	27.47	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, Fl  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54760 SAMPLE ID 2MW19 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 10:05  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	10:05	WM	0.0	D	% LEL	0
METER	10/18/2010	10:05	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	10:05	WM	26.21	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54769 SAMPLE ID 2MW13 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 10:55  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	10:55	WM	0.0	D	% LEL	0
METER	10/18/2010	10:55	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	10:55	WM	20.96	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123





# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, Fl  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54741 SAMPLE ID 4MW1 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 14:20  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	14:20	WM	0.0	D	% LEL	0
METER	10/18/2010	14:20	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	14:20	WM	18.08	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54743 SAMPLE ID 4MW2 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 8:55  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	8:55	WM	0.0	D	% LEL	0
METER	10/18/2010	8:55	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	8:55	WM	24.16	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54745 SAMPLE ID 4MW4 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 9:45  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	9:45	WM	0.0	D	% LEL	0
METER	10/18/2010	9:45	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	9:45	WM	25.40	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123





# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, Fl  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54747 SAMPLE ID 4MW5 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 12:20  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

ANALYSIS								DET.
METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	LIMIT	
METER	10/18/2010	12:20	WM	0.0	D	% LEL	0	
METER	10/18/2010	12:20	WM	0.0	D	% VOL	0	
DEP-SOP	10/18/2010	12:20	WM	22.79	D	Feet	0	

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54749 SAMPLE ID 4MW6 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 9:10  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

ANALYSIS								DET. LIMIT
METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT		
METER	10/18/2010	9:10	WM	0.0	D	% LEL	0	
METER	10/18/2010	9:10	WM	0.0	D	% VOL	0	
DEP-SOP	10/18/2010	9:10	WM	26.44	D	Feet	0	

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54753 SAMPLE ID 4MW11D @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 10:36  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	10:36	WM	0.0	D	% LEL	0
METER	10/18/2010	10:36	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	10:36	WM	36.14	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123





# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54754 SAMPLE ID 4MW12D @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 10:45  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

### ANALYSIS

METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	DET. LIMIT
METER	10/18/2010	10:45	WM	0.0	D	% LEL	0
METER	10/18/2010	10:45	WM	0.0	D	% VOL	0
DEP-SOP	10/18/2010	10:45	WM	26.80	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54755 SAMPLE ID 4MW13D @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 10:50  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

ANALYSIS	ANALYSIS							DET. LIMIT
	METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	
Percent Lower Explosive Limit	METER	10/18/2010	10:50	WM	0.0	D	% LEL	0
Percent Volume Methane	METER	10/18/2010	10:50	WM	0.0	D	% VOL	0
Water Level	DEP-SOP	10/18/2010	10:50	WM	26.24	D	Feet	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54756 SAMPLE ID 4MW14D @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 11:00  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane  
Water Level

ANALYSIS								DET. LIMIT
METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT		
METER	10/18/2010	11:00	WM	0.0	D	% LEL	0	
METER	10/18/2010	11:00	WM	0.0	D	% VOL	0	
DEP-SOP	10/18/2010	11:00	WM	23.35	D	Feet	0	

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123





# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54761 SAMPLE ID GMP1 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 9:53  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane

ANALYSIS								DET. LIMIT
METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT		
METER	10/18/2010	9:53	WM	0.0	D	% LEL	0	
METER	10/18/2010	9:53	WM	0.0	D	% VOL	0	

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54762 SAMPLE ID GMP2 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 9:17  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

ANALYSIS	ANALYSIS							DET. LIMIT
	METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT	
Percent Lower Explosive Limit	METER	10/18/2010	9:17	WM	0.0	D	% LEL	0
Percent Volume Methane	METER	10/18/2010	9:17	WM	0.0	D	% VOL	0

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54763 SAMPLE ID GMP3 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 9:22  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane

ANALYSIS								DET. LIMIT
METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT		
METER	10/18/2010	9:22	WM	0.0	D	% LEL	0	
METER	10/18/2010	9:22	WM	0.0	D	% VOL	0	

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123





# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54764 SAMPLE ID GMP4 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 10:10  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane

ANALYSIS								DET. LIMIT
METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT		
METER	10/18/2010	10:10	WM	0.0	D	% LEL	0	
METER	10/18/2010	10:10	WM	0.0	D	% VOL	0	

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54765 SAMPLE ID GMP5 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 10:00  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane

ANALYSIS								DET. LIMIT
METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT		
METER	10/18/2010	10:00	WM	0.0	D	% LEL	0	
METER	10/18/2010	10:00	WM	0.0	D	% VOL	0	

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123



# PASCO COUNTY, FLORIDA

ENVIRONMENTAL LABORATORY  
8864 GOVERNMENT DRIVE  
NEW PORT RICHEY, FL 34654  
PHONE 727-847-8902

NELAC E44123  
CONTACTS:  
GLORIA KRUEGER  
CHRIS CHILDRESS

## REPORT OF ANALYSES

Resource Recovery  
Class I Landfill  
Hays Road  
Shady Hills, FL  
John Power

Date: 10/19/2010

SAMPLE NUMBER AB54766 SAMPLE ID GMP6 @ RESREC  
DATE SAMPLED 10/18/2010  
DATE RECEIVED 10/18/2010 SAMPLER WMM  
TIME RECEIVED 14:40 DELIVERED BY WMM

SAMPLE MATRIX GAS  
TIME SAMPLED 10:30  
RECEIVED BY KS  
SAMPLE TYPE  
Pumped

### ANALYSIS

Percent Lower Explosive Limit  
Percent Volume Methane

ANALYSIS								DET. LIMIT
METHOD	DATE	TIME	BY	RESULT	QUAL.	UNIT		
METER	10/18/2010	10:30	WM	0.0	D	% LEL	0	
METER	10/18/2010	10:30	WM	0.0	D	% VOL	0	

ANALYSIS COMMENTS:

LABORATORY DIRECTOR

THIS DOCUMENT MEETS NELAC STANDARDS

NELAC Certification # E44123