

FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554


Invoice

Description	Amount	Units	Extension
EPA6010 - Iron	10.00	4	40.00
EPA6010 - Manganese	10.00	4	40.00
EPA6020 - Aluminum	10.00	4	40.00
EPA6020 - Arsenic	10.00	4	40.00
EPA6020 - Thallium	10.00	4	40.00
EPA6020 - Zinc	10.00	4	40.00
EPA8260List	90.00	4	360.00
EPA8270List	210.00	4	840.00
FL_PRO	80.00	4	320.00
TOTAL			1,760.00

This invoice is due upon receipt.

VISA, MasterCard, and American Express cards will be accepted.

There will be a 1.5% service charge per month on all unpaid balances.



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Report Summary

Date Received: May 9, 2011

FCL Project Manager: June S. Flowers


Laboratory #	Sample Description	Analysis	Chemist	Location	Sample Matrix
149554GW1	MW-2	EPA6010	EVB	Main Lab	Ground Water
		EPA6020	EVB	Main Lab	
		EPA8260	CLS	Main Lab	
		EPA8270	CLS	Main Lab	
		FL-PRO	CTH	Main Lab	
		X8270	CDG	Main Lab	
149554GW2	MW-3	XPRO	CDG	Main Lab	Ground Water
		EPA6010	EVB	Main Lab	
		EPA6020	EVB	Main Lab	
		EPA8260	CLS	Main Lab	
		EPA8270	CLS	Main Lab	
		FL-PRO	CTH	Main Lab	
149554GW3	MW-1	X8270	CDG	Main Lab	Ground Water
		XPRO	CDG	Main Lab	
		EPA6010	EVB	Main Lab	
		EPA6020	EVB	Main Lab	
		EPA8260	CLS	Main Lab	
		EPA8270	CLS	Main Lab	
149554GW4	EB-3	FL-PRO	CTH	Main Lab	Ground Water
		X8270	CDG	Main Lab	
		XPRO	CDG	Main Lab	
		EPA6010	EVB	Main Lab	
		EPA6020	EVB	Main Lab	
		EPA8260	CLS	Main Lab	
		EPA8270	CLS	Main Lab	
		FL-PRO	CTH	Main Lab	
		X8270	CDG	Main Lab	
		XPRO	CDG	Main Lab	

Certificate of Results

Sample integrity was certified prior to analysis. Test results meet all requirements of the NELAC Standards except as noted in the Quality Control Report. Uncertainties for these data are available on request. This report may not be reproduced in part; results relate only to items tested.



Jefferson S. Flowers, Ph.D.
President/Technical Director



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)


Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Analysis Report

Lab #: 149554GW1 Sampled: 05/06/11 09:10 AM Desc: MW-2

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Aluminum	0.0777	mg/L	1.00	0.0100	0.0200	10173863	EPA6020	7429-90-5	05/10/11
Arsenic	0.00150 I	mg/L	1.00	0.00100	0.00200	10173863	EPA6020	7440-38-2	05/10/11
Thallium	0.00100 U	mg/L	1.00	0.00100	0.00200	10173863	EPA6020	7440-28-0	05/10/11
Zinc	0.0100 U	mg/L	1.00	0.0100	0.0200	10173863	EPA6020	7440-66-6	05/10/11
Iron	0.128	mg/L	1.00	0.0100	0.0200	10173964	EPA6010	7439-89-6	05/11/11
Manganese	1.24	mg/L	1.00	0.0100	0.0200	10173964	EPA6010	7439-96-5	05/11/11
FL_PRO_Extraction	1000	mL	1.00			10174008	XPRO		05/10/11
Petroleum Range Organics (C8-C40)	752	ug/L	1.00	100	200	10174027	FL-PRO		05/12/11
Surr:o-Terphenyl (70-130%)	62.32%		1.00			10174027	FL-PRO		05/12/11
Acid Base Extraction	1000	mL	1.00			10174157	X8270		05/11/11
1,1,1,2-Tetrachloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	630-20-6	05/16/11
1,1,1-Trichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	71-55-6	05/16/11
1,1,2,2-Tetrachloroethane	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	79-34-5	05/16/11
1,1,2-Trichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	79-00-5	05/16/11
1,1-Dichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-34-3	05/16/11
1,1-Dichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-35-4	05/16/11
1,1-Dichloropropene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	563-58-6	05/16/11
1,2,3-Trichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	87-61-6	05/16/11
1,2,3-Trichloropropane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	096-18-4	05/16/11
1,2,4-Trimethylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	095-63-6	05/16/11
1,2,4-trichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	120-82-1	05/16/11
1,2-Dibromoethane (EDB)	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	106-93-4	05/16/11
1,2-dibromo-3-chloropropane	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	96-12-8	05/16/11
1,2-dichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	107-06-2	05/16/11
1,2-dichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	540-59-0	05/16/11
1,2-dichloropropane	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	78-87-5	05/16/11
1,3,5-Trimethylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	108-67-8	05/16/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW1 Sampled: 05/06/11 09:10 AM Desc: MW-2

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
1,3-Dichloropropane	0.300 U	ug/L	1.00	0.300	0.600	10174217	EPA8260	142-28-9	05/16/11
2,2-Dichloropropane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	594-20-7	05/16/11
2-Butanone (MEK)	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	78-93-3	05/16/11
2-Chlorotoluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	095-49-8	05/16/11
2-Hexanone	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	591-78-6	05/16/11
2-chloroethylvinylether	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	110-75-8	05/16/11
4-Chlorotoluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	106-43-4	05/16/11
4-Isopropyltoluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	527-84-4	05/16/11
Acetone	8.71 I	ug/L	1.00	5.00	10.0	10174217	EPA8260	67-64-1	05/16/11
Benzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	71-43-2	05/16/11
Bromobenzene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	108-86-1	05/16/11
Bromochloromethane	0.100 U	ug/L	1.00	0.100	1.00	10174217	EPA8260	074-97-5	05/16/11
Bromodichloromethane	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	75-27-4	05/16/11
Bromoform	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-25-2	05/16/11
Bromomethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	74-83-9	05/16/11
Carbon Disulfide	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	75-15-0	05/16/11
Carbon Tetrachloride	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	56-23-5	05/16/11
Chlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	108-90-7	05/16/11
Chloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-00-3	05/16/11
Chloroform	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	67-66-3	05/16/11
Chloromethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	74-87-3	05/16/11
Dibromochloromethane	0.400 U	ug/L	1.00	0.400	0.800	10174217	EPA8260	124-48-1	05/16/11
Dibromomethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	074-95-3	05/16/11
Dichlorodifluoromethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-71-8	05/16/11
Ethylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	100-41-4	05/16/11
Hexachlorobutadiene	0.400 U	ug/L	1.00	0.400	0.800	10174217	EPA8260	87-68-3	05/16/11
Hexachloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	67-72-1	05/16/11
Isopropylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	98-82-8	05/16/11
Methyl Iodide	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	074-88-4	05/16/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW1 Sampled: 05/06/11 09:10 AM Desc: MW-2

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Methyl isobutyl ketone	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	108-10-1	05/16/11
Methyl-tert-butylether	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	1634-04-4	05/16/11
Methylene chloride	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	75-09-2	05/16/11
Naphthalene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	91-20-3	05/16/11
Para-dichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	106-46-7	05/16/11
Styrene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	100-42-5	05/16/11
Tetrachloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	127-18-4	05/16/11
Toluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	108-88-3	05/16/11
Trichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	79-01-6	05/16/11
Trichlorofluoromethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-69-4	05/16/11
Vinyl Acetate	5.00 U	ug/L	1.00	5.00	10.0	10174217	EPA8260	108-05-4	05/16/11
Vinyl chloride	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-01-4	05/16/11
Xylenes	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	1330-20-7	05/16/11
cis-1,2-dichloroethene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	156-59-2	05/16/11
cis-1,3-Dichloropropene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	10061-01-5	05/16/11
m-dichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	541-73-1	05/16/11
n-Propylbenzene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	103-65-1	05/16/11
n-butylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	104-51-8	05/16/11
o-dichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	95-50-1	05/16/11
sec-butylbenzene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	135-98-8	05/16/11
tert-butylbenzene	0.400 U	ug/L	1.00	0.400	0.800	10174217	EPA8260	098-06-6	05/16/11
trans-1,2-dichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	156-60-5	05/16/11
trans-1,3,-Dichloropropene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	10061-02-6	05/16/11
trans-1,4-dichloro-2-butene	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	110-57-6	05/16/11
Surr:1,2-Dichloroethane-d4 (77-129%)	102.73%		1.00	0.0100	0.0100	10174217	EPA8260		05/16/11
Surr:Bromofluorobenzene (82-122%)	94.33%		1.00	1.00	1.00	10174217	EPA8260	460-00-4	05/16/11
Surr:Toluene-d8 (88-111%)	101.90%		1.00	0.0100	0.0100	10174217	EPA8260		05/16/11
1,2,4-trichlorobenzene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	120-82-1	05/17/11
1,2-Diphenylhydrazine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	122-66-7	05/17/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW1 Sampled: 05/06/11 09:10 AM Desc: MW-2

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
1-methyl-Naphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	090-12-0	05/17/11
2,4,5-Trichlorophenol	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	95-95-4	05/17/11
2,4,6-Trichlorophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	88-06-2	05/17/11
2,4-Dichlorophenol	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	120-83-2	05/17/11
2,4-Dimethylphenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	105-67-9	05/17/11
2,4-Dinitrophenol	5.00 U	ug/L	1.00	5.00	10.0	10174322	EPA8270	51-28-5	05/17/11
2,4-Dinitrotoluene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	121-14-2	05/17/11
2,6-Dinitrotoluene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	606-20-2	05/17/11
2-Chloronaphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-58-7	05/17/11
2-Nitrophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	88-75-5	05/17/11
2-chlorophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	95-57-8	05/17/11
2-methyl-4,6-dinitrophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	534-52-1	05/17/11
2-methyl-Naphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-57-6	05/17/11
3,3'-Dichlorobenzidine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-94-1	05/17/11
4-Bromophenylphenyl ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	101-55-3	05/17/11
4-Chlorophenylphenyl ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	7005-72-3	05/17/11
4-Nitrophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	100-02-7	05/17/11
Acenaphthene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	83-32-9	05/17/11
Acenaphthylene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	208-96-8	05/17/11
Anthracene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	120-12-7	05/17/11
Benzidine	20.0 U	ug/L	1.00	20.0	40.0	10174322	EPA8270	092-87-5	05/17/11
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	56-55-3	05/17/11
Benzo(a)pyrene	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	50-32-8	05/17/11
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10174322	EPA8270	205-99-2	05/17/11
Benzo(g,h,i)perylene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	191-24-2	05/17/11
Benzo(k)fluoranthene	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	207-08-9	05/17/11
Bis(2-chloroethoxy)methane	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	111-91-1	05/17/11
Bis(2-chloroethyl)ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	111-44-4	05/17/11
Bis(2-chloroisopropyl)ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	39638-32-9	05/17/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW1 Sampled: 05/06/11 09:10 AM Desc: MW-2

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Bis(2-ethylhexyl)phthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	117-81-7	05/17/11
Butyl benzyl phthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	85-68-7	05/17/11
Chrysene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	218-01-9	05/17/11
Di-n-butylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	84-74-2	05/17/11
Di-n-octylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	117-84-0	05/17/11
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	53-70-3	05/17/11
Diethylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	84-66-2	05/17/11
Dimethylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	131-11-3	05/17/11
Fluoranthene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	206-44-0	05/17/11
Fluorene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	86-73-7	05/17/11
Hexachlorobenzene	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	118-74-1	05/17/11
Hexachlorobutadiene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	87-68-3	05/17/11
Hexachlorocyclopentadiene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	77-47-4	05/17/11
Hexachloroethane	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	67-72-1	05/17/11
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	193-39-5	05/17/11
Isophorone	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	78-59-1	05/17/11
N-Nitrosodi-n-propylamine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	621-64-7	05/17/11
N-Nitrosodimethylamine	3.00 U	ug/L	1.00	3.00	12.0	10174322	EPA8270	62-75-9	05/17/11
N-Nitrosodiphenylamine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	86-30-6	05/17/11
Naphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-20-3	05/17/11
Nitrobenzene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	98-95-3	05/17/11
Pentachlorophenol	0.400 U	ug/L	1.00	0.400	0.800	10174322	EPA8270	87-86-5	05/17/11
Phenanthrene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	85-01-8	05/17/11
Phenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	108-95-2	05/17/11
Pyrene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	129-00-0	05/17/11
m,p-Cresols	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270		05/17/11
o-Cresol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	95-48-7	05/17/11
p-Chloro-m-Cresol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	59-50-7	05/17/11
Surr:2,4,6-Tribromophenol (20-122%)	5.28%		1.00	1.00	1.00	10174322	EPA8270	118-79-6	05/17/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256


PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW1 Sampled: 05/06/11 09:10 AM Desc: MW-2

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Surr:2-Fluorobiphenyl (18-110%)	52.58%		1.00	1.00	1.00	10174322	EPA8270	321-60-8	05/17/11
Surr:2-Fluorophenol (7-118%)	48.18%		1.00	1.00	2.00	10174322	EPA8270		05/17/11
Surr:Nitrobenzene-d5 (5-135%)	37.58%		1.00	0.0100	0.0100	10174322	EPA8270		05/17/11
Surr:Phenol-d5 (3-127%)	45.92%		1.00	1.00	1.00	10174322	EPA8270		05/17/11
Surr:Terphenyl-d14 (37-143%)	67.92%		1.00	1.00	1.00	10174322	EPA8270		05/17/11

Lab #: 149554GW2 Sampled: 05/06/11 10:40 AM Desc: MW-3

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Aluminum	0.328	mg/L	1.00	0.0100	0.0200	10173863	EPA6020	7429-90-5	05/10/11
Arsenic	0.00211	mg/L	1.00	0.00100	0.00200	10173863	EPA6020	7440-38-2	05/10/11
Thallium	0.00100 U	mg/L	1.00	0.00100	0.00200	10173863	EPA6020	7440-28-0	05/10/11
Zinc	0.0119 I	mg/L	1.00	0.0100	0.0200	10173863	EPA6020	7440-66-6	05/10/11
Iron	2.52	mg/L	1.00	0.0100	0.0200	10173964	EPA6010	7439-89-6	05/11/11
Manganese	0.0367	mg/L	1.00	0.0100	0.0200	10173964	EPA6010	7439-96-5	05/11/11
FL_PRO_Extraction	1000	mL	1.00			10174008	XPRO		05/10/11
Petroleum Range Organics (C8-C40)	149 I	ug/L	1.00	100	200	10174027	FL-PRO		05/12/11
Surr:o-Terphenyl (70-130%)	40.19%		1.00			10174027	FL-PRO		05/12/11
Acid Base Extraction	890	mL	1.00			10174157	X8270		05/11/11
1,1,1,2-Tetrachloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	630-20-6	05/16/11
1,1,1-Trichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	71-55-6	05/16/11
1,1,2,2-Tetrachloroethane	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	79-34-5	05/16/11
1,1,2-Trichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	79-00-5	05/16/11
1,1-Dichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-34-3	05/16/11
1,1-Dichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-35-4	05/16/11
1,1-Dichloropropene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	563-58-6	05/16/11
1,2,3-Trichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	87-61-6	05/16/11
1,2,3-Trichloropropane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	096-18-4	05/16/11
1,2,4-Trimethylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	095-63-6	05/16/11
1,2,4-trichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	120-82-1	05/16/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW2 Sampled: 05/06/11 10:40 AM Desc: MW-3

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
1,2-Dibromoethane (EDB)	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	106-93-4	05/16/11
1,2-dibromo-3-chloropropane	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	96-12-8	05/16/11
1,2-dichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	107-06-2	05/16/11
1,2-dichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	540-59-0	05/16/11
1,2-dichloropropane	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	78-87-5	05/16/11
1,3,5-Trimethylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	108-67-8	05/16/11
1,3-Dichloropropane	0.300 U	ug/L	1.00	0.300	0.600	10174217	EPA8260	142-28-9	05/16/11
2,2-Dichloropropane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	594-20-7	05/16/11
2-Butanone (MEK)	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	78-93-3	05/16/11
2-Chlorotoluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	095-49-8	05/16/11
2-Hexanone	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	591-78-6	05/16/11
2-chloroethylvinylether	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	110-75-8	05/16/11
4-Chlorotoluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	106-43-4	05/16/11
4-Isopropyltoluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	527-84-4	05/16/11
Acetone	7.38 I	ug/L	1.00	5.00	10.0	10174217	EPA8260	67-64-1	05/16/11
Benzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	71-43-2	05/16/11
Bromobenzene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	108-86-1	05/16/11
Bromochloromethane	0.100 U	ug/L	1.00	0.100	1.00	10174217	EPA8260	074-97-5	05/16/11
Bromodichloromethane	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	75-27-4	05/16/11
Bromoform	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-25-2	05/16/11
Bromomethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	74-83-9	05/16/11
Carbon Disulfide	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	75-15-0	05/16/11
Carbon Tetrachloride	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	56-23-5	05/16/11
Chlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	108-90-7	05/16/11
Chloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-00-3	05/16/11
Chloroform	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	67-66-3	05/16/11
Chloromethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	74-87-3	05/16/11
Dibromochloromethane	0.400 U	ug/L	1.00	0.400	0.800	10174217	EPA8260	124-48-1	05/16/11
Dibromomethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	074-95-3	05/16/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW2 Sampled: 05/06/11 10:40 AM Desc: MW-3

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Dichlorodifluoromethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-71-8	05/16/11
Ethylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	100-41-4	05/16/11
Hexachlorobutadiene	0.400 U	ug/L	1.00	0.400	0.800	10174217	EPA8260	87-68-3	05/16/11
Hexachloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	67-72-1	05/16/11
Isopropylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	98-82-8	05/16/11
Methyl Iodide	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	074-88-4	05/16/11
Methyl isobutyl ketone	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	108-10-1	05/16/11
Methyl-tert-butylether	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	1634-04-4	05/16/11
Methylene chloride	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	75-09-2	05/16/11
Naphthalene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	91-20-3	05/16/11
Para-dichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	106-46-7	05/16/11
Styrene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	100-42-5	05/16/11
Tetrachloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	127-18-4	05/16/11
Toluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	108-88-3	05/16/11
Trichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	79-01-6	05/16/11
Trichlorofluoromethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-69-4	05/16/11
Vinyl Acetate	5.00 U	ug/L	1.00	5.00	10.0	10174217	EPA8260	108-05-4	05/16/11
Vinyl chloride	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-01-4	05/16/11
Xylenes	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	1330-20-7	05/16/11
cis-1,2-dichloroethene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	156-59-2	05/16/11
cis-1,3-Dichloropropene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	10061-01-5	05/16/11
m-dichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	541-73-1	05/16/11
n-Propylbenzene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	103-65-1	05/16/11
n-butylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	104-51-8	05/16/11
o-dichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	95-50-1	05/16/11
sec-butylbenzene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	135-98-8	05/16/11
tert-butylbenzene	0.400 U	ug/L	1.00	0.400	0.800	10174217	EPA8260	098-06-6	05/16/11
trans-1,2-dichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	156-60-5	05/16/11
trans-1,3,-Dichloropropene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	10061-02-6	05/16/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW2 Sampled: 05/06/11 10:40 AM Desc: MW-3

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
trans-1,4-dichloro-2-butene	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	110-57-6	05/16/11
Surr:1,2-Dichloroethane-d4 (77-129%)	102.97%		1.00	0.0100	0.0100	10174217	EPA8260		05/16/11
Surr:Bromofluorobenzene (82-122%)	94.40%		1.00	1.00	1.00	10174217	EPA8260	460-00-4	05/16/11
Surr:Toluene-d8 (88-111%)	100.40%		1.00	0.0100	0.0100	10174217	EPA8260		05/16/11
1,2,4-trichlorobenzene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	120-82-1	05/17/11
1,2-Diphenylhydrazine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	122-66-7	05/17/11
1-methyl-Naphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	090-12-0	05/17/11
2,4,5-Trichlorophenol	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	95-95-4	05/17/11
2,4,6-Trichlorophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	88-06-2	05/17/11
2,4-Dichlorophenol	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	120-83-2	05/17/11
2,4-Dimethylphenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	105-67-9	05/17/11
2,4-Dinitrophenol	5.00 U	ug/L	1.00	5.00	10.0	10174322	EPA8270	51-28-5	05/17/11
2,4-Dinitrotoluene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	121-14-2	05/17/11
2,6-Dinitrotoluene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	606-20-2	05/17/11
2-Chloronaphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-58-7	05/17/11
2-Nitrophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	88-75-5	05/17/11
2-chlorophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	95-57-8	05/17/11
2-methyl-4,6-dinitrophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	534-52-1	05/17/11
2-methyl-Naphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-57-6	05/17/11
3,3'-Dichlorobenzidene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-94-1	05/17/11
4-Bromophenylphenyl ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	101-55-3	05/17/11
4-Chlorophenylphenyl ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	7005-72-3	05/17/11
4-Nitrophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	100-02-7	05/17/11
Acenaphthene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	83-32-9	05/17/11
Acenaphthylene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	208-96-8	05/17/11
Anthracene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	120-12-7	05/17/11
Benzidene	20.0 U	ug/L	1.00	20.0	40.0	10174322	EPA8270	092-87-5	05/17/11
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	56-55-3	05/17/11
Benzo(a)pyrene	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	50-32-8	05/17/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW2 Sampled: 05/06/11 10:40 AM Desc: MW-3

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10174322	EPA8270	205-99-2	05/17/11
Benzo(g,h,i)perylene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	191-24-2	05/17/11
Benzo(k)fluoranthene	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	207-08-9	05/17/11
Bis(2-chloroethoxy)methane	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	111-91-1	05/17/11
Bis(2-chloroethyl)ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	111-44-4	05/17/11
Bis(2-chloroisopropyl)ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	39638-32-9	05/17/11
Bis(2-ethylhexyl)phthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	117-81-7	05/17/11
Butyl benzyl phthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	85-68-7	05/17/11
Chrysene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	218-01-9	05/17/11
Di-n-butylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	84-74-2	05/17/11
Di-n-octylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	117-84-0	05/17/11
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	53-70-3	05/17/11
Diethylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	84-66-2	05/17/11
Dimethylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	131-11-3	05/17/11
Fluoranthene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	206-44-0	05/17/11
Fluorene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	86-73-7	05/17/11
Hexachlorobenzene	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	118-74-1	05/17/11
Hexachlorobutadiene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	87-68-3	05/17/11
Hexachlorocyclopentadiene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	77-47-4	05/17/11
Hexachloroethane	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	67-72-1	05/17/11
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	193-39-5	05/17/11
Isophorone	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	78-59-1	05/17/11
N-Nitrosodi-n-propylamine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	621-64-7	05/17/11
N-Nitrosodimethylamine	3.00 U	ug/L	1.00	3.00	12.0	10174322	EPA8270	62-75-9	05/17/11
N-Nitrosodiphenylamine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	86-30-6	05/17/11
Naphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-20-3	05/17/11
Nitrobenzene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	98-95-3	05/17/11
Pentachlorophenol	0.400 U	ug/L	1.00	0.400	0.800	10174322	EPA8270	87-86-5	05/17/11
Phenanthrene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	85-01-8	05/17/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256


PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW2 Sampled: 05/06/11 10:40 AM Desc: MW-3

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Phenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	108-95-2	05/17/11
Pyrene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	129-00-0	05/17/11
m,p-Cresols	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270		05/17/11
o-Cresol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	95-48-7	05/17/11
p-Chloro-m-Cresol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	59-50-7	05/17/11
Surr:2,4,6-Tribromophenol (20-122%)	86.78%		1.00	1.00	1.00	10174322	EPA8270	118-79-6	05/17/11
Surr:2-Fluorobiphenyl (18-110%)	69.68%		1.00	1.00	1.00	10174322	EPA8270	321-60-8	05/17/11
Surr:2-Fluorophenol (7-118%)	56.86%		1.00	1.00	2.00	10174322	EPA8270		05/17/11
Surr:Nitrobenzene-d5 (5-135%)	57.82%		1.00	0.0100	0.0100	10174322	EPA8270		05/17/11
Surr:Phenol-d5 (3-127%)	53.28%		1.00	1.00	1.00	10174322	EPA8270		05/17/11
Surr:Terphenyl-d14 (37-143%)	114.62%		1.00	1.00	1.00	10174322	EPA8270		05/17/11

Lab #: 149554GW3 Sampled: 05/06/11 05:00 PM Desc: MW-1

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Aluminum	0.0768	mg/L	1.00	0.0100	0.0200	10173863	EPA6020	7429-90-5	05/10/11
Arsenic	0.00100 U	mg/L	1.00	0.00100	0.00200	10173863	EPA6020	7440-38-2	05/10/11
Thallium	0.00100 U	mg/L	1.00	0.00100	0.00200	10173863	EPA6020	7440-28-0	05/10/11
Zinc	0.0100 U	mg/L	1.00	0.0100	0.0200	10173863	EPA6020	7440-66-6	05/10/11
Iron	17.9	mg/L	1.00	0.0100	0.0200	10173964	EPA6010	7439-89-6	05/11/11
Manganese	1.13	mg/L	1.00	0.0100	0.0200	10173964	EPA6010	7439-96-5	05/11/11
FL_PRO_Extraction	1000	mL	1.00			10174008	XPRO		05/10/11
Petroleum Range Organics (C8-C40)	3960	ug/L	10.0	1000	2000	10174027	FL-PRO		05/12/11
Surr:o-Terphenyl (70-130%)	62.75%		10.0			10174027	FL-PRO		05/12/11
Acid Base Extraction	900	mL	1.00			10174157	X8270		05/11/11
1,1,1,2-Tetrachloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	630-20-6	05/16/11
1,1,1-Trichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	71-55-6	05/16/11
1,1,2,2-Tetrachloroethane	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	79-34-5	05/16/11
1,1,2-Trichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	79-00-5	05/16/11
1,1-Dichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-34-3	05/16/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW3 Sampled: 05/06/11 05:00 PM Desc: MW-1

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
1,1-Dichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-35-4	05/16/11
1,1-Dichloropropene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	563-58-6	05/16/11
1,2,3-Trichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	87-61-6	05/16/11
1,2,3-Trichloropropane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	096-18-4	05/16/11
1,2,4-Trimethylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	095-63-6	05/16/11
1,2,4-trichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	120-82-1	05/16/11
1,2-Dibromoethane (EDB)	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	106-93-4	05/16/11
1,2-dibromo-3-chloropropane	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	96-12-8	05/16/11
1,2-dichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	107-06-2	05/16/11
1,2-dichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	540-59-0	05/16/11
1,2-dichloropropane	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	78-87-5	05/16/11
1,3,5-Trimethylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	108-67-8	05/16/11
1,3-Dichloropropane	0.300 U	ug/L	1.00	0.300	0.600	10174217	EPA8260	142-28-9	05/16/11
2,2-Dichloropropane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	594-20-7	05/16/11
2-Butanone (MEK)	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	78-93-3	05/16/11
2-Chlorotoluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	095-49-8	05/16/11
2-Hexanone	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	591-78-6	05/16/11
2-chloroethylvinylether	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	110-75-8	05/16/11
4-Chlorotoluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	106-43-4	05/16/11
4-Isopropyltoluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	527-84-4	05/16/11
Acetone	9.04 I	ug/L	1.00	5.00	10.0	10174217	EPA8260	67-64-1	05/16/11
Benzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	71-43-2	05/16/11
Bromobenzene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	108-86-1	05/16/11
Bromochloromethane	0.100 U	ug/L	1.00	0.100	1.00	10174217	EPA8260	074-97-5	05/16/11
Bromodichloromethane	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	75-27-4	05/16/11
Bromoform	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-25-2	05/16/11
Bromomethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	74-83-9	05/16/11
Carbon Disulfide	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	75-15-0	05/16/11
Carbon Tetrachloride	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	56-23-5	05/16/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW3 Sampled: 05/06/11 05:00 PM Desc: MW-1

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Chlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	108-90-7	05/16/11
Chloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-00-3	05/16/11
Chloroform	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	67-66-3	05/16/11
Chloromethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	74-87-3	05/16/11
Dibromochloromethane	0.400 U	ug/L	1.00	0.400	0.800	10174217	EPA8260	124-48-1	05/16/11
Dibromomethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	074-95-3	05/16/11
Dichlorodifluoromethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-71-8	05/16/11
Ethylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	100-41-4	05/16/11
Hexachlorobutadiene	0.400 U	ug/L	1.00	0.400	0.800	10174217	EPA8260	87-68-3	05/16/11
Hexachloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	67-72-1	05/16/11
Isopropylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	98-82-8	05/16/11
Methyl Iodide	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	074-88-4	05/16/11
Methyl isobutyl ketone	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	108-10-1	05/16/11
Methyl-tert-butylether	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	1634-04-4	05/16/11
Methylene chloride	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	75-09-2	05/16/11
Naphthalene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	91-20-3	05/16/11
Para-dichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	106-46-7	05/16/11
Styrene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	100-42-5	05/16/11
Tetrachloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	127-18-4	05/16/11
Toluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	108-88-3	05/16/11
Trichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	79-01-6	05/16/11
Trichlorofluoromethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-69-4	05/16/11
Vinyl Acetate	5.00 U	ug/L	1.00	5.00	10.0	10174217	EPA8260	108-05-4	05/16/11
Vinyl chloride	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-01-4	05/16/11
Xylenes	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	1330-20-7	05/16/11
cis-1,2-dichloroethene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	156-59-2	05/16/11
cis-1,3-Dichloropropene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	10061-01-5	05/16/11
m-dichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	541-73-1	05/16/11
n-Propylbenzene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	103-65-1	05/16/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW3 Sampled: 05/06/11 05:00 PM Desc: MW-1

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
n-butylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	104-51-8	05/16/11
o-dichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	95-50-1	05/16/11
sec-butylbenzene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	135-98-8	05/16/11
tert-butylbenzene	0.400 U	ug/L	1.00	0.400	0.800	10174217	EPA8260	098-06-6	05/16/11
trans-1,2-dichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	156-60-5	05/16/11
trans-1,3-Dichloropropene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	10061-02-6	05/16/11
trans-1,4-dichloro-2-butene	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	110-57-6	05/16/11
Surr:1,2-Dichloroethane-d4 (77-129%)	104.50%		1.00	0.0100	0.0100	10174217	EPA8260		05/16/11
Surr:Bromofluorobenzene (82-122%)	91.93%		1.00	1.00	1.00	10174217	EPA8260	460-00-4	05/16/11
Surr:Toluene-d8 (88-111%)	97.97%		1.00	0.0100	0.0100	10174217	EPA8260		05/16/11
1,2,4-trichlorobenzene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	120-82-1	05/17/11
1,2-Diphenylhydrazine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	122-66-7	05/17/11
1-methyl-Naphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	090-12-0	05/17/11
2,4,5-Trichlorophenol	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	95-95-4	05/17/11
2,4,6-Trichlorophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	88-06-2	05/17/11
2,4-Dichlorophenol	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	120-83-2	05/17/11
2,4-Dimethylphenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	105-67-9	05/17/11
2,4-Dinitrophenol	5.00 U	ug/L	1.00	5.00	10.0	10174322	EPA8270	51-28-5	05/17/11
2,4-Dinitrotoluene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	121-14-2	05/17/11
2,6-Dinitrotoluene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	606-20-2	05/17/11
2-Chloronaphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-58-7	05/17/11
2-Nitrophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	88-75-5	05/17/11
2-chlorophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	95-57-8	05/17/11
2-methyl-4,6-dinitrophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	534-52-1	05/17/11
2-methyl-Naphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-57-6	05/17/11
3,3'-Dichlorobenzidene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-94-1	05/17/11
4-Bromophenylphenyl ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	101-55-3	05/17/11
4-Chlorophenylphenyl ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	7005-72-3	05/17/11
4-Nitrophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	100-02-7	05/17/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW3 Sampled: 05/06/11 05:00 PM Desc: MW-1

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Acenaphthene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	83-32-9	05/17/11
Acenaphthylene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	208-96-8	05/17/11
Anthracene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	120-12-7	05/17/11
Benzidene	20.0 U	ug/L	1.00	20.0	40.0	10174322	EPA8270	092-87-5	05/17/11
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	56-55-3	05/17/11
Benzo(a)pyrene	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	50-32-8	05/17/11
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10174322	EPA8270	205-99-2	05/17/11
Benzo(g,h,i)perylene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	191-24-2	05/17/11
Benzo(k)fluoranthene	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	207-08-9	05/17/11
Bis(2-chloroethoxy)methane	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	111-91-1	05/17/11
Bis(2-chloroethyl)ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	111-44-4	05/17/11
Bis(2-chloroisopropyl)ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	39638-32-9	05/17/11
Bis(2-ethylhexyl)phthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	117-81-7	05/17/11
Butyl benzyl phthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	85-68-7	05/17/11
Chrysene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	218-01-9	05/17/11
Di-n-butylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	84-74-2	05/17/11
Di-n-octylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	117-84-0	05/17/11
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	53-70-3	05/17/11
Diethylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	84-66-2	05/17/11
Dimethylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	131-11-3	05/17/11
Fluoranthene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	206-44-0	05/17/11
Fluorene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	86-73-7	05/17/11
Hexachlorobenzene	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	118-74-1	05/17/11
Hexachlorobutadiene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	87-68-3	05/17/11
Hexachlorocyclopentadiene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	77-47-4	05/17/11
Hexachloroethane	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	67-72-1	05/17/11
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	193-39-5	05/17/11
Isophorone	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	78-59-1	05/17/11
N-Nitrosodi-n-propylamine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	621-64-7	05/17/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256


PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW3 Sampled: 05/06/11 05:00 PM Desc: MW-1

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
N-Nitrosodimethylamine	3.00 U	ug/L	1.00	3.00	12.0	10174322	EPA8270	62-75-9	05/17/11
N-Nitrosodiphenylamine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	86-30-6	05/17/11
Naphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-20-3	05/17/11
Nitrobenzene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	98-95-3	05/17/11
Pentachlorophenol	0.400 U	ug/L	1.00	0.400	0.800	10174322	EPA8270	87-86-5	05/17/11
Phenanthrene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	85-01-8	05/17/11
Phenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	108-95-2	05/17/11
Pyrene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	129-00-0	05/17/11
m,p-Cresols	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270		05/17/11
o-Cresol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	95-48-7	05/17/11
p-Chloro-m-Cresol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	59-50-7	05/17/11
Surr:2,4,6-Tribromophenol (20-122%)	104.28%		1.00	1.00	1.00	10174322	EPA8270	118-79-6	05/17/11
Surr:2-Fluorobiphenyl (18-110%)	76.36%		1.00	1.00	1.00	10174322	EPA8270	321-60-8	05/17/11
Surr:2-Fluorophenol (7-118%)	46.26%		1.00	1.00	2.00	10174322	EPA8270		05/17/11
Surr:Nitrobenzene-d5 (5-135%)	76.80%		1.00	0.0100	0.0100	10174322	EPA8270		05/17/11
Surr:Phenol-d5 (3-127%)	65.68%		1.00	1.00	1.00	10174322	EPA8270		05/17/11
Surr:Terphenyl-d14 (37-143%)	73.12%		1.00	1.00	1.00	10174322	EPA8270		05/17/11

Lab #: 149554GW4 Sampled: 05/06/11 05:15 PM Desc: EB-3

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Aluminum	0.0100 U	mg/L	1.00	0.0100	0.0200	10173863	EPA6020	7429-90-5	05/10/11
Arsenic	0.00100 U	mg/L	1.00	0.00100	0.00200	10173863	EPA6020	7440-38-2	05/10/11
Thallium	0.00100 U	mg/L	1.00	0.00100	0.00200	10173863	EPA6020	7440-28-0	05/10/11
Zinc	0.0100 U	mg/L	1.00	0.0100	0.0200	10173863	EPA6020	7440-66-6	05/10/11
Iron	0.0100 U	mg/L	1.00	0.0100	0.0200	10173964	EPA6010	7439-89-6	05/11/11
Manganese	0.0100 U	mg/L	1.00	0.0100	0.0200	10173964	EPA6010	7439-96-5	05/11/11
FL_PRO_Extraction	1000	mL	1.00			10174008	XPRO		05/10/11
Petroleum Range Organics (C8-C40)	100 U	ug/L	1.00	100	200	10174027	FL-PRO		05/12/11
Surr:o-Terphenyl (70-130%)	84.12%		1.00			10174027	FL-PRO		05/12/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW4 Sampled: 05/06/11 05:15 PM Desc: EB-3

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Acid Base Extraction	900	mL	1.00			10174157	X8270		05/11/11
1,1,1,2-Tetrachloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	630-20-6	05/16/11
1,1,1-Trichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	71-55-6	05/16/11
1,1,2,2-Tetrachloroethane	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	79-34-5	05/16/11
1,1,2-Trichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	79-00-5	05/16/11
1,1-Dichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-34-3	05/16/11
1,1-Dichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-35-4	05/16/11
1,1-Dichloropropene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	563-58-6	05/16/11
1,2,3-Trichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	87-61-6	05/16/11
1,2,3-Trichloropropane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	096-18-4	05/16/11
1,2,4-Trimethylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	095-63-6	05/16/11
1,2,4-trichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	120-82-1	05/16/11
1,2-Dibromoethane (EDB)	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	106-93-4	05/16/11
1,2-dibromo-3-chloropropane	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	96-12-8	05/16/11
1,2-dichloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	107-06-2	05/16/11
1,2-dichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	540-59-0	05/16/11
1,2-dichloropropane	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	78-87-5	05/16/11
1,3,5-Trimethylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	108-67-8	05/16/11
1,3-Dichloropropane	0.300 U	ug/L	1.00	0.300	0.600	10174217	EPA8260	142-28-9	05/16/11
2,2-Dichloropropane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	594-20-7	05/16/11
2-Butanone (MEK)	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	78-93-3	05/16/11
2-Chlorotoluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	095-49-8	05/16/11
2-Hexanone	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	591-78-6	05/16/11
2-chloroethylvinylether	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	110-75-8	05/16/11
4-Chlorotoluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	106-43-4	05/16/11
4-Isopropyltoluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	527-84-4	05/16/11
Acetone	5.00 U	ug/L	1.00	5.00	10.0	10174217	EPA8260	67-64-1	05/16/11
Benzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	71-43-2	05/16/11
Bromobenzene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	108-86-1	05/16/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW4 Sampled: 05/06/11 05:15 PM Desc: EB-3

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Bromochloromethane	0.100 U	ug/L	1.00	0.100	1.00	10174217	EPA8260	074-97-5	05/16/11
Bromodichloromethane	0.100 U	ug/L	1.00	0.100	0.200	10174217	EPA8260	75-27-4	05/16/11
Bromoform	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-25-2	05/16/11
Bromomethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	74-83-9	05/16/11
Carbon Disulfide	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	75-15-0	05/16/11
Carbon Tetrachloride	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	56-23-5	05/16/11
Chlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	108-90-7	05/16/11
Chloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-00-3	05/16/11
Chloroform	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	67-66-3	05/16/11
Chloromethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	74-87-3	05/16/11
Dibromochloromethane	0.400 U	ug/L	1.00	0.400	0.800	10174217	EPA8260	124-48-1	05/16/11
Dibromomethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	074-95-3	05/16/11
Dichlorodifluoromethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-71-8	05/16/11
Ethylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	100-41-4	05/16/11
Hexachlorobutadiene	0.400 U	ug/L	1.00	0.400	0.800	10174217	EPA8260	87-68-3	05/16/11
Hexachloroethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	67-72-1	05/16/11
Isopropylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	98-82-8	05/16/11
Methyl Iodide	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	074-88-4	05/16/11
Methyl isobutyl ketone	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	108-10-1	05/16/11
Methyl-tert-butylether	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	1634-04-4	05/16/11
Methylene chloride	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	75-09-2	05/16/11
Naphthalene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	91-20-3	05/16/11
Para-dichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	106-46-7	05/16/11
Styrene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	100-42-5	05/16/11
Tetrachloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	127-18-4	05/16/11
Toluene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	108-88-3	05/16/11
Trichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	79-01-6	05/16/11
Trichlorofluoromethane	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-69-4	05/16/11
Vinyl Acetate	5.00 U	ug/L	1.00	5.00	10.0	10174217	EPA8260	108-05-4	05/16/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW4 Sampled: 05/06/11 05:15 PM Desc: EB-3

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Vinyl chloride	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	75-01-4	05/16/11
Xylenes	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	1330-20-7	05/16/11
cis-1,2-dichloroethene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	156-59-2	05/16/11
cis-1,3-Dichloropropene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	10061-01-5	05/16/11
m-dichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	541-73-1	05/16/11
n-Propylbenzene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	103-65-1	05/16/11
n-butylbenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	104-51-8	05/16/11
o-dichlorobenzene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	95-50-1	05/16/11
sec-butylbenzene	0.200 U	ug/L	1.00	0.200	0.400	10174217	EPA8260	135-98-8	05/16/11
tert-butylbenzene	0.400 U	ug/L	1.00	0.400	0.800	10174217	EPA8260	098-06-6	05/16/11
trans-1,2-dichloroethene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	156-60-5	05/16/11
trans-1,3,-Dichloropropene	0.500 U	ug/L	1.00	0.500	1.00	10174217	EPA8260	10061-02-6	05/16/11
trans-1,4-dichloro-2-butene	1.00 U	ug/L	1.00	1.00	2.00	10174217	EPA8260	110-57-6	05/16/11
Surr:1,2-Dichloroethane-d4 (77-129%)	103.37%		1.00	0.0100	0.0100	10174217	EPA8260		05/16/11
Surr:Bromofluorobenzene (82-122%)	94.03%		1.00	1.00	1.00	10174217	EPA8260	460-00-4	05/16/11
Surr:Toluene-d8 (88-111%)	100.83%		1.00	0.0100	0.0100	10174217	EPA8260		05/16/11
1,2,4-trichlorobenzene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	120-82-1	05/17/11
1,2-Diphenylhydrazine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	122-66-7	05/17/11
1-methyl-Naphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	090-12-0	05/17/11
2,4,5-Trichlorophenol	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	95-95-4	05/17/11
2,4,6-Trichlorophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	88-06-2	05/17/11
2,4-Dichlorophenol	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	120-83-2	05/17/11
2,4-Dimethylphenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	105-67-9	05/17/11
2,4-Dinitrophenol	5.00 U	ug/L	1.00	5.00	10.0	10174322	EPA8270	51-28-5	05/17/11
2,4-Dinitrotoluene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	121-14-2	05/17/11
2,6-Dinitrotoluene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	606-20-2	05/17/11
2-Chloronaphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-58-7	05/17/11
2-Nitrophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	88-75-5	05/17/11
2-chlorophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	95-57-8	05/17/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW4 Sampled: 05/06/11 05:15 PM Desc: EB-3

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
2-methyl-4,6-dinitrophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	534-52-1	05/17/11
2-methyl-Naphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-57-6	05/17/11
3,3'-Dichlorobenzidene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-94-1	05/17/11
4-Bromophenylphenyl ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	101-55-3	05/17/11
4-Chlorophenylphenyl ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	7005-72-3	05/17/11
4-Nitrophenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	100-02-7	05/17/11
Acenaphthene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	83-32-9	05/17/11
Acenaphthylene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	208-96-8	05/17/11
Anthracene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	120-12-7	05/17/11
Benzidene	20.0 U	ug/L	1.00	20.0	40.0	10174322	EPA8270	092-87-5	05/17/11
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	56-55-3	05/17/11
Benzo(a)pyrene	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	50-32-8	05/17/11
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10174322	EPA8270	205-99-2	05/17/11
Benzo(g,h,i)perylene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	191-24-2	05/17/11
Benzo(k)fluoranthene	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	207-08-9	05/17/11
Bis(2-chloroethoxy)methane	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	111-91-1	05/17/11
Bis(2-chloroethyl)ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	111-44-4	05/17/11
Bis(2-chloroisopropyl)ether	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	39638-32-9	05/17/11
Bis(2-ethylhexyl)phthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	117-81-7	05/17/11
Butyl benzyl phthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	85-68-7	05/17/11
Chrysene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	218-01-9	05/17/11
Di-n-butylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	84-74-2	05/17/11
Di-n-octylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	117-84-0	05/17/11
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	53-70-3	05/17/11
Diethylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	84-66-2	05/17/11
Dimethylphthalate	3.00 U	ug/L	1.00	3.00	6.00	10174322	EPA8270	131-11-3	05/17/11
Fluoranthene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	206-44-0	05/17/11
Fluorene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	86-73-7	05/17/11
Hexachlorobenzene	1.00 U	ug/L	1.00	1.00	4.00	10174322	EPA8270	118-74-1	05/17/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Lab #: 149554GW4 Sampled: 05/06/11 05:15 PM Desc: EB-3

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Hexachlorobutadiene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	87-68-3	05/17/11
Hexachlorocyclopentadiene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	77-47-4	05/17/11
Hexachloroethane	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	67-72-1	05/17/11
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10174322	EPA8270	193-39-5	05/17/11
Isophorone	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	78-59-1	05/17/11
N-Nitrosodi-n-propylamine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	621-64-7	05/17/11
N-Nitrosodimethylamine	3.00 U	ug/L	1.00	3.00	12.0	10174322	EPA8270	62-75-9	05/17/11
N-Nitrosodiphenylamine	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	86-30-6	05/17/11
Naphthalene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	91-20-3	05/17/11
Nitrobenzene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	98-95-3	05/17/11
Pentachlorophenol	0.400 U	ug/L	1.00	0.400	0.800	10174322	EPA8270	87-86-5	05/17/11
Phenanthrene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	85-01-8	05/17/11
Phenol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	108-95-2	05/17/11
Pyrene	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	129-00-0	05/17/11
m,p-Cresols	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270		05/17/11
o-Cresol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	95-48-7	05/17/11
p-Chloro-m-Cresol	2.00 U	ug/L	1.00	2.00	4.00	10174322	EPA8270	59-50-7	05/17/11
Surr:2,4,6-Tribromophenol (20-122%)	59.40%		1.00	1.00	1.00	10174322	EPA8270	118-79-6	05/17/11
Surr:2-Fluorobiphenyl (18-110%)	69.38%		1.00	1.00	1.00	10174322	EPA8270	321-60-8	05/17/11
Surr:2-Fluorophenol (7-118%)	52.70%		1.00	1.00	2.00	10174322	EPA8270		05/17/11
Surr:Nitrobenzene-d5 (5-135%)	63.22%		1.00	0.0100	0.0100	10174322	EPA8270		05/17/11
Surr:Phenol-d5 (3-127%)	57.66%		1.00	1.00	1.00	10174322	EPA8270		05/17/11
Surr:Terphenyl-d14 (37-143%)	108.32%		1.00	1.00	1.00	10174322	EPA8270		05/17/11



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Report

Quality Control Batch: 10173863

Analyst: EVB

Blank	Result	Units
Aluminum	0.0100U	mg/L
Arsenic	0.00100U	mg/L
Thallium	0.00100U	mg/L
Zinc	0.0100U	mg/L

Laboratory Control Sample

	Result	Units	Spike	%REC	%REC Lim
Aluminum	0.208	mg/L	0.200	104.02	78.68-126.86
Arsenic	0.183	mg/L	0.200	91.32	81.09-119.32
Thallium	0.195	mg/L	0.200	97.40	80.95-125.84
Zinc	0.189	mg/L	0.200	94.55	79.82-122.80

Matrix Spike

	Result	Units	Spike	%REC	%REC Lim	Sample
Aluminum	0.211	mg/L	0.200	105.65	42.91-164.06	0.0100U
Arsenic	0.149	mg/L	0.200	74.46	73.05-140.45	0.00100U
Thallium	0.173	mg/L	0.200	86.42	68.93-151.79	0.00100U
Zinc	0.142	mg/L	0.200	70.78	51.79-149.89	0.0100U


Matrix Spike Duplicate

	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Aluminum	0.239	mg/L	0.200	119.47	42.91-164.06	0.0100U	12.28	28.86
Arsenic	0.164	mg/L	0.200	81.94	73.05-140.45	0.00100U	9.57	26.42
Thallium	0.196	mg/L	0.200	97.86	68.93-151.79	0.00100U	12.42	22.45
Zinc	0.165	mg/L	0.200	82.68	51.79-149.89	0.0100U	15.51	25.51

Quality Control Batch: 10173964

Analyst: EVB

Blank	Result	Units
Iron	0.0100U	mg/L
Manganese	0.0100U	mg/L



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050


Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10173964		Analyst: EVB							
Laboratory Control Sample		Result	Units	Spike	%REC	%REC Lim			
Iron		5.21	mg/L	5.00	104.18	81.21-113.54			
Manganese		5.11	mg/L	5.00	102.24	86.75-114.65			
Matrix Spike		Result	Units	Spike	%REC	%REC Lim	Sample		
Iron		4.68	mg/L	5.00	91.34	57.02-147.60	0.115		
Manganese		5.52	mg/L	5.00	88.07	72.41-139.25	1.11		
Matrix Spike Duplicate		Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Iron		5.55	mg/L	5.00	108.65	57.02-147.60	0.115	16.92	19.53
Manganese		6.37	mg/L	5.00	105.08	72.41-139.25	1.11	14.31	19.28
Quality Control Batch: 10174027		Analyst: CTH							
Blank		Result	Units						
Petroleum Range Organics (C8-C40)		100U	ug/L						
Laboratory Control Sample		Result	Units	Spike	%REC	%REC Lim			
Petroleum Range Organics (C8-C40)		792	ug/L	850	93.19	17.20-150.91			
Surr:o-Terphenyl		89600	ug/L	100000	89.62	70.00-130.00			
Quality Control Batch: 10174217		Analyst: CLS							
Blank		Result	Units						
Acetone		5.00U	ug/L						
Benzene		0.500U	ug/L						
Bromobenzene		0.200U	ug/L						
Bromochloromethane		0.100U	ug/L						
Bromodichloromethane		0.100U	ug/L						



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)


Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174217

Analyst: CLS

Blank	Result	Units
Bromoform	0.500U	ug/L
Bromomethane	0.500U	ug/L
Carbon Disulfide	1.00U	ug/L
Carbon Tetrachloride	0.500U	ug/L
Chlorobenzene	0.500U	ug/L
Chloroethane	0.500U	ug/L
Chloroform	0.500U	ug/L
Chloromethane	0.500U	ug/L
cis-1,2-dichloroethene	0.200U	ug/L
cis-1,3-Dichloropropene	0.500U	ug/L
Dibromochloromethane	0.400U	ug/L
Dibromomethane	0.500U	ug/L
Dichlorodifluoromethane	0.500U	ug/L
Ethylbenzene	0.500U	ug/L
Hexachlorobutadiene	0.400U	ug/L
Hexachloroethane	0.500U	ug/L
Isopropylbenzene	0.500U	ug/L
Methyl Iodide	1.00U	ug/L
Methyl isobutyl ketone	1.00U	ug/L
Methylene chloride	1.00U	ug/L
Methyl-tert-butylether	1.00U	ug/L
m-dichlorobenzene	0.500U	ug/L
Naphthalene	0.500U	ug/L
n-butylbenzene	0.500U	ug/L
n-Propylbenzene	0.200U	ug/L
o-dichlorobenzene	0.500U	ug/L
Para-dichlorobenzene	0.500U	ug/L
sec-butylbenzene	0.200U	ug/L
Styrene	0.500U	ug/L



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)


Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174217

Analyst: CLS

Blank	Result	Units
tert-butylbenzene	0.400U	ug/L
Tetrachloroethene	0.500U	ug/L
Toluene	0.500U	ug/L
trans-1,2-dichloroethene	0.500U	ug/L
trans-1,3-Dichloropropene	0.500U	ug/L
trans-1,4-dichloro-2-butene	1.00U	ug/L
Trichloroethene	0.500U	ug/L
Trichlorofluoromethane	0.500U	ug/L
Vinyl Acetate	5.00U	ug/L
Vinyl chloride	0.500U	ug/L
Xylenes	1.00U	ug/L
1,1,1,2-Tetrachloroethane	0.500U	ug/L
1,1,1-Trichloroethane	0.500U	ug/L
1,1,2,2-Tetrachloroethane	0.100U	ug/L
1,1,2-Trichloroethane	0.500U	ug/L
1,1-Dichloroethane	0.500U	ug/L
1,1-Dichloroethene	0.500U	ug/L
1,1-Dichloropropene	0.200U	ug/L
1,2,3-Trichlorobenzene	0.500U	ug/L
1,2,3-Trichloropropane	0.500U	ug/L
1,2,4-trichlorobenzene	0.500U	ug/L
1,2,4-Trimethylbenzene	0.500U	ug/L
1,2-Dibromoethane (EDB)	0.100U	ug/L
1,2-dibromo-3-chloropropane	0.100U	ug/L
1,2-dichloroethane	0.500U	ug/L
1,2-dichloroethene	0.500U	ug/L
1,2-dichloropropane	0.200U	ug/L
1,3,5-Trimethylbenzene	0.500U	ug/L
1,3-Dichloropropane	0.300U	ug/L



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256


PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174217

Analyst: CLS

Blank	Result	Units
2,2-Dichloropropane	0.500U	ug/L
2-Butanone (MEK)	0.500U	ug/L
2-chloroethylvinylether	0.500U	ug/L
2-Chlorotoluene	0.500U	ug/L
2-Hexanone	0.500U	ug/L
4-Chlorotoluene	0.500U	ug/L
4-Isopropyltoluene	0.500U	ug/L
Surr:Bromofluorobenzene	27.1	ug/L
Surr:Toluene-d8	30.9	ug/L
Surr:1,2-Dichloroethane-d4	29.0	ug/L

Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim
Acetone	12.4	ug/L	10.0	124.20	38.88-162.52
Benzene	9.29	ug/L	10.0	92.90	69.86-134.08
Bromobenzene	9.74	ug/L	10.0	97.40	63.00-139.52
Bromochloromethane	9.90	ug/L	10.0	99.00	73.37-125.03
Bromodichloromethane	9.31	ug/L	10.0	93.10	73.69-129.06
Bromoform	8.63	ug/L	10.0	86.30	66.50-120.60
Bromomethane	9.89	ug/L	10.0	98.90	52.06-149.03
Carbon Disulfide	12.0	ug/L	10.0	119.80	72.42-160.65
Carbon Tetrachloride	9.56	ug/L	10.0	95.60	69.24-130.87
Chlorobenzene	9.80	ug/L	10.0	98.00	76.12-122.63
Chloroethane	10.4	ug/L	10.0	103.70	54.48-148.84
Chloroform	9.60	ug/L	10.0	96.00	70.86-132.14
Chloromethane	12.2	ug/L	10.0	121.80	53.66-151.98
cis-1,2-dichloroethene	9.25	ug/L	10.0	92.50	72.17-127.13
cis-1,3-Dichloropropene	9.53	ug/L	10.0	95.30	72.26-128.63
Dibromochloromethane	8.95	ug/L	10.0	89.50	72.48-118.93
Dichlorodifluoromethane	11.6	ug/L	10.0	116.10	32.37-167.41



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256


PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174217

Analyst: CLS

Laboratory Control Sample

Result	Units	Spike	%REC	%REC Lim
Ethylbenzene	ug/L	10.0	95.10	70.56-124.95
Hexachlorobutadiene	ug/L	10.0	97.30	43.37-142.16
Isopropylbenzene	ug/L	10.0	92.80	65.49-138.09
Methyl Iodide	ug/L	10.0	104.60	55.71-163.66
Methyl isobutyl ketone	ug/L	10.0	102.10	50.12-132.13
Methylene chloride	ug/L	10.0	103.10	40.69-151.61
Methyl-tert-butylether	ug/L	10.0	101.30	58.57-146.52
m-dichlorobenzene	ug/L	10.0	96.50	58.21-134.14
Naphthalene	ug/L	10.0	97.10	22.76-100.00
n-butylbenzene	ug/L	10.0	93.20	41.56-132.32
n-Propylbenzene	ug/L	10.0	98.50	61.50-140.09
o-dichlorobenzene	ug/L	10.0	94.40	59.80-127.24
Para-dichlorobenzene	ug/L	10.0	97.60	59.80-127.16
sec-butylbenzene	ug/L	10.0	97.90	56.90-139.71
Styrene	ug/L	10.0	75.70	64.43-121.79
tert-butylbenzene	ug/L	10.0	88.50	63.04-139.32
Tetrachloroethene	ug/L	10.0	96.30	49.80-173.40
Toluene	ug/L	10.0	97.00	75.34-126.10
trans-1,2-dichloroethene	ug/L	10.0	97.50	69.34-133.94
trans-1,3-Dichloropropene	ug/L	10.0	93.80	69.36-124.24
Trichloroethene	ug/L	10.0	97.80	70.68-139.87
Trichlorofluoromethane	ug/L	10.0	89.50	44.99-156.60
Vinyl chloride	ug/L	10.0	112.00	56.53-148.31
Xylenes	ug/L	30.0	96.07	70.92-123.99
1,1,1,2-Tetrachloroethane	ug/L	10.0	94.80	72.36-126.72
1,1,1-Trichloroethane	ug/L	10.0	98.00	72.34-131.71
1,1,2,2-Tetrachloroethane	ug/L	10.0	104.80	73.03-130.21
1,1,2-Trichloroethane	ug/L	10.0	97.00	78.01-120.70
1,1-Dichloroethane	ug/L	10.0	97.00	68.89-133.90



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174217


Analyst: CLS

Laboratory Control Sample

Result	Units	Spike	%REC	%REC Lim
1,1-Dichloroethene	ug/L	10.0	94.50	57.83-149.70
1,1-Dichloropropene	ug/L	10.0	89.90	71.70-133.07
1,2,3-Trichlorobenzene	ug/L	10.0	95.50	28.70-141.22
1,2,3-Trichloropropane	ug/L	10.0	96.50	68.06-148.76
1,2,4-trichlorobenzene	ug/L	10.0	95.90	17.21-148.33
1,2,4-Trimethylbenzene	ug/L	10.0	92.80	60.25-136.21
1,2-Dibromoethane (EDB)	ug/L	10.0	95.00	75.10-121.25
1,2-dibromo-3-chloropropane	ug/L	10.0	96.30	47.34-124.61
1,2-dichloroethane	ug/L	10.0	95.30	71.63-130.49
1,2-dichloroethene	ug/L	20.0	95.00	69.35-133.11
1,2-dichloropropane	ug/L	10.0	100.40	72.07-128.11
1,3,5-Trimethylbenzene	ug/L	10.0	96.80	62.62-139.36
1,3-Dichloropropane	ug/L	10.0	95.70	70.02-130.05
2,2-Dichloropropane	ug/L	10.0	93.00	65.33-147.06
2-Butanone (MEK)	ug/L	10.0	108.10	59.03-164.47
2-Chlorotoluene	ug/L	10.0	94.40	66.25-139.70
2-Hexanone	ug/L	10.0	96.40	60.06-141.22
4-Chlorotoluene	ug/L	10.0	100.90	62.30-140.07
4-Isopropyltoluene	ug/L	10.0	88.30	54.22-135.45
Surr:Bromofluorobenzene	ug/L	30.0	101.97	82.78-122.32
Surr:Toluene-d8	ug/L	30.0	101.80	88.96-111.11
Surr:1,2-Dichloroethane-d4	ug/L	30.0	98.23	77.68-129.99

Matrix Spike

Result	Units	Spike	%REC	%REC Lim	Sample
Acetone	ug/L	20.0	101.75	46.01-156.32	5.00U
Benzene	ug/L	20.0	109.95	74.48-134.24	0.500U
Bromobenzene	ug/L	20.0	112.20	70.49-136.07	0.200U
Bromochloromethane	ug/L	20.0	110.45	73.98-126.75	0.100U
Bromodichloromethane	ug/L	20.0	103.35	74.51-131.60	0.100U



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)


Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174217

Analyst: CLS

Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
Bromoform	19.1	ug/L	20.0	95.25	65.77-126.66	0.500U
Bromomethane	24.5	ug/L	20.0	122.70	45.79-154.07	0.500U
Carbon Tetrachloride	22.0	ug/L	20.0	109.85	69.71-134.11	0.500U
Chlorobenzene	21.7	ug/L	20.0	108.70	78.18-124.63	0.500U
Chloroethane	22.2	ug/L	20.0	111.20	57.96-148.61	0.500U
Chloroform	20.6	ug/L	20.0	103.20	67.52-139.02	0.500U
Chloromethane	25.8	ug/L	20.0	129.05	51.30-156.78	0.500U
cis-1,2-dichloroethene	21.5	ug/L	20.0	107.40	76.64-126.84	0.200U
cis-1,3-Dichloropropene	22.3	ug/L	20.0	111.35	67.26-137.96	0.500U
Dibromochloromethane	20.3	ug/L	20.0	101.25	73.00-123.23	0.400U
Dichlorodifluoromethane	25.5	ug/L	20.0	127.55	31.11-164.64	0.500U
Ethylbenzene	22.9	ug/L	20.0	114.55	73.91-128.64	0.500U
Hexachlorobutadiene	21.1	ug/L	20.0	105.25	49.50-143.39	0.400U
Isopropylbenzene	22.1	ug/L	20.0	110.55	68.43-141.00	0.500U
Methyl Iodide	26.6	ug/L	20.0	132.80	54.23-165.25	1.00U
Methyl isobutyl ketone	23.1	ug/L	20.0	115.60	57.64-133.07	1.00U
Methylene chloride	20.4	ug/L	20.0	102.20	50.29-142.90	1.00U
Methyl-tert-butylether	20.5	ug/L	20.0	102.70	66.43-141.40	1.00U
m-dichlorobenzene	21.0	ug/L	20.0	104.75	69.74-129.80	0.500U
Naphthalene	20.4	ug/L	20.0	102.10	20.82-144.51	0.500U
n-butylbenzene	20.9	ug/L	20.0	104.25	54.42-137.35	0.500U
n-Propylbenzene	22.0	ug/L	20.0	109.90	67.10-140.92	0.200U
o-dichlorobenzene	21.6	ug/L	20.0	107.80	71.04-127.37	0.500U
Para-dichlorobenzene	21.1	ug/L	20.0	105.55	70.44-126.55	0.500U
sec-butylbenzene	22.1	ug/L	20.0	110.65	65.31-138.56	0.200U
Styrene	18.1	ug/L	20.0	90.55	68.01-124.71	0.500U
tert-butylbenzene	22.0	ug/L	20.0	109.75	68.34-138.32	0.400U
Tetrachloroethene	23.5	ug/L	20.0	117.55	49.77-180.05	0.500U
Toluene	22.4	ug/L	20.0	112.20	77.67-128.73	0.500U



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)


Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174217

Analyst: CLS

Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
trans-1,2-dichloroethene	21.7	ug/L	20.0	108.55	71.14-135.42	0.500U
trans-1,3-Dichloropropene	21.2	ug/L	20.0	106.10	68.77-131.64	0.500U
Trichloroethene	23.7	ug/L	20.0	118.25	77.68-135.38	0.500U
Trichlorofluoromethane	20.3	ug/L	20.0	101.25	48.94-159.62	0.500U
Vinyl chloride	24.8	ug/L	20.0	123.75	56.51-147.62	0.500U
Xylenes	69.0	ug/L	60.0	114.95	74.03-127.32	1.00U
1,1,1,2-Tetrachloroethane	21.5	ug/L	20.0	107.45	74.08-128.41	0.500U
1,1,1-Trichloroethane	22.5	ug/L	20.0	112.70	74.12-134.44	0.500U
1,1,2,2-Tetrachloroethane	21.8	ug/L	20.0	108.75	70.96-136.31	0.100U
1,1,2-Trichloroethane	21.3	ug/L	20.0	106.40	78.08-124.41	0.500U
1,1-Dichloroethane	22.7	ug/L	20.0	113.50	72.78-134.55	0.500U
1,1-Dichloroethene	23.0	ug/L	20.0	114.75	58.40-151.32	0.500U
1,1-Dichloropropene	22.2	ug/L	20.0	110.90	73.25-137.34	0.200U
1,2,3-Trichlorobenzene	20.9	ug/L	20.0	104.60	25.62-149.43	0.500U
1,2,3-Trichloropropane	19.9	ug/L	20.0	99.40	73.33-154.30	0.500U
1,2,4-trichlorobenzene	21.4	ug/L	20.0	107.15	22.90-145.92	0.500U
1,2,4-Trimethylbenzene	21.7	ug/L	20.0	108.40	68.30-132.55	0.500U
1,2-Dibromoethane (EDB)	22.1	ug/L	20.0	110.35	76.84-123.76	0.100U
1,2-dibromo-3-chloropropane	21.3	ug/L	20.0	106.70	52.16-131.96	0.100U
1,2-dichloroethane	21.1	ug/L	20.0	105.55	71.53-134.48	0.500U
1,2-dichloroethene	43.2	ug/L	40.0	107.97	71.33-132.25	0.500U
1,2-dichloropropane	22.8	ug/L	20.0	113.85	74.50-129.66	0.200U
1,3,5-Trimethylbenzene	21.2	ug/L	20.0	106.20	68.37-137.81	0.500U
1,3-Dichloropropane	21.3	ug/L	20.0	106.40	72.32-131.54	0.300U
2,2-Dichloropropane	21.8	ug/L	20.0	108.95	61.83-150.70	0.500U
2-Butanone (MEK)	21.8	ug/L	20.0	108.95	64.53-153.74	0.500U
2-Chlorotoluene	21.1	ug/L	20.0	105.40	69.29-139.49	0.500U
2-Hexanone	20.8	ug/L	20.0	104.15	62.58-147.29	0.500U
4-Chlorotoluene	22.6	ug/L	20.0	112.80	67.44-137.84	0.500U



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256


PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174217

Analyst: CLS

Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
4-Isopropyltoluene	20.1	ug/L	20.0	100.35	66.17-133.56	0.500U
Surr:Bromofluorobenzene	30.2	ug/L	30.0	100.67	53.82-151.16	
Surr:Toluene-d8	31.0	ug/L	30.0	103.43	88.05-109.81	
Surr:1,2-Dichloroethane-d4	29.5	ug/L	30.0	98.27	75.07-126.19	

Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Acetone	23.0	ug/L	20.0	114.75	46.01-156.32	5.00U	12.01	38.47
Benzene	21.6	ug/L	20.0	108.15	74.48-134.24	0.500U	1.65	18.98
Bromobenzene	24.2	ug/L	20.0	120.75	70.49-136.07	0.200U	7.34	25.00
Bromochloromethane	23.0	ug/L	20.0	114.95	73.98-126.75	0.100U	3.99	15.45
Bromodichloromethane	20.1	ug/L	20.0	100.55	74.51-131.60	0.100U	2.75	14.47
Bromoform	19.2	ug/L	20.0	96.00	65.77-126.66	0.500U	0.78	18.89
Bromomethane	22.4	ug/L	20.0	112.10	45.79-154.07	0.500U	9.03	22.97
Carbon Tetrachloride	21.6	ug/L	20.0	107.75	69.71-134.11	0.500U	1.93	18.68
Chlorobenzene	21.7	ug/L	20.0	108.65	78.18-124.63	0.500U	0.05	17.54
Chloroethane	22.0	ug/L	20.0	110.10	57.96-148.61	0.500U	0.99	24.25
Chloroform	21.1	ug/L	20.0	105.55	67.52-139.02	0.500U	2.25	17.36
Chloromethane	26.3	ug/L	20.0	131.70	51.30-156.78	0.500U	2.03	24.58
cis-1,2-dichloroethene	21.5	ug/L	20.0	107.65	76.64-126.84	0.200U	0.23	19.01
cis-1,3-Dichloropropene	22.8	ug/L	20.0	114.20	67.26-137.96	0.500U	2.53	17.79
Dibromochloromethane	20.0	ug/L	20.0	100.00	73.00-123.23	0.400U	1.24	17.16
Dichlorodifluoromethane	25.5	ug/L	20.0	127.45	31.11-164.64	0.500U	0.08	25.30
Ethylbenzene	23.2	ug/L	20.0	116.20	73.91-128.64	0.500U	1.43	17.78
Hexachlorobutadiene	22.4	ug/L	20.0	112.10	49.50-143.39	0.400U	6.30	24.04
Isopropylbenzene	22.0	ug/L	20.0	110.10	68.43-141.00	0.500U	0.41	26.37
Methyl Iodide	26.6	ug/L	20.0	133.10	54.23-165.25	1.00U	0.23	24.15
Methyl isobutyl ketone	23.0	ug/L	20.0	115.00	57.64-133.07	1.00U	0.52	23.20
Methylene chloride	20.5	ug/L	20.0	102.70	50.29-142.90	1.00U	0.49	22.29
Methyl-tert-butylether	22.1	ug/L	20.0	110.30	66.43-141.40	1.00U	7.14	23.14



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)


Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174217

Analyst: CLS

Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
m-dichlorobenzene	22.4	ug/L	20.0	111.75	69.74-129.80	0.500U	6.47	21.29
Naphthalene	21.4	ug/L	20.0	106.75	20.82-144.51	0.500U	4.45	20.77
n-butylbenzene	21.7	ug/L	20.0	108.50	54.42-137.35	0.500U	4.00	23.28
n-Propylbenzene	24.1	ug/L	20.0	120.50	67.10-140.92	0.200U	9.20	25.33
o-dichlorobenzene	22.6	ug/L	20.0	112.80	71.04-127.37	0.500U	4.53	17.00
Para-dichlorobenzene	22.2	ug/L	20.0	110.90	70.44-126.55	0.500U	4.94	14.84
sec-butylbenzene	23.2	ug/L	20.0	116.05	65.31-138.56	0.200U	4.76	24.68
Styrene	17.4	ug/L	20.0	86.75	68.01-124.71	0.500U	4.29	17.03
tert-butylbenzene	22.1	ug/L	20.0	110.60	68.34-138.32	0.400U	0.77	25.36
Tetrachloroethene	23.4	ug/L	20.0	117.00	49.77-180.05	0.500U	0.47	27.05
Toluene	22.5	ug/L	20.0	112.30	77.67-128.73	0.500U	0.09	18.11
trans-1,2-dichloroethene	22.2	ug/L	20.0	110.85	71.14-135.42	0.500U	2.10	19.23
trans-1,3-Dichloropropene	20.2	ug/L	20.0	100.80	68.77-131.64	0.500U	5.12	17.05
Trichloroethene	23.5	ug/L	20.0	117.30	77.68-135.38	0.500U	0.81	16.98
Trichlorofluoromethane	19.9	ug/L	20.0	99.65	48.94-159.62	0.500U	1.59	24.90
Vinyl chloride	24.9	ug/L	20.0	124.70	56.51-147.62	0.500U	0.76	21.53
Xylenes	67.0	ug/L	60.0	111.70	74.03-127.32	1.00U	2.87	18.64
1,1,1,2-Tetrachloroethane	21.1	ug/L	20.0	105.60	74.08-128.41	0.500U	1.74	18.35
1,1,1-Trichloroethane	22.2	ug/L	20.0	110.90	74.12-134.44	0.500U	1.61	19.03
1,1,2,2-Tetrachloroethane	21.5	ug/L	20.0	107.30	70.96-136.31	0.100U	1.34	18.50
1,1,2-Trichloroethane	21.5	ug/L	20.0	107.50	78.08-124.41	0.500U	1.03	15.94
1,1-Dichloroethane	22.7	ug/L	20.0	113.50	72.78-134.55	0.500U	0.00	16.44
1,1-Dichloroethene	23.3	ug/L	20.0	116.40	58.40-151.32	0.500U	1.43	23.15
1,1-Dichloropropene	22.1	ug/L	20.0	110.65	73.25-137.34	0.200U	0.23	22.56
1,2,3-Trichlorobenzene	21.9	ug/L	20.0	109.45	25.62-149.43	0.500U	4.53	20.29
1,2,3-Trichloropropane	20.9	ug/L	20.0	104.40	73.33-154.30	0.500U	4.91	17.10
1,2,4-trichlorobenzene	23.0	ug/L	20.0	115.00	22.90-145.92	0.500U	7.07	20.25
1,2,4-Trimethylbenzene	22.7	ug/L	20.0	113.25	68.30-132.55	0.500U	4.38	24.83
1,2-Dibromoethane (EDB)	21.8	ug/L	20.0	109.00	76.84-123.76	0.100U	1.23	14.67



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598


E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174217		Analyst: CLS						
Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
1,2-dibromo-3-chloropropane	22.4	ug/L	20.0	111.90	52.16-131.96	0.100U	4.76	18.28
1,2-dichloroethane	21.1	ug/L	20.0	105.50	71.53-134.48	0.500U	0.05	15.32
1,2-dichloroethene	43.7	ug/L	40.0	109.25	71.33-132.25	0.500U	1.17	23.03
1,2-dichloropropane	23.1	ug/L	20.0	115.60	74.50-129.66	0.200U	1.53	16.56
1,3,5-Trimethylbenzene	23.4	ug/L	20.0	116.85	68.37-137.81	0.500U	9.55	25.72
1,3-Dichloropropane	20.8	ug/L	20.0	104.10	72.32-131.54	0.300U	2.19	23.05
2,2-Dichloropropane	20.7	ug/L	20.0	103.40	61.83-150.70	0.500U	5.23	23.34
2-Butanone (MEK)	22.0	ug/L	20.0	109.80	64.53-153.74	0.500U	0.78	32.53
2-Chlorotoluene	23.1	ug/L	20.0	115.40	69.29-139.49	0.500U	9.06	25.78
2-Hexanone	20.7	ug/L	20.0	103.70	62.58-147.29	0.500U	0.43	25.26
4-Chlorotoluene	23.8	ug/L	20.0	118.80	67.44-137.84	0.500U	5.18	24.29
4-Isopropyltoluene	22.0	ug/L	20.0	109.80	66.17-133.56	0.500U	8.99	23.50
Surr:Bromofluorobenzene	29.0	ug/L	30.0	96.53	53.82-151.16		4.19	13.51
Surr:Toluene-d8	30.0	ug/L	30.0	100.03	88.05-109.81		3.34	7.44
Surr:1,2-Dichloroethane-d4	28.1	ug/L	30.0	93.57	75.07-126.19		4.90	8.75

Quality Control Batch: 10174322		Analyst: CLS						
Blank	Result	Units						
Acenaphthene	2.00U	ug/L						
Acenaphthylene	2.00U	ug/L						
Anthracene	2.00U	ug/L						
Benzidene	20.0U	ug/L						
Benzo(a)anthracene	0.200U	ug/L						
Benzo(a)pyrene	1.00U	ug/L						
Benzo(b)fluoranthene	0.100U	ug/L						
Benzo(g,h,i)perylene	2.00U	ug/L						
Benzo(k)fluoranthene	1.00U	ug/L						
Bis(2-chloroethoxy)methane	2.00U	ug/L						
Bis(2-chloroethyl)ether	2.00U	ug/L						



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)


Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174322

Analyst: CLS

Blank	Result	Units
Bis(2-chloroisopropyl)ether	2.00U	ug/L
Bis(2-ethylhexyl)phthalate	3.00U	ug/L
Butyl benzyl phthalate	3.00U	ug/L
Chrysene	2.00U	ug/L
Dibenz(a,h)anthracene	0.200U	ug/L
Diethylphthalate	3.00U	ug/L
Dimethylphthalate	3.00U	ug/L
Di-n-butylphthalate	3.00U	ug/L
Di-n-octylphthalate	3.00U	ug/L
Fluoranthene	2.00U	ug/L
Fluorene	2.00U	ug/L
Hexachlorobenzene	1.00U	ug/L
Hexachlorobutadiene	2.00U	ug/L
Hexachlorocyclopentadiene	2.00U	ug/L
Hexachloroethane	2.00U	ug/L
Indeno(1,2,3-cd)pyrene	0.200U	ug/L
Isophorone	2.00U	ug/L
m,p-Cresols	2.00U	ug/L
Naphthalene	2.00U	ug/L
Nitrobenzene	2.00U	ug/L
N-Nitrosodimethylamine	3.00U	ug/L
N-Nitrosodiphenylamine	2.00U	ug/L
N-Nitrosodi-n-propylamine	2.00U	ug/L
o-Cresol	2.00U	ug/L
Pentachlorophenol	0.400U	ug/L
Phenanthrene	2.00U	ug/L
Phenol	2.00U	ug/L
Pyrene	2.00U	ug/L
p-Chloro-m-Cresol	2.00U	ug/L



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256


PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174322

Analyst: CLS

Blank	Result	Units
1,2,4-trichlorobenzene	2.00U	ug/L
1,2-Diphenylhydrazine	2.00U	ug/L
1-methyl-Naphthalene	2.00U	ug/L
2,4,5-Trichlorophenol	1.00U	ug/L
2,4,6-Trichlorophenol	2.00U	ug/L
2,4-Dichlorophenol	1.00U	ug/L
2,4-Dimethylphenol	2.00U	ug/L
2,4-Dinitrophenol	5.00U	ug/L
2,4-Dinitrotoluene	0.200U	ug/L
2,6-Dinitrotoluene	2.00U	ug/L
2-Chloronaphthalene	2.00U	ug/L
2-chlorophenol	2.00U	ug/L
2-methyl-Naphthalene	2.00U	ug/L
2-methyl-4,6-dinitrophenol	2.00U	ug/L
2-Nitrophenol	2.00U	ug/L
3,3'-Dichlorobenzidene	2.00U	ug/L
4-Bromophenylphenyl ether	2.00U	ug/L
4-Chlorophenylphenyl ether	2.00U	ug/L
4-Nitrophenol	2.00U	ug/L
Surr:Nitrobenzene-d5	38.5	ug/L
Surr:Phenol-d5	37.8	ug/L
Surr:Terphenyl-d14	54.3	ug/L
Surr:2,4,6-Tribromophenol	42.7	ug/L
Surr:2-Fluorobiphenyl	37.4	ug/L
Surr:2-Fluorophenol	36.7	ug/L

Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim
Acenaphthene	46.2	ug/L	50.0	92.34	19.43-110.82
Acenaphthylene	45.8	ug/L	50.0	91.50	11.73-114.82



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)


Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174322

Analyst: CLS

Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim
Anthracene	48.3	ug/L	50.0	96.64	35.89-115.69
Benzo(a)anthracene	47.0	ug/L	50.0	93.92	41.93-129.99
Benzo(a)pyrene	48.7	ug/L	50.0	97.46	39.40-119.98
Benzo(b)fluoranthene	49.8	ug/L	50.0	99.68	31.36-135.33
Benzo(g,h,i)perylene	53.8	ug/L	50.0	107.66	46.39-130.38
Benzo(k)fluoranthene	46.3	ug/L	50.0	92.64	33.95-145.70
Bis(2-chloroethoxy)methane	47.3	ug/L	50.0	94.56	20.91-104.32
Bis(2-chloroethyl)ether	46.6	ug/L	50.0	93.26	18.37-99.13
Bis(2-chloroisopropyl)ether	41.5	ug/L	50.0	82.96	16.26-104.20
Bis(2-ethylhexyl)phthalate	52.6	ug/L	50.0	105.12	49.06-144.86
Butyl benzyl phthalate	17.6	ug/L	50.0	35.18	7.48-144.10
Chrysene	52.5	ug/L	50.0	105.04	46.72-134.45
Dibenz(a,h)anthracene	54.3	ug/L	50.0	108.64	37.64-133.88
Diethylphthalate	7.39	ug/L	50.0	14.78	18.85-127.83
Dimethylphthalate	2.99	ug/L	50.0	5.98	14.66-119.16
Di-n-butylphthalate	24.4	ug/L	50.0	48.86	11.05-132.80
Di-n-octylphthalate	47.3	ug/L	50.0	94.56	47.68-133.80
Fluoranthene	53.0	ug/L	50.0	106.04	24.34-134.54
Fluorene	50.0	ug/L	50.0	100.02	19.06-111.25
Hexachlorobenzene	49.1	ug/L	50.0	98.26	28.31-127.72
Hexachlorobutadiene	29.4	ug/L	50.0	58.86	17.28-108.31
Hexachlorocyclopentadiene	0.860	ug/L	50.0	1.72	9.79-126.19
Hexachloroethane	29.9	ug/L	50.0	59.84	20.94-88.14
Indeno(1,2,3-cd)pyrene	50.0	ug/L	50.0	99.94	37.85-143.45
Isophorone	31.2	ug/L	50.0	62.34	15.48-109.35
m,p-Cresols	44.1	ug/L	50.0	88.28	29.58-96.35
Naphthalene	41.8	ug/L	50.0	83.68	22.76-100.00
N-Nitrosodimethylamine	45.0	ug/L	50.0	90.02	12.84-110.84
N-Nitrosodiphenylamine	40.3	ug/L	50.0	80.66	20.14-136.25



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256


PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174322

Analyst: CLS

Laboratory Control Sample

Result	Units	Spike	%REC	%REC Lim
N-Nitrosodi-n-propylamine	44.0 ug/L	50.0	87.90	7.78-121.66
Pentachlorophenol	60.3 ug/L	50.0	120.54	22.28-137.29
Phenanthrene	54.2 ug/L	50.0	108.42	33.30-113.56
Phenol	44.4 ug/L	50.0	88.88	22.51-89.77
Pyrene	50.5 ug/L	50.0	100.92	42.73-127.70
p-Chloro-m-Cresol	50.4 ug/L	50.0	100.82	23.38-107.86
1,2,4-trichlorobenzene	36.3 ug/L	50.0	72.60	19.96-102.40
1,2-Diphenylhydrazine	49.4 ug/L	50.0	98.70	23.63-113.04
1-methyl-Naphthalene	40.3 ug/L	50.0	80.68	27.35-113.22
2,4,5-Trichlorophenol	56.0 ug/L	50.0	112.08	42.66-114.96
2,4,6-Trichlorophenol	53.3 ug/L	50.0	106.50	21.76-108.71
2,4-Dichlorophenol	48.1 ug/L	50.0	96.18	20.31-101.72
2,4-Dimethylphenol	36.7 ug/L	50.0	73.46	7.63-107.79
2,4-Dinitrophenol	74.1 ug/L	50.0	148.12	9.34-139.66
2,4-Dinitrotoluene	51.0 ug/L	50.0	102.08	32.19-126.79
2,6-Dinitrotoluene	53.6 ug/L	50.0	107.14	27.21-115.54
2-Chloronaphthalene	34.4 ug/L	50.0	68.86	18.48-106.95
2-chlorophenol	45.9 ug/L	50.0	91.70	26.80-96.34
2-methyl-Naphthalene	43.0 ug/L	50.0	86.00	19.08-101.21
2-methyl-4,6-dinitrophenol	61.2 ug/L	50.0	122.34	28.26-128.29
2-Nitrophenol	46.2 ug/L	50.0	92.34	17.49-107.10
4-Bromophenylphenyl ether	52.4 ug/L	50.0	104.82	20.05-126.55
4-Chlorophenylphenyl ether	52.8 ug/L	50.0	105.52	12.26-120.37
4-Nitrophenol	66.5 ug/L	50.0	132.94	18.72-121.25
Surr:Nitrobenzene-d5	45.1 ug/L	50.0	90.12	5.91-135.33
Surr:Phenol-d5	40.9 ug/L	50.0	81.74	3.28-127.80
Surr:Terphenyl-d14	51.1 ug/L	50.0	102.18	37.97-143.50
Surr:2,4,6-Tribromophenol	54.2 ug/L	50.0	108.44	20.44-122.58
Surr:2-Fluorobiphenyl	45.3 ug/L	50.0	90.62	18.75-110.25



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174322

Analyst: CLS

Laboratory Control Sample

Surr:2-Fluorophenol

Result

45.0

Units

ug/L

Spike

50.0

%REC

90.08

%REC Lim

7.39-118.36

Matrix Spike

Result

Units

Spike

%REC

%REC Lim

Sample

Acenaphthene

32.2

ug/L

50.0

64.44

24.01-102.00

2.00U

Acenaphthylene

24.2

ug/L

50.0

48.40

15.89-118.25

2.00U

Anthracene

30.3

ug/L

50.0

60.56

36.35-119.37

2.00U

Benzo(a)anthracene

26.6

ug/L

50.0

53.20

22.93-131.37

0.200U

Benzo(a)pyrene

21.0

ug/L

50.0

42.06

28.55-113.30

1.00U

Benzo(b)fluoranthene

29.6

ug/L

50.0

59.14

3.39-132.21

0.100U

Benzo(g,h,i)perylene

22.9

ug/L

50.0

45.80

29.74-126.64

2.00U

Benzo(k)fluoranthene

23.5

ug/L

50.0

46.90

0.00-172.28

1.00U

Bis(2-chloroethoxy)methane

21.8

ug/L

50.0

43.56

18.79-84.90

2.00U

Bis(2-chloroethyl)ether

47.2

ug/L

50.0

94.32

31.14-66.69

2.00U

Bis(2-chloroisopropyl)ether

37.3

ug/L

50.0

74.54

24.88-75.05

2.00U

Bis(2-ethylhexyl)phthalate

22.2

ug/L

50.0

44.44

45.78-149.57

3.00U

Butyl benzyl phthalate

9.64

ug/L

50.0

19.28

8.98-167.94

3.00U

Chrysene

30.9

ug/L

50.0

61.84

21.81-143.20

2.00U

Dibenz(a,h)anthracene

28.8

ug/L

50.0

57.68

14.09-128.46

0.200U

Diethylphthalate

3.69

ug/L

50.0

7.38

1.00-100.00

3.00U

Dimethylphthalate

1.36

ug/L

50.0

2.72

1.00-124.78

3.00U

Di-n-butylphthalate

13.1

ug/L

50.0

26.16

27.77-132.10

3.00U

Di-n-octylphthalate

22.4

ug/L

50.0

44.74

44.56-151.00

3.00U

Fluoranthene

34.4

ug/L

50.0

68.80

20.92-125.32

2.00U

Fluorene

41.5

ug/L

50.0

82.90

15.17-114.79

2.00U

Hexachlorobenzene

40.2

ug/L

50.0

80.40

39.18-107.37

1.00U

Hexachlorobutadiene

29.6

ug/L

50.0

59.28

19.64-107.65

2.00U

Hexachlorocyclopentadiene

3.12

ug/L

50.0

6.24

21.11-153.35

2.00U

Hexachloroethane

28.6

ug/L

50.0

57.28

0.00-145.15

2.00U

Indeno(1,2,3-cd)pyrene

23.0


ug/L

50.0

45.96

13.91-145.82

0.200U



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)


Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174322

Analyst: CLS

Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
Isophorone	29.4	ug/L	50.0	58.70	23.01-78.93	2.00U
m,p-Cresols	34.8	ug/L	50.0	69.56	14.99-99.64	2.00U
Naphthalene	41.6	ug/L	50.0	83.12	9.17-110.12	2.00U
N-Nitrosodimethylamine	36.5	ug/L	50.0	72.90	0.00-129.97	3.00U
N-Nitrosodiphenylamine	32.7	ug/L	50.0	65.32	18.25-143.12	2.00U
N-Nitrosodi-n-propylamine	33.3	ug/L	50.0	66.68	19.99-90.09	2.00U
Pentachlorophenol	65.7	ug/L	50.0	131.42	33.93-127.96	0.400U
Phenanthrene	47.0	ug/L	50.0	94.06	19.47-133.87	2.00U
Phenol	35.9	ug/L	50.0	71.86	24.35-78.84	2.00U
Pyrene	26.5	ug/L	50.0	53.00	21.53-149.12	2.00U
p-Chloro-m-Cresol	46.2	ug/L	50.0	92.32	21.61-109.88	2.00U
1,2,4-trichlorobenzene	36.5	ug/L	50.0	73.06	9.54-105.15	2.00U
1,2-Diphenylhydrazine	22.4	ug/L	50.0	44.82	32.88-92.28	2.00U
1-methyl-Naphthalene	39.8	ug/L	50.0	79.50	23.63-87.85	2.00U
2,4,5-Trichlorophenol	57.1	ug/L	50.0	114.16	80.00-120.00	1.00U
2,4,6-Trichlorophenol	49.1	ug/L	50.0	98.16	24.26-90.82	2.00U
2,4-Dichlorophenol	44.4	ug/L	50.0	88.70	3.49-115.80	1.00U
2,4-Dimethylphenol	33.9	ug/L	50.0	67.84	80.00-120.00	2.00U
2,4-Dinitrophenol	66.9	ug/L	50.0	133.78	9.63-157.09	5.00U
2,4-Dinitrotoluene	44.0	ug/L	50.0	87.92	21.53-131.97	0.200U
2,6-Dinitrotoluene	48.5	ug/L	50.0	97.02	2.57-141.27	2.00U
2-Chloronaphthalene	32.6	ug/L	50.0	65.12	32.50-75.12	2.00U
2-chlorophenol	42.0	ug/L	50.0	83.96	80.00-120.00	2.00U
2-methyl-Naphthalene	41.9	ug/L	50.0	83.80	23.63-87.85	2.00U
2-methyl-4,6-dinitrophenol	52.3	ug/L	50.0	104.56	9.66-145.51	2.00U
2-Nitrophenol	46.3	ug/L	50.0	92.56	30.89-79.77	2.00U
4-Bromophenylphenyl ether	45.3	ug/L	50.0	90.56	28.41-111.16	2.00U
4-Chlorophenylphenyl ether	46.6	ug/L	50.0	93.26	9.01-119.69	2.00U
4-Nitrophenol	60.5	ug/L	50.0	121.02	29.44-124.00	2.00U



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256


PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174322

Analyst: CLS

Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
Surr:Nitrobenzene-d5	42.5	ug/L	50.0	84.96	11.76-107.00	
Surr:Phenol-d5	36.0	ug/L	50.0	72.02	80.00-120.00	
Surr:Terphenyl-d14	23.9	ug/L	50.0	47.72	6.08-149.12	
Surr:2,4,6-Tribromophenol	51.8	ug/L	50.0	103.56	6.92-122.06	
Surr:2-Fluorobiphenyl	44.0	ug/L	50.0	88.00	16.08-95.65	
Surr:2-Fluorophenol	25.0	ug/L	50.0	50.00	80.00-120.00	

Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Acenaphthene	32.2	ug/L	50.0	64.38	24.01-102.00	2.00U	0.09	21.67
Acenaphthylene	26.3	ug/L	50.0	52.64	15.89-118.25	2.00U	8.39	18.46
Anthracene	30.1	ug/L	50.0	60.22	36.35-119.37	2.00U	0.56	10.13
Benzo(a)anthracene	26.7	ug/L	50.0	53.30	22.93-131.37	0.200U	0.19	9.54
Benzo(a)pyrene	21.6	ug/L	50.0	43.14	28.55-113.30	1.00U	2.54	14.14
Benzo(b)fluoranthene	27.0	ug/L	50.0	53.96	3.39-132.21	0.100U	9.16	14.63
Benzo(g,h,i)perylene	21.5	ug/L	50.0	43.04	29.74-126.64	2.00U	6.21	17.03
Benzo(k)fluoranthene	25.5	ug/L	50.0	51.06	0.00-172.28	1.00U	8.49	16.07
Bis(2-chloroethoxy)methane	23.5	ug/L	50.0	46.94	18.79-84.90	2.00U	7.47	16.75
Bis(2-chloroethyl)ether	47.1	ug/L	50.0	94.28	31.14-66.69	2.00U	0.04	17.90
Bis(2-chloroisopropyl)ether	39.3	ug/L	50.0	78.50	24.88-75.05	2.00U	5.18	17.54
Bis(2-ethylhexyl)phthalate	22.8	ug/L	50.0	45.56	45.78-149.57	3.00U	2.49	10.12
Butyl benzyl phthalate	10.5	ug/L	50.0	20.92	8.98-167.94	3.00U	8.16	4.98
Chrysene	31.1	ug/L	50.0	62.14	21.81-143.20	2.00U	0.48	13.79
Dibenz(a,h)anthracene	27.3	ug/L	50.0	54.58	14.09-128.46	0.200U	5.52	13.26
Diethylphthalate	3.78	ug/L	50.0	7.56	1.00-100.00	3.00U	2.41	19.12
Dimethylphthalate	1.49	ug/L	50.0	2.98	1.00-124.78	3.00U	9.12	13.85
Di-n-butylphthalate	13.3	ug/L	50.0	26.64	27.77-132.10	3.00U	1.82	10.19
Di-n-octylphthalate	22.0	ug/L	50.0	43.98	44.56-151.00	3.00U	1.71	11.27
Fluoranthene	35.0	ug/L	50.0	69.96	20.92-125.32	2.00U	1.67	13.82
Fluorene	41.0	ug/L	50.0	82.04	15.17-114.79	2.00U	1.04	15.89



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)


Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174322

Analyst: CLS

Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Hexachlorobenzene	37.4	ug/L	50.0	74.72	39.18-107.37	1.00U	7.32	7.77
Hexachlorobutadiene	28.5	ug/L	50.0	57.02	19.64-107.65	2.00U	3.89	13.24
Hexachlorocyclopentadiene	2.73	ug/L	50.0	5.46	21.11-153.35	2.00U	13.33	13.50
Hexachloroethane	27.7	ug/L	50.0	55.40	0.00-145.15	2.00U	3.34	11.44
Indeno(1,2,3-cd)pyrene	22.7	ug/L	50.0	45.36	13.91-145.82	0.200U	1.31	16.14
Isophorone	28.3	ug/L	50.0	56.56	23.01-78.93	2.00U	3.71	17.92
m,p-Cresols	35.1	ug/L	50.0	70.28	14.99-99.64	2.00U	1.03	15.37
Naphthalene	39.5	ug/L	50.0	78.94	9.17-110.12	2.00U	5.16	18.47
N-Nitrosodimethylamine	34.6	ug/L	50.0	69.28	0.00-129.97	3.00U	5.09	19.85
N-Nitrosodiphenylamine	37.5	ug/L	50.0	75.04	18.25-143.12	2.00U	13.85	8.53
N-Nitrosodi-n-propylamine	36.6	ug/L	50.0	73.22	19.99-90.09	2.00U	9.35	18.67
Pentachlorophenol	59.2	ug/L	50.0	118.30	33.93-127.96	0.400U	10.51	7.50
Phenanthrene	46.0	ug/L	50.0	91.92	19.47-133.87	2.00U	2.30	13.53
Phenol	36.8	ug/L	50.0	73.54	24.35-78.84	2.00U	2.31	18.10
Pyrene	27.7	ug/L	50.0	55.44	21.53-149.12	2.00U	4.50	12.69
p-Chloro-m-Cresol	45.1	ug/L	50.0	90.10	21.61-109.88	2.00U	2.43	19.71
1,2,4-trichlorobenzene	35.1	ug/L	50.0	70.28	9.54-105.15	2.00U	3.88	14.25
1,2-Diphenylhydrazine	21.9	ug/L	50.0	43.88	32.88-92.28	2.00U	2.12	10.91
1-methyl-Naphthalene	38.5	ug/L	50.0	76.90	23.63-87.85	2.00U	3.32	20.20
2,4,5-Trichlorophenol	56.2	ug/L	50.0	112.40	80.00-120.00	1.00U	1.55	9.77
2,4,6-Trichlorophenol	47.7	ug/L	50.0	95.44	24.26-90.82	2.00U	2.81	11.70
2,4-Dichlorophenol	43.9	ug/L	50.0	87.82	3.49-115.80	1.00U	1.00	14.90
2,4-Dimethylphenol	33.8	ug/L	50.0	67.54	80.00-120.00	2.00U	0.44	17.81
2,4-Dinitrophenol	62.3	ug/L	50.0	124.66	9.63-157.09	5.00U	7.06	14.19
2,4-Dinitrotoluene	43.3	ug/L	50.0	86.60	21.53-131.97	0.200U	1.51	8.90
2,6-Dinitrotoluene	48.1	ug/L	50.0	96.24	2.57-141.27	2.00U	0.81	7.60
2-Chloronaphthalene	31.7	ug/L	50.0	63.32	32.50-75.12	2.00U	2.80	19.02
2-chlorophenol	39.9	ug/L	50.0	79.86	80.00-120.00	2.00U	5.01	13.95
2-methyl-Naphthalene	41.0	ug/L	50.0	82.06	23.63-87.85	2.00U	2.10	22.66



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)


Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Quality Control Batch: 10174322

Analyst: CLS

Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
2-methyl-4,6-dinitrophenol	48.7	ug/L	50.0	97.30	9.66-145.51	2.00U	7.19	7.43
2-Nitrophenol	43.9	ug/L	50.0	87.76	30.89-79.77	2.00U	5.32	13.79
4-Bromophenylphenyl ether	42.7	ug/L	50.0	85.34	28.41-111.16	2.00U	5.94	8.59
4-Chlorophenylphenyl ether	45.8	ug/L	50.0	91.52	9.01-119.69	2.00U	1.88	14.26
4-Nitrophenol	61.4	ug/L	50.0	122.72	29.44-124.00	2.00U	1.39	8.63
Surr:Nitrobenzene-d5	42.2	ug/L	50.0	84.48	11.76-107.00		0.57	23.39
Surr:Phenol-d5	34.6	ug/L	50.0	69.28	80.00-120.00		3.88	15.83
Surr:Terphenyl-d14	23.7	ug/L	50.0	47.32	6.08-149.12		0.84	20.47
Surr:2,4,6-Tribromophenol	49.1	ug/L	50.0	98.14	6.92-122.06		5.37	20.79
Surr:2-Fluorobiphenyl	43.2	ug/L	50.0	86.48	16.08-95.65		1.74	22.83
Surr:2-Fluorophenol	26.2	ug/L	50.0	52.32	80.00-120.00		4.53	18.78



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

Golder-Jacksonville
9428 Baymeadows Rd, Suite 400
Jacksonville, FL 32256

PO #: 103-82740
Client Project #: Liberty Tires-John King
Date Sampled: May 6, 2011
May 18, 2011; Invoice: 149554

Narrative Report

Sample Handling

Sample handling and holding time criteria were met for all samples. Samples collected by submitter. No unusual events occurred during analysis. Results are reported on a wet weight basis.
The Semi-Volatiles were not run by the SIM technique.

Quality Control

Enclosed analyses met method or FCL criteria, unless otherwise denoted on the sample results. Applied data qualifiers are defined below.

Attachments

Chain of Custody

Qualifier	Meaning
U	Compound was analyzed for but not detected.
J	One or more QC samples associated with this data value exceeded QC limits.
J1	Surrogate recovery limits have been exceeded.
J2	No known quality control criteria exist for the component.
J3	Reported value failed to meet established quality control criteria for either precision or accuracy.
J4	Sample matrix interfered with the ability to make an accurate determination on the spiked sample.
Q	Sample held beyond the accepted holding time.
L	Off-scale high; reported concentration exceeds the highest standard.
V	Analyte was detected in both the sample and the associated method blank.
ZTNTC	Too numerous to count. Numeric value represents filtration volume.
A	Absent
P	Present
T	Value reported is less than the statistical method detection limit. Reported for informational purposes only.
M	Value reported is greater than the statistical method detection limit, but less than the reported MDL.
G	The greatest of the dilutions performed did not yield sufficient oxygen depletion for valid data.
S	The least of the dilutions performed did not yield sufficient oxygen residual for valid data.
O	Result is greater than (over) the specified value.
I	Reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
B	Results based upon colony plate count outside ideal range.
Y	The laboratory analysis was from an improperly preserved sample. The data may not be accurate.