

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19939

Monitoring_Site_Num: MW-14A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.36	0.04	mg/l		7/29/2004
000940	Chloride	PP	NO	Y	325.3	27	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/28/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	110	5	mg/l		8/2/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0025	mg/l	U	8/3/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/3/2004
001007	Barium	PP	NO	Y	6010	0.015	0.0012	mg/l		8/3/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/3/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/3/2004
001034	Chromium	PP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/3/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/3/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/3/2004
001045	Iron	PP	NO	Y	6010	5	0.037	mg/l		8/3/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/3/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/28/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/3/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/3/2004
000929	Sodium	PP	NO	Y	6010	17	0.15	mg/l		8/3/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/3/2004
001092	Zinc	PP	NO	Y	6010	0.026	0.0059	mg/l		8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19939

Monitoring_Site_Num: MW-14A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/2/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/2/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/2/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/2/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/2/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/2/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/2/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/2/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/2/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/2/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/2/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/2/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19939

Monitoring_Site_Num: MW-14A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/2/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/2/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/2/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/2/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/2/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/2/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/2/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/2/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
034010	Toluene	PP	NO	Y	8260	7.1	0.51	ug/l		8/2/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/2/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/2/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/2/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/2/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19939

Monitoring_Site_Num: MW-14A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/2/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/2/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/2/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/2/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19942

Monitoring_Site_Num: MW-15A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.1	0.04	mg/l		7/29/2004
000940	Chloride	PP	NO	Y	325.3	15	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/28/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	56	5	mg/l		8/2/2004
001097	Antimony	PP	NO	Y	6010	0.0031	0.0025	mg/l	I	8/3/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/3/2004
001007	Barium	PP	NO	Y	6010	0.011	0.0012	mg/l		8/3/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/3/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/3/2004
001034	Chromium	PP	NO	Y	6010	0.0022	0.0017	mg/l	I	8/3/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/3/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/3/2004
001045	Iron	PP	NO	Y	6010	2.5	0.037	mg/l		8/3/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/3/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/28/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/3/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/3/2004
000929	Sodium	PP	NO	Y	6010	9.4	0.15	mg/l		8/3/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/3/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19942

Monitoring_Site_Num: MW-15A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/2/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/2/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/2/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/2/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/2/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/2/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/2/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/2/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/2/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/2/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/2/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/2/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19942

Monitoring_Site_Num: MW-15A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/2/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/2/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/2/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/2/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/2/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/2/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/2/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/2/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/2/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/2/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/2/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/2/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/2/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19942

Monitoring_Site_Num: MW-15A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/2/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/2/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/2/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/2/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19900

Monitoring_Site_Num: MW-1A

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **YES**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	1.2	0.04	mg/l		7/29/2004
000940	Chloride	PP	NO	Y	325.3	23	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/28/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	94	5	mg/l		8/2/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0025	mg/l	U	8/3/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/3/2004
001007	Barium	PP	NO	Y	6010	0.018	0.0012	mg/l		8/3/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/3/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/3/2004
001034	Chromium	PP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/3/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/3/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/3/2004
001045	Iron	PP	NO	Y	6010	4	0.037	mg/l		8/3/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/3/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/28/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/3/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/3/2004
000929	Sodium	PP	NO	Y	6010	9.5	0.15	mg/l		8/3/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/3/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19900

Monitoring_Site_Num: MW-1A

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	13	9.9	ug/l		8/2/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/2/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/2/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/2/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/2/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/2/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/2/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/2/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/2/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/2/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/2/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/2/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19900

Monitoring_Site_Num: MW-1A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to YES
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/2/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/2/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/2/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/2/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/2/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/2/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/2/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/2/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
034010	Toluene	PP	NO	Y	8260	1.9	0.51	ug/l		8/2/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/2/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/2/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/2/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/2/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19900

Monitoring_Site_Num: MW-1A

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/2/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/2/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/2/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19903

Monitoring_Site_Num: MW-2A

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **YES**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.62	0.04	mg/l		7/29/2004
000940	Chloride	PP	NO	Y	325.3	25	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/28/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	50	5	mg/l		8/2/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0025	mg/l	U	8/3/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/3/2004
001007	Barium	PP	NO	Y	6010	0.015	0.0012	mg/l		8/3/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/3/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/3/2004
001034	Chromium	PP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/3/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/3/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/3/2004
001045	Iron	PP	NO	Y	6010	1.9	0.037	mg/l		8/3/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/3/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/28/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/3/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/3/2004
000929	Sodium	PP	NO	Y	6010	10	0.15	mg/l		8/3/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/3/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19903

Monitoring_Site_Num: MW-2A

Permitted Well Type: **BG**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **YES**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/2/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/2/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/2/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/2/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/2/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/2/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/2/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/2/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/2/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/2/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/2/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/2/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19903

Monitoring_Site_Num: MW-2A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/2/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/2/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/2/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/2/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/2/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/2/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/2/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/2/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
034010	Toluene	PP	NO	Y	8260	1.8	0.51	ug/l		8/2/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/2/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/2/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/2/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/2/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19903

Monitoring_Site_Num: MW-2A

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/2/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/2/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/2/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19906

Monitoring_Site_Num: MW-3A

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **YES**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	2.9	0.04	mg/l		7/29/2004
000940	Chloride	PP	NO	Y	325.3	41	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/28/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	160	5	mg/l		8/2/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0025	mg/l	U	8/3/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/3/2004
001007	Barium	PP	NO	Y	6010	0.018	0.0012	mg/l		8/3/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/3/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/3/2004
001034	Chromium	PP	NO	Y	6010	0.0022	0.0017	mg/l	I	8/3/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/3/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/3/2004
001045	Iron	PP	NO	Y	6010	5.8	0.037	mg/l		8/3/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/3/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/28/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/3/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/3/2004
000929	Sodium	PP	NO	Y	6010	18	0.15	mg/l		8/3/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0028	0.0025	mg/l	I	8/3/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19906

Monitoring_Site_Num: MW-3A

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **YES**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/2/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19906

Monitoring_Site_Num: MW-3A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	7.6	0.51	ug/l		8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well: 19906

Monitoring_Site_Num: MW-3A

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/2/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/2/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/2/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/2/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/2/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/2/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/2/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/2/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/2/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/2/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/2/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/2/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/2/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/2/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/2/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/2/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/2/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/2/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/2/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/2/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/2/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/2/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/2/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/2/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/2/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/2/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/2/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/2/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/2/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/2/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/26/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/2/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/2/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/2/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/2/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: **89544**

Sample Date **7/27/2004**

WACS Well:

Monitoring_Site_Num: **EB-01**

Permitted Well Type:

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.04	0.04	mg/l	U	8/4/2004
000940	Chloride	PP	NO	Y	325.3	1	1	mg/l	U	8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	5	5	mg/l	U	8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	PP	NO	Y	6010	0.0012	0.0012	mg/l	U	8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	0.037	0.037	mg/l	U	8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	0.15	0.15	mg/l	U	8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well:

Monitoring_Site_Num: EB-01

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: **89544**

Sample Date **7/27/2004**

WACS Well:

Monitoring_Site_Num: **EB-01**

Permitted Well Type:

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: **89544**

Sample Date **7/27/2004**

WACS Well:

Monitoring_Site_Num: **EB-01**

Permitted Well Type:

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19927

Monitoring_Site_Num: MW-10A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	2.7	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	15	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	110	5	mg/l		8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	PP	NO	Y	6010	0.011	0.0012	mg/l		8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0028	0.0017	mg/l	I	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0017	0.0014	mg/l	I	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	2	0.037	mg/l		8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	6.5	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0044	0.0025	mg/l	I	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19927

Monitoring_Site_Num: MW-10A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19927

Monitoring_Site_Num: MW-10A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	24	0.51	ug/l		8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19927

Monitoring_Site_Num: MW-10A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19930

Monitoring_Site_Num: MW-11A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Yes
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	2.1	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	29	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	180	5	mg/l		8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.027	0.0038	mg/l		8/4/2004
001007	Barium	PP	NO	Y	6010	0.0092	0.0012	mg/l	I	8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0058	0.0017	mg/l	I	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0025	0.0014	mg/l	I	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	33	0.037	mg/l		8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	14	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19930

Monitoring_Site_Num: MW-11A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19930

Monitoring_Site_Num: MW-11A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19930

Monitoring_Site_Num: MW-11A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19933

Monitoring_Site_Num: MW-12A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.19	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	13	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	48	5	mg/l		8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	PP	NO	Y	6010	0.014	0.0012	mg/l		8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0019	0.0017	mg/l	I	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0017	0.0014	mg/l	I	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	1.2	0.037	mg/l		8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	8	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0028	0.0025	mg/l	I	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19933

Monitoring_Site_Num: MW-12A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/4/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/4/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/4/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/4/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/4/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/4/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/4/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/4/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/4/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/4/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/4/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/4/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/4/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/4/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/4/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/4/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/4/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19933

Monitoring_Site_Num: MW-12A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/4/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/4/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/4/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/4/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/4/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/4/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/4/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/4/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/4/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/4/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/4/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/4/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/4/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/4/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/4/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19933

Monitoring_Site_Num: MW-12A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/4/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/4/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19912

Monitoring_Site_Num: MW-5A

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	3.6	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	18	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.05	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	120	5	mg/l		8/3/2004
001097	Antimony (Dissolved)	PP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	PP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium (Dissolved)	PP	YES	Y	6010	0.0029	0.0012	mg/l	I	8/4/2004
001007	Barium	PP	NO	Y	6010	0.007	0.0012	mg/l	I	8/4/2004
001012	Beryllium (Dissolved)	PP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium (Dissolved)	PP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium (Dissolved)	PP	YES	Y	6010	0.0053	0.0017	mg/l	I	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0061	0.0017	mg/l	I	8/4/2004
001037	Cobalt (Dissolved)	PP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper (Dissolved)	PP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0016	0.0013	mg/l	I	8/4/2004
001045	Iron (Dissolved)	PP	YES	Y	6010	1.9	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19912

Monitoring_Site_Num: MW-5A

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	PP	NO	Y	6010	2	0.037	mg/l		8/4/2004
001051	Lead (Dissolved)	PP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
001051	Lead	PP	NO	Y	6010	0.002	0.0015	mg/l	I	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000099	0.000072	mg/l	I	7/29/2004
071900	Mercury (Dissolved)	PP	YES	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001067	Nickel (Dissolved)	PP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium (Dissolved)	PP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium (Dissolved)	PP	YES	Y	6010	5.1	0.15	mg/l		8/4/2004
000929	Sodium	PP	NO	Y	6010	5.2	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001059	Thallium (Dissolved)	PP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium (Dissolved)	PP	YES	Y	6010	0.0034	0.0025	mg/l	I	8/4/2004
001087	Vanadium	PP	NO	Y	6010	0.0039	0.0025	mg/l	I	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc (Dissolved)	PP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/4/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/4/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/4/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19912

Monitoring_Site_Num: MW-5A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/4/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/4/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/4/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/4/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/4/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/4/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/4/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/4/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/4/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/4/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/4/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/4/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/4/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/4/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19912

Monitoring_Site_Num: MW-5A

Permitted Well Type: BG

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/4/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/4/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/4/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/4/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/4/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/4/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/4/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/4/2004
034010	Toluene	PP	NO	Y	8260	170	0.51	ug/l		8/4/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/4/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/4/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/4/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/4/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/4/2004
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/4/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
001077	Silver (Dissolved)	PP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19912

Monitoring_Site_Num: MW-5A

Permitted Well Type: **BG**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/4/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19915

Monitoring_Site_Num: MW-6A

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.18	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	12	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	60	5	mg/l		8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	PP	NO	Y	6010	0.0032	0.0012	mg/l	I	8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0018	0.0017	mg/l	I	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	1.6	0.037	mg/l		8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	9.1	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19915

Monitoring_Site_Num: MW-6A

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19915

Monitoring_Site_Num: MW-6A

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	1.8	0.51	ug/l		8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19915

Monitoring_Site_Num: MW-6A

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19918

Monitoring_Site_Num: MW-7A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.19	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	12	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.1	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	1800	5	mg/l		8/3/2004
001097	Antimony (Dissolved)	PP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	PP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.016	0.0038	mg/l		8/4/2004
001007	Barium	PP	NO	Y	6010	1.5	0.0012	mg/l		8/4/2004
001007	Barium (Dissolved)	PP	YES	Y	6010	0.013	0.0012	mg/l		8/4/2004
001012	Beryllium (Dissolved)	PP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.0051	0.00074	mg/l		8/4/2004
001027	Cadmium (Dissolved)	PP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00073	0.00071	mg/l	I	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.17	0.0017	mg/l		8/4/2004
001034	Chromium (Dissolved)	PP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0077	0.0014	mg/l	I	8/4/2004
001037	Cobalt (Dissolved)	PP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper (Dissolved)	PP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001042	Copper	PP	NO	Y	6010	0.018	0.0013	mg/l	I	8/4/2004
001045	Iron (Dissolved)	PP	YES	Y	6010	0.35	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19918

Monitoring_Site_Num: MW-7A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	PP	NO	Y	6010	19	0.037	mg/l		8/4/2004
001051	Lead (Dissolved)	PP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
001051	Lead	PP	NO	Y	6010	0.13	0.0015	mg/l		8/4/2004
071900	Mercury	PP	NO	Y	7470	0.00062	0.000072	mg/l		7/29/2004
071900	Mercury (Dissolved)	PP	YES	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel (Dissolved)	PP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001067	Nickel	PP	NO	Y	6010	0.036	0.0047	mg/l	I	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.023	0.0048	mg/l		8/4/2004
001147	Selenium (Dissolved)	PP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	10	0.15	mg/l		8/4/2004
000929	Sodium (Dissolved)	PP	YES	Y	6010	11	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001059	Thallium (Dissolved)	PP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.27	0.0025	mg/l		8/4/2004
001087	Vanadium (Dissolved)	PP	YES	Y	6010	0.0039	0.0025	mg/l	I	8/4/2004
001092	Zinc (Dissolved)	PP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.022	0.0059	mg/l		8/4/2004
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/4/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/4/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/4/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19918

Monitoring_Site_Num: MW-7A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/4/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/4/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/4/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/4/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/4/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/4/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/4/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/4/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/4/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/4/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/4/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/4/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/4/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/4/2004
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/4/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19918

Monitoring_Site_Num: MW-7A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/4/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/4/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/4/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/4/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/4/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/4/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/4/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/4/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/4/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/4/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/4/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/4/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/4/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/4/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/4/2004
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/4/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/4/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19918

Monitoring_Site_Num: MW-7A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
001077	Silver (Dissolved)	PP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19921

Monitoring_Site_Num: MW-8A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.14	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	29	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	76	5	mg/l		8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0037	0.0029	mg/l	I	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	PP	NO	Y	6010	0.016	0.0012	mg/l		8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0026	0.0017	mg/l	I	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.0019	0.0014	mg/l	I	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	2.4	0.037	mg/l		8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	12	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0031	0.0025	mg/l	I	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19921

Monitoring_Site_Num: MW-8A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19921

Monitoring_Site_Num: MW-8A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19921

Monitoring_Site_Num: MW-8A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19924

Monitoring_Site_Num: MW-9A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	2.3	0.04	mg/l		8/4/2004
000940	Chloride	PP	NO	Y	325.3	15	1	mg/l		8/2/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	7/29/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	82	5	mg/l		8/3/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	PP	NO	Y	6010	0.0096	0.0012	mg/l	I	8/4/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	PP	NO	Y	6010	0.0034	0.0017	mg/l	I	8/4/2004
001037	Cobalt	PP	NO	Y	6010	0.002	0.0014	mg/l	I	8/4/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	PP	NO	Y	6010	1.9	0.037	mg/l		8/4/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	7/29/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	PP	NO	Y	6010	4.3	0.15	mg/l		8/4/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/3/2004
001087	Vanadium	PP	NO	Y	6010	0.0046	0.0025	mg/l	I	8/4/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19924

Monitoring_Site_Num: MW-9A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19924

Monitoring_Site_Num: MW-9A

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well: 19924

Monitoring_Site_Num: MW-9A

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/3/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/3/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/3/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/3/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/3/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/3/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/3/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/3/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/3/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/3/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/3/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/3/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/3/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/3/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/27/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/3/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/3/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/3/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/3/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/3/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/3/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/3/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/3/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/3/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/3/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/3/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/3/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/3/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/3/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/3/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/3/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: **89544**

Sample Date **7/27/2004**

WACS Well:

Monitoring_Site_Num: **Trip Blank**

Permitted Well Type: **CO**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/3/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/3/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/3/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/3/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/3/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-01

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	8.6	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	130	5	mg/l		8/5/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0033	0.0029	mg/l	I	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.025	0.0012	mg/l		8/4/2004
001007	Barium	SP	NO	Y	6010	0.087	0.0012	mg/l		8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00088	0.00074	mg/l	I	8/4/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.001	0.00071	mg/l	I	8/4/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00096	0.00071	mg/l	I	8/4/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0036	0.0017	mg/l	I	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.012	0.0017	mg/l		8/4/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.002	0.0014	mg/l	I	8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0027	0.0014	mg/l	I	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0055	0.0013	mg/l	I	8/4/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	SP	NO	Y	6010	2.2	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-01

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	1	0.037	mg/l		8/4/2004
001051	Lead	SP	NO	Y	6010	0.01	0.0015	mg/l		8/4/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.002	0.0015	mg/l	I	8/4/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0038	mg/l	U	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	SP	NO	Y	6010	5.6	0.15	mg/l		8/4/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	5.7	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0046	0.0025	mg/l	I	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.014	0.0025	mg/l		8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-01

Permitted Well Type:

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-01

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	1.7	0.51	ug/l		8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-01

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-02

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	9	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	50	5	mg/l		8/5/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	SP	NO	Y	6010	0.012	0.0012	mg/l		8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.0012	0.00071	mg/l	I	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.0024	0.0017	mg/l	I	8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0016	0.0014	mg/l	I	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	SP	NO	Y	6010	0.65	0.037	mg/l		8/4/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	SP	NO	Y	6010	5.6	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.0034	0.0025	mg/l	I	8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-02

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: DUP-02

Permitted Well Type:

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: **89544**

Sample Date **7/29/2004**

WACS Well:

Monitoring_Site_Num: **DUP-02**

Permitted Well Type:

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19940

Monitoring_Site_Num: MW-14B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	8.6	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	130	5	mg/l		8/5/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.036	0.0012	mg/l		8/4/2004
001007	Barium	SP	NO	Y	6010	0.083	0.0012	mg/l		8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.00097	0.00071	mg/l	I	8/4/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00098	0.00071	mg/l	I	8/4/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0038	0.0017	mg/l	I	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.01	0.0017	mg/l		8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0021	0.0014	mg/l	I	8/4/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0019	0.0014	mg/l	I	8/4/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0053	0.0013	mg/l	I	8/4/2004
001045	Iron	SP	NO	Y	6010	1.9	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19940

Monitoring_Site_Num: MW-14B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	1	0.037	mg/l		8/4/2004
001051	Lead	SP	NO	Y	6010	0.0089	0.0015	mg/l		8/4/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0042	0.0015	mg/l	I	8/4/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0038	mg/l	U	8/4/2004
000929	Sodium	SP	NO	Y	6010	5.5	0.15	mg/l		8/4/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	5.4	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.012	0.0025	mg/l		8/4/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0049	0.0025	mg/l	I	8/4/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0069	0.0059	mg/l	I	8/4/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19940

Monitoring_Site_Num: MW-14B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19940

Monitoring_Site_Num: MW-14B

Permitted Well Type: CO

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	2.1	0.51	ug/l		8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19940

Monitoring_Site_Num: MW-14B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19941

Monitoring_Site_Num: MW-14C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.13	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	11	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	120	5	mg/l		8/5/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.015	0.0012	mg/l		8/4/2004
001007	Barium	SP	NO	Y	6010	0.11	0.0012	mg/l		8/4/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.012	0.0017	mg/l		8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0033	0.0014	mg/l	I	8/4/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	I	8/4/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.73	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19941

Monitoring_Site_Num: MW-14C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	2.2	0.037	mg/l		8/4/2004
001051	Lead	SP	NO	Y	6010	0.0038	0.0015	mg/l	I	8/4/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001067	Nickel	SP	NO	Y	6010	0.0067	0.0047	mg/l	I	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0038	mg/l	U	8/4/2004
000929	Sodium	SP	NO	Y	6010	6.2	0.15	mg/l		8/4/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	6.3	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.015	0.0025	mg/l		8/4/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19941

Monitoring_Site_Num: MW-14C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19941

Monitoring_Site_Num: MW-14C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19941

Monitoring_Site_Num: MW-14C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19944

Monitoring_Site_Num: MW-15C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	9	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	54	5	mg/l		8/5/2004
001097	Antimony	SP	NO	Y	6010	0.0035	0.0029	mg/l	I	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	SP	NO	Y	6010	0.012	0.0012	mg/l		8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.001	0.00071	mg/l	I	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.0025	0.0017	mg/l	I	8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0018	0.0014	mg/l	I	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron	SP	NO	Y	6010	0.69	0.037	mg/l		8/4/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium	SP	NO	Y	6010	5.9	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.0034	0.0025	mg/l	I	8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19944

Monitoring_Site_Num: MW-15C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19944

Monitoring_Site_Num: MW-15C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19944

Monitoring_Site_Num: MW-15C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19901

Monitoring_Site_Num: MW-1B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.13	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	7.1	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	190	5	mg/l		8/5/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.0086	0.0012	mg/l	I	8/4/2004
001007	Barium	SP	NO	Y	6010	0.099	0.0012	mg/l		8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.016	0.0017	mg/l		8/4/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0018	0.0014	mg/l	I	8/4/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.5	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19901

Monitoring_Site_Num: MW-1B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	2.6	0.037	mg/l		8/4/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
001051	Lead	SP	NO	Y	6010	0.012	0.0015	mg/l		8/4/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel	SP	NO	Y	6010	0.0054	0.0047	mg/l	I	8/4/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0038	mg/l	U	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	4.1	0.15	mg/l		8/4/2004
000929	Sodium	SP	NO	Y	6010	4.1	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.018	0.0025	mg/l		8/4/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19901

Monitoring_Site_Num: MW-1B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19901

Monitoring_Site_Num: MW-1B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	4.8	0.51	ug/l		8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19901

Monitoring_Site_Num: MW-1B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19902

Monitoring_Site_Num: MW-1C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	10	1	mg/l		8/2/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	7/30/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	70	5	mg/l		8/5/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	I	8/4/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/4/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/4/2004
001007	Barium	SP	NO	Y	6010	0.047	0.0012	mg/l		8/4/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.014	0.0012	mg/l		8/4/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/4/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/4/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/4/2004
001034	Chromium	SP	NO	Y	6010	0.0038	0.0017	mg/l	I	8/4/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/4/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/4/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.43	0.037	mg/l		8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19902

Monitoring_Site_Num: MW-1C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	0.69	0.037	mg/l		8/4/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/4/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/3/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/4/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/4/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0038	mg/l	U	8/4/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	4.1	0.15	mg/l		8/4/2004
000929	Sodium	SP	NO	Y	6010	4.1	0.15	mg/l		8/4/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/4/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/4/2004
001087	Vanadium	SP	NO	Y	6010	0.0056	0.0025	mg/l	I	8/4/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/4/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/5/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/5/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/5/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19902

Monitoring_Site_Num: MW-1C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/5/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/5/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/5/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/5/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/5/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/5/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/5/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/5/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/5/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/5/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/5/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/5/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19902

Monitoring_Site_Num: MW-1C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/5/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/5/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/5/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/5/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/5/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/5/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/5/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/5/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/5/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/5/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/5/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/5/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/5/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/5/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/5/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/5/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/5/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/4/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well: 19902

Monitoring_Site_Num: MW-1C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/5/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/29/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/5/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/5/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19904

Monitoring_Site_Num: MW-2B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.12	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	7.3	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/1/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	110	5	mg/l		8/6/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.029	0.0012	mg/l		8/10/2004
001007	Barium	SP	NO	Y	6010	0.071	0.0012	mg/l		8/10/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0033	0.0017	mg/l	I	8/10/2004
001034	Chromium	SP	NO	Y	6010	0.0093	0.0017	mg/l	I	8/10/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.02	mg/l	U	8/10/2004
001042	Copper	SP	NO	Y	6010	0.002	0.0013	mg/l	I	8/10/2004
001045	Iron	SP	NO	Y	6010	1.4	0.037	mg/l		8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19904

Monitoring_Site_Num: MW-2B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.97	0.037	mg/l		8/10/2004
001051	Lead	SP	NO	Y	6010	0.0052	0.0015	mg/l		8/10/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	I	8/10/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/10/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0038	mg/l	U	8/10/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	5	0.15	mg/l		8/10/2004
000929	Sodium	SP	NO	Y	6010	4.9	0.15	mg/l		8/10/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.014	0.0025	mg/l		8/10/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.006	0.0025	mg/l	I	8/10/2004
001092	Zinc	SP	NO	Y	6010	0.0093	0.0059	mg/l	I	8/10/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0087	0.0059	mg/l	I	8/10/2004
081552	Acetone	SP	N	Y	8260	9.9	9.9	ug/l	U	8/7/2004
034215	Acrylonitrile	SP	N	Y	8260	1.2	1.2	ug/l	U	8/7/2004
034030	Benzene	SP	N	Y	8260	0.27	0.27	ug/l	U	8/7/2004
073085	Bromochloromethane	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19904

Monitoring_Site_Num: MW-2B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	N	Y	8260	0.35	0.35	ug/l	U	8/7/2004
032104	Bromoform	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004
077041	Carbon disulfide	SP	N	Y	8260	0.85	0.85	ug/l	U	8/7/2004
032102	Carbon Tetrachloride	SP	N	Y	8260	0.42	0.42	ug/l	U	8/7/2004
034301	Chlorobenzene	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034311	Chloroethane	SP	N	Y	8260	0.8	0.8	ug/l	U	8/7/2004
032105	Dibromochloromethane	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034571	1,4-Dichlorobenzene	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
049263	Trans-1,4-Dichloro-2-butene	SP	N	Y	8260	2.5	2.5	ug/l	U	8/7/2004
034496	1,1-Dichloroethane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034531	1,2-Dichloroethane	SP	N	Y	8260	0.57	0.57	ug/l	U	8/7/2004
034501	1,1-Dichloroethylene	SP	N	Y	8260	0.45	0.45	ug/l	U	8/7/2004
077093	cis-1,2-Dichloroethylene	SP	N	Y	8260	0.65	0.65	ug/l	U	8/7/2004
034546	trans-1,2-Dichloroethylene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034541	1,2-Dichloropropane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034704	cis-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034699	trans-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034371	Ethylbenzene	SP	N	Y	8260	0.83	0.83	ug/l	U	8/7/2004
034413	Bromomethane	SP	N	Y	8260	0.66	0.66	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19904

Monitoring_Site_Num: MW-2B

Permitted Well Type: BG

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	N	Y	8260	4.4	4.4	ug/l	U	8/7/2004
034418	Chloromethane	SP	N	Y	8260	0.64	0.64	ug/l	U	8/7/2004
081595	2-Butanone (MEK)	SP	N	Y	8260	8.4	8.4	ug/l	U	8/7/2004
077424	Iodomethane	SP	N	Y	8260	0.67	0.67	ug/l	U	8/7/2004
034423	Methylene Chloride	SP	N	Y	8260	1	1	ug/l	U	8/7/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	N	Y	8260	3.8	3.8	ug/l	U	8/7/2004
077128	Styrene	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077562	1,1,1,2-Tetrachloroethane	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034516	1,1,2,2-Tetrachloroethane	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034475	Tetrachloroethene	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
034010	Toluene	SP	N	Y	8260	4.5	0.51	ug/l		8/7/2004
034506	1,1,1-Trichloroethane	SP	N	Y	8260	0.46	0.46	ug/l	U	8/7/2004
034511	1,1,2-Trichloroethane	SP	N	Y	8260	0.47	0.47	ug/l	U	8/7/2004
039180	Trichloroethene	SP	N	Y	8260	0.28	0.28	ug/l	U	8/7/2004
034488	Trichlorofluoromethane	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077443	1,2,3-Trichloropropane	SP	N	Y	8260	0.15	0.15	ug/l	U	8/7/2004
077057	Vinyl acetate	SP	N	Y	8260	1.5	1.5	ug/l	U	8/7/2004
039175	Vinyl chloride	SP	N	Y	8260	0.5	0.5	ug/l	U	8/7/2004
034020	Xylenes	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19904

Monitoring_Site_Num: MW-2B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032106	Chloroform	SP	N	Y	8260	0.9	0.9	ug/l	U	8/7/2004
046361	Dibromomethane	SP	N	Y	8260	0.41	0.41	ug/l	U	8/7/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19905

Monitoring_Site_Num: MW-2C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	6.4	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/1/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	74	5	mg/l		8/6/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0042	0.0038	mg/l	I	8/10/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.015	0.0012	mg/l		8/10/2004
001007	Barium	SP	NO	Y	6010	0.07	0.0012	mg/l		8/10/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/10/2004
001034	Chromium	SP	NO	Y	6010	0.0097	0.0017	mg/l	I	8/10/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001042	Copper	SP	NO	Y	6010	0.002	0.0013	mg/l	I	8/10/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.02	mg/l	U	8/10/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	1	0.037	mg/l		8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19905

Monitoring_Site_Num: MW-2C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	1.7	0.037	mg/l		8/10/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/10/2004
001051	Lead	SP	NO	Y	6010	0.0021	0.0015	mg/l	I	8/10/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/10/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0038	mg/l	U	8/10/2004
000929	Sodium	SP	NO	Y	6010	4.8	0.15	mg/l		8/10/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	4.9	0.15	mg/l		8/10/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.0095	0.0025	mg/l	I	8/10/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/10/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
081552	Acetone	SP	N	Y	8260	9.9	9.9	ug/l	U	8/7/2004
034215	Acrylonitrile	SP	N	Y	8260	1.2	1.2	ug/l	U	8/7/2004
034030	Benzene	SP	N	Y	8260	0.27	0.27	ug/l	U	8/7/2004
073085	Bromochloromethane	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19905

Monitoring_Site_Num: MW-2C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	N	Y	8260	0.35	0.35	ug/l	U	8/7/2004
032104	Bromoform	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004
077041	Carbon disulfide	SP	N	Y	8260	0.85	0.85	ug/l	U	8/7/2004
032102	Carbon Tetrachloride	SP	N	Y	8260	0.42	0.42	ug/l	U	8/7/2004
034301	Chlorobenzene	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034311	Chloroethane	SP	N	Y	8260	0.8	0.8	ug/l	U	8/7/2004
032105	Dibromochloromethane	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034571	1,4-Dichlorobenzene	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
049263	Trans-1,4-Dichloro-2-butene	SP	N	Y	8260	2.5	2.5	ug/l	U	8/7/2004
034496	1,1-Dichloroethane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034531	1,2-Dichloroethane	SP	N	Y	8260	0.57	0.57	ug/l	U	8/7/2004
034501	1,1-Dichloroethylene	SP	N	Y	8260	0.45	0.45	ug/l	U	8/7/2004
077093	cis-1,2-Dichloroethylene	SP	N	Y	8260	0.65	0.65	ug/l	U	8/7/2004
034546	trans-1,2-Dichloroethylene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034541	1,2-Dichloropropane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034704	cis-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034699	trans-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034371	Ethylbenzene	SP	N	Y	8260	0.83	0.83	ug/l	U	8/7/2004
034413	Bromomethane	SP	N	Y	8260	0.66	0.66	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19905

Monitoring_Site_Num: MW-2C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	N	Y	8260	4.4	4.4	ug/l	U	8/7/2004
034418	Chloromethane	SP	N	Y	8260	0.64	0.64	ug/l	U	8/7/2004
081595	2-Butanone (MEK)	SP	N	Y	8260	8.4	8.4	ug/l	U	8/7/2004
077424	Iodomethane	SP	N	Y	8260	0.67	0.67	ug/l	U	8/7/2004
034423	Methylene Chloride	SP	N	Y	8260	1	1	ug/l	U	8/7/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	N	Y	8260	3.8	3.8	ug/l	U	8/7/2004
077128	Styrene	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077562	1,1,1,2-Tetrachloroethane	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034516	1,1,2,2-Tetrachloroethane	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034475	Tetrachloroethene	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
034010	Toluene	SP	N	Y	8260	0.51	0.51	ug/l	U	8/7/2004
034506	1,1,1-Trichloroethane	SP	N	Y	8260	0.46	0.46	ug/l	U	8/7/2004
034511	1,1,2-Trichloroethane	SP	N	Y	8260	0.47	0.47	ug/l	U	8/7/2004
039180	Trichloroethene	SP	N	Y	8260	0.28	0.28	ug/l	U	8/7/2004
034488	Trichlorofluoromethane	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077443	1,2,3-Trichloropropane	SP	N	Y	8260	0.15	0.15	ug/l	U	8/7/2004
077057	Vinyl acetate	SP	N	Y	8260	1.5	1.5	ug/l	U	8/7/2004
039175	Vinyl chloride	SP	N	Y	8260	0.5	0.5	ug/l	U	8/7/2004
034020	Xylenes	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004
046361	Dibromomethane	SP	N	Y	8260	0.41	0.41	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19905

Monitoring_Site_Num: MW-2C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
032106	Chloroform	SP	N	Y	8260	0.9	0.9	ug/l	U	8/7/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19907

Monitoring_Site_Num: MW-3B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.12	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	14	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/1/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	530	5	mg/l		8/6/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001002	Arsenic	SP	NO	Y	6010	0.0072	0.0038	mg/l	I	8/10/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001007	Barium	SP	NO	Y	6010	0.35	0.0012	mg/l		8/10/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.0093	0.0012	mg/l	I	8/10/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001012	Beryllium	SP	NO	Y	6010	0.0014	0.00074	mg/l	I	8/10/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001034	Chromium	SP	NO	Y	6010	0.061	0.0017	mg/l		8/10/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/10/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001037	Cobalt	SP	NO	Y	6010	0.0036	0.0014	mg/l	I	8/10/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.02	mg/l	U	8/10/2004
001042	Copper	SP	NO	Y	6010	0.011	0.0013	mg/l	I	8/10/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.62	0.037	mg/l		8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19907

Monitoring_Site_Num: MW-3B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	8.5	0.037	mg/l		8/10/2004
001051	Lead	SP	NO	Y	6010	0.043	0.0015	mg/l		8/10/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/10/2004
071900	Mercury	SP	NO	Y	7470	0.00032	0.000072	mg/l		8/6/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001067	Nickel	SP	NO	Y	6010	0.014	0.0047	mg/l	I	8/10/2004
001147	Selenium	SP	NO	Y	6010	0.012	0.0038	mg/l		8/10/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/10/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	7.3	0.15	mg/l		8/10/2004
000929	Sodium	SP	NO	Y	6010	7	0.15	mg/l		8/10/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.081	0.0025	mg/l		8/10/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0026	0.0025	mg/l	I	8/10/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
001092	Zinc	SP	NO	Y	6010	0.023	0.0059	mg/l		8/10/2004
081552	Acetone	SP	N	Y	8260	9.9	9.9	ug/l	U	8/7/2004
034215	Acrylonitrile	SP	N	Y	8260	1.2	1.2	ug/l	U	8/7/2004
034030	Benzene	SP	N	Y	8260	0.27	0.27	ug/l	U	8/7/2004
073085	Bromochloromethane	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19907

Monitoring_Site_Num: MW-3B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	N	Y	8260	0.35	0.35	ug/l	U	8/7/2004
032104	Bromoform	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004
077041	Carbon disulfide	SP	N	Y	8260	0.85	0.85	ug/l	U	8/7/2004
032102	Carbon Tetrachloride	SP	N	Y	8260	0.42	0.42	ug/l	U	8/7/2004
034301	Chlorobenzene	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034311	Chloroethane	SP	N	Y	8260	0.8	0.8	ug/l	U	8/7/2004
032105	Dibromochloromethane	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034571	1,4-Dichlorobenzene	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
049263	Trans-1,4-Dichloro-2-butene	SP	N	Y	8260	2.5	2.5	ug/l	U	8/7/2004
034496	1,1-Dichloroethane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034531	1,2-Dichloroethane	SP	N	Y	8260	0.57	0.57	ug/l	U	8/7/2004
034501	1,1-Dichloroethylene	SP	N	Y	8260	0.45	0.45	ug/l	U	8/7/2004
077093	cis-1,2-Dichloroethylene	SP	N	Y	8260	0.65	0.65	ug/l	U	8/7/2004
034546	trans-1,2-Dichloroethylene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034541	1,2-Dichloropropane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034704	cis-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034699	trans-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034371	Ethylbenzene	SP	N	Y	8260	0.83	0.83	ug/l	U	8/7/2004
034413	Bromomethane	SP	N	Y	8260	0.66	0.66	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19907

Monitoring_Site_Num: MW-3B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	N	Y	8260	4.4	4.4	ug/l	U	8/7/2004
034418	Chloromethane	SP	N	Y	8260	0.64	0.64	ug/l	U	8/7/2004
081595	2-Butanone (MEK)	SP	N	Y	8260	8.4	8.4	ug/l	U	8/7/2004
077424	Iodomethane	SP	N	Y	8260	0.67	0.67	ug/l	U	8/7/2004
034423	Methylene Chloride	SP	N	Y	8260	1	1	ug/l	U	8/7/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	N	Y	8260	3.8	3.8	ug/l	U	8/7/2004
077128	Styrene	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077562	1,1,1,2-Tetrachloroethane	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034516	1,1,2,2-Tetrachloroethane	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034475	Tetrachloroethene	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
034010	Toluene	SP	N	Y	8260	2.9	0.51	ug/l		8/7/2004
034506	1,1,1-Trichloroethane	SP	N	Y	8260	0.46	0.46	ug/l	U	8/7/2004
034511	1,1,2-Trichloroethane	SP	N	Y	8260	0.47	0.47	ug/l	U	8/7/2004
039180	Trichloroethene	SP	N	Y	8260	0.28	0.28	ug/l	U	8/7/2004
034488	Trichlorofluoromethane	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077443	1,2,3-Trichloropropane	SP	N	Y	8260	0.15	0.15	ug/l	U	8/7/2004
077057	Vinyl acetate	SP	N	Y	8260	1.5	1.5	ug/l	U	8/7/2004
039175	Vinyl chloride	SP	N	Y	8260	0.5	0.5	ug/l	U	8/7/2004
034020	Xylenes	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
032106	Chloroform	SP	N	Y	8260	0.9	0.9	ug/l	U	8/7/2004
046361	Dibromomethane	SP	N	Y	8260	0.41	0.41	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19907

Monitoring_Site_Num: MW-3B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19908

Monitoring_Site_Num: MW-3C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	9.8	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/1/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	130	5	mg/l		8/6/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001002	Arsenic	SP	NO	Y	6010	0.0041	0.0038	mg/l	I	8/10/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001007	Barium	SP	NO	Y	6010	0.1	0.0012	mg/l		8/10/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.015	0.0012	mg/l		8/10/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/10/2004
001034	Chromium	SP	NO	Y	6010	0.015	0.0017	mg/l		8/10/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001042	Copper	SP	NO	Y	6010	0.0034	0.0013	mg/l	I	8/10/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.02	mg/l	U	8/10/2004
001045	Iron	SP	NO	Y	6010	3.1	0.037	mg/l		8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19908

Monitoring_Site_Num: MW-3C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	1.4	0.037	mg/l		8/10/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/10/2004
001051	Lead	SP	NO	Y	6010	0.0038	0.0015	mg/l	I	8/10/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/10/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0038	mg/l	U	8/10/2004
000929	Sodium	SP	NO	Y	6010	5.2	0.15	mg/l		8/10/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	5.2	0.15	mg/l		8/10/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.018	0.0025	mg/l		8/10/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/10/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
081552	Acetone	SP	N	Y	8260	9.9	9.9	ug/l	U	8/7/2004
034215	Acrylonitrile	SP	N	Y	8260	1.2	1.2	ug/l	U	8/7/2004
034030	Benzene	SP	N	Y	8260	0.27	0.27	ug/l	U	8/7/2004
073085	Bromochloromethane	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19908

Monitoring_Site_Num: MW-3C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	N	Y	8260	0.35	0.35	ug/l	U	8/7/2004
032104	Bromoform	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004
077041	Carbon disulfide	SP	N	Y	8260	0.85	0.85	ug/l	U	8/7/2004
032102	Carbon Tetrachloride	SP	N	Y	8260	0.42	0.42	ug/l	U	8/7/2004
034301	Chlorobenzene	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034311	Chloroethane	SP	N	Y	8260	0.8	0.8	ug/l	U	8/7/2004
032105	Dibromochloromethane	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034571	1,4-Dichlorobenzene	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
049263	Trans-1,4-Dichloro-2-butene	SP	N	Y	8260	2.5	2.5	ug/l	U	8/7/2004
034496	1,1-Dichloroethane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034531	1,2-Dichloroethane	SP	N	Y	8260	0.57	0.57	ug/l	U	8/7/2004
034501	1,1-Dichloroethylene	SP	N	Y	8260	0.45	0.45	ug/l	U	8/7/2004
077093	cis-1,2-Dichloroethylene	SP	N	Y	8260	0.65	0.65	ug/l	U	8/7/2004
034546	trans-1,2-Dichloroethylene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034541	1,2-Dichloropropane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034704	cis-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034699	trans-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034371	Ethylbenzene	SP	N	Y	8260	0.83	0.83	ug/l	U	8/7/2004
034413	Bromomethane	SP	N	Y	8260	0.66	0.66	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19908

Monitoring_Site_Num: MW-3C

Permitted Well Type: BG

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	N	Y	8260	4.4	4.4	ug/l	U	8/7/2004
034418	Chloromethane	SP	N	Y	8260	0.64	0.64	ug/l	U	8/7/2004
081595	2-Butanone (MEK)	SP	N	Y	8260	8.4	8.4	ug/l	U	8/7/2004
077424	Iodomethane	SP	N	Y	8260	0.67	0.67	ug/l	U	8/7/2004
034423	Methylene Chloride	SP	N	Y	8260	1	1	ug/l	U	8/7/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	N	Y	8260	3.8	3.8	ug/l	U	8/7/2004
077128	Styrene	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077562	1,1,1,2-Tetrachloroethane	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034516	1,1,2,2-Tetrachloroethane	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034475	Tetrachloroethene	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
034010	Toluene	SP	N	Y	8260	0.51	0.51	ug/l	U	8/7/2004
034506	1,1,1-Trichloroethane	SP	N	Y	8260	0.46	0.46	ug/l	U	8/7/2004
034511	1,1,2-Trichloroethane	SP	N	Y	8260	0.47	0.47	ug/l	U	8/7/2004
039180	Trichloroethene	SP	N	Y	8260	0.28	0.28	ug/l	U	8/7/2004
034488	Trichlorofluoromethane	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077443	1,2,3-Trichloropropane	SP	N	Y	8260	0.15	0.15	ug/l	U	8/7/2004
077057	Vinyl acetate	SP	N	Y	8260	1.5	1.5	ug/l	U	8/7/2004
039175	Vinyl chloride	SP	N	Y	8260	0.5	0.5	ug/l	U	8/7/2004
034020	Xylenes	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
046361	Dibromomethane	SP	N	Y	8260	0.41	0.41	ug/l	U	8/7/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19908

Monitoring_Site_Num: MW-3C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
032106	Chloroform	SP	N	Y	8260	0.9	0.9	ug/l	U	8/7/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19910

Monitoring_Site_Num: MW-4B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.09	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	30	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/1/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	84	5	mg/l		8/6/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.013	0.0012	mg/l		8/10/2004
001007	Barium	SP	NO	Y	6010	0.035	0.0012	mg/l		8/10/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001034	Chromium	SP	NO	Y	6010	0.0047	0.0017	mg/l	I	8/10/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/10/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.02	mg/l	U	8/10/2004
001042	Copper	SP	NO	Y	6010	0.0027	0.0013	mg/l	I	8/10/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	1.2	0.037	mg/l		8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19910

Monitoring_Site_Num: MW-4B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	1.5	0.037	mg/l		8/10/2004
001051	Lead	SP	NO	Y	6010	0.0016	0.0015	mg/l	I	8/10/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/10/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0038	mg/l	U	8/10/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/10/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	15	0.15	mg/l		8/10/2004
000929	Sodium	SP	NO	Y	6010	15	0.15	mg/l		8/10/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.0056	0.0025	mg/l	I	8/10/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/10/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
081552	Acetone	SP	N	Y	8260	9.9	9.9	ug/l	U	8/8/2004
034215	Acrylonitrile	SP	N	Y	8260	1.2	1.2	ug/l	U	8/8/2004
034030	Benzene	SP	N	Y	8260	0.27	0.27	ug/l	U	8/8/2004
073085	Bromochloromethane	SP	N	Y	8260	0.58	0.58	ug/l	U	8/8/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19910

Monitoring_Site_Num: MW-4B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	N	Y	8260	0.35	0.35	ug/l	U	8/8/2004
032104	Bromoform	SP	N	Y	8260	0.58	0.58	ug/l	U	8/8/2004
077041	Carbon disulfide	SP	N	Y	8260	0.85	0.85	ug/l	U	8/8/2004
032102	Carbon Tetrachloride	SP	N	Y	8260	0.42	0.42	ug/l	U	8/8/2004
034301	Chlorobenzene	SP	N	Y	8260	0.63	0.63	ug/l	U	8/8/2004
034311	Chloroethane	SP	N	Y	8260	0.8	0.8	ug/l	U	8/8/2004
032105	Dibromochloromethane	SP	N	Y	8260	0.34	0.34	ug/l	U	8/8/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/8/2004
034571	1,4-Dichlorobenzene	SP	N	Y	8260	0.52	0.52	ug/l	U	8/8/2004
049263	Trans-1,4-Dichloro-2-butene	SP	N	Y	8260	2.5	2.5	ug/l	U	8/8/2004
034496	1,1-Dichloroethane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/8/2004
034531	1,2-Dichloroethane	SP	N	Y	8260	0.57	0.57	ug/l	U	8/8/2004
034501	1,1-Dichloroethylene	SP	N	Y	8260	0.45	0.45	ug/l	U	8/8/2004
077093	cis-1,2-Dichloroethylene	SP	N	Y	8260	0.65	0.65	ug/l	U	8/8/2004
034546	trans-1,2-Dichloroethylene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/8/2004
034541	1,2-Dichloropropane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/8/2004
034704	cis-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/8/2004
034699	trans-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/8/2004
034371	Ethylbenzene	SP	N	Y	8260	0.83	0.83	ug/l	U	8/8/2004
034413	Bromomethane	SP	N	Y	8260	0.66	0.66	ug/l	U	8/8/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19910

Monitoring_Site_Num: MW-4B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	N	Y	8260	4.4	4.4	ug/l	U	8/8/2004
034418	Chloromethane	SP	N	Y	8260	0.64	0.64	ug/l	U	8/8/2004
081595	2-Butanone (MEK)	SP	N	Y	8260	8.4	8.4	ug/l	U	8/8/2004
077424	Iodomethane	SP	N	Y	8260	0.67	0.67	ug/l	U	8/8/2004
034423	Methylene Chloride	SP	N	Y	8260	1	1	ug/l	U	8/8/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	N	Y	8260	3.8	3.8	ug/l	U	8/8/2004
077128	Styrene	SP	N	Y	8260	0.98	0.98	ug/l	U	8/8/2004
077562	1,1,1,2-Tetrachloroethane	SP	N	Y	8260	0.63	0.63	ug/l	U	8/8/2004
034516	1,1,2,2-Tetrachloroethane	SP	N	Y	8260	0.14	0.14	ug/l	U	8/8/2004
034475	Tetrachloroethene	SP	N	Y	8260	0.34	0.34	ug/l	U	8/8/2004
034010	Toluene	SP	N	Y	8260	0.51	0.51	ug/l	U	8/8/2004
034506	1,1,1-Trichloroethane	SP	N	Y	8260	0.46	0.46	ug/l	U	8/8/2004
034511	1,1,2-Trichloroethane	SP	N	Y	8260	0.47	0.47	ug/l	U	8/8/2004
039180	Trichloroethene	SP	N	Y	8260	0.28	0.28	ug/l	U	8/8/2004
034488	Trichlorofluoromethane	SP	N	Y	8260	0.98	0.98	ug/l	U	8/8/2004
077443	1,2,3-Trichloropropane	SP	N	Y	8260	0.15	0.15	ug/l	U	8/8/2004
077057	Vinyl acetate	SP	N	Y	8260	1.5	1.5	ug/l	U	8/8/2004
039175	Vinyl chloride	SP	N	Y	8260	0.5	0.5	ug/l	U	8/8/2004
034020	Xylenes	SP	N	Y	8260	0.98	0.98	ug/l	U	8/8/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19910

Monitoring_Site_Num: MW-4B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
046361	Dibromomethane	SP	N	Y	8260	0.41	0.41	ug/l	U	8/8/2004
032106	Chloroform	SP	N	Y	8260	0.9	0.9	ug/l	U	8/8/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19911

Monitoring_Site_Num: MW-4C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/5/2004
000940	Chloride	SP	NO	Y	325.3	9.8	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/1/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	490	5	mg/l		8/6/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/10/2004
001002	Arsenic	SP	NO	Y	6010	0.015	0.0038	mg/l		8/10/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/10/2004
001007	Barium	SP	NO	Y	6010	0.62	0.0012	mg/l		8/10/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.012	0.0012	mg/l		8/10/2004
001012	Beryllium	SP	NO	Y	6010	0.004	0.00074	mg/l	I	8/10/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/10/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/10/2004
001027	Cadmium	SP	NO	Y	6010	0.0008	0.00071	mg/l	I	8/10/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0022	0.0017	mg/l	I	8/10/2004
001034	Chromium	SP	NO	Y	6010	0.13	0.0017	mg/l		8/10/2004
001037	Cobalt	SP	NO	Y	6010	0.0073	0.0014	mg/l	I	8/10/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/10/2004
001042	Copper	SP	NO	Y	6010	0.0072	0.0013	mg/l	I	8/10/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.02	mg/l	U	8/10/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.81	0.037	mg/l		8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19911

Monitoring_Site_Num: MW-4C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	17	0.037	mg/l		8/10/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/10/2004
001051	Lead	SP	NO	Y	6010	0.019	0.0015	mg/l		8/10/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury	SP	NO	Y	7470	0.000076	0.000072	mg/l	I	8/6/2004
001067	Nickel	SP	NO	Y	6010	0.022	0.0047	mg/l	I	8/10/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/10/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/10/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0038	mg/l	U	8/10/2004
000929	Sodium	SP	NO	Y	6010	8.8	0.15	mg/l		8/10/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	9.2	0.15	mg/l		8/10/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.12	0.0025	mg/l		8/10/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0039	0.0025	mg/l	I	8/10/2004
001092	Zinc	SP	NO	Y	6010	0.045	0.0059	mg/l		8/10/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/10/2004
081552	Acetone	SP	N	Y	8260	9.9	9.9	ug/l	U	8/7/2004
034215	Acrylonitrile	SP	N	Y	8260	1.2	1.2	ug/l	U	8/7/2004
034030	Benzene	SP	N	Y	8260	0.27	0.27	ug/l	U	8/7/2004
073085	Bromochloromethane	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19911

Monitoring_Site_Num: MW-4C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	N	Y	8260	0.35	0.35	ug/l	U	8/7/2004
032104	Bromoform	SP	N	Y	8260	0.58	0.58	ug/l	U	8/7/2004
077041	Carbon disulfide	SP	N	Y	8260	0.85	0.85	ug/l	U	8/7/2004
032102	Carbon Tetrachloride	SP	N	Y	8260	0.42	0.42	ug/l	U	8/7/2004
034301	Chlorobenzene	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034311	Chloroethane	SP	N	Y	8260	0.8	0.8	ug/l	U	8/7/2004
032105	Dibromochloromethane	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034571	1,4-Dichlorobenzene	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
049263	Trans-1,4-Dichloro-2-butene	SP	N	Y	8260	2.5	2.5	ug/l	U	8/7/2004
034496	1,1-Dichloroethane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034531	1,2-Dichloroethane	SP	N	Y	8260	0.57	0.57	ug/l	U	8/7/2004
034501	1,1-Dichloroethylene	SP	N	Y	8260	0.45	0.45	ug/l	U	8/7/2004
077093	cis-1,2-Dichloroethylene	SP	N	Y	8260	0.65	0.65	ug/l	U	8/7/2004
034546	trans-1,2-Dichloroethylene	SP	N	Y	8260	0.44	0.44	ug/l	U	8/7/2004
034541	1,2-Dichloropropane	SP	N	Y	8260	0.52	0.52	ug/l	U	8/7/2004
034704	cis-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034699	trans-1,3-Dichloropropene	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034371	Ethylbenzene	SP	N	Y	8260	0.83	0.83	ug/l	U	8/7/2004
034413	Bromomethane	SP	N	Y	8260	0.66	0.66	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19911

Monitoring_Site_Num: MW-4C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	N	Y	8260	4.4	4.4	ug/l	U	8/7/2004
034418	Chloromethane	SP	N	Y	8260	0.64	0.64	ug/l	U	8/7/2004
081595	2-Butanone (MEK)	SP	N	Y	8260	8.4	8.4	ug/l	U	8/7/2004
077424	Iodomethane	SP	N	Y	8260	0.67	0.67	ug/l	U	8/7/2004
034423	Methylene Chloride	SP	N	Y	8260	1	1	ug/l	U	8/7/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	N	Y	8260	3.8	3.8	ug/l	U	8/7/2004
077128	Styrene	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077562	1,1,1,2-Tetrachloroethane	SP	N	Y	8260	0.63	0.63	ug/l	U	8/7/2004
034516	1,1,2,2-Tetrachloroethane	SP	N	Y	8260	0.14	0.14	ug/l	U	8/7/2004
034475	Tetrachloroethene	SP	N	Y	8260	0.34	0.34	ug/l	U	8/7/2004
034010	Toluene	SP	N	Y	8260	0.51	0.51	ug/l	U	8/7/2004
034506	1,1,1-Trichloroethane	SP	N	Y	8260	0.46	0.46	ug/l	U	8/7/2004
034511	1,1,2-Trichloroethane	SP	N	Y	8260	0.47	0.47	ug/l	U	8/7/2004
039180	Trichloroethene	SP	N	Y	8260	0.28	0.28	ug/l	U	8/7/2004
034488	Trichlorofluoromethane	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
077443	1,2,3-Trichloropropane	SP	N	Y	8260	0.15	0.15	ug/l	U	8/7/2004
077057	Vinyl acetate	SP	N	Y	8260	1.5	1.5	ug/l	U	8/7/2004
039175	Vinyl chloride	SP	N	Y	8260	0.5	0.5	ug/l	U	8/7/2004
034020	Xylenes	SP	N	Y	8260	0.98	0.98	ug/l	U	8/7/2004
032106	Chloroform	SP	N	Y	8260	0.9	0.9	ug/l	U	8/7/2004
046361	Dibromomethane	SP	N	Y	8260	0.41	0.41	ug/l	U	8/7/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 7/30/2004

WACS Well: 19911

Monitoring_Site_Num: MW-4C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/10/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/2/2004**

WACS Well: 19913

Monitoring_Site_Num: MW-5B

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.13	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	7.3	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/3/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	42	5	mg/l		8/9/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium	SP	NO	Y	6010	0.027	0.0012	mg/l		8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.0019	0.0017	mg/l	I	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron	SP	NO	Y	6010	0.64	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium	SP	NO	Y	6010	4.3	0.15	mg/l		8/11/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.0036	0.0025	mg/l	I	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.0077	0.0059	mg/l	I	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19913

Monitoring_Site_Num: MW-5B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/12/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/12/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/12/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/12/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/12/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/12/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/12/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/12/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/12/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/12/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/12/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19913

Monitoring_Site_Num: MW-5B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/12/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/12/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/12/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/12/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/12/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/12/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/12/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/12/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
034010	Toluene	SP	NO	Y	8260	8.8	0.51	ug/l		8/12/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/12/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/12/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/12/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/12/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19913

Monitoring_Site_Num: MW-5B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/12/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/12/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/2/2004**

WACS Well: 19914

Monitoring_Site_Num: MW-5C

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.08	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	12	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/3/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	56	5	mg/l		8/9/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium	SP	NO	Y	6010	0.047	0.0012	mg/l		8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.0025	0.0017	mg/l	I	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron	SP	NO	Y	6010	1.9	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium	SP	NO	Y	6010	6.6	0.15	mg/l		8/11/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium	SP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.007	0.0059	mg/l	I	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19914

Monitoring_Site_Num: MW-5C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/12/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/12/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/12/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/12/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/12/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/12/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/12/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/12/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/12/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/12/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/12/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19914

Monitoring_Site_Num: MW-5C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/12/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/12/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/12/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/12/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/12/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/12/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/12/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/12/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/12/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/12/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/12/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/12/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/12/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19914

Monitoring_Site_Num: MW-5C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/12/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/12/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19916

Monitoring_Site_Num: MW-6B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	5.9	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/3/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	270	5	mg/l		8/9/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium	SP	NO	Y	6010	0.2	0.0012	mg/l		8/11/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.021	0.0012	mg/l		8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.03	0.0017	mg/l		8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.0066	0.0013	mg/l	I	8/11/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.95	0.037	mg/l		8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/2/2004**

WACS Well: 19916

Monitoring_Site_Num: MW-6B

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	4.8	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.024	0.0015	mg/l		8/11/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001067	Nickel	SP	NO	Y	6010	0.0068	0.0047	mg/l	I	8/11/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0057	0.0048	mg/l	I	8/11/2004
000929	Sodium	SP	NO	Y	6010	6.6	0.15	mg/l		8/11/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	6.5	0.15	mg/l		8/11/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0029	0.0025	mg/l	I	8/11/2004
001087	Vanadium	SP	NO	Y	6010	0.043	0.0025	mg/l		8/11/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.0073	0.0059	mg/l	I	8/11/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/12/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/12/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/12/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19916

Monitoring_Site_Num: MW-6B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/12/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/12/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/12/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/12/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/12/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/12/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/12/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/12/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/12/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19916

Monitoring_Site_Num: MW-6B

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/12/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/12/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/12/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/12/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/12/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/12/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/12/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/12/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/12/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/12/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/12/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/12/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/12/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19916

Monitoring_Site_Num: MW-6B

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/2/2004**

WACS Well: 19917

Monitoring_Site_Num: MW-6C

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	5.4	1	mg/l		8/11/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/3/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	44	5	mg/l		8/9/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.065	0.0012	mg/l		8/11/2004
001007	Barium	SP	NO	Y	6010	0.097	0.0012	mg/l		8/11/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.0034	0.0017	mg/l	I	8/11/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	1.4	0.037	mg/l		8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/2/2004**

WACS Well: 19917

Monitoring_Site_Num: MW-6C

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	1.8	0.037	mg/l		8/11/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/6/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium	SP	NO	Y	6010	4.2	0.15	mg/l		8/11/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	4.2	0.15	mg/l		8/11/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/9/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/11/2004
001087	Vanadium	SP	NO	Y	6010	0.0046	0.0025	mg/l	I	8/11/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.0067	0.0059	mg/l	I	8/11/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/12/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/12/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/12/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19917

Monitoring_Site_Num: MW-6C

Permitted Well Type: BG

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/12/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/12/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/12/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/12/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/12/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/12/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/12/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/12/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/12/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19917

Monitoring_Site_Num: MW-6C

Permitted Well Type: BG

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/12/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/12/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/12/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/12/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/12/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/12/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/12/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/12/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/12/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/12/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/12/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/12/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/12/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well: 19917

Monitoring_Site_Num: MW-6C

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/12/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/2/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/12/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/12/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/12/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/12/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/12/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/12/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/12/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/12/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/12/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/12/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/12/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/12/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/12/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/12/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: **89544**

Sample Date **8/2/2004**

WACS Well:

Monitoring_Site_Num: **Trip Blank**

Permitted Well Type:

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/12/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/12/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/12/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/12/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/12/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/12/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/12/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/12/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/12/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/12/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/12/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/12/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/12/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/12/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/12/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/12/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/12/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: **89544**

Sample Date **8/2/2004**

WACS Well:

Monitoring_Site_Num: **Trip Blank**

Permitted Well Type:

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/12/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/12/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/3/2004**

WACS Well: 19919

Monitoring_Site_Num: MW-7B

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.2	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	12	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.1	0.01	mg/l	U	8/4/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	1000	5	mg/l		8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0074	0.0038	mg/l	I	8/11/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.12	0.0012	mg/l		8/11/2004
001007	Barium	SP	NO	Y	6010	0.72	0.0012	mg/l		8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.0026	0.00074	mg/l	I	8/11/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.0011	0.00071	mg/l	I	8/11/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.12	0.0017	mg/l		8/11/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.02	0.0017	mg/l		8/11/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0043	0.0014	mg/l	I	8/11/2004
001042	Copper	SP	NO	Y	6010	0.018	0.0013	mg/l	I	8/11/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0028	0.0013	mg/l	I	8/11/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	3.3	0.037	mg/l		8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/3/2004**

WACS Well: 19919

Monitoring_Site_Num: MW-7B

Permitted Well Type: **CO**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	17	0.037	mg/l		8/11/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.015	0.0015	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.1	0.0015	mg/l		8/11/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/10/2004
071900	Mercury	SP	NO	Y	7470	0.00047	0.000072	mg/l		8/10/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001067	Nickel	SP	NO	Y	6010	0.029	0.0047	mg/l	I	8/11/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.025	0.0048	mg/l		8/11/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	8.5	0.15	mg/l		8/11/2004
000929	Sodium	SP	NO	Y	6010	8.8	0.15	mg/l		8/11/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.03	0.0025	mg/l		8/11/2004
001087	Vanadium	SP	NO	Y	6010	0.18	0.0025	mg/l		8/11/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0069	0.0059	mg/l	I	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.021	0.0059	mg/l		8/11/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/11/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/11/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/11/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19919

Monitoring_Site_Num: MW-7B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/11/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/11/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/11/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/11/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/11/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/11/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/11/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/11/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/11/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/3/2004**

WACS Well: 19919

Monitoring_Site_Num: MW-7B

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/11/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/11/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/11/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/11/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/11/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/11/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034010	Toluene	SP	NO	Y	8260	8.5	0.51	ug/l		8/11/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/11/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/11/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/11/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/11/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/11/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/11/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19919

Monitoring_Site_Num: MW-7B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/3/2004**

WACS Well: 19920

Monitoring_Site_Num: MW-7C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.15	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	10	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.1	0.01	mg/l	U	8/4/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	590	5	mg/l		8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.01	0.0038	mg/l		8/11/2004
001007	Barium	SP	NO	Y	6010	0.8	0.0012	mg/l		8/11/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.043	0.0012	mg/l		8/11/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.0029	0.00074	mg/l	I	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.086	0.0017	mg/l		8/11/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0039	0.0017	mg/l	I	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0043	0.0014	mg/l	I	8/11/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.011	0.0013	mg/l	I	8/11/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron	SP	NO	Y	6010	10	0.037	mg/l		8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/3/2004**

WACS Well: 19920

Monitoring_Site_Num: MW-7C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.89	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.06	0.0015	mg/l		8/11/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	I	8/11/2004
071900	Mercury	SP	NO	Y	7470	0.00026	0.000072	mg/l		8/10/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/10/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001067	Nickel	SP	NO	Y	6010	0.019	0.0047	mg/l	I	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.014	0.0048	mg/l		8/11/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium	SP	NO	Y	6010	8	0.15	mg/l		8/11/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	8.5	0.15	mg/l		8/11/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0062	0.0025	mg/l	I	8/11/2004
001087	Vanadium	SP	NO	Y	6010	0.14	0.0025	mg/l		8/11/2004
001092	Zinc	SP	NO	Y	6010	0.014	0.0059	mg/l	I	8/11/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/11/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/11/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/11/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/11/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19920

Monitoring_Site_Num: MW-7C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/11/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/11/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/11/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/11/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/11/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/11/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/11/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/11/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/11/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19920

Monitoring_Site_Num: MW-7C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/11/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/11/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/11/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/11/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/11/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/11/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/11/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/11/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/11/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/11/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/11/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/11/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/11/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19920

Monitoring_Site_Num: MW-7C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/11/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19923

Monitoring_Site_Num: MW-8C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	7.5	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/4/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	50	5	mg/l		8/10/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium	SP	NO	Y	6010	0.029	0.0012	mg/l		8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron	SP	NO	Y	6010	1.7	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/10/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium	SP	NO	Y	6010	4.8	0.15	mg/l		8/11/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19923

Monitoring_Site_Num: MW-8C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/11/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/11/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/11/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/11/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/11/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/11/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/11/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/11/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/11/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/11/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/11/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19923

Monitoring_Site_Num: MW-8C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/11/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/11/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/11/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/11/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/11/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/11/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/11/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/11/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/11/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/11/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/11/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/11/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/11/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19923

Monitoring_Site_Num: MW-8C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/11/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/3/2004**

WACS Well: 19925

Monitoring_Site_Num: MW-9B

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	12	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.05	0.01	mg/l	U	8/4/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	260	5	mg/l		8/10/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium	SP	NO	Y	6010	0.18	0.0012	mg/l		8/11/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.021	0.0012	mg/l		8/11/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.036	0.0017	mg/l		8/11/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/11/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.013	0.0013	mg/l	I	8/11/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/11/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.96	0.037	mg/l		8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/3/2004**

WACS Well: 19925

Monitoring_Site_Num: MW-9B

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	5.8	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.028	0.0015	mg/l		8/11/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/10/2004
071900	Mercury	SP	NO	Y	7470	0.000077	0.000072	mg/l	I	8/10/2004
001067	Nickel	SP	NO	Y	6010	0.0078	0.0047	mg/l	I	8/11/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0076	0.0048	mg/l	I	8/11/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	7.5	0.15	mg/l		8/11/2004
000929	Sodium	SP	NO	Y	6010	7.5	0.15	mg/l		8/11/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.051	0.0025	mg/l		8/11/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0037	0.0025	mg/l	I	8/11/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.0072	0.0059	mg/l	I	8/11/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/11/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/11/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/11/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19925

Monitoring_Site_Num: MW-9B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/11/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/11/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/11/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/11/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/11/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/11/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/11/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/11/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/11/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/3/2004**

WACS Well: 19925

Monitoring_Site_Num: MW-9B

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/11/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/11/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/11/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/11/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/11/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/11/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034010	Toluene	SP	NO	Y	8260	8.1	0.51	ug/l		8/11/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/11/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/11/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/11/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/11/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/11/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/11/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19925

Monitoring_Site_Num: MW-9B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/11/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/3/2004**

WACS Well: 19926

Monitoring_Site_Num: MW-9C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	9.4	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/4/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	50	5	mg/l		8/10/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/11/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/11/2004
001007	Barium	SP	NO	Y	6010	0.026	0.0012	mg/l		8/11/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/11/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/11/2004
001034	Chromium	SP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/11/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/11/2004
001042	Copper	SP	NO	Y	6010	0.0018	0.0013	mg/l	I	8/11/2004
001045	Iron	SP	NO	Y	6010	1.3	0.037	mg/l		8/11/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/11/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/10/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/11/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/11/2004
000929	Sodium	SP	NO	Y	6010	5.6	0.15	mg/l		8/11/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.0026	0.0025	mg/l	I	8/11/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19926

Monitoring_Site_Num: MW-9C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/11/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/11/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/11/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/11/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/11/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/11/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/11/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/11/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/11/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/11/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/11/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19926

Monitoring_Site_Num: MW-9C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/11/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/11/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/11/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/11/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/11/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/11/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/11/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/11/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/11/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/11/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/11/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/11/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/11/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well: 19926

Monitoring_Site_Num: MW-9C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/11/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/3/2004**

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/11/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/11/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/11/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/11/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/11/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/11/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/11/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/11/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/11/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/11/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/11/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/11/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/11/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/11/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: **89544**

Sample Date **8/3/2004**

WACS Well:

Monitoring_Site_Num: **Trip Blank**

Permitted Well Type:

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/11/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/11/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/11/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/11/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/11/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/11/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/11/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/11/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/11/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/11/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/11/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/11/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/11/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/11/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/11/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/11/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/11/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/3/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/11/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19928

Monitoring_Site_Num: MW-10B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.1	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	9.8	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	58	5	mg/l		8/11/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium	SP	NO	Y	6010	0.035	0.0012	mg/l		8/12/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.012	0.0012	mg/l		8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.0038	0.0017	mg/l	I	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0014	0.0013	mg/l	I	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0028	0.0013	mg/l	I	8/12/2004
001045	Iron	SP	NO	Y	6010	0.97	0.037	mg/l		8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/4/2004**

WACS Well: 19928

Monitoring_Site_Num: MW-10B

Permitted Well Type: **CO**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.6	0.037	mg/l		8/12/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium	SP	NO	Y	6010	6.4	0.15	mg/l		8/12/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	6.4	0.15	mg/l		8/12/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.0041	0.0025	mg/l	I	8/12/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0083	0.0059	mg/l	I	8/12/2004
001092	Zinc (Dissolved)	SP		Y	6010	0.0059	0.0059	mg/l	U	8/18/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/4/2004**

WACS Well: 19928

Monitoring_Site_Num: MW-10B

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19928

Monitoring_Site_Num: MW-10B

Permitted Well Type: CO

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19928

Monitoring_Site_Num: MW-10B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19929

Monitoring_Site_Num: MW-10C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.12	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	8	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	50	5	mg/l		8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.014	0.0012	mg/l		8/12/2004
001007	Barium	SP	NO	Y	6010	0.048	0.0012	mg/l		8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.0041	0.0017	mg/l	I	8/12/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0023	0.0013	mg/l	I	8/12/2004
001045	Iron	SP	NO	Y	6010	1.5	0.037	mg/l		8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19929

Monitoring_Site_Num: MW-10C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.81	0.037	mg/l		8/12/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	5.8	0.15	mg/l		8/12/2004
000929	Sodium	SP	NO	Y	6010	5.8	0.15	mg/l		8/12/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/12/2004
001087	Vanadium	SP	NO	Y	6010	0.0057	0.0025	mg/l	I	8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/12/2004
001092	Zinc (Dissolved)	SP		Y	6010	0.013	0.0059	mg/l	I	8/12/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19929

Monitoring_Site_Num: MW-10C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19929

Monitoring_Site_Num: MW-10C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19929

Monitoring_Site_Num: MW-10C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/4/2004**

WACS Well: 19931

Monitoring_Site_Num: MW-11B

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.15	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	26	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	530	5	mg/l		8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.015	0.0012	mg/l		8/12/2004
001007	Barium	SP	NO	Y	6010	0.31	0.0012	mg/l		8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00086	0.00074	mg/l	I	8/12/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.04	0.0017	mg/l		8/12/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/12/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.002	0.0014	mg/l	I	8/12/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0073	0.0013	mg/l	I	8/12/2004
001045	Iron	SP	NO	Y	6010	5.5	0.037	mg/l		8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19931

Monitoring_Site_Num: MW-11B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.49	0.037	mg/l		8/12/2004
001051	Lead	SP	NO	Y	6010	0.024	0.0015	mg/l		8/12/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.00018	0.000072	mg/l	I	8/12/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0094	0.0047	mg/l	I	8/12/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.013	0.0048	mg/l		8/12/2004
000929	Sodium	SP	NO	Y	6010	21	0.15	mg/l		8/12/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	22	0.15	mg/l		8/12/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/12/2004
001087	Vanadium	SP	NO	Y	6010	0.056	0.0025	mg/l		8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0092	0.0059	mg/l	I	8/12/2004
001092	Zinc (Dissolved)	SP		Y	6010	0.015	0.0059	mg/l	I	8/12/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19931

Monitoring_Site_Num: MW-11B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19931

Monitoring_Site_Num: MW-11B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19931

Monitoring_Site_Num: MW-11B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19932

Monitoring_Site_Num: MW-11C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	20	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	100	5	mg/l		8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium	SP	NO	Y	6010	0.015	0.0012	mg/l		8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.0018	0.0017	mg/l	I	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/12/2004
001045	Iron	SP	NO	Y	6010	0.76	0.037	mg/l		8/12/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium	SP	NO	Y	6010	9.3	0.15	mg/l		8/12/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19932

Monitoring_Site_Num: MW-11C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19932

Monitoring_Site_Num: MW-11C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19932

Monitoring_Site_Num: MW-11C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/4/2004**

WACS Well: 19934

Monitoring_Site_Num: MW-12B

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.12	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	8.9	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	930	5	mg/l		8/11/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.019	0.0012	mg/l		8/12/2004
001007	Barium	SP	NO	Y	6010	0.31	0.0012	mg/l		8/12/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.0011	0.00074	mg/l	I	8/12/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.044	0.0017	mg/l		8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0024	0.0014	mg/l	I	8/12/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.023	0.0013	mg/l		8/12/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/12/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.64	0.037	mg/l		8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19934

Monitoring_Site_Num: MW-12B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	6.8	0.037	mg/l		8/12/2004
001051	Lead	SP	NO	Y	6010	0.038	0.0015	mg/l		8/12/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.00021	0.000072	mg/l		8/12/2004
001067	Nickel	SP	NO	Y	6010	0.011	0.0047	mg/l	I	8/12/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	I	8/12/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	8.9	0.15	mg/l		8/12/2004
000929	Sodium	SP	NO	Y	6010	9	0.15	mg/l		8/12/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	I	8/12/2004
001087	Vanadium	SP	NO	Y	6010	0.053	0.0025	mg/l		8/12/2004
001092	Zinc (Dissolved)	SP		Y	6010	0.012	0.0059	mg/l	I	8/12/2004
001092	Zinc	SP	NO	Y	6010	0.018	0.0059	mg/l	I	8/12/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19934

Monitoring_Site_Num: MW-12B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19934

Monitoring_Site_Num: MW-12B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	1.7	0.51	ug/l		8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19934

Monitoring_Site_Num: MW-12B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19935

Monitoring_Site_Num: MW-12C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.14	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	8.4	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	52	5	mg/l		8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium	SP	NO	Y	6010	0.041	0.0012	mg/l		8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.0023	0.0017	mg/l	I	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0016	0.0013	mg/l	I	8/12/2004
001045	Iron	SP	NO	Y	6010	1.2	0.037	mg/l		8/12/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium	SP	NO	Y	6010	4.9	0.15	mg/l		8/12/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.003	0.0025	mg/l	I	8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0089	0.0059	mg/l	I	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/4/2004**

WACS Well: 19935

Monitoring_Site_Num: MW-12C

Permitted Well Type: **CO**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/4/2004**

WACS Well: 19935

Monitoring_Site_Num: MW-12C

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19935

Monitoring_Site_Num: MW-12C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19937

Monitoring_Site_Num: MW-13B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.11	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	13	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	86	5	mg/l		8/11/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.012	0.0012	mg/l		8/12/2004
001007	Barium	SP	NO	Y	6010	0.059	0.0012	mg/l		8/12/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.011	0.0017	mg/l		8/12/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/12/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0054	0.0013	mg/l	I	8/12/2004
001045	Iron	SP	NO	Y	6010	2.3	0.037	mg/l		8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19937

Monitoring_Site_Num: MW-13B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.91	0.037	mg/l		8/12/2004
001051	Lead	SP	NO	Y	6010	0.0074	0.0015	mg/l		8/12/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0068	0.0048	mg/l	I	8/12/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	7.4	0.15	mg/l		8/12/2004
000929	Sodium	SP	NO	Y	6010	7.1	0.15	mg/l		8/12/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/12/2004
001087	Vanadium	SP	NO	Y	6010	0.012	0.0025	mg/l		8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/12/2004
001092	Zinc (Dissolved)	SP		Y	6010	0.015	0.0059	mg/l	I	8/12/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19937

Monitoring_Site_Num: MW-13B

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19937

Monitoring_Site_Num: MW-13B

Permitted Well Type: CO

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19937

Monitoring_Site_Num: MW-13B

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19938

Monitoring_Site_Num: MW-13C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.13	0.04	mg/l		8/11/2004
000940	Chloride	SP	NO	Y	325.3	12	1	mg/l		8/16/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	82	5	mg/l		8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium	SP	NO	Y	6010	0.028	0.0012	mg/l		8/12/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium	SP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/12/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/12/2004
001042	Copper	SP	NO	Y	6010	0.0018	0.0013	mg/l	I	8/12/2004
001045	Iron	SP	NO	Y	6010	0.92	0.037	mg/l		8/12/2004
001051	Lead	SP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/12/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/12/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium	SP	NO	Y	6010	6.7	0.15	mg/l		8/12/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	SP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/12/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19938

Monitoring_Site_Num: MW-13C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/11/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19938

Monitoring_Site_Num: MW-13C

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well: 19938

Monitoring_Site_Num: MW-13C

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/11/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone		NO	Y	8260	9.9	9.9	ug/l	U	8/15/2004
034215	Acrylonitrile		NO	Y	8260	1.2	1.2	ug/l	U	8/15/2004
034030	Benzene		NO	Y	8260	0.27	0.27	ug/l	U	8/15/2004
073085	Bromochloromethane		NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
032101	Bromodichloromethane		NO	Y	8260	0.35	0.35	ug/l	U	8/15/2004
032104	Bromoform		NO	Y	8260	0.58	0.58	ug/l	U	8/15/2004
077041	Carbon disulfide		NO	Y	8260	0.85	0.85	ug/l	U	8/15/2004
032102	Carbon Tetrachloride		NO	Y	8260	0.42	0.42	ug/l	U	8/15/2004
034301	Chlorobenzene		NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034311	Chloroethane		NO	Y	8260	0.8	0.8	ug/l	U	8/15/2004
032105	Dibromochloromethane		NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
077651	1,2-Dibromoethane (EDB)		NO	Y	504	0.0087	0.0087	ug/l	U	8/12/2004
034536	1,2-Dichlorobenzene		NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034571	1,4-Dichlorobenzene		NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
049263	Trans-1,4-Dichloro-2-butene		NO	Y	8260	2.5	2.5	ug/l	U	8/15/2004
034496	1,1-Dichloroethane		NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004
034531	1,2-Dichloroethane		NO	Y	8260	0.57	0.57	ug/l	U	8/15/2004
034501	1,1-Dichloroethylene		NO	Y	8260	0.45	0.45	ug/l	U	8/15/2004
077093	cis-1,2-Dichloroethylene		NO	Y	8260	0.65	0.65	ug/l	U	8/15/2004
034546	trans-1,2-Dichloroethylene		NO	Y	8260	0.44	0.44	ug/l	U	8/15/2004
034541	1,2-Dichloropropane		NO	Y	8260	0.52	0.52	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene		NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034699	trans-1,3-Dichloropropene		NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034371	Ethylbenzene		NO	Y	8260	0.83	0.83	ug/l	U	8/15/2004
034413	Bromomethane		NO	Y	8260	0.66	0.66	ug/l	U	8/15/2004
077103	2-Hexanone		NO	Y	8260	4.4	4.4	ug/l	U	8/15/2004
034418	Chloromethane		NO	Y	8260	0.64	0.64	ug/l	U	8/15/2004
081595	2-Butanone (MEK)		NO	Y	8260	8.4	8.4	ug/l	U	8/15/2004
077424	Iodomethane		NO	Y	8260	0.67	0.67	ug/l	U	8/15/2004
034423	Methylene Chloride		NO	Y	8260	1	1	ug/l	U	8/15/2004
081596	4-Methyl-2-pentanone (MIBK)		NO	Y	8260	3.8	3.8	ug/l	U	8/15/2004
077128	Styrene		NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077562	1,1,1,2-Tetrachloroethane		NO	Y	8260	0.63	0.63	ug/l	U	8/15/2004
034516	1,1,2,2-Tetrachloroethane		NO	Y	8260	0.14	0.14	ug/l	U	8/15/2004
034475	Tetrachloroethene		NO	Y	8260	0.34	0.34	ug/l	U	8/15/2004
034010	Toluene		NO	Y	8260	0.51	0.51	ug/l	U	8/15/2004
034506	1,1,1-Trichloroethane		NO	Y	8260	0.46	0.46	ug/l	U	8/15/2004
034511	1,1,2-Trichloroethane		NO	Y	8260	0.47	0.47	ug/l	U	8/15/2004
039180	Trichloroethene		NO	Y	8260	0.28	0.28	ug/l	U	8/15/2004
034488	Trichlorofluoromethane		NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
077443	1,2,3-Trichloropropane		NO	Y	8260	0.15	0.15	ug/l	U	8/15/2004
077057	Vinyl acetate		NO	Y	8260	1.5	1.5	ug/l	U	8/15/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/4/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: G-II

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride		NO	Y	8260	0.5	0.5	ug/l	U	8/15/2004
034020	Xylenes		NO	Y	8260	0.98	0.98	ug/l	U	8/15/2004
032106	Chloroform		NO	Y	8260	0.9	0.9	ug/l	U	8/15/2004
046361	Dibromomethane		NO	Y	8260	0.41	0.41	ug/l	U	8/15/2004
049146	1,2-Dibromo-3-chloropropane		NO	Y	504	0.003	0.003	ug/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: **CO**

Ground water classification: LC

Well Purged prior to YES
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
	1-Methylnaphthalene	PP	N	Y	8270	2	1	ug/l	U	8/17/2004
39492	Aroclor-1232	PP	N	Y	8082	0.38	0.38	ug/l	U	8/17/2004
39496	Aroclor-1242	PP	N	Y	8082	0.077	0.077	ug/l	U	8/17/2004
39508	Aroclor-1260	PP	N	Y	8082	0.1	0.1	ug/l	U	8/17/2004
39504	Aroclor-1254	PP	N	Y	8082	0.12	0.12	ug/l	U	8/17/2004
81648	Aroclor-1016	PP	N	Y	8082	0.26	0.26	ug/l	U	8/17/2004
39488	Aroclor-1221	PP	N	Y	8082	0.15	0.15	ug/l	U	8/17/2004
39500	Aroclor-1248	PP	N	Y	8082	0.07	0.07	ug/l	U	8/17/2004
000425	Bicarbonate Alkalinity as CaCO3	PP	N	Y	SM2320B	37	1	mg/l		8/11/2004
000610	Ammonia-N	PP	NO	Y	350.3	3.9	0.04	mg/l		8/11/2004
000940	Chloride	PP	NO	Y	325.3	79	1	mg/l		8/16/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	280	5	mg/l		8/11/2004
001097	Antimony	PP	N	Y	6010	0.0029	0.0029	mg/l	U	8/12/2004
001002	Arsenic	PP	N	Y	6010	0.0038	0.0038	mg/l	U	8/12/2004
001007	Barium	PP	N	Y	6010	0.083	0.0012	mg/l		8/12/2004
001012	Beryllium	PP	N	Y	6010	0.00074	0.00074	mg/l	U	8/12/2004
001027	Cadmium	PP	N	Y	6010	0.00071	0.00071	mg/l	U	8/12/2004
001034	Chromium	PP	N	Y	6010	0.0029	0.0017	mg/l	I	8/12/2004
001037	Cobalt	PP	N	Y	6010	0.0041	0.0014	mg/l	I	8/12/2004
001042	Copper	PP	N	Y	6010	0.0013	0.0013	mg/l	U	8/12/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: CO

Ground water classification: LC

Well Purged prior to YES
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	PP	NO	Y	6010	6.3	0.037	mg/l		8/12/2004
001051	Lead	PP	N	Y	6010	0.0015	0.0015	mg/l	U	8/12/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
001067	Nickel	PP	N	Y	6010	0.0075	0.0047	mg/l	I	8/12/2004
001147	Selenium	PP	N	Y	6010	0.0048	0.0048	mg/l	U	8/12/2004
000929	Sodium	PP	NO	Y	6010	38	0.15	mg/l		8/12/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	PP	N	Y	6010	0.008	0.0025	mg/l	I	8/12/2004
001092	Zinc	PP	N	Y	6010	0.0093	0.0059	mg/l	I	8/12/2004
081552	Acetone	PP	N	Y	8260	350	9.9	ug/l		8/16/2004
034215	Acrylonitrile	PP	N	Y	8260	1.2	1.2	ug/l	U	8/16/2004
034030	Benzene	PP	N	Y	8260	2	0.27	ug/l		8/16/2004
073085	Bromochloromethane	PP	N	Y	8260	0.58	0.58	ug/l	U	8/16/2004
032101	Bromodichloromethane	PP	N	Y	8260	0.35	0.35	ug/l	U	8/16/2004
032104	Bromoform	PP	N	Y	8260	0.58	0.58	ug/l	U	8/16/2004
077041	Carbon disulfide	PP	N	Y	8260	1.7	0.85	ug/l		8/16/2004
032102	Carbon tetrachloride	PP	N	Y	8260	0.42	0.42	ug/l	U	8/16/2004
034301	Chlorobenzene	PP	N	Y	8260	0.63	0.63	ug/l	U	8/16/2004
034311	Chloroethane	PP	N	Y	8260	0.8	0.8	ug/l	U	8/16/2004
032105	Dibromochloromethane	PP	N	Y	8260	0.34	0.34	ug/l	U	8/16/2004
077651	1,2-Dibromoethane (EDB)	PP	N	Y	8011	0.0087	0.0087	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: CO

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034536	1,2-Dichlorobenzene	PP	N	Y	8270	0.93	0.31	ug/l	U	8/17/2004
034571	1,4-Dichlorobenzene	PP	N	Y	8270	0.87	0.29	ug/l	U	8/17/2004
049263	trans-1,4-Dichloro-2-butene	PP	N	Y	8260	2.5	2.5	ug/l	U	8/16/2004
034496	1,1-Dichloroethane	PP	N	Y	8260	1	0.52	ug/l		8/16/2004
034531	1,2-Dichloroethane	PP	N	Y	8260	1.9	0.57	ug/l		8/16/2004
034501	1,1-Dichloroethene	PP	N	Y	8260	0.45	0.45	ug/l	U	8/16/2004
077093	cis-1,2-Dichloroethene	PP	N	Y	8260	0.65	0.65	ug/l	U	8/16/2004
034546	trans-1,2-Dichloroethene	PP	N	Y	8260	0.44	0.44	ug/l	U	8/16/2004
034541	1,2-Dichloropropane	PP	N	Y	8260	0.79	0.52	ug/l	I	8/16/2004
034704	cis-1,3-Dichloropropene	PP	N	Y	8260	0.14	0.14	ug/l	U	8/16/2004
034699	trans-1,3-Dichloropropene	PP	N	Y	8260	0.14	0.14	ug/l	U	8/16/2004
034371	Ethylbenzene	PP	N	Y	8260	0.83	0.83	ug/l	U	8/16/2004
034413	Bromomethane	PP	N	Y	8260	0.66	0.66	ug/l	U	8/16/2004
077103	2-Hexanone	PP	N	Y	8260	4.4	4.4	ug/l	U	8/16/2004
034418	Chloromethane	PP	N	Y	8260	0.64	0.64	ug/l	U	8/16/2004
081595	2-Butanone (MEK)	PP	N	Y	8260	1200	8.4	ug/l	*F42	8/16/2004
077424	Iodomethane	PP	N	Y	8260	0.67	0.67	ug/l	U	8/16/2004
034423	Methylene chloride (Dichloromethane)	PP	N	Y	8260	7.3	1	ug/l		8/16/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	N	Y	8260	8.8	3.8	ug/l	I	8/16/2004
077128	Styrene	PP	N	Y	8260	0.98	0.98	ug/l	U	8/16/2004
077562	1,1,1,2-Tetrachloroethane	PP	N	Y	8260	0.63	0.63	ug/l	U	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: CO

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034516	1,1,2,2-Tetrachloroethane	PP	N	Y	8260	0.14	0.14	ug/l	U	8/16/2004
034475	Tetrachloroethene	PP	N	Y	8260	0.34	0.34	ug/l	U	8/16/2004
034010	Toluene	PP	N	Y	8260	5.2	0.51	ug/l		8/16/2004
034506	1,1,1-Trichloroethane	PP	N	Y	8260	0.46	0.46	ug/l	U	8/16/2004
034511	1,1,2-Trichloroethane	PP	N	Y	8260	0.47	0.47	ug/l	U	8/16/2004
039180	Trichloroethene	PP	N	Y	8260	0.41	0.28	ug/l	I	8/16/2004
034488	Trichlorofluoromethane	PP	N	Y	8260	0.98	0.98	ug/l	U	8/16/2004
077443	1,2,3-Trichloropropane	PP	N	Y	8260	0.15	0.15	ug/l	U	8/16/2004
077057	Vinyl acetate	PP	N	Y	8260	1.5	1.5	ug/l	U	8/16/2004
039175	Vinyl chloride	PP	N	Y	8260	0.5	0.5	ug/l	U	8/16/2004
034020	Xylenes, Total	PP	N	Y	8260	0.98	0.98	ug/l	U	8/16/2004
077416	2-Methylnaphthalene	PP	N	Y	8270	2	1	ug/l	U	8/17/2004
034361	Endosulfan I	PP	N	Y	8081	0.0063	0.0063	ug/l	U	8/17/2004
034242	Benzo (k) Fluoranthene	PP	N	Y	8270	0.11	0.057	ug/l	U	8/17/2004
034461	Phenanthrene	PP	N	Y	8270	0.18	0.089	ug/l	U	8/17/2004
001077	Silver	PP	N	Y	6010	0.0019	0.0019	mg/l	U	8/12/2004
034636	4-Bromophenylphenyl ether	PP	N	Y	8270	1	0.35	ug/l	U	8/17/2004
073522	Oxybis(1-chloropropane)[bis(2-Chloroiso	PP	N	Y	8270	0.69	0.23	ug/l	U	8/17/2004
001102	Tin	PP	N	Y	6010	0.0064	0.0064	mg/l	U	8/12/2004
038462	Famphur	PP	N	Y	8141	0.17	0.17	ug/l	U	8/12/2004
034469	Pyrene	PP	N	Y	8270	0.18	0.089	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: CO

Ground water classification: LC

Well Purged prior to YES
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039350	Chlordane (technical)	PP	N	Y	8081	0.057	0.057	ug/l	U	8/17/2004
034696	Naphthalene	PP	N	Y	8270	12	0.071	ug/l		8/17/2004
000745	Sulfide	PP	N	Y	376.1	4.2	1	mg/l		8/7/2004
034403	Indeno (1,2,3-cd) Pyrene	PP	N	Y	8270	0.13	0.064	ug/l	U	8/17/2004
034381	Fluorene	PP	N	Y	8270	0.17	0.087	ug/l	U	8/17/2004
076997	Acetonitrile	PP	N	Y	8260	75	75	ug/l	U	8/16/2004
034376	Fluoranthene	PP	N	Y	8270	0.11	0.054	ug/l	U	8/17/2004
039480	Methoxychlor	PP	N	Y	8081	0.0082	0.0082	ug/l	U	8/17/2004
034320	Chrysene	PP	N	Y	8270	0.14	0.069	ug/l	U	8/17/2004
039400	Toxaphene	PP	N	Y	8081	0.72	0.72	ug/l	U	8/17/2004
034521	Benzo (g,h,i) Perylene	PP	N	Y	8270	0.11	0.056	ug/l	U	8/17/2004
000720	Cyanide	PP	N	Y	335.2	0.005	0.005	mg/l	U	8/9/2004
039410	Heptachlor	PP	N	Y	8081	0.011	0.011	ug/l	U	8/17/2004
034581	2-Chloronaphthalene	PP	N	Y	8270	1.2	0.39	ug/l	U	8/17/2004
081597	Methyl methacrylate	PP	N	Y	8260	1.9	0.66	ug/l	I	8/16/2004
034210	Acrolein (Propenal)	PP	N	Y	8260	3.8	3.8	ug/l	U	8/16/2004
073570	Ethyl methacrylate	PP	N	Y	8260	0.53	0.53	ug/l	U	8/16/2004
077033	Isobutanol	PP	N	Y	8260	31	31	ug/l	U	8/16/2004
081888	Disulfoton	PP	N	Y	8141	0.18	0.18	ug/l	U	8/12/2004
039600	Methyl parathion	PP	N	Y	8141	0.11	0.11	ug/l	U	8/12/2004
039370	p,p'-DDT	PP	N	Y	8081	0.0042	0.0042	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: **CO**

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081281	Kepone	PP	N	Y	8081	0.083	0.083	ug/l	U	8/17/2004
046323	delta-BHC	PP	N	Y	8081	0.0074	0.0074	ug/l	U	8/17/2004
039340	gamma-BHC (Lindane)	PP	N	Y	8081	0.011	0.011	ug/l	U	8/17/2004
039338	beta-BHC	PP	N	Y	8081	0.0063	0.0063	ug/l	U	8/17/2004
039330	Aldrin	PP	N	Y	8081	0.00065	0.00065	ug/l	U	8/17/2004
039420	Heptachlor epoxide	PP	N	Y	8081	0.006	0.006	ug/l	U	8/17/2004
034668	Dichlorodifluoromethane	PP	N	Y	8260	0.4	0.4	ug/l	U	8/16/2004
034366	Endrin aldehyde	PP	N	Y	8081	0.0061	0.005	ug/l	IP	8/17/2004
039390	Endrin	PP	N	Y	8081	0.0035	0.0035	ug/l	U	8/17/2004
034351	Endosulfan sulfate	PP	N	Y	8081	0.007	0.007	ug/l	U	8/17/2004
034356	Endosulfan II	PP	N	Y	8081	0.0078	0.0078	ug/l	U	8/17/2004
039540	Ethyl parathion (Parathion)	PP	N	Y	8141	0.085	0.085	ug/l	U	8/12/2004
039380	Dieldrin	PP	N	Y	8081	0.014	0.00086	ug/l	IP	8/17/2004
039730	2,4-D	PP	N	Y	8151	0.36	0.36	ug/l	U	8/17/2004
039365	p,p'-DDE	PP	N	Y	8081	0.0031	0.0031	ug/l	U	8/17/2004
039360	p,p'-DDD	PP	N	Y	8081	0.0047	0.0047	ug/l	U	8/17/2004
039460	Chlorobenzilate	PP	N	Y	8081	0.075	0.075	ug/l	U	8/17/2004
034230	Benzo(b)fluoranthene	PP	N	Y	8270	0.11	0.057	ug/l	U	8/17/2004
039430	Isodrin	PP	N	Y	8081	0.0061	0.0061	ug/l	U	8/17/2004
039337	alpha-BHC	PP	N	Y	8081	0.00051	0.00051	ug/l	U	8/17/2004
034433	N-Nitrosodiphenylamine	PP	N	Y	8270	1	0.34	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: **CO**

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
078300	3-Nitroaniline	PP	N	Y	8270	15	5	ug/l	U	8/17/2004
030342	4-Nitroaniline	PP	N	Y	8270	23	7.7	ug/l	U	8/17/2004
034447	Nitrobenzene	PP	N	Y	8270	0.93	0.31	ug/l	U	8/17/2004
073609	N-Nitrosodi-n-butylamine	PP	N	Y	8270	1.9	0.62	ug/l	U	8/17/2004
073611	N-Nitrosodiethylamine	PP	N	Y	8270	1.4	0.46	ug/l	U	8/17/2004
034438	N-Nitrosodimethylamine	PP	N	Y	8270	1.5	0.49	ug/l	U	8/17/2004
073613	N-Nitrosomethylethylamine	PP	N	Y	8270	26	8.6	ug/l	U	8/17/2004
077734	1,2,4,5-Tetrachlorobenzene	PP	N	Y	8270	2.2	0.75	ug/l	U	8/17/2004
034551	1,2,4-Trichlorobenzene	PP	N	Y	8270	1.1	0.36	ug/l	U	8/17/2004
034586	2-Chlorophenol	PP	N	Y	8270	0.72	0.24	ug/l	U	8/17/2004
073599	1,4-Naphthoquinone	PP	N	Y	8270	2.3	0.33	ug/l	U	8/17/2004
077687	2,4,5-Trichlorophenol	PP	N	Y	8270	2.2	0.74	ug/l	U	8/17/2004
034646	4-Nitrophenol	PP	N	Y	8270	15	4.9	ug/l	U	8/17/2004
073619	N-Nitrosopiperidine	PP	N	Y	8270	4.8	1.6	ug/l	U	8/17/2004
078206	N-Nitrosopyrrolidine	PP	N	Y	8270	2.6	0.86	ug/l	U	8/17/2004
073622	5-Nitro-o-toluidine	PP	N	Y	8270	3.9	1.3	ug/l	U	8/17/2004
077793	Pentachlorobenzene	PP	N	Y	8270	2	0.68	ug/l	U	8/17/2004
081316	Pentachloronitrobenzene	PP	N	Y	8270	3.9	1.3	ug/l	U	8/17/2004
073626	Phenacetin	PP	N	Y	8270	3.6	1.2	ug/l	U	8/17/2004
039080	Pronamide	PP	N	Y	8270	1.7	0.56	ug/l	U	8/17/2004
077545	Safrole	PP	N	Y	8270	2.8	0.95	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: **CO**

Ground water classification: LC

Well Purged prior to YES
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034657	4,6-Dinitro-2-methylphenol	PP	N	Y	8270	15	5	ug/l	U	8/17/2004
034292	Butylbenzylphthalate	PP	N	Y	8270	1.2	0.41	ug/l	U	8/17/2004
034391	Hexachlorobutadiene	PP	N	Y	8270	1	0.35	ug/l	U	8/17/2004
073601	2-Naphthylamine	PP	N	Y	8270	2.9	0.98	ug/l	U	8/17/2004
034601	2,4-Dichlorophenol	PP	N	Y	8270	2	0.66	ug/l	U	8/17/2004
077541	2,6-Dichlorophenol	PP	N	Y	8270	3	1	ug/l	U	8/17/2004
034606	2,4-Dimethylphenol	PP	N	Y	8270	1.2	0.39	ug/l	U	8/17/2004
032106	Chloroform	PP	N	Y	8260	0.9	0.9	ug/l	U	8/16/2004
078109	3-Chloro-1-propene (Allyl chloride)	PP	N	Y	8260	1.1	1.1	ug/l	U	8/16/2004
081520	Chloroprene	PP	N	Y	8260	0.89	0.89	ug/l	U	8/16/2004
077152	Cresol (ortho)	PP	N	Y	8270	0.87	0.29	ug/l	U	8/17/2004
077173	1,3-Dichloropropane	PP	N	Y	8260	0.39	0.39	ug/l	U	8/16/2004
077146	Cresol, m & p	PP	N	Y	8270	130	0.71	ug/l		8/17/2004
077168	1,1 Dichloropropene	PP	N	Y	8260	0.31	0.31	ug/l	U	8/16/2004
078142	2-Nitroaniline	PP	N	Y	8270	16	5.3	ug/l	U	8/17/2004
046361	Dibromomethane	PP	N	Y	8260	0.41	0.41	ug/l	U	8/16/2004
034386	Hexachlorocyclopentadiene	PP	N	Y	8270	7.2	2.4	ug/l	U	8/17/2004
081287	Dinoseb (2-sec-Butyl-4,6-dinitrophenol)	PP	N	Y	8270	3.3	1.1	ug/l	U	8/17/2004
073529	4-Chloroaniline (p-Chloroaniline)	PP	N	Y	8270	2.9	0.98	ug/l	U	8/17/2004
034566	1,3-Dichlorobenzene	PP	N	Y	8270	0.96	0.32	ug/l	U	8/17/2004
045622	m-Dinitrobenzene	PP	N	Y	8270	2.7	0.91	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: **CO**

Ground water classification: LC

Well Purged prior to YES
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034611	2,4-Dinitrotoluene	PP	N	Y	8270	1.2	0.41	ug/l	U	8/17/2004
034626	2,6-Dinitrotoluene	PP	N	Y	8270	1	0.34	ug/l	U	8/17/2004
034596	Di-n-octylphthalate	PP	N	Y	8270	1	0.35	ug/l	U	8/17/2004
077579	Diphenylamine	PP	N	Y	8270	1	0.34	ug/l	U	8/17/2004
034428	n-Nitrosodi-n-propylamine	PP	N	Y	8270	0.87	0.29	ug/l	U	8/17/2004
039700	Hexachlorobenzene	PP	N	Y	8270	0.57	0.19	ug/l	U	8/17/2004
034694	Phenol	PP	N	Y	8270	29	1	ug/l		8/17/2004
081593	Methacrylonitrile	PP	N	Y	8260	1.8	1.8	ug/l	U	8/16/2004
073589	Methapyrilene	PP	N	Y	8270	4.8	1.6	ug/l	U	8/17/2004
034616	2,4-Dinitrophenol	PP	N	Y	8270	2.4	0.8	ug/l	U	8/17/2004
073600	1-Naphthylamine	PP	N	Y	8270	3.3	1.1	ug/l	U	8/17/2004
039110	Di-n-butylphthalate	PP	N	Y	8270	0.78	0.26	ug/l	U	8/17/2004
082213	3,3'-Dimethylbenzidine	PP	N	Y	8270	39	13	ug/l	U	8/17/2004
034336	Diethylphthalate	PP	N	Y	8270	10	1	ug/l		8/17/2004
073558	p-(Dimethylamino)azobenzene	PP	N	Y	8270	3.9	1.3	ug/l	U	8/17/2004
073559	7,12-Dimethylbenz(a)anthracene	PP	N	Y	8270	8.1	2.7	ug/l	U	8/17/2004
034341	Dimethylphthalate	PP	N	Y	8270	1.2	0.39	ug/l	U	8/17/2004
034396	Hexachloroethane	PP	N	Y	8270	0.96	0.32	ug/l	U	8/17/2004
073576	Hexachloropropene	PP	N	Y	8270	1.6	0.53	ug/l	U	8/17/2004
034273	bis(2-Chloroethyl)ether	PP	N	Y	8270	1.3	0.44	ug/l	U	8/17/2004
073582	Isosafrole	PP	N	Y	8270	1.9	0.64	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: CO

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034278	bis(2-Chloroethoxy)methane	PP	N	Y	8270	0.78	0.26	ug/l	U	8/17/2004
073591	3-Methylcholanthrene	PP	N	Y	8270	2.3	0.76	ug/l	U	8/17/2004
077170	2,2 Dichloropropane	PP	N	Y	8260	0.36	0.36	ug/l	U	8/16/2004
034556	Dibenzo (a,h) Anthracene	PP	N	Y	8270	0.11	0.054	ug/l	U	8/17/2004
039740	2,4,5-T	PP	N	Y	8151	0.046	0.046	ug/l	U	8/17/2004
039760	2,4,5-TP (Silvex)	PP	N	Y	8151	0.036	0.036	ug/l	U	8/17/2004
049146	1,2-Dibromo-3-chloropropane	PP	N	Y	8011	0.003	0.003	ug/l	U	8/18/2004
034205	Acenaphthene	PP	N	Y	8270	0.18	0.088	ug/l	U	8/17/2004
034200	Acenaphthylene	PP	N	Y	8270	0.15	0.074	ug/l	U	8/17/2004
034220	Anthracene	PP	N	Y	8270	0.15	0.076	ug/l	U	8/17/2004
034526	Benzo(a)Anthracene	PP	N	Y	8270	0.12	0.06	ug/l	U	8/17/2004
034408	Isophorone	PP	N	Y	8270	1.1	0.37	ug/l	U	8/17/2004
081302	Dibenzofuran	PP	N	Y	8270	0.87	0.29	ug/l	U	8/17/2004
073595	Methyl methanesulfonate	PP	N	Y	8270	2.2	0.72	ug/l	U	8/17/2004
034621	2,4,6-Trichlorophenol	PP	N	Y	8270	1	0.35	ug/l	U	8/17/2004
077770	2,3,4,6-Tetrachlorophenol	PP	N	Y	8270	1.8	0.61	ug/l	U	8/17/2004
034591	2-Nitrophenol	PP	N	Y	8270	1.1	0.36	ug/l	U	8/17/2004
073540	Diallate, Total	PP	N	Y	8270	3.6	1.2	ug/l	U	8/17/2004
073571	Ethyl methanesulfonate	PP	N	Y	8270	2.1	0.7	ug/l	U	8/17/2004
073628	4-Phenylenediamine (p-Phenylenediamine)	PP	N	Y	8270	1500	500	ug/l	U	8/17/2004
077142	o-Toluidine	PP	N	Y	8270	1.6	0.53	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19947

Monitoring_Site_Num: L-1

Permitted Well Type: CO

Ground water classification: LC

Well Purged prior to Sample Collection? (Y/N) YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
073652	O,O,O-Triethyl phosphorothioate	PP	N	Y	8270	4.8	1.6	ug/l	U	8/17/2004
073653	1,3,5-Trinitrobenzene	PP	N	Y	8270	4.5	1.5	ug/l	U	8/17/2004
034641	4-Chlorophenylphenyl ether	PP	N	Y	8270	2	0.66	ug/l	U	8/17/2004
034452	4-Chloro-3-methylphenol	PP	N	Y	8270	0.99	0.33	ug/l	U	8/17/2004
034247	Benzo(a)Pyrene	PP	N	Y	8270	0.11	0.057	ug/l	U	8/17/2004
039032	Pentachlorophenol	PP	N	Y	8270	12	4	ug/l	U	8/17/2004
034631	3,3'-Dichlorobenzidine	PP	N	Y	8270	13	4.4	ug/l	U	8/17/2004
039100	bis(2-Ethylhexyl)phthalate	PP	N	Y	8270	3	1	ug/l	U	8/17/2004
077007	Propionitrile	PP	N	Y	8260	7.2	7.2	ug/l	U	8/16/2004
046313	Phorate	PP	N	Y	8141	0.086	0.086	ug/l	U	8/12/2004
073553	razin (o,o-Diethyl-O-pyrazinyl phosphoro	PP	N	Y	8141	0.08	0.08	ug/l	U	8/12/2004
046314	Dimethoate	PP	N	Y	8141	0.12	0.12	ug/l	U	8/12/2004
081553	Acetophenone	PP	N	Y	8270	1.6	0.52	ug/l	U	8/17/2004
073501	2-Acetylaminofluorene	PP	N	Y	8270	1.5	0.5	ug/l	U	8/17/2004
077581	4-Aminobiphenyl	PP	N	Y	8270	14	4.8	ug/l	U	8/17/2004
077147	Benzyl alcohol	PP	N	Y	8270	30	10	ug/l	U	8/17/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19942

Monitoring_Site_Num: Trip Blank

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** YES

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
077651	1,2-Dibromoethane (EDB)	PP	N	Y	8011	0.0087	0.0087	ug/l	U	8/18/2004
049146	1,2-Dibromo-3-chloropropane	PP	N	Y	8011	0.003	0.003	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: **89544**

Sample Date **8/5/2004**

WACS Well:

Monitoring_Site_Num: **EB-02**

Permitted Well Type:

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.04	0.04	mg/l	U	8/16/2004
000940	Chloride	PP	NO	Y	325.3	1	1	mg/l	U	8/17/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	5	5	mg/l	U	8/11/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/16/2004
001007	Barium	PP	NO	Y	6010	0.0012	0.0012	mg/l	U	8/16/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001034	Chromium	PP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/16/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001045	Iron	PP	NO	Y	6010	0.037	0.037	mg/l	U	8/16/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/16/2004
071900	Mercury	PP	NO	Y	7470	0.00013	0.000072	mg/l	I	8/17/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
000929	Sodium	PP	NO	Y	6010	0.15	0.15	mg/l	U	8/16/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/16/2004
001092	Zinc	PP	NO	Y	6010	0.011	0.0059	mg/l	I	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well:

Monitoring_Site_Num: EB-02

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/18/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well:

Monitoring_Site_Num: EB-02

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/18/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/18/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well:

Monitoring_Site_Num: EB-02

Permitted Well Type:

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/18/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19936

Monitoring_Site_Num: MW-13A(R)

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	0.35	0.04	mg/l		8/16/2004
000940	Chloride	PP	NO	Y	325.3	25	1	mg/l		8/17/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	90	5	mg/l		8/11/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001002	Arsenic	PP	NO	Y	6010	0.0053	0.0038	mg/l	I	8/16/2004
001007	Barium	PP	NO	Y	6010	0.014	0.0012	mg/l		8/16/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001034	Chromium	PP	NO	Y	6010	0.0017	0.0017	mg/l	U	8/16/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001045	Iron	PP	NO	Y	6010	6.2	0.037	mg/l		8/16/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/16/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
000929	Sodium	PP	NO	Y	6010	13	0.15	mg/l		8/16/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/16/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19936

Monitoring_Site_Num: MW-13A(R)

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/18/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19936

Monitoring_Site_Num: MW-13A(R)

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/18/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
034010	Toluene	PP	NO	Y	8260	1.8	0.51	ug/l		8/18/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19936

Monitoring_Site_Num: MW-13A(R)

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19943

Monitoring_Site_Num: MW-15B(R)

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.13	0.04	mg/l		8/16/2004
000940	Chloride	SP	NO	Y	325.3	9	1	mg/l		8/17/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	140	5	mg/l		8/11/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/16/2004
001002	Arsenic	SP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/16/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.005	0.0012	mg/l	I	8/16/2004
001007	Barium	SP	NO	Y	6010	0.07	0.0012	mg/l		8/16/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001012	Beryllium	SP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/16/2004
001034	Chromium	SP	NO	Y	6010	0.0091	0.0017	mg/l	I	8/16/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001037	Cobalt	SP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001042	Copper	SP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001045	Iron	SP	NO	Y	6010	1.4	0.037	mg/l		8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19943

Monitoring_Site_Num: MW-15B(R)

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	SP	YES	Y	6010	0.29	0.037	mg/l		8/16/2004
001051	Lead	SP	NO	Y	6010	0.0072	0.0015	mg/l		8/16/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/16/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
071900	Mercury	SP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
001067	Nickel	SP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
001147	Selenium	SP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	7.1	0.15	mg/l		8/16/2004
000929	Sodium	SP	NO	Y	6010	7.4	0.15	mg/l		8/16/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/16/2004
001087	Vanadium	SP	NO	Y	6010	0.013	0.0025	mg/l		8/16/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/16/2004
001092	Zinc	SP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/16/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19943

Monitoring_Site_Num: MW-15B(R)

Permitted Well Type: CO

Ground water classification: G-II

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/18/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19943

Monitoring_Site_Num: MW-15B(R)

Permitted Well Type: CO

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/18/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
034010	Toluene	SP	NO	Y	8260	0.51	0.51	ug/l	U	8/18/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19943

Monitoring_Site_Num: MW-15B(R)

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19909

Monitoring_Site_Num: MW-4A(R)

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	PP	NO	Y	350.3	2.7	0.04	mg/l		8/16/2004
000940	Chloride	PP	NO	Y	325.3	18	1	mg/l		8/17/2004
000620	Nitrate-N	PP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	PP	NO	Y	160.1	120	5	mg/l		8/11/2004
001097	Antimony (Dissolved)	PP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001097	Antimony	PP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001002	Arsenic	PP	NO	Y	6010	0.0038	0.0038	mg/l	U	8/16/2004
001002	Arsenic (Dissolved)	PP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/16/2004
001007	Barium (Dissolved)	PP	YES	Y	6010	0.012	0.0012	mg/l		8/16/2004
001007	Barium	PP	NO	Y	6010	0.011	0.0012	mg/l		8/16/2004
001012	Beryllium (Dissolved)	PP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001012	Beryllium	PP	NO	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001027	Cadmium	PP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001027	Cadmium (Dissolved)	PP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001034	Chromium	PP	NO	Y	6010	0.0024	0.0017	mg/l	I	8/16/2004
001034	Chromium (Dissolved)	PP	YES	Y	6010	0.0035	0.0017	mg/l	I	8/16/2004
001037	Cobalt (Dissolved)	PP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001037	Cobalt	PP	NO	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001042	Copper (Dissolved)	PP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001042	Copper	PP	NO	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001045	Iron	PP	NO	Y	6010	2.9	0.037	mg/l		8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19909

Monitoring_Site_Num: MW-4A(R)

Permitted Well Type: **BG**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron (Dissolved)	PP	YES	Y	6010	3	0.037	mg/l		8/16/2004
001051	Lead	PP	NO	Y	6010	0.0015	0.0015	mg/l	U	8/16/2004
001051	Lead (Dissolved)	PP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/16/2004
071900	Mercury	PP	NO	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
071900	Mercury (Dissolved)	PP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
001067	Nickel (Dissolved)	PP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001067	Nickel	PP	NO	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001147	Selenium (Dissolved)	PP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
001147	Selenium	PP	NO	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
000929	Sodium	PP	NO	Y	6010	7.2	0.15	mg/l		8/16/2004
000929	Sodium (Dissolved)	PP	YES	Y	6010	7.8	0.15	mg/l		8/16/2004
001059	Thallium (Dissolved)	PP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium	PP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	PP	YES	Y	6010	0.0026	0.0025	mg/l	I	8/16/2004
001087	Vanadium	PP	NO	Y	6010	0.0025	0.0025	mg/l	U	8/16/2004
001092	Zinc (Dissolved)	PP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/16/2004
001092	Zinc	PP	NO	Y	6010	0.0059	0.0059	mg/l	U	8/16/2004
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19909

Monitoring_Site_Num: MW-4A(R)

Permitted Well Type: **BG**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/19/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034371	Ethylbenzene	PP	NO	Y	8260	1.8	0.83	ug/l		8/18/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19909

Monitoring_Site_Num: MW-4A(R)

Permitted Well Type: BG

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/18/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
034010	Toluene	PP	NO	Y	8260	190	0.51	ug/l		8/18/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
001077	Silver (Dissolved)	PP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004
001077	Silver	PP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19909

Monitoring_Site_Num: MW-4A(R)

Permitted Well Type: BG

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/19/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19922

Monitoring_Site_Num: MW-8B(R)

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
000610	Ammonia-N	SP	NO	Y	350.3	0.12	0.04	mg/l		8/16/2004
000940	Chloride	SP	NO	Y	325.3	10	1	mg/l		8/17/2004
000620	Nitrate-N	SP	NO	Y	353.2	0.01	0.01	mg/l	U	8/6/2004
070300	Solids, Total Dissolved	SP	NO	Y	160.1	600	5	mg/l		8/11/2004
001097	Antimony (Dissolved)	SP	YES	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001097	Antimony	SP	NO	Y	6010	0.0029	0.0029	mg/l	U	8/16/2004
001002	Arsenic	SP	NO	Y	6010	0.0054	0.0038	mg/l	I	8/16/2004
001002	Arsenic (Dissolved)	SP	YES	Y	6010	0.0038	0.0038	mg/l	U	8/16/2004
001007	Barium (Dissolved)	SP	YES	Y	6010	0.019	0.0012	mg/l		8/16/2004
001007	Barium	SP	NO	Y	6010	0.29	0.0012	mg/l		8/16/2004
001012	Beryllium (Dissolved)	SP	YES	Y	6010	0.00074	0.00074	mg/l	U	8/16/2004
001012	Beryllium	SP	NO	Y	6010	0.0012	0.00074	mg/l	I	8/16/2004
001027	Cadmium (Dissolved)	SP	YES	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001027	Cadmium	SP	NO	Y	6010	0.00071	0.00071	mg/l	U	8/16/2004
001034	Chromium (Dissolved)	SP	YES	Y	6010	0.0017	0.0017	mg/l	U	8/16/2004
001034	Chromium	SP	NO	Y	6010	0.057	0.0017	mg/l		8/16/2004
001037	Cobalt	SP	NO	Y	6010	0.0016	0.0014	mg/l	I	8/16/2004
001037	Cobalt (Dissolved)	SP	YES	Y	6010	0.0014	0.0014	mg/l	U	8/16/2004
001042	Copper	SP	NO	Y	6010	0.012	0.0013	mg/l	I	8/16/2004
001042	Copper (Dissolved)	SP	YES	Y	6010	0.0013	0.0013	mg/l	U	8/16/2004
001045	Iron (Dissolved)	SP	YES	Y	6010	0.84	0.037	mg/l		8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19922

Monitoring_Site_Num: MW-8B(R)

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to **Yes**
Sample Collection? (Y/N)

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
001045	Iron	SP	NO	Y	6010	6.6	0.037	mg/l		8/16/2004
001051	Lead (Dissolved)	SP	YES	Y	6010	0.0015	0.0015	mg/l	U	8/16/2004
001051	Lead	SP	NO	Y	6010	0.039	0.0015	mg/l		8/16/2004
071900	Mercury (Dissolved)	SP	YES	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
071900	Mercury	SP	NO	Y	7470	0.00021	0.000072	mg/l		8/17/2004
001067	Nickel (Dissolved)	SP	YES	Y	6010	0.0047	0.0047	mg/l	U	8/16/2004
001067	Nickel	SP	NO	Y	6010	0.011	0.0047	mg/l	I	8/16/2004
001147	Selenium	SP	NO	Y	6010	0.0088	0.0048	mg/l	I	8/16/2004
001147	Selenium (Dissolved)	SP	YES	Y	6010	0.0048	0.0048	mg/l	U	8/16/2004
000929	Sodium	SP	NO	Y	6010	5.7	0.15	mg/l		8/16/2004
000929	Sodium (Dissolved)	SP	YES	Y	6010	5.8	0.15	mg/l		8/16/2004
001059	Thallium (Dissolved)	SP	YES	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001059	Thallium	SP	NO	Y	7841	0.0007	0.0007	mg/l	U	8/13/2004
001087	Vanadium (Dissolved)	SP	YES	Y	6010	0.0025	0.0025	mg/l	U	8/16/2004
001087	Vanadium	SP	NO	Y	6010	0.12	0.0025	mg/l		8/16/2004
001092	Zinc (Dissolved)	SP	YES	Y	6010	0.0059	0.0059	mg/l	U	8/16/2004
001092	Zinc	SP	NO	Y	6010	0.011	0.0059	mg/l	I	8/16/2004
081552	Acetone	SP	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
034215	Acrylonitrile	SP	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
034030	Benzene	SP	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
073085	Bromochloromethane	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well: 19922

Monitoring_Site_Num: MW-8B(R)

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
032101	Bromodichloromethane	SP	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
032104	Bromoform	SP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
077041	Carbon disulfide	SP	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
032102	Carbon Tetrachloride	SP	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
034301	Chlorobenzene	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034311	Chloroethane	SP	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
032105	Dibromochloromethane	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
077651	1,2-Dibromoethane (EDB)	SP	NO	Y	504	0.0087	0.0087	ug/l	U	8/19/2004
034536	1,2-Dichlorobenzene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034571	1,4-Dichlorobenzene	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
049263	Trans-1,4-Dichloro-2-butene	SP	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
034496	1,1-Dichloroethane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034531	1,2-Dichloroethane	SP	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
034501	1,1-Dichloroethylene	SP	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
077093	cis-1,2-Dichloroethylene	SP	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
034546	trans-1,2-Dichloroethylene	SP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034541	1,2-Dichloropropane	SP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034704	cis-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034699	trans-1,3-Dichloropropene	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034371	Ethylbenzene	SP	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
034413	Bromomethane	SP	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19922

Monitoring_Site_Num: MW-8B(R)

Permitted Well Type: CO

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) Yes

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
077103	2-Hexanone	SP	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
034418	Chloromethane	SP	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
081595	2-Butanone (MEK)	SP	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
077424	Iodomethane	SP	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
034423	Methylene Chloride	SP	NO	Y	8260	1	1	ug/l	U	8/18/2004
081596	4-Methyl-2-pentanone (MIBK)	SP	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
077128	Styrene	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077562	1,1,1,2-Tetrachloroethane	SP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034516	1,1,2,2-Tetrachloroethane	SP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034475	Tetrachloroethene	SP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
034010	Toluene	SP	NO	Y	8260	7.8	0.51	ug/l		8/18/2004
034506	1,1,1-Trichloroethane	SP	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
034511	1,1,2-Trichloroethane	SP	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
039180	Trichloroethene	SP	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
034488	Trichlorofluoromethane	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077443	1,2,3-Trichloropropane	SP	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
077057	Vinyl acetate	SP	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004
039175	Vinyl chloride	SP	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
034020	Xylenes	SP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
049146	1,2-Dibromo-3-chloropropane	SP	NO	Y	504	0.003	0.003	ug/l	U	8/19/2004
001077	Silver	SP	NO	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well: 19922

Monitoring_Site_Num: MW-8B(R)

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
001077	Silver (Dissolved)	SP	YES	Y	6010	0.0019	0.0019	mg/l	U	8/16/2004
046361	Dibromomethane	SP	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
032106	Chloroform	SP	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/5/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type: CO

Ground water classification: G-II

**Well Purged prior to
Sample Collection? (Y/N)** Yes

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
081552	Acetone	PP	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
034215	Acrylonitrile	PP	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
034030	Benzene	PP	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
073085	Bromochloromethane	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
032101	Bromodichloromethane	PP	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
032104	Bromoform	PP	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
077041	Carbon disulfide	PP	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
032102	Carbon Tetrachloride	PP	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
034301	Chlorobenzene	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034311	Chloroethane	PP	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
032105	Dibromochloromethane	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
077651	1,2-Dibromoethane (EDB)	PP	NO	Y	504	0.0087	0.0087	ug/l	U	8/19/2004
034536	1,2-Dichlorobenzene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034571	1,4-Dichlorobenzene	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
049263	Trans-1,4-Dichloro-2-butene	PP	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
034496	1,1-Dichloroethane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
034531	1,2-Dichloroethane	PP	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
034501	1,1-Dichloroethylene	PP	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
077093	cis-1,2-Dichloroethylene	PP	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
034546	trans-1,2-Dichloroethylene	PP	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
034541	1,2-Dichloropropane	PP	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/5/2004**

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type: **CO**

Ground water classification: **G-II**

Well Purged prior to Sample Collection? (Y/N) **Yes**

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
034704	cis-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034699	trans-1,3-Dichloropropene	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034371	Ethylbenzene	PP	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
034413	Bromomethane	PP	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004
077103	2-Hexanone	PP	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
034418	Chloromethane	PP	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
081595	2-Butanone (MEK)	PP	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
077424	Iodomethane	PP	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
034423	Methylene Chloride	PP	NO	Y	8260	1	1	ug/l	U	8/18/2004
081596	4-Methyl-2-pentanone (MIBK)	PP	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
077128	Styrene	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077562	1,1,1,2-Tetrachloroethane	PP	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
034516	1,1,2,2-Tetrachloroethane	PP	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
034475	Tetrachloroethene	PP	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
034010	Toluene	PP	NO	Y	8260	0.51	0.51	ug/l	U	8/18/2004
034506	1,1,1-Trichloroethane	PP	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
034511	1,1,2-Trichloroethane	PP	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
039180	Trichloroethene	PP	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
034488	Trichlorofluoromethane	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
077443	1,2,3-Trichloropropane	PP	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
077057	Vinyl acetate	PP	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: **89544**

Sample Date **8/5/2004**

WACS Well:

Monitoring_Site_Num: **Trip Blank**

Permitted Well Type: **CO**

Ground water classification: **G-II**

**Well Purged prior to
Sample Collection? (Y/N)** **Yes**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
039175	Vinyl chloride	PP	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
034020	Xylenes	PP	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
046361	Dibromomethane	PP	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
032106	Chloroform	PP	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
049146	1,2-Dibromo-3-chloropropane	PP	NO	Y	504	0.003	0.003	ug/l	U	8/19/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19945

Monitoring_Site_Num: SW-3

Permitted Well Type: CO

Ground water classification: SW-IIIIF

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
77103	2-Hexanone	E	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004
34030	Benzene	E	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
73085	Bromochloromethane	E	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
32101	Bromodichloromethane	E	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
32104	Bromoform	E	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
77041	Carbon disulfide	E	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
32102	Carbon Tetrachloride	E	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
34301	Chlorobenzene	E	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
34311	Chloroethane	E	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
32106	Chloroform	E	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
1034	Chromium	E	NO	Y	6010	0.0017	0.0017	mg/l	U	8/18/2004
34536	1,2-Dichlorobenzene	E	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
34010	Toluene	E	NO	Y	8260	0.51	0.51	ug/l	U	8/18/2004
49263	Trans-1,4-Dichloro-2-butene	E	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
34496	1,1-Dichloroethane	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
34531	1,2-Dichloroethane	E	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
34501	1,1-Dichloroethylene	E	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
77093	cis-1,2-Dichloroethylene	E	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
34546	trans-1,2-Dichloroethylene	E	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
34541	1,2-Dichloropropane	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
34704	cis-1,3-Dichloropropene	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19945

Monitoring_Site_Num: SW-3

Permitted Well Type: CO

Ground water classification: SW-IIIF

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
34699	trans-1,3-Dichloropropene	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
1045	Iron	E	NO	Y	6010	0.73	0.037	mg/l		8/18/2004
34413	Bromomethane	E	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004
39180	Trichloroethene	E	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
34418	Chloromethane	E	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
46361	Dibromomethane	E	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
34423	Methylene Chloride	E	NO	Y	8260	1	1	ug/l	U	8/18/2004
81595	2-Butanone (MEK)	E	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
77424	Iodomethane	E	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
81596	4-Methyl-2-pentanone (MIBK)	E	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
77128	Styrene	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
77562	1,1,1,2-Tetrachloroethane	E	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
34516	1,1,2,2-Tetrachloroethane	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
34475	Tetrachloroethene	E	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
34215	Acrylonitrile	E	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
34371	Ethylbenzene	E	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
34571	1,4-Dichlorobenzene	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
34488	Trichlorofluoromethane	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
77443	1,2,3-Trichloropropane	E	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
77057	Vinyl acetate	E	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004
39175	Vinyl chloride	E	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date **8/9/2004**

WACS Well: 19945

Monitoring_Site_Num: SW-3

Permitted Well Type: **CO**

Ground water classification: SW-IIIF

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
34020	Xylenes	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
77651	1,2-Dibromoethane (EDB)	E	NO	Y	504	0.0087	0.0087	ug/l	U	8/19/2004
49146	1,2-Dibromo-3-chloropropane	E	NO	Y	504	0.003	0.003	ug/l	U	8/19/2004
1002	Arsenic	E	NO	Y	6010	0.0038	0.0038	mg/l	U	8/18/2004
1007	Barium	E	NO	Y	6010	0.0076	0.0012	mg/l	I	8/18/2004
32105	Dibromochloromethane	E	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
34506	1,1,1-Trichloroethane	E	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
665	Phosphorus, Total	E	NO	Y	365.2	0.038	0.017	mg/l	I	8/17/2004
1037	Cobalt	E	NO	Y	6010	0.0014	0.0014	mg/l	U	8/18/2004
1042	Copper	E	NO	Y	6010	0.0013	0.0013	mg/l	U	8/18/2004
1051	Lead	E	NO	Y	6010	0.0015	0.0015	mg/l	U	8/18/2004
1067	Nickel	E	NO	Y	6010	0.0047	0.0047	mg/l	U	8/18/2004
1147	Selenium	E	NO	Y	6010	0.0048	0.0048	mg/l	U	8/18/2004
1077	Silver	E	NO	Y	6010	0.0019	0.0019	mg/l	U	8/18/2004
1087	Vanadium	E	NO	Y	6010	0.0025	0.0025	mg/l	U	8/18/2004
1097	Antimony	E	NO	Y	6010	0.0029	0.0029	mg/l	U	8/18/2004
71900	Mercury	E	NO	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
81552	Acetone	E	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
1059	Thallium	E	NO	Y	7841	0.0007	0.0007	mg/l	U	8/23/2004
900	Hardness as CaCO3	E	NO	Y	2340B	8.1	3.3	mg/l		8/18/2004
610	Ammonia-N	E	NO	Y	350.3	0.069	0.04	mg/l		8/16/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19945

Monitoring_Site_Num: SW-3

Permitted Well Type: CO

Ground water classification: SW-IIIIF

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
620	Nitrate-N	E	NO	Y	353.2	0.01	0.01	mg/l	U	8/11/2004
70300	Solids, Total Dissolved	E	NO	Y	160.1	26	5	mg/l		8/16/2004
530	Suspended Solids	E	NO	Y	160.2	5	5	mg/l	U	8/16/2004
310	Biochemical Oxygen Demand (5 Day)	E	NO	Y	05.1/5210E	2	2	mg/l	U	8/16/2004
625	Total Kjeldahl Nitrogen-N	E	NO	Y	351.3	0.78	0.44	mg/l		8/16/2004
600	Total Nitrogen	E	NO	Y	51.2+353.1	0.78	0.45	mg/l		
612	Ammonia Unionized	E	NO	Y	-DEP 10/8	0.01	0.01	mg/l	U	
680	Total Organic Carbon	E	NO	Y	415.1	25	0.53	mg/l		8/12/2004
1027	Cadmium	E	NO	Y	6010	0.00071	0.00071	mg/l	U	8/18/2004
62238	Chlorophyll-a	E	NO	Y	SM10200H	3.5	1	mg/m3		8/9/2004
430	Chemical Oxygen Demand	E	NO	Y	SM5220C	99	20	mg/l		8/17/2004
1092	Zinc	E	NO	Y	6010	0.0059	0.0059	mg/l	U	8/18/2004
1012	Beryllium	E	NO	Y	6010	0.00074	0.00074	mg/l	U	8/18/2004
34511	1,1,2-Trichloroethane	E	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19946

Monitoring_Site_Num: SW-4

Permitted Well Type: BG

Ground water classification: SW-IIIF

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
77093	cis-1,2-Dichloroethylene	E	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
39180	Trichloroethene	E	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
81552	Acetone	E	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
34215	Acrylonitrile	E	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
34030	Benzene	E	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
73085	Bromochloromethane	E	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
34571	1,4-Dichlorobenzene	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
49263	Trans-1,4-Dichloro-2-butene	E	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
34496	1,1-Dichloroethane	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
34531	1,2-Dichloroethane	E	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
34546	trans-1,2-Dichloroethylene	E	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
1034	Chromium	E	NO	Y	6010	0.0017	0.0017	mg/l	U	8/18/2004
34506	1,1,1-Trichloroethane	E	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
34541	1,2-Dichloropropane	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
34511	1,1,2-Trichloroethane	E	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
34704	cis-1,3-Dichloropropene	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
81596	4-Methyl-2-pentanone (MIBK)	E	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
77128	Styrene	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
77562	1,1,1,2-Tetrachloroethane	E	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
34516	1,1,2,2-Tetrachloroethane	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
34475	Tetrachloroethene	E	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19946

Monitoring_Site_Num: SW-4

Permitted Well Type: BG

Ground water classification: SW-IIIF

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
34010	Toluene	E	NO	Y	8260	0.51	0.51	ug/l	U	8/18/2004
34501	1,1-Dichloroethylene	E	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
32105	Dibromochloromethane	E	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
430	Chemical Oxygen Demand	E	NO	Y	SM5220C	64	20	mg/l		8/17/2004
665	Phosphorus, Total	E	NO	Y	365.2	0.045	0.017	mg/l	I	8/17/2004
62238	Chlorophyll-a	E	NO	Y	SM10200H	1.1	1	mg/m3		8/9/2004
600	Total Nitrogen	E	NO	Y	51.2+353.1	0.78	0.45	mg/l		
1147	Selenium	E	NO	Y	6010	0.0048	0.0048	mg/l	U	8/18/2004
530	Suspended Solids	E	NO	Y	160.2	5	5	mg/l	U	8/16/2004
32104	Bromoform	E	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
1067	Nickel	E	NO	Y	6010	0.0047	0.0047	mg/l	U	8/18/2004
32102	Carbon Tetrachloride	E	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
34413	Bromomethane	E	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004
34301	Chlorobenzene	E	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
1042	Copper	E	NO	Y	6010	0.0013	0.0013	mg/l	U	8/18/2004
32106	Chloroform	E	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
1077	Silver	E	NO	Y	6010	0.0019	0.0019	mg/l	U	8/18/2004
34536	1,2-Dichlorobenzene	E	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
34699	trans-1,3-Dichloropropene	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
34371	Ethylbenzene	E	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
77103	2-Hexanone	E	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19946

Monitoring_Site_Num: SW-4

Permitted Well Type: BG

Ground water classification: SW-IIIF

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
1027	Cadmium	E	NO	Y	6010	0.00071	0.00071	mg/l	U	8/18/2004
32101	Bromodichloromethane	E	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
1012	Beryllium	E	NO	Y	6010	0.00074	0.00074	mg/l	U	8/18/2004
680	Total Organic Carbon	E	NO	Y	415.1	23	0.53	mg/l		8/12/2004
1002	Arsenic	E	NO	Y	6010	0.0038	0.0038	mg/l	U	8/18/2004
1051	Lead	E	NO	Y	6010	0.0015	0.0015	mg/l	U	8/18/2004
1037	Cobalt	E	NO	Y	6010	0.0014	0.0014	mg/l	U	8/18/2004
34311	Chloroethane	E	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
49146	1,2-Dibromo-3-chloropropane	E	NO	Y	504	0.003	0.003	ug/l	U	8/19/2004
77041	Carbon disulfide	E	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004
1092	Zinc	E	NO	Y	6010	0.0059	0.0059	mg/l	U	8/18/2004
70300	Solids, Total Dissolved	E	NO	Y	160.1	5	5	mg/l	U	8/16/2004
620	Nitrate-N	E	NO	Y	353.2	0.01	0.01	mg/l	U	8/11/2004
610	Ammonia-N	E	NO	Y	350.3	0.062	0.04	mg/l		8/16/2004
900	Hardness as CaCO3	E	NO	Y	2340B	6.2	3.3	mg/l		8/18/2004
1059	Thallium	E	NO	Y	7841	0.0007	0.0007	mg/l	U	8/23/2004
1045	Iron	E	NO	Y	6010	0.59	0.037	mg/l		8/18/2004
71900	Mercury	E	NO	Y	7470	0.000072	0.000072	mg/l	U	8/17/2004
1097	Antimony	E	NO	Y	6010	0.0029	0.0029	mg/l	U	8/18/2004
34418	Chloromethane	E	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
46361	Dibromomethane	E	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well: 19946

Monitoring_Site_Num: SW-4

Permitted Well Type: BG

Ground water classification: SW-IIIF

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
310	Biochemical Oxygen Demand (5 Day)	E	NO	Y	05.1/5210E	2	2	mg/l	U	8/16/2004
612	Ammonia Unionized	E	NO	Y	-DEP 10/8	0.01	0.01	mg/l	U	
77651	1,2-Dibromoethane (EDB)	E	NO	Y	504	0.0087	0.0087	ug/l	U	8/19/2004
34020	Xylenes	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
39175	Vinyl chloride	E	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
77057	Vinyl acetate	E	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004
77443	1,2,3-Trichloropropane	E	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
34488	Trichlorofluoromethane	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
77424	Iodomethane	E	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
81595	2-Butanone (MEK)	E	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
34423	Methylene Chloride	E	NO	Y	8260	1	1	ug/l	U	8/18/2004
1087	Vanadium	E	NO	Y	6010	0.0025	0.0025	mg/l	U	8/18/2004
625	Total Kjeldahl Nitrogen-N	E	NO	Y	351.3	0.78	0.44	mg/l		8/16/2004
1007	Barium	E	NO	Y	6010	0.0059	0.0012	mg/l	I	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: **89544**

Sample Date **8/9/2004**

WACS Well:

Monitoring_Site_Num: **Trip Blank**

Permitted Well Type:

Ground water classification: **SW-IIIF**

**Well Purged prior to
Sample Collection? (Y/N)**

(AS) Assessment (IW) Irrigation Well
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water supply

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
77651	1,2-Dibromoethane (EDB)	E	NO	Y	504	0.0087	0.0087	ug/l	U	8/19/2004
34020	Xylenes	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
34531	1,2-Dichloroethane	E	NO	Y	8260	0.57	0.57	ug/l	U	8/18/2004
49146	1,2-Dibromo-3-chloropropane	E	NO	Y	504	0.003	0.003	ug/l	U	8/19/2004
34475	Tetrachloroethene	E	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
34516	1,1,2,2-Tetrachloroethane	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
77562	1,1,1,2-Tetrachloroethane	E	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
77128	Styrene	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
81596	4-Methyl-2-pentanone (MIBK)	E	NO	Y	8260	3.8	3.8	ug/l	U	8/18/2004
77424	Iodomethane	E	NO	Y	8260	0.67	0.67	ug/l	U	8/18/2004
81595	2-Butanone (MEK)	E	NO	Y	8260	8.4	8.4	ug/l	U	8/18/2004
34423	Methylene Chloride	E	NO	Y	8260	1	1	ug/l	U	8/18/2004
34501	1,1-Dichloroethylene	E	NO	Y	8260	0.45	0.45	ug/l	U	8/18/2004
34488	Trichlorofluoromethane	E	NO	Y	8260	0.98	0.98	ug/l	U	8/18/2004
34496	1,1-Dichloroethane	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
81552	Acetone	E	NO	Y	8260	9.9	9.9	ug/l	U	8/18/2004
34413	Bromomethane	E	NO	Y	8260	0.66	0.66	ug/l	U	8/18/2004
34418	Chloromethane	E	NO	Y	8260	0.64	0.64	ug/l	U	8/18/2004
34010	Toluene	E	NO	Y	8260	0.51	0.51	ug/l	U	8/18/2004
34506	1,1,1-Trichloroethane	E	NO	Y	8260	0.46	0.46	ug/l	U	8/18/2004
34704	cis-1,3-Dichloropropene	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: SW-IIIF

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detection	Units	Qual	Analysis Date
39180	Trichloroethene	E	NO	Y	8260	0.28	0.28	ug/l	U	8/18/2004
34541	1,2-Dichloropropane	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
77443	1,2,3-Trichloropropane	E	NO	Y	8260	0.15	0.15	ug/l	U	8/18/2004
77057	Vinyl acetate	E	NO	Y	8260	1.5	1.5	ug/l	U	8/18/2004
39175	Vinyl chloride	E	NO	Y	8260	0.5	0.5	ug/l	U	8/18/2004
34699	trans-1,3-Dichloropropene	E	NO	Y	8260	0.14	0.14	ug/l	U	8/18/2004
34030	Benzene	E	NO	Y	8260	0.27	0.27	ug/l	U	8/18/2004
34215	Acrylonitrile	E	NO	Y	8260	1.2	1.2	ug/l	U	8/18/2004
34511	1,1,2-Trichloroethane	E	NO	Y	8260	0.47	0.47	ug/l	U	8/18/2004
32101	Bromodichloromethane	E	NO	Y	8260	0.35	0.35	ug/l	U	8/18/2004
34311	Chloroethane	E	NO	Y	8260	0.8	0.8	ug/l	U	8/18/2004
32106	Chloroform	E	NO	Y	8260	0.9	0.9	ug/l	U	8/18/2004
32105	Dibromochloromethane	E	NO	Y	8260	0.34	0.34	ug/l	U	8/18/2004
34536	1,2-Dichlorobenzene	E	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
34571	1,4-Dichlorobenzene	E	NO	Y	8260	0.52	0.52	ug/l	U	8/18/2004
49263	Trans-1,4-Dichloro-2-butene	E	NO	Y	8260	2.5	2.5	ug/l	U	8/18/2004
34371	Ethylbenzene	E	NO	Y	8260	0.83	0.83	ug/l	U	8/18/2004
73085	Bromochloromethane	E	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
46361	Dibromomethane	E	NO	Y	8260	0.41	0.41	ug/l	U	8/18/2004
32104	Bromoform	E	NO	Y	8260	0.58	0.58	ug/l	U	8/18/2004
77041	Carbon disulfide	E	NO	Y	8260	0.85	0.85	ug/l	U	8/18/2004

Oak Hammock Disposal Landfill
PARAMETER MONITORING REPORT
Rule 62-701.510(8)(a)
WACS Report Type: SEMGW
Semi-Annual Ground Water Monitoring

WACS_Facility: 89544

Sample Date 8/9/2004

WACS Well:

Monitoring_Site_Num: Trip Blank

Permitted Well Type:

Ground water classification: SW-IIIF

(AS) Assessment (IW) Irrigation Well
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water supply

**Well Purged prior to
 Sample Collection? (Y/N)**

Storet Code	Parameter Monitored	Sampling Method	Field Filtered (Y/N)	Preserv Intact (Y/N)	Analysis Method	Result	Detectio n	Units	Qual	Analysis Date
32102	Carbon Tetrachloride	E	NO	Y	8260	0.42	0.42	ug/l	U	8/18/2004
34301	Chlorobenzene	E	NO	Y	8260	0.63	0.63	ug/l	U	8/18/2004
77093	cis-1,2-Dichloroethylene	E	NO	Y	8260	0.65	0.65	ug/l	U	8/18/2004
34546	trans-1,2-Dichloroethylene	E	NO	Y	8260	0.44	0.44	ug/l	U	8/18/2004
77103	2-Hexanone	E	NO	Y	8260	4.4	4.4	ug/l	U	8/18/2004