



## **TRANSMITTAL**

Date: To:		tember 20, 2011 erson Raulerson, PE	Project No.: Company:	11390141 FDEP
From:	Jen	nifer Pardy/kds	Address:	Northeast District Office 7825 Baymeadows Way, SteB200 Jacksonville, FL 32256-7590
Email: jpardy@golder.com			,	
RE:	BIE	NNIAL WATER QUALITY TECHNICAL	REPORT	
⊠ Fe		Express (priority, <u>standard,</u> 2-day, 3-day		.S. Mail ourier
☐ DHL ☐ Hand Delivery				and Delivery
☐ Em	nail <sub>-</sub>			ther
Quant	ity	ltem		Description
1		Report & CD	Trail Ridge Lar SO WACS ID	Quality Technical Report adfill FDEP Permit #00134930-017- # NED/16/00033628 5510 U.S. Duval County Jacksonville, Florida
Notes:				
				NORTH-REAL
Please advise us if enclosures are not as described.				<b>A</b> 5%
ACKNOWLEDGEMENT REQUIRED:				AM 10: 2
☐ Ye	s	☐ No		<b>27</b>

x:\clients\waste management\11390141 trail ridge 2011\100\_correspondence\120 outgoing correspondence\transmittals\fdep\_9.20.11 raulerson jacksonville.docx

## CD SCANNED SEPARATELY