SARASOTA COUNTY
"Dedicated to Quality Service"

Dept. Of Environmental Protection
OCT 12 2011
Southwest District

October 6, 2011

Susan Pelz, P.E.
Solid Waste Section
Department of Environmental Protection
Southwest District Office
13051 North Telecom Parkway
Temple Terrace, Florida 33637-0926

Re: Central County Solid Waste Disposal Complex
WACS ID No. SWD/58/51614
Permit Number 130542-007-SO/01
Third Quarter Leachate Generation Report 2011

Dear Ms. Pelz:

Enclosed is the third quarter report for leachate generation for Phase I and Phase II, submitted in accordance with Specific Condition Part C.8.d.2.

Please contact me if you have any questions at (941) 650-9364 or eruss@scgov.net.

Sincerely,

Edward Russ
Environmental Services Inspector, Solid Waste

Enc

CENTRAL COUNTY SOLID WASTE DISPOSAL COMPLEX
PHASE II LEACHATE COLLECTION

JULY **2011**

Rainfall	Day	Time	Cell I		
			Totalized Flowmeter Reading	Leak Detection Manhole Level (feet)	Leak Detection Conversion (gallons)
0.27	1	11:15	29045	0.2	18.79
1.49	2	01:15	29045	0.89	83.61
SUNDAY	3				0.00
HOLIDAY	4				0.00
2.28	5	12:00	29164	4.05	380.49
0	6	11:00	29360	1.16	108.98
0.05	7	11:30	30401	2.91	273.39
2.47	8	09:30	30934	1.22	114.62
3.53	9	01:20	31928	3.25	305.33
SUNDAY	10				0.00
0.03	11	12:40	33545	5.05	474.44
0.26	12	01:30	33565	1.08	101.46
0	13	11:30	33565	2.77	260.24
0	14	11:00	33565	1.73	162.53
0	15	02:40	33565	1.89	177.56
0	16	11:20	33565	1.61	151.26
SUNDAY	17				0.00
1.5	18	10:40	33565	2.9	272.45
0.68	19	02:00	33565	0	0.00
0	20	03:00	34730	1.51	141.86
0.25	21	11:15	34730	0	0.00
1.47	22	11:00	34731	3.03	284.66
0.08	23	01:15	34731	3.68	345.73
SUNDAY	24				0.00
0.5	25	12:00	34731	6.28	590.00
1.24	26	04:20	34731	2.82	264.94
0	27	01:45	34731	4.43	416.19
0.03	28	02:30	34731	4.86	456.59
0	29	12:45	34731	3.01	282.79
0.06	30	11:15	35724	2.87	269.63
SUNDAY	31				0.00
Sub-Total Leachate Generated (gallons)			1335800		5937.56

Total Rainfall (inches) 16.19
Total Leachate Collected (gallons) 1341737.56
Total Acres Open 10.00
Total Acres Intermediate 1.00
Total Acres Closed 0.00
Total Leachate Stored - see Phase I corresponding monthly report
Total Leachate Hauled Offsite - see Phase I corresponding monthly report

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
OCT 12 2011
SOUTHWEST DISTRICT TAMPA

CENTRAL COUNTY SOLID WASTE DISPOSAL COMPLEX
PHASE II LEACHATE COLLECTION

AUGUST **2011**

Rainfall	Day	Time	Cell I		
			Totalized Flowmeter Reading	Leak Detection Manhole Level (feet)	Leak Detection Conversion (gallons)
0.09	1	01:45	35844	6.96	653.88
0	2	05:20	35844	4.07	382.37
0.04	3	03:15	36357	5.11	480.08
0	4	02:45	36357	6.03	566.51
1.64	5	04:00	36731	5.95	559.00
0	6	03:30	36838	0	0.00
	7	Sunday			0.00
0.36	8	02:45	36862	0	0.00
0.12	9	02:00	36910	0	0.00
0.81	10	01:20	37116	3.38	317.55
1.39	11	03:00	37477	4.1	385.19
0	12	11:00	37862	0	0.00
0	13	11:00	38484	0	0.00
	14	Sunday			0.00
0	15	04:20	39079	0	0.00
0.05	16	04:00	39098	3.81	357.94
0	17	02:35	39108	0	0.00
0	18	01:30	39116	2.98	279.97
0	19	11:45	39117	0.98	92.07
0.82	20	01:35	39346	0	0.00
	21	Sunday			0.00
0.44	22	01:20	39477	0	0.00
0	23	10:30	39483	0.3	28.18
1.11	24	01:30	40368	0.75	70.46
0.04	25	11:40	40807	0.71	66.70
0	26	01:30	40879	0.8	75.16
0	27	11:05	40908	0.58	54.49
	28	Sunday			0.00
1.91	29	04:30	41035	1.29	121.19
0.55	30	11:20	41704	7.23	679.25
0	31	11:45	42338	4.75	446.26
Sub-Total Leachate Generated (gallons)			1196200		5616.26

Total Rainfall (inches) 9.37
Total Leachate Collected (gallons) 1201816.26
Total Acres Open 11.00
Total Acres Intermediate 2.00
Total Acres Closed 0.00
Total Leachate Stored - see Phase I corresponding monthly report
Total Leachate Hauled Offsite - see Phase I corresponding monthly report

CENTRAL COUNTY SOLID WASTE DISPOSAL COMPLEX
PHASE II LEACHATE COLLECTION

SEPTEMBER **2011**

Rainfall	Day	Time	Cell I		
			Totalized Flowmeter Reading	Leak Detection Manhole Level (feet)	Leak Detection Conversion (gallons)
0.04	1	01:00	42913	0	0.00
0.3	2	10:50	43058	1.24	116.50
0.04	3	11:45	43174	0	0.00
	4	Sunday			0.00
0.09	5	11:00	43303	1.46	137.17
0.92	6	12:30	43369	0	0.00
0.33	7	11:00	44001	0.53	49.79
0.25	8	01:00	44472	1.09	102.40
0.06	9	03:50	44603	0	0.00
0	10	02:15	44613	0.58	54.49
	11	Sunday			0.00
0	12	02:20	44637	0.19	17.85
0	13	12:00	44792	0.19	17.85
0	14	01:00	44793	0	0.00
0	15	01:10	44799	0.19	17.85
0.1	16	01:30	44809	0.17	15.97
0	17	01:45	44815	0.16	15.03
	18	Sunday			0.00
0.27	19	01:03	44837	0.03	2.82
0.04	20	02:50	45019	0.03	2.82
0	21	03:20	45020	0.05	4.70
0.67	22	03:06	45090	0.01	0.94
0.14	23	02:50	45111	0.02	1.88
0.11	24	11:20	45112	0.08	7.52
	25	Sunday			0.00
1.6	26	02:30	45585	0.82	77.04
0.09	27	02:15	45950	0.43	40.40
0	28	03:30	46010	0	0.00
0	29	01:50	46024	0.01	0.94
0.04	30	03:05	46027	0.06	5.64
	31				0.00
Sub-Total Leachate Generated (gallons)			-622800		689.58

Total Rainfall (inches) 5.09
Total Leachate Collected (gallons) 623489.58
Total Acres Open 12.50
Total Acres Intermediate 2.00
Total Acres Closed 0.00
Total Leachate Stored - see Phase I corresponding monthly report
Total Leachate Hauled Offsite - see Phase I corresponding monthly report

SARASOTA COUNTY CENTRAL COUNTY SOLID WASTE DISPOSAL COMPLEX
PHASE I - JULY 2011
DAILY PRECIPITATION DATA AND LEACHATE GENERATION REPORT

	LANDFILL	LANDFILL	RAINFALL IN	LEACHATE LEVEL PIEZOMETER 1	LEACHATE PUMPED[3]	LEACHATE LEVEL PIEZOMETER 2	LEACHATE PUMPED[3]	LEACHATE LEVEL PIEZOMETER 3	LEACHATE PUMPED[3]	LEACHATE LEVEL PIEZOMETER 4	LEACHATE PUMPED[3]	LEACHATE LEVEL PIEZOMETER 5	LEACHATE PUMPED[3]	LEACHATE MRF	TOTAL LEACHATE	TOTAL LEACHATE	TOTAL LEACHATE	TOTAL LEACHATE	TANK	LEACHATE DAILY
DATE	AREA	RAINFALL[1]	STORAGE TANK[2]	ELEVATION	CELL 1	ELEVATION	CELL 2	ELEVATION	CELL 3	ELEVATION	CELL 4	ELEVATION	CELL 5	PUMPED	COLLECTED[4]	REMOVED[5]	REUSE[8]	BALANCE[6]	LEVEL	STORAGE[7]
	(acres)	(inches)	(gallons)	(inches)	(gallons)	(inches)	(gallons)	(inches)	(gallons)	(inches)	(gallons)	(inches)	(gallons)	(gallons)	(gallons)	(gallons)	(gallons)	(gallons)	(feet)	(gallons)
1	55.00	0.27	1,321.16	18.4	950	18.6	760	17.9	1,120	18.3	1,760	18.4	1,370		7,281	16636		-9,355	1.25	72,581
2	55.00	1.49	7,290.82	17.4	1,260	18.2	810	18.8	990	18	1,490	18	1,930		13,771	16450		-2,679	1.25	72,581
3	55.00	0	0.00		0		0		0		0		0		0			0		0
4	55.00	0	0.00		0		0		0		0		0		0			0		0
5	55.00	2.28	11,156.42	18.8	2,600	17.6	2,680	18.6	3,890	19	4,510	16.9	6,220		31,056	44527		-13,471	2	116,130
6	55.00	0	0.00	17.6	1,480	18	720	18.8	980	18.3	2,290	17.8	1,590		7,060	65898		-58,838	2.5	145,163
7	55.00	0.05	244.66	19	830	18.4	810	18.1	1,050	19.1	1,380	14.8	1,730		6,045	77086		-71,041	5	290,325
8	55.00	2.47	12,086.12	18.6	1,380	17.6	1,220	18.8	1,270	18.9	1,640	18.2	1,950		19,546	77094		-57,548	7.25	420,971
9	55.00	3.53	17,272.88	18	4,120	18.2	4,510	18.1	1,870	18.5	2,210	17.5	2,480		32,463	63119		-30,656	10	580,650
10	55.00	0	0.00		0		0		0		0		0		0			0		0
11	55.00	0.03	146.80	17.1	5,320	17.4	6,030	15.8	2,120	18.2	1,770	15.4	3,810		19,197	146480		-127,283	15.75	914,524
12	55.00	0.26	1,272.22	18.2	1,830	17.1	3,230	18.1	1,060	16.4	3,330	18.4	1,440		12,162	87495		-75,333	15.25	885,491
13	55.00	0	0.00	18.6	2,250	16.1	3,150	17.3	1,370	19	1,360	17.1	1,530		9,660	68756		-59,096	14.25	827,426
14	55.00	0	0.00	18.2	2,120	17.8	2,300	19	1,070	18.1	1,350	18.2	1,490		8,330	68681		-60,351	13.5	783,878
15	55.00	0	0.00	16.9	2,220	17.8	2,480	19.4	1,160	19.3	1,440	17.1	1,990		9,290	76218		-66,928	12.25	711,296
16	55.00	0	0.00	17.1	1,780	16.7	2,240	18.8	1,150	19.3	1,340	17.8	1,530		8,040	69311		-61,271	11.25	653,231
17	55.00	0	0.00		0		0		0		0		0		0			0		0
18	55.00	1.5	7,339.75	18.4	3,320	16.7	3,850	19.2	2,370	empty	1,070	18	3,670		21,620	114068		-92,448	9.5	551,618
19	55.00	0.68	3,327.35	18.2	2,490	18	2,510	18.8	1,930	empty	1,830	16.3	2,520		14,607	82985		-68,378	12	696,780
20	55.00	0	0.00	17.8	2,640	18	2,130	19	1,330	same ^	1,480	14.8	1,430		9,010	72090		-63,080	12.5	725,813
21	55.00	0.25	1,223.29	16.9	2,060	15.4	2,180	19.4	890	pumped	1,580	15.6	1,790		9,723	58520		-48,797	11.5	667,748
22	55.00	1.47	7,192.96	18	2,130	18.6	2,780	19	0	pumped	1,800	16.9	2,140		16,043	60451		-44,408	11	638,715
23	55.00	0.08	391.45	19.1	2,990	18.8	3,330	19.5	3,990	pumped	2,470 *	17.8	2,310		15,481	68591		-53,110	10.5	609,683
24	55.00	0	0.00		0		0		0		0		0		0			0		0
25	55.00	0.5	2,446.58	20	0	19	3,160	no power	220	pumped	1,810	18.6	2,130		9,767	112685		-102,918	8.5	493,553
26	55.00	1.24	6,067.53	11.4	7,630	no power	4,430	no power	0	no power	2,180	17.8	3,250		23,558	74867		-51,309	8	464,520
27	55.00	0.00	0.00	18.6	4,730	18	2,290	18.5	4,910	19.2	490	17.3	2,090		14,510	56564		-42,054	7.5	435,488
28	55.00	0.43	146.80	18.6	4,300	17.6	1,830	19	1,720	19.4	3,880	17.1	1,900		13,777	64700		-50,923	6.5	377,423
29	55.00	0	0.00	18.4	3,700	15.2	3,180	19.5	1,280	19.6	3,080	18.2	1,880		13,120	55749		-42,629	6	348,390
30	55.00	0.06	293.59	17.8	4,110	17.4	2,710	18.2	1,720	19.6	1,870	18.2	1,390		12,094	68462		-56,368	5.5	319,358
31	55.00	0	0.00		0		0		0		0		0	0	0			0		0
TOTALS	-	16.19	79,220		68,240		65,320		39,460		49,410		55,560	0	357,210	1,767,483	0	-1,410,273		0

Number of Acres Open = 0
Number of Acres Intermediate = 55
Number of Acres Closed = 0

Notes:

1. Precipitation recorded at the CCSWDC weather station.
2. Rainfall falling into the leachate storage tank (13,275 square feet area) which is classified as leachate.
3. Based on flowmeter data, the amount of leachate pumped from the Class I landfill area to the storage tank.
4. Sum of rainfall into the storage tank and the leachate pumped from the Class I landfill & MRF.
5. Quantity of leachate pumped to WWTP based on the flowmeter at the leachate storage tank plus what is used for reuse.
6. Total leachate added to the storage tank minus the quantity pumped during a day (daily increase or decrease).
7. Quantity of leachate stored in the tank.
8. Leachate reused for dust control in landfill.
9. NR = No reading

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
OCT 12 2011
SOUTHWEST DISTRICT TAMPA

SARASOTA COUNTY CENTRAL COUNTY SOLID WASTE DISPOSAL COMPLEX
PHASE I - AUGUST 2011
DAILY PRECIPITATION DATA AND LEACHATE GENERATION REPORT

DATE	LANDFILL AREA	LANDFILL RAINFALL[1]	RAINFALL IN STORAGE TANK[2]	LEACHATE LEVEL PIEZOMETER 1 ELEVATION	LEACHATE PUMPED[3] CELL 1	LEACHATE LEVEL PIEZOMETER 2 ELEVATION	LEACHATE PUMPED[3] CELL 2	LEACHATE LEVEL PIEZOMETER 3 ELEVATION	LEACHATE PUMPED[3] CELL 3	LEACHATE LEVEL PIEZOMETER 4 ELEVATION	LEACHATE PUMPED[3] CELL 4	LEACHATE LEVEL PIEZOMETER 5 ELEVATION	LEACHATE PUMPED[3] CELL 5	LEACHATE MRF PUMPED	TOTAL LEACHATE COLLECTED[4]	TOTAL LEACHATE REMOVED[5]	TOTAL LEACHATE REUSE[8]	TOTAL LEACHATE BALANCE[6]	TANK LEVEL	LEACHATE DAILY STORAGE[7]
	(acres)	(inches)	(gallons)	(inches)	(gallons)	(inches)	(gallons)	(inches)	(gallons)	(inches)	(gallons)	(inches)	(gallons)	(gallons)	(gallons)	(gallons)	(gallons)	(gallons)	(feet)	(gallons)
1	55.00	0.09	440.39	17.6	8,220	14.4	6,560	16.3	3,340	19.2	3,870	17.8	4,190		26,620	144820		-118,200	4.25	246,776
2	55.00	0	0.00	18.6	3,720	15.4	2,720	16.5	1,540	18.4	2,020	18.2	2,090		12,090	66799		-54,709	3.25	188,711
3	55.00	0.04	195.73	19	2,710	17.6	1,820	18.9	1,010	18.8	1,490	17.5	1,640		8,866	61784		-52,918	4.5	261,293
4	55.00	0	0.00	17.1	3,360	13.5	2,740	18.7	1,310	19.4	1,490	18.6	1,390		10,290	65370		-55,080	3.5	203,228
5	55.00	1.64	8,024.79	18.6	2,930	16.3	1,840	18	1,550	19	1,980	17.8	2,100		18,425	69480		-51,055	4.5	261,293
6	55.00		0.00	17.1	3,190	17.6	1,700	18.9	1,290	19	1,550	14.6	1,510		9,240	61890		-52,650	4.5	261,293
7	55.00		0.00		0		0		0		0		0		0			0		0
8	55.00	0.36	1,761.54	18.2	6,990	17.1	4,480	18.5	3,030	19.6	3,340	18	3,270		22,872	115012		-92,140	3.5	203,228
9	55.00	0.12	587.18	18.4	3,270	18.6	1,670	18.5	1,410	18.8	1,800	18.4	1,680		10,417	71680		-61,263	3	174,195
10	55.00	0.81	3,963.47	18.6	3,350	15.7	2,710	18.2	1,750	19.6	1,860	16.3	2,260		15,893	73159		-57,266	3.5	203,228
11	55.00	1.39	6,801.50	18	5,030	15.4	2,640	15.7	0	19.6	2,390	18.2	1,840		18,702	70320		-51,618	4.25	246,776
12	55.00	0	0.00	17.4	5,930	16.5	2,550	18.7	0	19	1,510	18	1,470		11,460	64925		-53,465	5	290,325
13	55.00		0.00	19	5,450	14.2	3,710	18.7	5,650	18.4	1,530	15.8	2,130		18,470	68422		-49,952	6.5	377,423
14	55.00		0.00		0		0		0		0		0		0			0		0
15	55.00		0.00	18.4	10,100	18.6	5,380	17.6	2,440	18.8	3,110	17.1	3,210		24,240	114881		-90,641	7.5	435,488
16	55.00	0.05	244.66	16.1	4,650	18.8	2,690	19	820	18.6	1,940	16.9	1,850		12,195	91912		-79,717	6.5	377,423
17	55.00		0.00	18.4	3,470	17.4	2,700	19.3	2,390	19.6	1,310	18.6	1,580		11,450	68850		-57,400	5.5	319,358
18	55.00	0	0.00	18.6	115	19	1,820	19	280	19.2	1,570	16.7	1,910		5,695	66,592		-60,897	5.25	304,841
19	55.00	0	0.00	19	7,285	17.1	2,700	18.4	1,310	18.8	1,660	18.4	1,440		14,395	71498		-57,103	6.75	391,939
20	55.00	0.82	4,012.40	16.5	3,920	13.1	2,720	17.4	1,890	18.8	1,850	18.4	1,800		16,192	79,395		-63,203	6.75	391,939
21	55.00		0.00		0		0		0		0		0		0			0		0
22	55.00	0.44	2,152.99	18.2	6,280	18.2	3,390	11.6	3,590	18.1	3,190	18.2	3,420		22,023	138390		-116,367	6	348,390
23	55.00	0	0.00	18	3,240	18.8	1,710	10.4	1,980	17.1	1,480	16.1	1,880		10,290	69501		-59,211	5.25	304,841
24	55.00	1.11	5,431.42	17.8	4,520	17.8	3,860	9.7	1,360	17.3	2,800	18	1,800		19,771	75842		-56,071	7.25	420,971
25	55.00	0.04	195.73	16.9	0	16.1	1,170	12	1,560	16.4	1,530	18.6	1,220		5,676	70678		-65,002	8.25	479,036
26	55.00	0	0.00	18.6	2,910	19	1,150	12	1,680	17.5	1,650	17.1	1,850		9,240	71634		-62,394	7.75	450,004
27	55.00	0	0.00	18	2,770	16.7	1,940	9.8	1,070	17.9	1,430	17.1	1,510		8,720	68280		-59,560	7	406,455
28	55.00		0.00		0		0		0		0		0		0			0		0
29	55.00	1.91	9,345.95	18.8	6,710	18.8	3,750	9.9	0	17.7	0	16.5	3,870		23,676	113535		-89,859	5.5	319,358
30	55.00	0.55	2,691.24	16.9	2,760	16.7	1,750	9	4,950	18.4	5,680	18.2	1,560		19,391	74960		-55,569	7.25	420,971
31	55.00	0	0.00	18.6	0	17.1	0	11.9	0	17.3	0	17.5	0	0	0	86697		-86,697	9.5	551,627
TOTALS	-	**9.37**	**45,849**		**112,880**		**71,870**		**47,200**		**54,030**		**54,470**	**0**	**386,299**	**2,196,306**	**0**	**-1,810,007**		**0**

Number of Acres Open = 0
Number of Acres Intermediate = 55
Number of Acres Closed = 0

Notes:

1. Precipitation recorded at the CCSWDC weather station.
2. Rainfall falling into the leachate storage tank (13,275 square feet area) which is classified as leachate.
3. Based on flowmeter data, the amount of leachate pumped from the Class I landfill area to the storage tank.
4. Sum of rainfall into the storage tank and the leachate pumped from the Class I landfill & MRF.
5. Quantity of leachate pumped to WWTP based on the flowmeter at the leachate storage tank plus what is used for reuse
6. Total leachate added to the storage tank minus the quantity pumped during a day (daily increase or decrease).
7. Quantity of leachate stored in the tank.
8. Leachate reused for dust control in landfill.
9. NR = No reading

SARASOTA COUNTY CENTRAL COUNTY SOLID WASTE DISPOSAL COMPLEX
PHASE I -SEPTEMBER 2011
DAILY PRECIPITATION DATA AND LEACHATE GENERATION REPORT

DATE	LANDFILL AREA (acres)	LANDFILL RAINFALL[1] (inches)	RAINFALL IN STORAGE TANK[2] (gallons)	LEACHATE LEVEL PIEZOMETER 1 ELEVATION (inches)	LEACHATE PUMPED[3] CELL 1 (gallons)	LEACHATE LEVEL PIEZOMETER 2 ELEVATION (inches)	LEACHATE PUMPED[3] CELL 2 (gallons)	LEACHATE LEVEL PIEZOMETER 3 ELEVATION (inches)	LEACHATE PUMPED[3] CELL 3 (gallons)	LEACHATE LEVEL PIEZOMETER 4 ELEVATION (inches)	LEACHATE PUMPED[3] CELL 4 (gallons)	LEACHATE LEVEL PIEZOMETER 5 ELEVATION (inches)	LEACHATE PUMPED[3] CELL 5 (gallons)	LEACHATE MRF PUMPED (gallons)	TOTAL LEACHATE COLLECTED[4] (gallons)	TOTAL LEACHATE REMOVED[5] (gallons)	TOTAL LEACHATE REUSE[8] (gallons)	TOTAL LEACHATE BALANCE[6] (gallons)	TANK LEVEL (feet)	LEACHATE DAILY STORAGE[7] (gallons)
1	55.00	0.04	195.73	16.9	7,480	13.7	2,960	16.5	1,570	17.3	1,820	18	1,780		15,806	58770		-42,964	9.5	551,618
2	55.00	0.3	1,467.95	19	3,460	16.7	1,950	9	2,130	16.9	1,410	17.3	1,620		12,038	57760		-45,722	9.5	551,618
3	55.00	0.04	195.73	17.4	5,070	18.2	2,930	19	1,750	17.1	1,920	18	1,740		13,606	78620		-65,014	8.75	508,069
4	55.00		0.00		0		0		0		0		0		0			0		0
5	55.00	0.09	440.39	16.9	7,400	16.5	3,870	18.8	2,840	18.4	3,050	14.3	3,120		20,720	112095		-91,375	7.5	435,488
6	55.00	0.92	4,501.71	19	4,000	16.7	2,460	17.7	2,100	17.9	2,040	16.5	1,920		17,022	70600		-53,578	6.5	377,423
7	55.00	0.33	1,614.75	18.4	3,870	18.4	1,770	19.6	2,000	17.9	1,530	16.9	1,500		12,285	62800		-50,515	8.5	493,553
8	55.00	0.25	1,223.29	17.8	5,300	16.7	3,080	18.1	1,840	15.8	2,090	18.4	1,720		15,253	74370		-59,117	11.5	667,748
9	55.00	0.06	293.59	17.1	5,500	18.8	2,350	19.6	1,850	18.8	1,660	17.3	2,010		13,664	65690		-52,026	13	754,845
10	55.00	0	0.00	18.8	3,740	16.3	2,390	14.9	1,920	17.3	1,500	17.1	1,330		10,880	54989		-44,109	13	754,845
11	55.00		0.00		0		0		0		0		0		0			0		0
12	55.00	0	0.00	19	8,750	16.3	4,900	19.6	2,590	15.8	3,300	18.4	3,040		22,580	114310		-91,730	11	638,715
13	55.00	0	0.00	18.8	3,480	17.4	1,780	17.9	1,480	14.7	1,370	18.2	1,420		9,530	58325		-48,795	10.5	609,683
14	55.00	0	0.00	18.8	3,630	14.6	2,400	18.3	1,520	17.1	1,550	18.2	1,480		10,580	61610		-51,030	10	580,650
15	55.00	0	0.00	18.4	4,610	17.4	2,240	16.8	1,630	16	1,780	17.3	1,960		12,220	70060		-57,840	9	522,585
16	55.00	0.1	489.32	18	3,230	17.1	1,820	15.6	1,380	17.7	1,580	16.7	1,610		10,109	59540		-49,431	8.25	479,036
17	55.00	0	0.00	16.1	3,400	14	2,260	18.8	1,110	18.1	1,340	17.3	1,440		9,550	65243		-55,693	7.5	435,488
18	55.00		0.00		0		0		0		0		0		0			0		0
19	55.00	0.27	1,321.16	17.6	4,800	18.8	3,080	19.6	2,600	19.6	2,250	17.8	2,830		16,881	111995		-95,114	5.5	319,358
20	55.00	0.04	195.73	17.8	3,810	18	2,400	17.9	1,990	17.9	2,320	16.7	1,970		12,686	76282		-63,596	5.5	319,358
21	55.00	0	0.00	18.6	3,690	16.9	2,550	17.1	1,800	19.6	1,600	17.1	1,470		11,110	64135		-53,025	4.5	261,293
22	55.00	0.67	3,278.42	17.6	2,480	15.4	1,510	18.5	970	17.7	1,600	18.6	1,340		11,178	51760		-40,582	5	290,325
23	55.00	0.14	685.04	18	2,370	15.4	1,560	18.3	1,260	19.2	1,180	14.8	1,780		8,835	62950		-54,115	6	348,390
24	55.00	0.11	538.25	16.3	2,710	14.8	1,570	18.8	1,200	19.2	1,370	16.3	1,690		9,078	62072		-52,994	5.25	304,841
25	55.00		0.00		0		0		0		0		0		0			0		0
26	55.00	1.6	7,829.07	16.7	5,550	15.9	3,650	17.5	-928,416	19.4	3,950	16.1	3,710		-903,727	113077		-1,016,804	6	348,390
27	55.00	0.09	440.39	18	2,690	15.2	2,120	19.2	933,406	19	1,780	16.5	1,350		941,786	63712		878,074	6.75	391,939
28	55.00	0	0.00	17.1	2,460	15.9	1,480	18.1	1,350	15	1,420	16.1	1,200		7,910	49500		-41,590	6.5	377,423
29	55.00	0	0.00	18.2	-683,250	15.2	2,310	18.1	1,160	17.9	1,570	17.8	1,590		-676,620	65566		-742,186	6	348,390
30	55.00	0.04	195.73	18	689,350	18.4	1,460	19.4	1,940	18.1	1,600	17.1	1,750		696,296	54660		641,636	5.5	319,358
31	55.00	0	0.00		0		0		0		0		0	0	0			0		0
TOTALS	-	**5.09**	**24,906**		**109,580**		**62,850**		**46,970**		**48,580**		**48,370**	**0**	**341,256**	**1,840,491**	**0**	**-1,499,235**		**0**

Number of Acres Open = 0
Number of Acres Intermediate = 55
Number of Acres Closed = 0

Notes:

1. Precipitation recorded at the CCSWDC weather station.
2. Rainfall falling into the leachate storage tank (13,275 square feet area) which is classified as leachate.
3. Based on flowmeter data, the amount of leachate pumped from the Class I landfill area to the storage tank.
4. Sum of rainfall into the storage tank and the leachate pumped from the Class I landfill & MRF.
5. Quantity of leachate pumped to WWTP based on the flowmeter at the leachate storage tank plus what is used for reuse
6. Total leachate added to the storage tank minus the quantity pumped during a day (daily increase or decrease)
7. Quantity of leachate stored in the tank.
8. Leachate reused for dust control in landfill.
9. NR = No reading