## THE COLINAS GROUP, INC.

**HYDROGEOLOGISTS & ENGINEERS** 

Dept. of Environmental Protection

JAN 27 2012

Southwest District

January 19, 2012

Mr. Jackey Jackson Sumter County Public Works 319 East Anderson Avenue Bushnell, FI 33513

Subj: Sumter County Closed Landfill

Long-Term Care Permit No. 22926-003-SF 2011 Annual Gas Migration Monitoring

TCG Project No. P-453

Dear Mr. Jackson:

In accordance with the Sumter County Closed Landfill Long-Term Care Permit requirements, The Colinas Group, Inc. (TCG) measured and recorded landfill gas concentrations at Gas Probes and Gas Vents located throughout the landfill property. Locations of measuring points are shown on attached Figure 1. Gas measurements were recorded on December 14, 2011. A copy of the Calibration Certificate for the methane monitoring instrument used is attached.

Ambient air in the Animal Control buildings, Recyclable Storage Area, Equipment and Maintenance Shop, Old Material Recovery building and New Material Recovery Tipping Area was tested upon morning opening. All measurements in these buildings and work areas were reported as zero percent methane LEL.

Perimeter Gas Probes (GP-1 through GP-4 and M-1 through M-24) reported zero percent methane LEL. Gas Vents located within the closed waste cell footprint reported varying percentages of methane LEL, ranging from zero to 100 % LEL. Reported methane measurements for Gas Probes, Gas Vents and occupied buildings are shown on Figure 1.

The former landfill Scale House Building and nearby Office Building (trailer) to the northeast are permanently closed and locked and were not tested. Gas Vents GV-21 and GV-25 on the closed landfill could not be located and consequently, were not measured.

Please let me know if you have any questions concerning the Gas Migration Monitoring results.

Very truly yours, THE COLINAS GROUP, INC.

Richard L. Potts, Jr., P.G. **Principal Consultant** 

FL P.G. Reg. No.1113

Ms. Becky Seagrest, Sumter County CC:

