

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:30:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/14/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/14/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/14/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/14/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/6/2007 9:30:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/14/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/6/2007 9:30:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/8/2007 12:00:00AM	0.0039	0.0039	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/8/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/6/2007 9:30:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/7/2007 12:00:00AM	5.2	0.56	ug/L	U
001045	Iron	N	E83079	E200.7	11/8/2007 12:00:00AM	20	20	ug/L	U
001051	Lead	N	E83079	E200.8	11/7/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/9/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/8/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/8/2007 12:00:00AM	1.6	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/8/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/6/2007 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: CO - Compliance

Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	11/12/2007 12:00:00AM	2	2	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2007 12:00:00AM	0.01	0.01	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	11/13/2007 12:00:00AM	2.3	2.3	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/12/2007 12:00:00AM	3.7	3.7	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/6/2007 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: CO - Compliance

Water Classification: SW-IIIF

(i.e.: LC - Leachate, G-II, SW-IIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/21/2007 12:00:00AM	1	1	ug/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/6/2007 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: CO - Compliance

Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/8/2007 12:00:00AM	12	12	mg/L	U
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/20/2007 12:00:00AM	0.02	0.02	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	11/16/2007 12:00:00AM	0.25	0.25	mg/L	U
000650	Total Phosphates as PO4	N	E83079	E365.4	11/15/2007 12:00:00AM	0.05	0.05	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/6/2007 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: CO - Compliance

Water Classification: SW-IIIIF

(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	11/15/2007 12:00:00AM	0.21	0.21	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/6/2007 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: CO - Compliance

Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/6/2007 12:00:00AM	1	1	cfu/100mL	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/14/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/14/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2007 12:00:00AM	90		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2007 12:00:00AM	6.49		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2007 12:00:00AM	6.6		S.U.	
077128	Styrene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/6/2007 12:00:00AM	21.22		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/14/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2007 12:00:00AM	0.72		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/14/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/14/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/8/2007 12:00:00AM	0.0043	0.0043	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/8/2007 12:00:00AM	0.0067	0.0067	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	I
001012	Beryllium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/7/2007 12:00:00AM	0.56	0.56	ug/L	U
001045	Iron	N	E83079	E200.7	11/8/2007 12:00:00AM	60	20	ug/L	U
001051	Lead	N	E83079	E200.8	11/7/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/9/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/8/2007 12:00:00AM	11	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/8/2007 12:00:00AM	12	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/8/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	11/12/2007 12:00:00AM	2	2	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2007 12:00:00AM	0.01	0.01	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	11/13/2007 12:00:00AM	2.3	2.3	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/12/2007 12:00:00AM	51	3.7	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/21/2007 12:00:00AM	1.5	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/8/2007 12:00:00AM	17	12	mg/L	I
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/20/2007 12:00:00AM	0.02	0.02	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	11/16/2007 12:00:00AM	0.54	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	11/15/2007 12:00:00AM	0.05	0.05	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	11/15/2007 12:00:00AM	4	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/6/2007 12:00:00AM	2	1	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/14/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/14/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2007 12:00:00AM	90		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2007 12:00:00AM	6.49		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2007 12:00:00AM	6.6		S.U.	
077128	Styrene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/6/2007 12:00:00AM	21.22		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/14/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2007 12:00:00AM	0.72		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/14/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/14/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/8/2007 12:00:00AM	0.004	0.004	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/8/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/7/2007 12:00:00AM	0.56	0.56	ug/L	U
001045	Iron	N	E83079	E200.7	11/8/2007 12:00:00AM	54	20	ug/L	U
001051	Lead	N	E83079	E200.8	11/7/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/9/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/8/2007 12:00:00AM	11	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001087	Vanadium	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/8/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	11/12/2007 12:00:00AM	2	2	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2007 12:00:00AM	0.01	0.01	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	11/13/2007 12:00:00AM	3.4	2.3	mg/L	I
070300	Solids, Total Dissolved	N	E83079	E160.1	11/12/2007 12:00:00AM	45	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/21/2007 12:00:00AM	1.5	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/8/2007 12:00:00AM	18	12	mg/L	I
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/20/2007 12:00:00AM	0.02	0.02	mg/L	U
000650	Total Phosphates as PO4	N	E83079	E365.4	11/15/2007 12:00:00AM	0.05	0.05	mg/L	U

Total Parameters Monitored: 3

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 9:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	11/15/2007 12:00:00AM	3.7	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:20:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/14/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/14/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2007 12:00:00AM	601		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2007 12:00:00AM	6.9		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2007 12:00:00AM	7.76		S.U.	
077128	Styrene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/6/2007 12:00:00AM	22.06		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/14/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:20:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2007 12:00:00AM	31.1		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/14/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/14/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:20:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/8/2007 12:00:00AM	0.0042	0.0042	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/8/2007 12:00:00AM	0.0066	0.0066	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/6/2007 10:20:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/8/2007 12:00:00AM	39	5	ug/L	
001012	Beryllium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.06	0.05	ug/L	I
001027	Cadmium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/8/2007 12:00:00AM	3.1	2.5	ug/L	I
001037	Cobalt	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/7/2007 12:00:00AM	0.77	0.56	ug/L	I
001045	Iron	N	E83079	E200.7	11/8/2007 12:00:00AM	630	20	ug/L	
001051	Lead	N	E83079	E200.8	11/7/2007 12:00:00AM	1.1	0.5	ug/L	
071900	Mercury	N	E83079	E245.1	11/9/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	11/8/2007 12:00:00AM	5.8	2.5	ug/L	
001147	Selenium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/8/2007 12:00:00AM	55	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/8/2007 12:00:00AM	160	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	11/8/2007 12:00:00AM	8.6	5	ug/L	I
001092	Zinc	N	E83079	E200.7	11/8/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:20:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	11/12/2007 12:00:00AM	3.4	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2007 12:00:00AM	1.7	0.01	mg/L	
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	11/13/2007 12:00:00AM	6.9	2.3	mg/L	
070300	Solids, Total Dissolved	N	E83079	E160.1	11/12/2007 12:00:00AM	380	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:20:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/21/2007 12:00:00AM	4.2	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/6/2007 10:20:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/8/2007 12:00:00AM	62	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/20/2007 12:00:00AM	0.02	0.02	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	11/16/2007 12:00:00AM	3.9	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	11/15/2007 12:00:00AM	0.06	0.05	mg/L	I

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:20:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	11/15/2007 12:00:00AM	20	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:20:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/6/2007 12:00:00AM	190	10	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19798
 WACS Testsite Name: SW-11
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:45:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/14/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/14/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2007 12:00:00AM	366		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2007 12:00:00AM	5.19		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2007 12:00:00AM	7.34		S.U.	
077128	Styrene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/6/2007 12:00:00AM	20.52		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/14/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19798
 WACS Testsite Name: SW-11
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:45:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2007 12:00:00AM	38.6		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/14/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/14/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/8/2007 12:00:00AM	0.0039	0.0039	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/8/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19798
 WACS Testsite Name: SW-11
 Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/6/2007 10:45:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/8/2007 12:00:00AM	20	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/7/2007 12:00:00AM	0.56	0.56	ug/L	U
001045	Iron	N	E83079	E200.7	11/8/2007 12:00:00AM	730	20	ug/L	U
001051	Lead	N	E83079	E200.8	11/7/2007 12:00:00AM	1.2	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/9/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/8/2007 12:00:00AM	17	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/8/2007 12:00:00AM	160	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/8/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	11/12/2007 12:00:00AM	5.5	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2007 12:00:00AM	0.39	0.01	mg/L	
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	11/13/2007 12:00:00AM	7.4	2.3	mg/L	
070300	Solids, Total Dissolved	N	E83079	E160.1	11/12/2007 12:00:00AM	240	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/21/2007 12:00:00AM	68	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/6/2007 10:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/8/2007 12:00:00AM	72	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/20/2007 12:00:00AM	0.02	0.02	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	11/16/2007 12:00:00AM	1.9	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	11/15/2007 12:00:00AM	0.09	0.05	mg/L	I

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	11/15/2007 12:00:00AM	20	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 10:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/6/2007 12:00:00AM	310	10	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15638
 WACS Testsite Name: SW-5
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:15:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/14/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/14/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2007 12:00:00AM	732		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2007 12:00:00AM	4.36		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2007 12:00:00AM	7.65		S.U.	
077128	Styrene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/6/2007 12:00:00AM	20.47		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/14/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15638
 WACS Testsite Name: SW-5
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:15:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2007 12:00:00AM	4.2		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/14/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/14/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:15:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/9/2007 12:00:00AM	0.0038	0.0038	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/9/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15638
 WACS Testsite Name: SW-5
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:15:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/8/2007 12:00:00AM	59	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/7/2007 12:00:00AM	0.56	0.56	ug/L	U
001045	Iron	N	E83079	E200.7	11/8/2007 12:00:00AM	930	20	ug/L	U
001051	Lead	N	E83079	E200.8	11/7/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/9/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/8/2007 12:00:00AM	37	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/8/2007 12:00:00AM	300	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/8/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:15:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	11/12/2007 12:00:00AM	2	1	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2007 12:00:00AM	0.46	0.01	mg/L	
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	11/13/2007 12:00:00AM	2.3	2.3	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/12/2007 12:00:00AM	450	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:15:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/21/2007 12:00:00AM	5.1	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:15:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/8/2007 12:00:00AM	73	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/20/2007 12:00:00AM	0.026	0.02	mg/L	I
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	11/16/2007 12:00:00AM	4	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	11/15/2007 12:00:00AM	0.05	0.05	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:15:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	11/15/2007 12:00:00AM	23	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:15:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/6/2007 12:00:00AM	20	20	cfu/100mL	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15833
 WACS Testsite Name: SW-4
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:40:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/14/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/14/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/14/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/14/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2007 12:00:00AM	400		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2007 12:00:00AM	5.46		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2007 12:00:00AM	7.44		S.U.	
077128	Styrene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/6/2007 12:00:00AM	20.02		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/14/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15833
 WACS Testsite Name: SW-4
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/6/2007 11:40:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/14/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/14/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2007 12:00:00AM	0.48		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/14/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/14/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/14/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/9/2007 12:00:00AM	0.004	0.004	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/9/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15833
 WACS Testsite Name: SW-4
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:40:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/8/2007 12:00:00AM	24	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/7/2007 12:00:00AM	0.56	0.56	ug/L	U
001045	Iron	N	E83079	E200.7	11/8/2007 12:00:00AM	160	20	ug/L	U
001051	Lead	N	E83079	E200.8	11/7/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/9/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/8/2007 12:00:00AM	22	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/8/2007 12:00:00AM	150	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/8/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	11/12/2007 12:00:00AM	2	2	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2007 12:00:00AM	0.044	0.01	mg/L	I
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	11/13/2007 12:00:00AM	2.6	2.3	mg/L	I
070300	Solids, Total Dissolved	N	E83079	E160.1	11/12/2007 12:00:00AM	240	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/21/2007 12:00:00AM	3	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/8/2007 12:00:00AM	52	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/20/2007 12:00:00AM	0.02	0.02	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	11/16/2007 12:00:00AM	1.1	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	11/15/2007 12:00:00AM	0.05	0.05	mg/L	I

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	11/19/2007 12:00:00AM	14	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15833
WACS Testsite Name: SW-4
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 11:40:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/6/2007 12:00:00AM	260	10	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 12:00:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/15/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/15/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/15/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/15/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/15/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 12:00:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/15/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15831
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 12:45:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.16	ug/L	I
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2007 12:00:00AM	419		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2007 12:00:00AM	5.74		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.47	ug/L	I
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2007 12:00:00AM	7.63		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/6/2007 12:00:00AM	19.24		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.73	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15831
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/6/2007 12:45:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2007 12:00:00AM	2.25		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/18/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 12:45:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/9/2007 12:00:00AM	0.0039	0.0039	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/9/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15831
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 12:45:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/8/2007 12:00:00AM	30	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/7/2007 12:00:00AM	0.56	0.56	ug/L	U
001045	Iron	N	E83079	E200.7	11/8/2007 12:00:00AM	480	20	ug/L	U
001051	Lead	N	E83079	E200.8	11/7/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/9/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/8/2007 12:00:00AM	22	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/8/2007 12:00:00AM	160	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/8/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 12:45:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	11/12/2007 12:00:00AM	2.5	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2007 12:00:00AM	0.15	0.01	mg/L	
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	11/13/2007 12:00:00AM	4.1	2.3	mg/L	I
070300	Solids, Total Dissolved	N	E83079	E160.1	11/12/2007 12:00:00AM	240	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 12:45:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/21/2007 12:00:00AM	16	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 12:45:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/8/2007 12:00:00AM	38	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/20/2007 12:00:00AM	0.02	0.02	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	11/16/2007 12:00:00AM	1.3	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	11/15/2007 12:00:00AM	0.05	0.05	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 12:45:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	11/15/2007 12:00:00AM	14	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 12:45:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/6/2007 12:00:00AM	10	10	cfu/100mL	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15832
 WACS Testsite Name: SW-3
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 3:00:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.3	0.16	ug/L	I
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/6/2007 12:00:00AM	414		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/6/2007 12:00:00AM	2.9		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/6/2007 12:00:00AM	7.15		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/6/2007 12:00:00AM	21.37		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.38	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15832
 WACS Testsite Name: SW-3
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/6/2007 3:00:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/6/2007 12:00:00AM	0.51		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	1.3	0.32	ug/L	

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 3:00:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	11/9/2007 12:00:00AM	0.0039	0.0039	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	11/9/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15832
 WACS Testsite Name: SW-3
 Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 11/6/2007 3:00:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	11/8/2007 12:00:00AM	29	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	11/7/2007 12:00:00AM	0.56	0.56	ug/L	U
001045	Iron	N	E83079	E200.7	11/8/2007 12:00:00AM	320	20	ug/L	U
001051	Lead	N	E83079	E200.8	11/7/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	11/9/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	11/8/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	11/7/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	11/8/2007 12:00:00AM	23	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	11/8/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	11/8/2007 12:00:00AM	170	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	11/8/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	11/8/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 3:00:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	11/12/2007 12:00:00AM	2	2	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/7/2007 12:00:00AM	0.01	0.01	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	11/13/2007 12:00:00AM	3.4	2.3	mg/L	I
070300	Solids, Total Dissolved	N	E83079	E160.1	11/12/2007 12:00:00AM	270	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 3:00:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	11/21/2007 12:00:00AM	1.4	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 3:00:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	11/8/2007 12:00:00AM	72	12	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	11/20/2007 12:00:00AM	0.02	0.02	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	11/16/2007 12:00:00AM	1.2	0.25	mg/L	
000650	Total Phosphates as PO4	N	E83079	E365.4	11/16/2007 12:00:00AM	0.05	0.05	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 3:00:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	11/15/2007 12:00:00AM	24	0.21	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15832
WACS Testsite Name: SW-3
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 3:00:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	11/6/2007 12:00:00AM	10	2	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 12:00:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.3	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/6/2007 12:00:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.32	ug/L	I

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/15/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/15/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/15/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/15/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/15/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/15/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/7/2007 9:00:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/9/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/9/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	7	2.5	ug/L	V
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/9/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/7/2007 9:00:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	0.06	0.06	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	3.7	3.7	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.085	0.085	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/7/2007 9:00:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B11
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:16:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/15/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/15/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/15/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	307		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.3		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	28.61		feet	
077424	Iodomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	5.38		S.U.	
077128	Styrene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	24.06		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B11
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:16:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/15/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	0.22		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/15/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/15/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:16:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B11
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:16:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/13/2007 12:00:00AM	110	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	1	0.5	ug/L	I
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	3.6	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	7800	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/9/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	11	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	13	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:16:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	12	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	210	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	87	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:16:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.5	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B11
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:16:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/15/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/15/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/15/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	307		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.3		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	28.61		feet	
077424	Iodomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	5.38		S.U.	
077128	Styrene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	24.06		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B11
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:16:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/15/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	0.22		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/15/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/15/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:16:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B11
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:16:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/13/2007 12:00:00AM	110	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	1	0.5	ug/L	
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	3	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	3.9	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	7800	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/9/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	11	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	14	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:16:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	12	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	220	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	85	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:16:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.49	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:39:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/15/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/15/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/15/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/15/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/15/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	486		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.37		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	21.99		feet	
077424	Iodomethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	5.5		S.U.	
077128	Styrene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	22.68		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:39:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/15/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/15/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/15/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	1.9		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/15/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/15/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/15/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:39:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:39:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/9/2007 12:00:00AM	110	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	4.3	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	11000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/9/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	45	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:39:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	66	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	320	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	65	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 9:39:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.19	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15793
 WACS Testsite Name: B33-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:09:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	4595		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.32		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	30.58		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	7.06		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	23.59		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15793
 WACS Testsite Name: B33-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:09:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	13.6		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:09:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15793
 WACS Testsite Name: B33-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:09:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	1.1	0.5	ug/L	
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	24	5	ug/L	
001007	Barium	N	E83079	SW6010	11/9/2007 12:00:00AM	260	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.84	0.5	ug/L	I
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	23	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	36	5	ug/L	
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	5	2.5	ug/L	V
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	22000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/9/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	69	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	11	7.5	ug/L	I
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/13/2007 12:00:00AM	730	5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	50	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:09:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	910	0.6	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.1	0.1	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	3000	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	25	0.85	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:09:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.79	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15805
 WACS Testsite Name: B40-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:16:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	629		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.14		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	24		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	6.06		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	23.34		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15805
 WACS Testsite Name: B40-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:16:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	1.5		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15805
WACS Testsite Name: B40-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:16:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15805
 WACS Testsite Name: B40-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:16:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/9/2007 12:00:00AM	42	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	4.1	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	2400	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/9/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	22	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15805
WACS Testsite Name: B40-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:16:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	20	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	430	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	77	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15805
WACS Testsite Name: B40-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:16:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.82	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15792
 WACS Testsite Name: B33-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:40:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	408		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.36		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	27.62		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	6.59		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	22.05		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15792
 WACS Testsite Name: B33-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:40:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	5.7		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15792
WACS Testsite Name: B33-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:40:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15792
 WACS Testsite Name: B33-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:40:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/9/2007 12:00:00AM	34	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.66	0.5	ug/L	I
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	6.3	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	3.9	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	7700	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/9/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	48	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.8	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15792
WACS Testsite Name: B33-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:40:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	33	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	360	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.085	0.085	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15792
WACS Testsite Name: B33-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:40:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.24	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	629		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.16		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	24.07		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	6.04		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	23.53		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	1.5		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/9/2007 12:00:00AM	62	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	3.8	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	4.7	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	1800	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/9/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	37	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	6.2	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	28	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	470	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	70	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.37	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15791
 WACS Testsite Name: B-32
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:22:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	441		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.26		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	27.96		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	7.21		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	22.17		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15791
 WACS Testsite Name: B-32
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:22:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	17.2		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15791
WACS Testsite Name: B-32
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:22:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15791
 WACS Testsite Name: B-32
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:22:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/9/2007 12:00:00AM	28	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	4.3	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	4000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/9/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	25	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15791
WACS Testsite Name: B-32
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:22:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	19	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	280	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	16	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15791
WACS Testsite Name: B-32
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:22:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.057	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:52:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.4	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	3.3	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	2481		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.16		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	20.35		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	6.32		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	22.83		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.24	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:52:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	8.2		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.32	ug/L	I

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:52:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0071	0.0061	ug/L	I
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:52:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/9/2007 12:00:00AM	250	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.65	0.5	ug/L	I
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	5.6	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	20	5	ug/L	
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	4.2	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	26000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	220	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	10	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:52:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	190	0.3	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.05	0.05	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	1300	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	27	0.43	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:52:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	72	0.2	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15819
 WACS Testsite Name: B60
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:59:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	502		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.2		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	21.7		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	6.53		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	23.21		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15819
 WACS Testsite Name: B60
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:59:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	3.07		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:59:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15819
 WACS Testsite Name: B60
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:59:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/9/2007 12:00:00AM	58	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	4.2	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	5200	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	35	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:59:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	54	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	310	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	31	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 11:59:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.055	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15807
 WACS Testsite Name: B41-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:28:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	1023		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.07		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	24.1		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	6.54		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	23.71		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15807
 WACS Testsite Name: B41-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:28:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	1		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:28:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15807
 WACS Testsite Name: B41-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:28:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/9/2007 12:00:00AM	70	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	3.4	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	8.5	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	4.3	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	1600	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	48	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:28:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	39	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.02	0.02	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	710	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	100	0.17	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:28:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.32	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15817
 WACS Testsite Name: B59-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:51:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	792		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.36		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	21.04		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	6.95		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	23.47		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15817
 WACS Testsite Name: B59-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:51:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	14.2		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15817
WACS Testsite Name: B59-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:51:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15817
 WACS Testsite Name: B59-1R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:51:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/9/2007 12:00:00AM	78	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	4.6	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	7700	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.6	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	66	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15817
WACS Testsite Name: B59-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:51:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	74	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	460	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	31	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15817
WACS Testsite Name: B59-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:51:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.073	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15818
 WACS Testsite Name: B59-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 1:26:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	13	0.81	ug/L	
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	1419		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.2		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	20.88		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	6.79		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	24.7		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15818
 WACS Testsite Name: B59-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 1:26:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	7.04		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 1:26:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15818
 WACS Testsite Name: B59-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 1:26:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/13/2007 12:00:00AM	200	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	14	5	ug/L	
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	3.7	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	8100	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	90	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 1:26:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	36	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.02	0.02	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	950	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	220	0.17	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 1:26:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.71	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15636
 WACS Testsite Name: B1-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 1:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	1.5	0.81	ug/L	
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.17	ug/L	I
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	1321		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.14		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	20.43		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	6.23		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	22.88		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15636
 WACS Testsite Name: B1-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 1:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	7.5		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15636
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 1:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15636
 WACS Testsite Name: B1-B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 1:38:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/13/2007 12:00:00AM	290	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	9.7	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	4	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	21000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	65	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15636
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 1:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	110	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.02	0.02	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	730	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	80	0.17	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15636
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 1:38:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	8.1	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15829
 WACS Testsite Name: B68
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:13:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	536		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.24		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	26.62		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	6.09		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	23.22		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15829
 WACS Testsite Name: B68
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:13:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	1.46		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:13:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15829
 WACS Testsite Name: B68
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:13:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/13/2007 12:00:00AM	74	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	3.6	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	15000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	19	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:13:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	26	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	350	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.43	0.085	mg/L	I

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:13:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	1.1	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15808
 WACS Testsite Name: B42-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:25:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	1534		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.14		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	20.44		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	5.64		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	22.61		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15808
 WACS Testsite Name: B42-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:25:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	0.75		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:25:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15808
 WACS Testsite Name: B42-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:25:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/13/2007 12:00:00AM	240	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	8.3	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	3.6	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	27000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	140	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:25:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	190	0.3	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.05	0.05	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	1100	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	440	0.43	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:25:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.49	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15790
 WACS Testsite Name: B8-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:49:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	624		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.35		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	27.08		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	5.97		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	24.08		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15790
 WACS Testsite Name: B8-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:49:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	0.74		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15790
WACS Testsite Name: B8-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:49:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15790
 WACS Testsite Name: B8-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:49:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/13/2007 12:00:00AM	71	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	4.1	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	18000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	19	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15790
WACS Testsite Name: B8-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:49:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	47	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	430	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	160	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15790
WACS Testsite Name: B8-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:49:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.047	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15809
 WACS Testsite Name: B42-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/7/2007 12:00:00AM	503		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/7/2007 12:00:00AM	0.1		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/7/2007 12:00:00AM	24.06		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/7/2007 12:00:00AM	6.11		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/7/2007 12:00:00AM	23.64		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15809
 WACS Testsite Name: B42-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/7/2007 12:00:00AM	4.3		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15809
WACS Testsite Name: B42-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0063	0.0063	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0066	0.0066	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15809
 WACS Testsite Name: B42-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/13/2007 12:00:00AM	44	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/9/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/9/2007 12:00:00AM	4.4	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/9/2007 12:00:00AM	810	20	ug/L	
001051	Lead	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/9/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/9/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/9/2007 12:00:00AM	31	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/9/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/9/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15809
WACS Testsite Name: B42-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/8/2007 12:00:00AM	18	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/8/2007 12:00:00AM	0.23	0.01	mg/L	
070300	Solids, Total Dissolved	N	E83079	E160.1	11/13/2007 12:00:00AM	380	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/8/2007 12:00:00AM	110	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15809
WACS Testsite Name: B42-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 2:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.29	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/7/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/8/2007 9:15:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/10/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/10/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/10/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/10/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/10/2007 12:00:00AM	6	2.5	ug/L	V
001045	Iron	N	E83079	SW6010	11/10/2007 12:00:00AM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/10/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/10/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/15/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/8/2007 9:15:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	0.06	0.06	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/14/2007 12:00:00AM	3.7	3.7	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.085	0.085	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/8/2007 9:15:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:18:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	1463		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.2		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	19.25		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	5.86		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	22.53		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:18:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	1.9		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:18:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:18:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/14/2007 12:00:00AM	250	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/10/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/10/2007 12:00:00AM	3.2	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/10/2007 12:00:00AM	6.4	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/10/2007 12:00:00AM	3.4	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/10/2007 12:00:00AM	16000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/10/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/10/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2007 12:00:00AM	95	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/15/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:18:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	230	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.02	0.02	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/14/2007 12:00:00AM	910	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	76	0.17	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:18:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.93	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:18:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	1463		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.2		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	19.25		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	5.86		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	22.53		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:18:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	1.9		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:18:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:18:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/10/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/14/2007 12:00:00AM	250	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/10/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/10/2007 12:00:00AM	2.7	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/10/2007 12:00:00AM	9.1	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/10/2007 12:00:00AM	3.3	2.5	ug/L	IV
001045	Iron	N	E83079	SW6010	11/10/2007 12:00:00AM	16000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/10/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/10/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/10/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/10/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/10/2007 12:00:00AM	94	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/10/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/15/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:18:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	230	0.3	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.05	0.05	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/14/2007 12:00:00AM	920	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	74	0.43	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:18:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.94	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:43:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	525		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.42		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	22.86		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	6.7		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	25.23		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:43:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	13.9		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:43:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:43:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	45	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.8	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	8700	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	16	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	6.4	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	21	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:43:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	10	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/14/2007 12:00:00AM	290	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	46	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 9:43:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:22:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	713		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.22		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	22.45		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	6.81		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	23		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:22:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	0.56		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:22:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:22:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	53	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	13000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	46	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:22:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	51	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/14/2007 12:00:00AM	400	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.9	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:22:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.082	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:25:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	9.6	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	4.5	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	1619		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.11		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	24.15		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	6.2		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	22.15		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:25:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	9.1		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	4.8	0.32	ug/L	

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:25:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.01	0.0061	ug/L	I
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:25:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	180	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.53	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	9.1	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	44000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	I
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	230	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:25:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	150	0.3	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.05	0.05	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/14/2007 12:00:00AM	890	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.43	0.43	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:25:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.068	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15814
 WACS Testsite Name: B45-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	269		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.17		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	23.99		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	5.69		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	23.18		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	6.3		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15814
 WACS Testsite Name: B45-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	27	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	3.6	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	9700	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	23	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	9.2	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	36	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/14/2007 12:00:00AM	180	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	24	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.023	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19805
 WACS Testsite Name: B73-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:03:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	404		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.3		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	22.85		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	6.75		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	24.54		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19805
 WACS Testsite Name: B73-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:03:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	12.2		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:03:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19805
 WACS Testsite Name: B73-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:03:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	20	5	ug/L	
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	45	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	3.8	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	8.3	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	12000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	6.2	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	7	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	95	10	ug/L	

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:03:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	5.7	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	270	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	8.6	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:03:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.087	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15812
 WACS Testsite Name: B44
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:30:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	147		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.14		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	23.54		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	5.65		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	23.08		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.41	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15812
 WACS Testsite Name: B44
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:30:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	5		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15812
WACS Testsite Name: B44
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:30:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15812
 WACS Testsite Name: B44
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:30:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	9	5	ug/L	I
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	4.1	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	9400	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.9	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	15	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15812
WACS Testsite Name: B44
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:30:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	8.6	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	130	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	15	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15812
WACS Testsite Name: B44
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:30:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19807
 WACS Testsite Name: B75
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:37:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	217		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.19		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	19.95		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	5.79		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	24.71		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19807
 WACS Testsite Name: B75
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:37:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	0.09		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19807
WACS Testsite Name: B75
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19807
 WACS Testsite Name: B75
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:37:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	12	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	3.1	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	710	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	5.3	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	6.3	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19807
WACS Testsite Name: B75
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	7.1	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	200	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	6.1	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19807
WACS Testsite Name: B75
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 11:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.04	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19800
 WACS Testsite Name: B70-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:08:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	270		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.13		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	22.01		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	5.66		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	23.44		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19800
 WACS Testsite Name: B70-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:08:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	1		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19800
WACS Testsite Name: B70-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:08:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/10/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19800
 WACS Testsite Name: B70-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:08:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	35	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	5600	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	24	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19800
WACS Testsite Name: B70-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:08:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	41	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	180	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	34	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19800
WACS Testsite Name: B70-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:08:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.043	0.02	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19806
 WACS Testsite Name: B74
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:25:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	1597		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.18		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	21.13		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	6.77		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	24.35		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19806
 WACS Testsite Name: B74
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:25:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	11.8		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19806
WACS Testsite Name: B74
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:25:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19806
 WACS Testsite Name: B74
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:25:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	8.1	5	ug/L	I
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	130	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	17	5	ug/L	
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	44000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	51	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5.6	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19806
WACS Testsite Name: B74
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:25:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	56	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.02	0.02	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	960	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	83	0.17	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19806
WACS Testsite Name: B74
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:25:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	1.8	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19801
 WACS Testsite Name: B70-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:44:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	323		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.33		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	22.78		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	5.93		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	24.98		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19801
 WACS Testsite Name: B70-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:44:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	4.6		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19801
WACS Testsite Name: B70-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:44:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19801
 WACS Testsite Name: B70-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:44:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	33	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	6800	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	8.4	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19801
WACS Testsite Name: B70-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:44:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	13	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	170	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	49	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19801
WACS Testsite Name: B70-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:44:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15642
 WACS Testsite Name: B8
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:01:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	683		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.33		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	19.81		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	6.73		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	24.16		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15642
 WACS Testsite Name: B8
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:01:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	0.04		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15642
WACS Testsite Name: B8
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:01:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15642
 WACS Testsite Name: B8
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:01:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	34	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	5	2.5	ug/L	
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	2000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.8	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	32	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15642
WACS Testsite Name: B8
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:01:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	43	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.12	0.01	mg/L	
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	380	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	63	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15642
WACS Testsite Name: B8
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:01:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	4.8	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19802
 WACS Testsite Name: B71
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:21:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	379		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.13		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	23.25		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	6.07		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	24.84		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19802
 WACS Testsite Name: B71
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:21:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	8.7		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:21:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19802
 WACS Testsite Name: B71
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:21:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5.7	5	ug/L	I
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	34	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.8	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	3700	20	ug/L	
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	8.2	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	11	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	39	10	ug/L	

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:21:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	11	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	270	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	54	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:21:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.11	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15810
 WACS Testsite Name: B43-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	1.7	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	4.8	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	889		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.14		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	22.89		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	6.05		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	22.93		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15810
 WACS Testsite Name: B43-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	3		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.35	0.32	ug/L	I

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15810
WACS Testsite Name: B43-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15810
 WACS Testsite Name: B43-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	190	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	26000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	3.2	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	100	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5.9	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15810
WACS Testsite Name: B43-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	76	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	480	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	8.8	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15810
WACS Testsite Name: B43-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	2.3	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	938		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.4		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	27.16		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	6.64		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	22.05		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	3.86		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	120	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5.8	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	21000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	40	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	61	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	560	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	100	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 1:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.078	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15811
 WACS Testsite Name: B43-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 2:29:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/16/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/16/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/16/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/16/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	363		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.2		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	23.15		feet	
077424	Iodomethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	6.19		S.U.	
077128	Styrene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	24.39		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.35	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15811
 WACS Testsite Name: B43-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 2:29:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/16/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/16/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/16/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	0.55		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/16/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/16/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/16/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15811
WACS Testsite Name: B43-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 2:29:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15811
 WACS Testsite Name: B43-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 2:29:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	9.1	5	ug/L	I
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	2400	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	10	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	9	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15811
WACS Testsite Name: B43-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 2:29:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	6.2	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	220	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	2	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15811
WACS Testsite Name: B43-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 2:29:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15795
 WACS Testsite Name: B34-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 2:32:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/18/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/18/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/18/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/18/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	890		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.23		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	28.42		feet	
077424	Iodomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	7.32		S.U.	
077128	Styrene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	23.32		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15795
 WACS Testsite Name: B34-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 2:32:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/18/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	2.86		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/18/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/18/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 2:32:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15795
 WACS Testsite Name: B34-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 2:32:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	6.3	5	ug/L	I
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	67	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	7.3	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	8400	20	ug/L	
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	14	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 2:32:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	18	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	560	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	52	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 2:32:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.63	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 3:02:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/18/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/18/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/18/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/18/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/8/2007 12:00:00AM	134		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/8/2007 12:00:00AM	0.13		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/8/2007 12:00:00AM	23.89		feet	
077424	Iodomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/8/2007 12:00:00AM	4.6		S.U.	
077128	Styrene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/8/2007 12:00:00AM	24.34		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2007 12:00:00AM	2.4	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 3:02:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/18/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/8/2007 12:00:00AM	7.8		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/18/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/18/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 3:02:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/15/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 3:02:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	I
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	45	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.1	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.6	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	10000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/13/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	4.7	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	9.8	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/13/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	35	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 3:02:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	16	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	140	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	16	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 3:02:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.1	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/18/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/18/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/18/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/18/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/18/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/18/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/8/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/18/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	1	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/9/2007 8:45:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0063	0.0063	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0066	0.0066	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	4.1	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/9/2007 8:45:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	0.06	0.06	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	3.7	3.7	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.085	0.085	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/9/2007 8:45:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.14	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15801
 WACS Testsite Name: B38-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:09:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	290		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	0.34		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	24.35		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	1	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	5.52		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	21.46		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15801
 WACS Testsite Name: B38-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:09:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	1.5		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15801
WACS Testsite Name: B38-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:09:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15801
 WACS Testsite Name: B38-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:09:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	85	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	18000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	24	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15801
WACS Testsite Name: B38-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:09:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	50	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	170	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	13	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15801
WACS Testsite Name: B38-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:09:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.14	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15801
 WACS Testsite Name: B38-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:09:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	290		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	0.34		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	24.35		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	1	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	5.52		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	21.46		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15801
 WACS Testsite Name: B38-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:09:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	1.5		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15801
WACS Testsite Name: B38-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:09:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0069	0.0069	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0072	0.0072	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15801
 WACS Testsite Name: B38-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:09:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	85	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	18000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	24	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15801
WACS Testsite Name: B38-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:09:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	50	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	160	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	13	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15801
WACS Testsite Name: B38-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:09:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.08	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	1.2	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/9/2007 9:15:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0062	0.0062	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	8.9	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/9/2007 9:15:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	0.067	0.06	mg/L	I
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	3.7	3.7	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.085	0.085	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/9/2007 9:15:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:55:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	565		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	0.2		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	15.71		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	1.1	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	7.99		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	21.34		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:55:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	0.49		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:55:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:55:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	18	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	45	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	34	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5.7	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:55:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	47	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.054	0.01	mg/L	
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	340	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	3.9	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 9:55:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/19/2007 12:00:00AM	0.41	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15802
 WACS Testsite Name: B38-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:05:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	551		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	0.13		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	26.06		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	1.1	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	5.86		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	22.05		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15802
 WACS Testsite Name: B38-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:05:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	2.2		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15802
WACS Testsite Name: B38-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:05:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15802
 WACS Testsite Name: B38-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:05:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	49	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	17000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	20	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15802
WACS Testsite Name: B38-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:05:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	27	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/15/2007 12:00:00AM	400	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.48	0.085	mg/L	I

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15802
WACS Testsite Name: B38-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:05:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	1.9	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15799
 WACS Testsite Name: B37-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:48:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.11	ug/L	I
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	13	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	13	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	2247		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	0.12		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	26.92		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	1.1	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	6.47		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	22.41		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.45	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15799
 WACS Testsite Name: B37-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:48:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	4.4		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	1.6	0.32	ug/L	

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15799
WACS Testsite Name: B37-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0083	0.0062	ug/L	I
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15799
 WACS Testsite Name: B37-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:48:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	260	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	25	5	ug/L	
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	36000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	220	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15799
WACS Testsite Name: B37-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/9/2007 12:00:00AM	150	0.3	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.05	0.05	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	1500	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/9/2007 12:00:00AM	0.43	0.43	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15799
WACS Testsite Name: B37-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	0.61	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15820
 WACS Testsite Name: B61R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:56:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	1.8	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	1855		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	0.2		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	24.53		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.97	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	6.86		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	26.05		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15820
 WACS Testsite Name: B61R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:56:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	4.31		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15820
WACS Testsite Name: B61R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:56:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0062	0.0062	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15820
 WACS Testsite Name: B61R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:56:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	300	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.9	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	12	5	ug/L	
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	12000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.6	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	80	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15820
WACS Testsite Name: B61R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:56:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/10/2007 12:00:00AM	47	0.3	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/10/2007 12:00:00AM	0.05	0.05	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	1100	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/10/2007 12:00:00AM	300	0.43	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15820
WACS Testsite Name: B61R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 10:56:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	38	0.2	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15800
 WACS Testsite Name: B37-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 11:26:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.31	0.17	ug/L	I
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	484		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	0.06		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	27.5		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.95	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	6.51		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	23.32		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15800
 WACS Testsite Name: B37-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 11:26:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	2.4		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15800
WACS Testsite Name: B37-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 11:26:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0062	0.0062	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15800
 WACS Testsite Name: B37-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 11:26:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	23	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	5000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	12	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15800
WACS Testsite Name: B37-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 11:26:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/10/2007 12:00:00AM	23	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/10/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	300	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/10/2007 12:00:00AM	0.085	0.085	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15800
WACS Testsite Name: B37-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 11:26:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	0.22	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15821
 WACS Testsite Name: B62-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 11:47:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.21	0.16	ug/L	I
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	3.2	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	3452		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	0.28		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	25.01		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.88	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	7		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	23.71		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15821
 WACS Testsite Name: B62-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 11:47:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	14.5		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.63	0.32	ug/L	I

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15821
WACS Testsite Name: B62-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 11:47:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0065	0.0065	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0068	0.0068	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15821
 WACS Testsite Name: B62-1R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 11:47:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	770	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	4.1	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	22	5	ug/L	
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	30000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	10	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	350	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15821
WACS Testsite Name: B62-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 11:47:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/10/2007 12:00:00AM	330	0.6	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/10/2007 12:00:00AM	0.1	0.1	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	1700	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/10/2007 12:00:00AM	0.85	0.85	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15821
WACS Testsite Name: B62-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 11:47:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	110	0.2	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:10:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.18	0.17	ug/L	I
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	893		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	0.16		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	27.97		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	1	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	6.63		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	23.71		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:10:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	4		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	1.8	0.37	ug/L	
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0062	0.0062	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:10:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	110	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	18000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	33	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/10/2007 12:00:00AM	25	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/10/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	540	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/10/2007 12:00:00AM	16	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:10:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	0.14	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:16:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.3	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	1880		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	0.24		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	24.81		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.93	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	6.7		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	25.1		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:16:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	2.58		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:16:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:16:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	150	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	3.3	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	15	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	19000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	4.9	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	88	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	8.7	5	ug/L	I
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:16:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/10/2007 12:00:00AM	53	0.3	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/10/2007 12:00:00AM	0.05	0.05	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	940	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/10/2007 12:00:00AM	16	0.43	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:16:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	50	0.2	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15798
 WACS Testsite Name: B36
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:54:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	1.7	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	1.8	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	1.4	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	1498		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	0.15		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	27.72		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	1	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	6.45		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	22.13		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.25	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15798
 WACS Testsite Name: B36
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:54:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	0.85		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.44	0.37	ug/L	I
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.56	0.32	ug/L	I

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15798
WACS Testsite Name: B36
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:54:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0064	0.0064	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0067	0.0067	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15798
 WACS Testsite Name: B36
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:54:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	110	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	12	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	4400	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	100	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15798
WACS Testsite Name: B36
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:54:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/10/2007 12:00:00AM	190	0.3	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/10/2007 12:00:00AM	0.05	0.05	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	920	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/10/2007 12:00:00AM	0.43	0.43	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15798
WACS Testsite Name: B36
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:54:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	0.15	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15827
 WACS Testsite Name: B66
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 1:11:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	439		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	1.63		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	25.42		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.97	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	6.58		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	24.41		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15827
 WACS Testsite Name: B66
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 1:11:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	23.7		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15827
WACS Testsite Name: B66
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 1:11:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0064	0.0064	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0068	0.0068	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15827
 WACS Testsite Name: B66
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 1:11:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.71	0.5	ug/L	I
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	37	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	4	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.6	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	750	20	ug/L	
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	9.4	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	17	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15827
WACS Testsite Name: B66
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 1:11:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/10/2007 12:00:00AM	7.6	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/10/2007 12:00:00AM	0.26	0.01	mg/L	
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	280	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/10/2007 12:00:00AM	30	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15827
WACS Testsite Name: B66
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 1:11:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15639
 WACS Testsite Name: FA-1B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 1:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/18/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/18/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/18/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/18/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/9/2007 12:00:00AM	579		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/9/2007 12:00:00AM	0.39		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/9/2007 12:00:00AM	18.84		feet	
077424	Iodomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.87	0.33	ug/L	I
000406	pH	N	E83079	E150.1	11/9/2007 12:00:00AM	7.41		S.U.	
077128	Styrene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/9/2007 12:00:00AM	22.45		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15639
 WACS Testsite Name: FA-1B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 1:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/18/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/9/2007 12:00:00AM	2.65		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/18/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/18/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 1:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0064	0.0064	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0067	0.0067	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15639
 WACS Testsite Name: FA-1B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 1:57:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/12/2007 12:00:00AM	34	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/12/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/12/2007 12:00:00AM	620	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/12/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/12/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/12/2007 12:00:00AM	10	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/12/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/12/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 1:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/10/2007 12:00:00AM	14	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/10/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	350	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/10/2007 12:00:00AM	0.085	0.085	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 1:57:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	0.57	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/18/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/18/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/18/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/18/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/18/2007 12:00:00AM	1.6	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/18/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/18/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/9/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/18/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.71	0.65	ug/L	I
077103	2-Hexanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/18/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/18/2007 12:00:00AM	12	2.5	ug/L	
034215	Acrylonitrile	N	E83079	SW8260	11/18/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/18/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/18/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/18/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/18/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/18/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/18/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/18/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/18/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/18/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/12/2007 9:15:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0062	0.0062	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/15/2007 12:00:00AM	9.1	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/15/2007 12:00:00AM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/15/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/15/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/12/2007 9:15:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/12/2007 12:00:00AM	0.06	0.06	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/12/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	7	3.7	mg/L	U
000945	Sulfate	N	E83079	E300.0	11/12/2007 12:00:00AM	0.085	0.085	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/12/2007 9:15:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:37:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/17/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/17/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/17/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/17/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	11	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/12/2007 12:00:00AM	1880		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/12/2007 12:00:00AM	0.38		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/12/2007 12:00:00AM	26.06		feet	
077424	Iodomethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/12/2007 12:00:00AM	6.72		S.U.	
077128	Styrene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/12/2007 12:00:00AM	22.51		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:37:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/17/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/17/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/17/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/12/2007 12:00:00AM	2.58		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/17/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/17/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/17/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0063	0.0063	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0066	0.0066	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:37:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/15/2007 12:00:00AM	340	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/15/2007 12:00:00AM	8.2	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/15/2007 12:00:00AM	46000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/15/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/15/2007 12:00:00AM	94	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/15/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/12/2007 12:00:00AM	150	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/12/2007 12:00:00AM	0.02	0.02	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	1000	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/12/2007 12:00:00AM	3.2	0.17	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	5.2	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:37:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	11	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/12/2007 12:00:00AM	1880		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/12/2007 12:00:00AM	0.38		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/12/2007 12:00:00AM	26.06		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/12/2007 12:00:00AM	6.72		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/12/2007 12:00:00AM	22.51		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:37:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/12/2007 12:00:00AM	2.58		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0062	0.0062	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:37:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/15/2007 12:00:00AM	340	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/15/2007 12:00:00AM	8.2	5	ug/L	I
001042	Copper	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/15/2007 12:00:00AM	46000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/15/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/15/2007 12:00:00AM	94	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/15/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/12/2007 12:00:00AM	140	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/12/2007 12:00:00AM	0.02	0.02	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	1000	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/12/2007 12:00:00AM	3.4	0.17	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 9:37:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	5.2	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15402
 WACS Testsite Name: B-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 10:25:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.24	0.17	ug/L	I
034311	Chloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/12/2007 12:00:00AM	985		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/12/2007 12:00:00AM	0.26		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/12/2007 12:00:00AM	24.13		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/12/2007 12:00:00AM	5.58		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/12/2007 12:00:00AM	25.09		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15402
 WACS Testsite Name: B-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 10:25:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/12/2007 12:00:00AM	8.92		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15402
WACS Testsite Name: B-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 10:25:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0062	0.0062	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0065	0.0065	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15402
 WACS Testsite Name: B-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 10:25:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/15/2007 12:00:00AM	170	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/15/2007 12:00:00AM	1.9	0.5	ug/L	
001027	Cadmium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/15/2007 12:00:00AM	5.7	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/15/2007 12:00:00AM	38000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/15/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/15/2007 12:00:00AM	34	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/15/2007 12:00:00AM	13	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/15/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15402
WACS Testsite Name: B-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 10:25:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/12/2007 12:00:00AM	36	0.12	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/12/2007 12:00:00AM	0.02	0.02	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	700	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/16/2007 12:00:00AM	360	0.43	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15402
WACS Testsite Name: B-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 10:25:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	2.7	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15824
 WACS Testsite Name: B63-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 10:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/12/2007 12:00:00AM	665		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/12/2007 12:00:00AM	0.26		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/12/2007 12:00:00AM	27.4		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/12/2007 12:00:00AM	6.99		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/12/2007 12:00:00AM	23.9		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15824
 WACS Testsite Name: B63-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 10:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/12/2007 12:00:00AM	8.05		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15824
WACS Testsite Name: B63-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0064	0.0064	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/16/2007 12:00:00AM	0.0068	0.0068	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15824
 WACS Testsite Name: B63-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 10:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/15/2007 12:00:00AM	69	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/15/2007 12:00:00AM	4000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/15/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/15/2007 12:00:00AM	25	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/15/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15824
WACS Testsite Name: B63-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/12/2007 12:00:00AM	33	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/12/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	370	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/12/2007 12:00:00AM	9.7	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15824
WACS Testsite Name: B63-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	0.02	0.02	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15823
 WACS Testsite Name: B63-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 11:36:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/12/2007 12:00:00AM	653		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/12/2007 12:00:00AM	0.19		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/12/2007 12:00:00AM	27.33		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/12/2007 12:00:00AM	6.41		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/12/2007 12:00:00AM	22.75		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15823
 WACS Testsite Name: B63-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 11:36:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/12/2007 12:00:00AM	5.17		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15823
WACS Testsite Name: B63-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/17/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/17/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15823
 WACS Testsite Name: B63-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 11:36:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/15/2007 12:00:00AM	61	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/15/2007 12:00:00AM	3400	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/15/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/15/2007 12:00:00AM	54	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/15/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15823
WACS Testsite Name: B63-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/12/2007 12:00:00AM	69	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/12/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	400	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/12/2007 12:00:00AM	0.085	0.085	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15823
WACS Testsite Name: B63-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	0.11	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15797
 WACS Testsite Name: B35-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:12:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/12/2007 12:00:00AM	405		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/12/2007 12:00:00AM	0.18		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/12/2007 12:00:00AM	27.42		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/12/2007 12:00:00AM	5.21		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/12/2007 12:00:00AM	23.39		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15797
 WACS Testsite Name: B35-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:12:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/12/2007 12:00:00AM	5.18		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15797
WACS Testsite Name: B35-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:12:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/17/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/17/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15797
 WACS Testsite Name: B35-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:12:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/15/2007 12:00:00AM	5.7	5	ug/L	I
001007	Barium	N	E83079	SW6010	11/15/2007 12:00:00AM	82	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/15/2007 12:00:00AM	7.9	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/15/2007 12:00:00AM	10000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/15/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/15/2007 12:00:00AM	49	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/15/2007 12:00:00AM	17	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/15/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15797
WACS Testsite Name: B35-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:12:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/12/2007 12:00:00AM	61	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/12/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	300	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/12/2007 12:00:00AM	53	0.085	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15797
WACS Testsite Name: B35-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:12:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	1.2	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15796
 WACS Testsite Name: B35-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:48:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/12/2007 12:00:00AM	331		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/12/2007 12:00:00AM	0.18		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	11/12/2007 12:00:00AM	27.44		feet	
077424	Iodomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	11/12/2007 12:00:00AM	5.01		S.U.	
077128	Styrene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	11/12/2007 12:00:00AM	22.27		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15796
 WACS Testsite Name: B35-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:48:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/12/2007 12:00:00AM	2.98		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/19/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/19/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15796
WACS Testsite Name: B35-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:48:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/17/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	11/17/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15796
 WACS Testsite Name: B35-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:48:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	11/15/2007 12:00:00AM	110	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/15/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	11/15/2007 12:00:00AM	10000	20	ug/L	U
001051	Lead	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	11/14/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	11/15/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	11/15/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/15/2007 12:00:00AM	19	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	11/14/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/15/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	11/15/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15796
WACS Testsite Name: B35-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:48:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	11/12/2007 12:00:00AM	79	0.06	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/12/2007 12:00:00AM	0.01	0.01	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/16/2007 12:00:00AM	230	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	11/12/2007 12:00:00AM	0.085	0.085	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15796
WACS Testsite Name: B35-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:48:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/20/2007 12:00:00AM	0.12	0.02	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/19/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/19/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/19/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/19/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/19/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/19/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/19/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/19/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/19/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 1/17/2008

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/12/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/19/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/16/2007 1:50:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	2.8	2.8	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	2.6	2.6	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.76	0.76	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	2	2	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	3.2	3.2	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/29/2007 12:00:00AM	3.2	3.2	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.8	0.8	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	3.7	3.7	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/29/2007 12:00:00AM	6.1	3.4	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/30/2007 12:00:00AM	2600	52	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/29/2007 12:00:00AM	2.4	2.4	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/29/2007 12:00:00AM	110	3	ug/L	U
081552	Acetone	N	E83079	SW8260	11/30/2007 12:00:00AM	1200	200	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/29/2007 12:00:00AM	2.9	2.9	ug/L	U
034030	Benzene	N	E83079	SW8260	11/29/2007 12:00:00AM	1.6	0.64	ug/L	I
073085	Bromochloromethane	N	E83079	SW8260	11/29/2007 12:00:00AM	2.6	2.6	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/29/2007 12:00:00AM	1.5	1.5	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/29/2007 12:00:00AM	1.7	1.7	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/29/2007 12:00:00AM	1	1	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/29/2007 12:00:00AM	3.2	3.2	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/29/2007 12:00:00AM	3.1	3.1	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.68	0.68	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	2.1	2.1	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/29/2007 12:00:00AM	2.4	2.4	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/29/2007 12:00:00AM	2.4	2.4	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/29/2007 12:00:00AM	3.7	3.7	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.76	0.76	ug/L	U
000094	Conductivity	N	E83079	E120.1	11/16/2007 12:00:00AM	6509		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.8	0.8	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/29/2007 12:00:00AM	3.8	3.8	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	11/16/2007 12:00:00AM	0.36		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	11/29/2007 12:00:00AM	11	1.9	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/29/2007 12:00:00AM	3.2	3.2	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/29/2007 12:00:00AM	1.3	1.3	ug/L	U
000406	pH	N	E83079	E150.1	11/16/2007 12:00:00AM	8.26		S.U.	
077128	Styrene	N	E83079	SW8260	11/29/2007 12:00:00AM	2.6	2.4	ug/L	I
000010	Temperature	N	E83079	E170.1	11/16/2007 12:00:00AM	19.19		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	11/29/2007 12:00:00AM	3	3	ug/L	U
034010	Toluene	N	E83079	SW8260	11/29/2007 12:00:00AM	14	0.6	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/29/2007 12:00:00AM	1.8	1.8	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/29/2007 12:00:00AM	1.3	1.3	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/29/2007 12:00:00AM	8.5	8.5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/16/2007 1:50:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	11/29/2007 12:00:00AM	2.4	2.4	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.8	0.8	ug/L	U
082078	Turbidity	N	E83079	E180.1	11/16/2007 12:00:00AM	46.2		NTU	
077057	Vinyl acetate	N	E83079	SW8260	11/29/2007 12:00:00AM	3.2	3.2	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/29/2007 12:00:00AM	1.5	1.5	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	11/29/2007 12:00:00AM	31	1.3	ug/L	

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/16/2007 1:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	11/26/2007 12:00:00AM	0.1	0.0058	ug/L	
077651	Ethylene Dibromide	N	E83079	SW8011	11/26/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/16/2007 1:50:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6010	11/21/2007 12:00:00AM	120	7.5	ug/L	
001002	Arsenic	N	E83079	SW6010	11/21/2007 12:00:00AM	300	5	ug/L	
001007	Barium	N	E83079	SW6010	11/21/2007 12:00:00AM	99	5	ug/L	
001012	Beryllium	N	E83079	SW6010	11/21/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	11/21/2007 12:00:00AM	0.82	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	11/21/2007 12:00:00AM	200	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	11/21/2007 12:00:00AM	48	5	ug/L	
001042	Copper	N	E83079	SW6010	11/21/2007 12:00:00AM	36	2.5	ug/L	
001045	Iron	N	E83079	SW6010	11/21/2007 12:00:00AM	11000	20	ug/L	
001051	Lead	N	E83079	SW6010	11/21/2007 12:00:00AM	18	5	ug/L	
071900	Mercury	N	E83079	SW7470	11/20/2007 12:00:00AM	2.7	0.1	ug/L	
001067	Nickel	N	E83079	SW6010	11/21/2007 12:00:00AM	140	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	11/21/2007 12:00:00AM	16	7.5	ug/L	
001077	Silver	N	E83079	SW6010	11/21/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	11/21/2007 12:00:00AM	1100	10	mg/L	
001059	Thallium	N	E83079	SW6010	11/21/2007 12:00:00AM	7.5	7.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	11/21/2007 12:00:00AM	88	5	ug/L	
001092	Zinc	N	E83079	SW6010	11/21/2007 12:00:00AM	170	10	ug/L	

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/16/2007 1:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000440	Bicarbonate Ion	N	E83079	SM2320 B	11/26/2007 12:00:00AM	4600	2	mg/L	
000940	Chloride	N	E83079	E300.0	11/16/2007 12:00:00AM	1500	1.2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	11/16/2007 12:00:00AM	0.2	0.2	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	11/20/2007 12:00:00AM	5500	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 11/16/2007 1:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	11/26/2007 12:00:00AM	350	2	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (2 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 11/16/2007 12:00:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: Trip Blank

Permitted Well Type: Not Provided

Water Classification:
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	11/29/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	11/29/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	11/29/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	11/29/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	11/29/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	11/29/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	11/29/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	11/29/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	11/29/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	11/29/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.21	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	11/29/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	11/29/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	11/29/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	11/29/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	11/29/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540

Sample Date/Time: 11/16/2007 12:00:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: Trip Blank

Permitted Well Type: Not Provided

Water Classification:
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	11/29/2007 12:00:00AM	0.64	0.32	ug/L	I

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.