

33628

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

SC16-184444

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

MS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: BACKGROUND

Well Name : MW021

Classification of Groundwater: G2

Well Developed* Prior to

Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL (MCL 200.22)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
001097 Antimony		15626	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
000219 Iron	0.300	15626	@ DBP	236.1	0.446	MG/L	UNFILTERED	HNO3
000929 Sodium	160	15626	@ DBP	273.1	4.05	MG/L	UNFILTERED	HNO3
000208 Arsenic	0.050	15626	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15626	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
000210 Cadmium	0.005	15626	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
000212 Lead	0.050	15626	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
000214 Selenium		15626	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
000213 Mercury	0.002	15626	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
032101 Bromodichloromethane		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032104 Bromoform		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034413 Bromomethane		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032102 Carbontetrachloride	0.003	15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034301 Chlorobenzene		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034311 Chloroethane		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034576 2-Chloroethylvinylether		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034704 Cis-1,3-Dichloropropene		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032106 Chloroform		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034418 Chloromethane		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032105 Dibromochloromethane		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.000	15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034566 1,3-Dichlorobenzene	0	15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.0075	15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034668 Dichlorodifluoromethane		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034496 1,1-Dichloroethane		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034531 1,2-Dichloroethane	0.003	15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034501 1,1-Dichloroethene	0.007	15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034546 Trans-1,2-Dichloroethene		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034541 1,2-Dichloropropane	0.005	15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034423 Methylene Chloride		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

MS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: BACKGROUND

Well Name : MW021

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034515 1,1,2,2-Tetrachloroethane		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034475 Tetrachloroethane	0.003	15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034506 1,1,1-Trichloroethane	0.2	15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034511 1,1,2-Trichloroethane	0.005	15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039180 Trichloroethane	0.003	15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034488 Trichlorofluoromethane		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039715 Vinyl Chloride	0.001	15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034699 Trans-1,3-Dichloropropene		15641	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.6	15641	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15641	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15641	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15641	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.1	15641	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.7	15641	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.0	15641	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.0	15641	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15641	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15653	@ DBP	415.1	37.0 —	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000425 Bicarbonate Alkalinity		15665	@ DBP	4500D	U 1.0 —	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15665	@ DBP	120.1	46.3 —	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15665	@ DBP	360.1	2.4 —	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15665	@ DBP		140.84 —	MSL	UNFILTERED	
000403 pH	6.5-8.5	15665	@ DBP	150.1	4.78 —	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15665	@ DBP	160.1	17 —	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15665	@ DBP	180.1	8.0 —	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15677	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10 (ppm)	15677	@ DBP	353.2	U 0.05 —	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

MS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: BACKGROUND

Well Name : MW025

Classification of Groundwater: G2

Well Developed* Prior to

Sample Collection Yes/No: Yes

37°C

13.5°C

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
001097 Antimony	15627	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HNO3
000219 Iron 0.300 mg/l	15627	WELLWIZARD	236.1	1.06	MG/L	UNFILTERED	HNO3
000929 Sodium 160 mg/l	15627	WELLWIZARD	273.1	5.35	MG/L	UNFILTERED	HNO3
000208 Arsenic 0.050 mg/l	15627	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium	15627	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
000210 Cadmium 0.005 mg/l	15627	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
000212 Lead 0.050 mg/l	15627	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
000214 Selenium	15627	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
000213 Mercury 0.002 mg/l	15627	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
032101 Bromodichloromethane	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032104 Bromoform	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034413 Bromomethane	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032102 Carbontetrachloride 0.003 mg/l	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034301 Chlorobenzene	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034311 Chloroethane	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034576 2-Chloroethylvinylether	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034704 Cis-1,3-Dichloropropene	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032106 Chloroform	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034418 Chloromethane	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032105 Dibromochloromethane	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene 0.600 mg/l	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034566 1,3-Dichlorobenzene	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034571 1,4-Dichlorobenzene 0.075 mg/l	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034668 Dichlorodifluoromethane	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034496 1,1-Dichloroethane	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034531 1,2-Dichloroethane 0.003 mg/l	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034501 1,1-Dichloroethene 0.007 mg/l	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034546 Trans-1,2-Dichloroethene	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034541 1,2-Dichloropropane 0.005 mg/l	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034423 Methylene Chloride	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

MS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: BACKGROUND

Well Name : MW02S

Classification of Groundwater: G2

Well Developed* Prior to

Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034516 1,1,2,2-Tetrachloroethane	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034475 Tetrachloroethane 0.003 mg/l	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034506 1,1,1-Trichloroethane 0.200 "	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034511 1,1,2-Trichloroethane 0.009 "	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039180 Trichloroethane 0.003 mg/l	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034488 Trichlorofluoromethane	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039715 Vinyl Chloride 0.001 mg/l	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034699 Trans-1,3-Dichloropropene	15642	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene 0.6 mg/l	15642	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034566 1,3-Dichlorobenzene	15642	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene 0.075 mg/l	15642	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene 0.004 mg/l	15642	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene 0.100 mg/l	15642	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene 0.700 "	15642	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene 1.0 "	15642	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes 10.0 "	15642	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether	15642	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon	15654	WELLWIZARD	415.1	41.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000425 Bicarbonate Alkalinity	15666	WELLWIZARD	4500D	21.2	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance	15666	WELLWIZARD	120.1	57.2	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen	15666	WELLWIZARD	360.1	3.1	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)	15666	WELLWIZARD		149.92	MSL	UNFILTERED	
000403 pH 6.5-8.5	15666	WELLWIZARD	150.1	5.08	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids 500 mg/l	15666	WELLWIZARD	160.1	23	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity 1 NTU	15666	WELLWIZARD	180.1	48.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)	15678	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate 10 (as N) mg/l	15678	WELLWIZARD	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

* DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: BACKGROUND

Well Name : MW031

Classification of Groundwater: 62

Well Developed* Prior to
Sample Collection Yes/No: Yes

3724

16.4°C
19.0°C

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
001097 Antimony		15633	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HNO3
500219 Iron		15633	WELLWIZARD	236.1	0.731	MG/L	UNFILTERED	HNO3
000929 Sodium		15633	WELLWIZARD	273.1	2.99	MG/L	UNFILTERED	HNO3
300208 Arsenic		15633	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15633	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
300210 Cadmium		15633	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
300212 Lead 0.050		15633	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
300214 Selenium		15633	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
300213 Mercury		15633	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
032101 Bromodichloromethane		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032104 Bromoform		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034413 Bromomethane		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032102 Carbontetrachloride		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034301 Chlorobenzene		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034311 Chloroethane		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034576 2-Chloroethylvinylether		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034704 Cis-1,3-Dichloropropene		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032106 Chloroform		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034418 Chloromethane		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032105 Dibromochloromethane		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034571 1,4-Dichlorobenzene		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034668 Dichlorodifluoromethane		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034496 1,1-Dichloroethane		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034531 1,2-Dichloroethane		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034501 1,1-Dichloroethene		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034546 Trans-1,2-Dichloroethene		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034541 1,2-Dichloropropane		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034423 Methylene Chloride		15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

SMS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: BACKGROUND

Well Name : MW031

Classification of Groundwater: 62

Well Developed* Prior to

Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034516 1,1,2,2-Tetrachloroethane	15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034475 Tetrachloroethene	15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034506 1,1,1-Trichloroethane	15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034511 1,1,2-Trichloroethane	15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039180 Trichloroethene	15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034488 Trichlorofluoromethane	15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039715 Vinyl Chloride	15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034699 Trans-1,3-Dichloropropene	15647	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	15647	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034566 1,3-Dichlorobenzene	15647	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	15647	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	15647	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	15647	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	15647	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	15647	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	15647	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether	15647	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon	15659	WELLWIZARD	415.1	35.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000425 Bicarbonate Alkalinity	15671	WELLWIZARD	4500D	12.7	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance	15671	WELLWIZARD	120.1	34.2	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen	15671	WELLWIZARD	360.1	2.8	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)	15671	WELLWIZARD		141.86	MSL	UNFILTERED	
000403 pH	15671	WELLWIZARD	150.1	4.72	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	15671	WELLWIZARD	160.1	43	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	15671	WELLWIZARD	180.1	3.5	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)	15683	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	15683	WELLWIZARD	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**

DHRS # 82315

80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

MS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: BACKGROUND

Well Name : MW035

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

3725

16.4°C

Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Parameter Code Monitored	FL MCLs (mg/l)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
01097 Antimony		15632	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
00219 Iron	0.300	15632	@ DBP	236.1	0.559	MG/L	UNFILTERED	HNO3
000929 Sodium	160	15632	@ DBP	273.1	3.96	MG/L	UNFILTERED	HNO3
00208 Arsenic	0.050	15632	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
01012 Beryllium		15632	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
000210 Cadmium	0.005	15632	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
000212 Lead	0.050	15632	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
00214 Selenium		15632	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
000213 Mercury	0.002	15632	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
032101 Bromodichloromethane		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032104 Bromoform		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034413 Bromomethane		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032102 Carbontetrachloride	0.003	15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034301 Chlorobenzene		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034311 Chloroethane		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034576 2-Chloroethylvinylether		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034704 Cis-1,3-Dichloropropene		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032106 Chloroform		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034418 Chloromethane		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032105 Dibromochloromethane		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.600	15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034668 Dichlorodifluoromethane		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034496 1,1-Dichloroethane		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034531 1,2-Dichloroethane	0.003	15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034501 1,1-Dichloroethene	0.007	15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034546 Trans-1,2-Dichloroethene		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034541 1,2-Dichloropropane	0.005	15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034423 Methylene Chloride		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

MS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: BACKGROUND

Well Name : MW03S

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCLs (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034516 1,1,2,2-Tetrachloroethane		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034475 Tetrachloroethene	0.003	15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034506 1,1,1-Trichloroethane	0.200	15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034511 1,1,2-Trichloroethane	0.005	15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039180 Trichloroethene		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034488 Trichlorofluoromethane	0.003	15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039715 Vinyl Chloride	0.001	15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034699 Trans-1,3-Dichloropropene		15646	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.6	15646	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15646	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15646	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15646	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15646	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15646	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15646	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15646	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15646	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15658	@ DBP	415.1	25.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000425 Bicarbonate Alkalinity		15670	@ DBP	45000	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15670	@ DBP	120.1	40.7	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15670	@ DBP	360.1	2.8	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15670	@ DBP		147.87	MSL	UNFILTERED	
000403 pH	6.5-8.5	15670	@ DBP	150.1	5.00	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15670	@ DBP	160.1	U 5	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15670	@ DBP	180.1	48.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15682	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10 (ppm)	15682	@ DBP	353.2	0.401	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP
pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type:

Well Name: MW25D

Classification of Groundwater: 62

Well Developed* Prior to

Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCLs (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
001037 Antimony		15622	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15622	WELLWIZARD	236.1	0.580	MG/L	UNFILTERED	HNO3
000929 Sodium	160	15622	WELLWIZARD	273.1	5.48	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15622	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15622	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15622	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15622	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15622	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15622	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
032101 Bromodichloromethane		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032104 Bromoform		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034413 Bromomethane		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032102 Carbontetrachloride	0.003	15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034301 Chlorobenzene		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034311 Chloroethane		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034576 2-Chloroethylvinylether		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034704 Cis-1,3-Dichloropropene		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032106 Chloroform		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034418 Chloromethane		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032105 Dibromochloromethane		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.600	15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034668 Dichlorodifluoromethane		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034496 1,1-Dichloroethane		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034531 1,2-Dichloroethane	0.003	15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034501 1,1-Dichloroethene	0.007	15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034546 Trans-1,2-Dichloroethene		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034541 1,2-Dichloropropane	0.005	15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034423 Methylene Chloride		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C

**Southeastern Environmental
Laboratories, Inc.**

DHRS # 82315

80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

IS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type:

Well Name : MW25D

Classification of Groundwater: G2

Well Developed* Prior to

Sample Collection Yes/No: Yes

Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Parameter Code Monitored	FL Order MCL's Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
34516 1,1,2,2-Tetrachloroethane	15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
34475 Tetrachloroethene	0.003	15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED COOL, 4 DEGREES C
034506 1,1,1-Trichloroethane	0.200	15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED COOL, 4 DEGREES C
34511 1,1,2-Trichloroethane	0.005	15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED COOL, 4 DEGREES C
39180 Trichloroethene	0.003	15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED COOL, 4 DEGREES C
034488 Trichlorofluoroethane		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED COOL, 4 DEGREES C
039715 Vinyl Chloride	0.001	15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED COOL, 4 DEGREES C
34699 Trans-1,3-Dichloropropene		15636	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED COOL, 4 DEGREES C
34536 1,2-Dichlorobenzene	0.600	15636	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED HCL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15636	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED HCL, 4 DEGREES C
34571 1,4-Dichlorobenzene	0.075	15636	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED HCL, 4 DEGREES C
34030 Benzene	0.001	15636	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15636	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15636	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED HCL, 4 DEGREES C
34010 Toluene	1.000	15636	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED HCL, 4 DEGREES C
81551 Xylenes	10.000	15636	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15636	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED HCL, 4 DEGREES C
00680 Total Organic Carbon		15649	WELLWIZARD	415.1	75.0	MG/L	UNFILTERED H2SO4, 4 DEGREES C
00425 Bicarbonate Alkalinity		15661	WELLWIZARD	4500D	178	MG/L	UNFILTERED COOL, 4 DEGREES C
000094 Conductance		15661	WELLWIZARD	120.1	394	UMHOS/CM	UNFILTERED COOL, 4 DEGREES C
000300 Dissolved Oxygen		15661	WELLWIZARD	360.1	2.2	MG/L	UNFILTERED NONE
82545 Ground Water Level (MSL)		15661	WELLWIZARD		120.78	MSL	UNFILTERED
000403 pH	6.5-8.5	15661	WELLWIZARD	150.1	7.31	S.U.	UNFILTERED NONE
070300 Total Dissolved Solids	500	15661	WELLWIZARD	160.1	178	MG/L	UNFILTERED COOL, 4 DEGREES C
82078 Turbidity	1 NTU	15661	WELLWIZARD	180.1	3.6	NTU	UNFILTERED COOL, 4 DEGREES C
00612 Unionized Ammonia (NH4)		15673	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED H2SO4, 4 DEGREES C
000620 Nitrate	10.	15673	WELLWIZARD	353.2	U 0.05	MG/L	UNFILTERED COOL, 4 DEGREES C

DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

S NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type:

Well Name: MW251

Classification of Groundwater: G2

Well Developed* Prior to

Sample Collection Yes/No: Yes

3745

17.5°C

Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Parameter Code Monitored	FL MCL's Number (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
01097 Antimony		15620	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HNO3
00219 Iron	0.300	15620	WELLWIZARD	236.1	0.510	MG/L	UNFILTERED	HNO3
000929 Sodium	160	15620	WELLWIZARD	273.1	2.90	MG/L	UNFILTERED	HNO3
000208 Arsenic	0.050	15620	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
01012 Beryllium		15620	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
000210 Cadmium	0.005	15620	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
000212 Lead	0.050	15620	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
00214 Selenium		15620	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
00213 Mercury	0.002	15620	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
032101 Bromodichloromethane		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032104 Bromoform		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034413 Bromomethane		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032102 Carbontetrachloride	0.003	15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034301 Chlorobenzene		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034311 Chloroethane		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034576 2-Chloroethylvinylether		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034704 Cis-1,3-Dichloropropene		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032106 Chloroform		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034418 Chloromethane		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032105 Dibromochloromethane		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.600	15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034668 Dichlorodifluoromethane		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034496 1,1-Dichloroethane		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034531 1,2-Dichloroethane	0.003	15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034501 1,1-Dichloroethene	0.007	15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034546 Trans-1,2-Dichloroethene		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034541 1,2-Dichloropropane	0.005	15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034423 Methylene Chloride		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

6 NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type:

Well Name: MW251

Classification of Groundwater: G2

Well Developed* Prior to

Sample Collection Yes/No: Yes

Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Parameter Code Monitored	FL MCL's (mg/l)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
4516 1,1,2,2-Tetrachloroethane		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
4475 Tetrachloroethane	0.003	15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034506 1,1,1-Trichloroethane	0.200	15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034511 1,1,2-Trichloroethane	0.005	15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
03180 Trichloroethane	0.003	15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034488 Trichlorofluoromethane		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039715 Vinyl Chloride	0.001	15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
04699 Trans-1,3-Dichloropropene		15635	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.000	15635	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15635	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15635	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15635	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15635	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15635	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.00	15635	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
031551 Xylenes	10.000	15635	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15635	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
00680 Total Organic Carbon		15648	WELLWIZARD	415.1	30.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
00425 Bicarbonate Alkalinity		15660	WELLWIZARD	4500D	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15660	WELLWIZARD	120.1	92.1	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15660	WELLWIZARD	360.1	1.6	MG/L	UNFILTERED	NONE
032545 Ground Water Level (MSL)		15660	WELLWIZARD		120.75	MSL	UNFILTERED	
000403 pH	6.5-8.5	15660	WELLWIZARD	150.1	5.89	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15660	WELLWIZARD	160.1	26	MG/L	UNFILTERED	COOL, 4 DEGREES C
032078 Turbidity	1 NTU	15660	WELLWIZARD	180.1	248	NTU	UNFILTERED	COOL, 4 DEGREES C
00612 Unionized Ammonia (NH4)		15672	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15672	WELLWIZARD	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

MS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW25S

Classification of Groundwater: 62

Well Developed* Prior to
Sample Collection Yes/No: Yes

3746

14.1°C

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
001097 Antimony		15623	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15623	@ DBP	235.1	0.764	MG/L	UNFILTERED	HNO3
000929 Sodium	160	15623	@ DBP	273.1	3.48	MG/L	UNFILT.ERD	HNO3
900208 Arsenic	0.050	15623	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15623	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15623	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15623	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15623	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15623	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
032101 Bromodichloromethane		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032104 Bromoform		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034413 Bromomethane		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032102 Carbontetrachloride	0.003	15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034301 Chlorobenzene		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034311 Chloroethane		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034576 2-Chloroethylvinylether		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034704 Cis-1,3-Dichloropropene		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032106 Chloroform		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034418 Chloromethane		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032105 Dibromochloromethane		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.600	15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034668 Dichlorodifluoromethane		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034496 1,1-Dichloroethane		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034531 1,2-Dichloroethane	0.003	15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034501 1,1-Dichloroethene	0.007	15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034546 Trans-1,2-Dichloroethene		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034541 1,2-Dichloropropane	0.005	15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034423 Methylene Chloride		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

MS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW255

Classification of Groundwater: G2

Well Developed* Prior to

Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCLs (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034516 1,1,2,2-Tetrachloroethane		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034475 Tetrachloroethene	0.003	15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034506 1,1,1-Trichloroethane	0.200	15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034511 1,1,2-Trichloroethane	0.005	15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039180 Trichloroethane	0.003	15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034488 Trichlorofluoromethane		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039715 Vinyl Chloride	0.001	15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034699 Trans-1,3-Dichloropropene		15637	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.600	15637	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15637	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15637	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15637	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15637	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15637	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15637	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15637	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15637	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15650	@ DBP	415.1	44.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000425 Bicarbonate Alkalinity		15662	@ DBP	4500D	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15662	@ DBP	120.1	50.6	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15662	@ DBP	360.1	2.6	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15662	@ DBP		122.62	MSL	UNFILTERED	
000403 pH	6.5-8.5	15662	@ DBP	150.1	4.99	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15662	@ DBP	160.1	51	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15662	@ DBP	180.1	36.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15674	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.0	15674	@ DBP	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW27D

Classification of Groundwater: G2

Well Developed* Prior to

Sample Collection Yes/No: Yes

3749

17.7°C

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	EL MCL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
001097 Antimony		15630	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15630	WELLWIZARD	236.1	0.876	MG/L	UNFILTERED	HNO3
000929 Sodium	0.100	15630	WELLWIZARD	273.1	16.4	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15630	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15630	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15630	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15630	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium	0.005	15630	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15630	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
032101 Bromodichloromethane		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032104 Bromoform		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034413 Bromomethane		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032102 Carbontetrachloride	0.003	15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034301 Chlorobenzene		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034311 Chloroethane		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034576 2-Chloroethylvinylether		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034704 Cis-1,3-Dichloropropene		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032106 Chloroform		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034418 Chloromethane		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032105 Dibromochloromethane		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.000	15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034668 Dichlorodifluoromethane		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034496 1,1-Dichloroethane		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034531 1,2-Dichloroethane	0.003	15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034501 1,1-Dichloroethene	0.007	15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034546 Trans-1,2-Dichloroethene		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034541 1,2-Dichloropropane	0.005	15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034423 Methylene Chloride		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

IS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW27D

Classification of Groundwater: G2

Well Developed* Prior to

Sample Collection Yes/No: Yes

Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Core Parameter Code Monitored	FL MCL (mg/l)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
34516 1,1,2,2-Tetrachloroethane		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
34475 Tetrachloroethene	0.003	15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034506 1,1,1-Trichloroethane	0.200	15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034511 1,1,2-Trichloroethane	0.005	15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
39180 Trichloroethene	0.003	15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034488 Trichlorofluoroethane		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039715 Vinyl Chloride	0.001	15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
34699 Trans-1,3-Dichloropropene		15645	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
34536 1,2-Dichlorobenzene	0.050	15645	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15645	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
34571 1,4-Dichlorobenzene	0.075	15645	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
34030 Benzene	0.001	15645	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15645	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15645	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
34010 Toluene	1.000	15645	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
31551 Xylenes	0.000	15645	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15645	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
00680 Total Organic Carbon		15657	WELLWIZARD	415.1	43.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
00425 Bicarbonate Alkalinity		15669	WELLWIZARD	4500D	35.2	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15669	WELLWIZARD	120.1	174	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15669	WELLWIZARD	360.1	2.2	MG/L	UNFILTERED	NONE
82545 Ground Water Level (MSL)		15669	WELLWIZARD		126.01	MSL	UNFILTERED	
000403 pH	6.5-8.5	15669	WELLWIZARD	150.1	6.85	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15669	WELLWIZARD	160.1	153	MG/L	UNFILTERED	COOL, 4 DEGREES C
82078 Turbidity	INTU	15669	WELLWIZARD	180.1	84.0	NTU	UNFILTERED	COOL, 4 DEGREES C
00612 Unionized Ammonia (NH4)		15681	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10	15681	WELLWIZARD	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW271

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

3748

17.2°C

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
001097 Antimony		15628	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15628	WELLWIZARD	236.1	0.554	MG/L	UNFILTERED	HNO3
000929 Sodium	160	15628	WELLWIZARD	273.1	3.51	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15628	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15628	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15628	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15628	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15628	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15628	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
032101 Bromodichloromethane		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032104 Bromoform		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034413 Bromomethane		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032102 Carbontetrachloride	0.003	15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034301 Chlorobenzene		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034311 Chloroethane		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034576 2-Chloroethylvinylether		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034704 Cis-1,3-Dichloropropene		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032106 Chloroform		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034418 Chloromethane		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032105 Dibromochloromethane		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.600	15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034668 Dichlorodifluoromethane		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034496 1,1-Dichloroethane		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034531 1,2-Dichloroethane	0.003	15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034501 1,1-Dichloroethene	0.007	15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034546 Trans-1,2-Dichloroethene		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034541 1,2-Dichloropropane	0.605	15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034423 Methylene Chloride		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name: MW271

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034516 1,1,2,2-Tetrachloroethane		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034475 Tetrachloroethene	0.003	15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034506 1,1,1-Trichloroethane	0.200	15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034511 1,1,2-Trichloroethane	0.005	15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039180 Trichloroethene	0.003	15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034488 Trichlorofluoromethane		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039715 Vinyl Chloride	0.001	15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034699 Trans-1,3-Dichloropropene		15643	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.600	15643	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15643	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15643	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15643	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15643	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15643	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15643	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15643	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15643	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15655	WELLWIZARD	415.1	36.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000425 Bicarbonate Alkalinity		15667	WELLWIZARD	4500D	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15667	WELLWIZARD	120.1	58.5	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15667	WELLWIZARD	360.1	3.6	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15667	WELLWIZARD		126.17	MSL	UNFILTERED	
000403 pH	6.5-8.5	15667	WELLWIZARD	150.1	6.04	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15667	WELLWIZARD	160.1	20	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	2 NTU	15667	WELLWIZARD	180.1	280	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15679	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15679	WELLWIZARD	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW275

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	Filter Media (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
001037 Antimony		15629	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HN03
900219 Iron	0.300	15629	@ DBP	236.1	0.333	MG/L	UNFILTERED	HN03
000929 Sodium	160	15629	@ DBP	273.1	3.15	MG/L	UNFILTERED	HN03
900208 Arsenic	0.050	15629	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HN03
001012 Beryllium		15629	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HN03
900210 Cadmium	0.005	15629	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HN03
900212 Lead	0.050	15629	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HN03
900214 Selenium		15629	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HN03
900213 Mercury	0.002	15629	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HN03
032101 Bromodichloromethane		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032104 Bromoform		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034413 Bromomethane		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032102 Carbontetrachloride	0.003	15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034301 Chlorobenzene		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034311 Chloroethane		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034576 2-Chloroethylvinylether		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034704 Cis-1,3-Dichloropropene		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032106 Chloroform		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034418 Chloroethane		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032105 Dibromochloromethane		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.600	15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034668 Dichlorodifluoromethane		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034496 1,1-Dichloroethane		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034531 1,2-Dichloroethane	0.003	15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034501 1,1-Dichloroethane	0.007	15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034546 Trans-1,2-Dichloroethene		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034541 1,2-Dichloropropane	0.005	15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034423 Methylene Chloride		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C

**Southeastern Environmental
Laboratories, Inc.**

80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW275

Classification of Groundwater: G2

Well Developed* Prior to

Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Code	Parameter Monitored	FL MCL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034516	1,1,2,2-Tetrachloroethane		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034475	Tetrachloroethene 0.003	0.003	15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034506	1,1,1-Trichloroethane 0.2	0.2	15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034511	1,1,2-Trichloroethane 0.005	0.005	15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039180	Trichloroethene	0.003	15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034488	Trichlorofluoromethane		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039715	Vinyl Chloride	0.001	15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034699	Trans-1,3-Dichloropropene		15644	@ DBP	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536	1,2-Dichlorobenzene	0.001	15644	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034566	1,3-Dichlorobenzene		15644	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571	1,4-Dichlorobenzene	0.075	15644	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030	Benzene	0.001	15644	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301	Chlorobenzene	0.100	15644	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371	Ethylbenzene	0.700	15644	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010	Toluene	1.000	15644	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551	Xylenes	10.000	15644	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231	Methyl T-Butyl Ether		15644	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680	Total Organic Carbon		15656	@ DBP	415.1	36.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000425	Bicarbonate Alkalinity		15668	@ DBP	4500D	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094	Conductance		15668	@ DBP	120.1	35.1	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300	Dissolved Oxygen		15668	@ DBP	360.1	3.8	MG/L	UNFILTERED	NONE
082545	Ground Water Level (MSL)		15668	@ DBP		125.96	MSL	UNFILTERED	
000403	pH	6.5-8.5	15668	@ DBP	150.1	5.64	S.U.	UNFILTERED	NONE
070300	Total Dissolved Solids	500	15668	@ DBP	160.1	11	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078	Turbidity	1 NTU	15668	@ DBP	180.1	32.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000612	Unionized Ammonia (NH4)		15680	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620	Nitrate	10.	15680	@ DBP	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP.

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

MS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type:

Well Name : MW31D

Classification of Groundwater: 62

Well Developed* Prior to

Sample Collection Yes/No: Yes

3750

17.7°C

Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Parameter Code Monitored	FL MCL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
01097 Antimony		15625	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HN03
000219 Iron	0.300	15625	WELLWIZARD	236.1	0.312	MG/L	UNFILTERED	HN03
000929 Sodium	160	15625	WELLWIZARD	273.1	5.38	MG/L	UNFILTERED	HN03
00208 Arsenic	0.050	15625	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HN03
01012 Beryllium		15625	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HN03
900210 Cadmium	0.005	15625	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HN03
000212 Lead	0.050	15625	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HN03
00214 Selenium		15625	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HN03
900213 Mercury	0.002	15625	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HN03
032101 Bromodichloromethane		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032104 Bromoform		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034413 Bromomethane		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032102 Carbontetrachloride	0.003	15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034301 Chlorobenzene		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034311 Chloroethane		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034576 2-Chloroethylvinylether		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034704 Cis-1,3-Dichloropropene		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032106 Chloroform		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034418 Chloromethane		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
032105 Dibromochloromethane		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536 1,2-Dichlorobenzene	0.600	15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034566 1,3-Dichlorobenzene		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034668 Dichlorodifluoromethane		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034496 1,1-Dichloroethane		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034531 1,2-Dichloroethane	0.003	15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034501 1,1-Dichloroethene	0.007	15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034546 Trans-1,2-Dichloroethene		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034541 1,2-Dichloropropane	0.005	15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034423 Methylene Chloride		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 02/02/94

Monitoring Well:

Well Type:

Well Name : MW310

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Code	Parameter Monitored	FL mcl (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034516	1,1,2,2-Tetrachloroethane		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034475	Tetrachloroethene	0.003	15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034506	1,1,1-Trichloroethane	0.200	15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034511	1,1,2-Trichloroethane	0.005	15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039180	Trichloroethene	0.003	15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034488	Trichlorofluoromethane		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
039715	Vinyl Chloride	0.001	15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034699	Trans-1,3-Dichloropropene		15640	WELLWIZARD	601	U 1.0	UG/L	UNFILTERED	COOL, 4 DEGREES C
034536	1,2-Dichlorobenzene	0.600	15640	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034566	1,3-Dichlorobenzene		15640	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571	1,4-Dichlorobenzene	0.075	15640	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030	Benzene	0.001	15640	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301	Chlorobenzene	0.1	15640	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371	Ethylbenzene	0.4	15640	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010	Toluene	1.0	15640	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551	Xylenes	10.0	15640	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231	Methyl T-Butyl Ether		15640	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680	Total Organic Carbon		15652	WELLWIZARD	415.1	65.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000425	Bicarbonate Alkalinity		15664	WELLWIZARD	4500D	171	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094	Conductance		15664	WELLWIZARD	120.1	380	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300	Dissolved Oxygen		15664	WELLWIZARD	360.1	2.8	MG/L	UNFILTERED	NONE
082545	Ground Water Level (MSL)		15664	WELLWIZARD		142.38	MSL	UNFILTERED	
000403	pH	6.5-8.5	15664	WELLWIZARD	150.1	6.8	S.U.	UNFILTERED	NONE
070300	Total Dissolved Solids	500	15664	WELLWIZARD	160.1	193	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078	Turbidity	1 NTU	15664	WELLWIZARD	180.1	15.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000612	Unionized Ammonia (NH4)		15676	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620	Nitrate	10	15676	WELLWIZARD	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

® DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 02/03/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW140

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034555 1,3-Dichlorobenzene		15700	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15700	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15700	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15700	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15700	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15700	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15700	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15700	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15704	WELLWIZARD	415.1	47.0 —	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15707	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15707	WELLWIZARD	236.1	0.643 —	MG/L	UNFILTERED	HNO3
000929 Sodium	160.	15707	WELLWIZARD	273.1	3.92 —	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15707	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15707	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15707	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15707	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15707	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15707	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
000425 Bicarbonate Alkalinity		15710	WELLWIZARD	45000	93.2 —	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15710	WELLWIZARD	120.1	188 —	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15710	WELLWIZARD	360.1	1.54 —	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15710	WELLWIZARD		113.31 —	MSL	UNFILTERED	
000403 pH	6.5-8.5	15710	WELLWIZARD	150.1	6.26 —	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15710	WELLWIZARD	160.1	141 —	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15710	WELLWIZARD	180.1	0.147 —	NTU	UNFILTERED	COOL, 4 DEGREES C
000610 Ammonia		15713	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15713	WELLWIZARD	353.2	U 0.05 —	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 02/03/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW141

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

3735

16.9°C

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034568 1,3-Dichlorobenzene		15699	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15699	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15699	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15699	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15699	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15699	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15699	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15699	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15703	WELLWIZARD	415.1	36.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15706	WELLWIZARD	204.2	0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15706	WELLWIZARD	236.1	0.493	MG/L	UNFILTERED	HNO3
000929 Sodium	160.	15706	WELLWIZARD	273.1	3.30	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15706	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15706	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15706	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15706	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15706	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15706	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
000425 Bicarbonate Alkalinity		15709	WELLWIZARD	45000	19.3	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15709	WELLWIZARD	120.1	47.7	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15709	WELLWIZARD	360.1	2.6	MG/L	UNFILTERED	NONE
032545 Ground Water Level (MSL)		15709	WELLWIZARD		113.29	MSL	UNFILTERED	
000403 pH	6.5-8.5	15709	WELLWIZARD	150.1	4.76	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15709	WELLWIZARD	160.1	21	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15709	WELLWIZARD	180.1	40.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000610 Ammonia		15712	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15712	WELLWIZARD	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

* DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

DHRS # 82315

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 02/03/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW14S

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

3736

14.1°

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Short Parameter Code Monitored	FL MCL (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
004565 1,3-Dichlorobenzene		15701	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
004571 1,4-Dichlorobenzene	0.075	15701	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
004000 Benzene	0.001	15701	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
004301 Chlorobenzene	0.100	15701	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
004071 Ethylbenzene	0.700	15701	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
004010 Toluene	1.000	15701	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
001551 Xylenes	10.000	15701	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15701	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15705	@ DBP	415.1	44.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001037 Antimony		15708	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15708	@ DBP	236.1	0.188	MG/L	UNFILTERED	HNO3
000929 Sodium	160.	15708	@ DBP	273.1	3.99	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15708	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15708	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15708	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15708	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15708	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15708	@ DBP	7476	U 0.001	MG/L	UNFILTERED	HNO3
000425 Bicarbonate Alkalinity		15711	@ DBP	4500D	4.46	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15711	@ DBP	120.1	57.5	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15711	@ DBP	360.1	1.8	MG/L	UNFILTERED	NONE
002545 Ground Water Level (MSL)		15711	WELLWIZARD		113.30	MSL	UNFILTERED	
000403 pH	6.5-8.5	15711	@ DBP	150.1	5.56	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15711	@ DBP	160.1	46	MG/L	UNFILTERED	COOL, 4 DEGREES C
002078 Turbidity	1 NTU	15711	@ DBP	180.1	24.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000610 Ammonia		15714	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15714	@ DBP	353.2	0.272	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 01/31/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW07D

Classification of Groundwater: 62

Well Developed* Prior to
Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034566 1,3-Dichlorobenzene	15378	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	15378	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	15378	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	15378	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	15378	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	15378	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	15378	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether	15378	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon	15390	WELLWIZARD	415.1	59.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony	15402	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	15402	WELLWIZARD	236.1	0.266	MG/L	UNFILTERED	HNO3
000929 Sodium	15402	WELLWIZARD	273.1	3.82	MG/L	UNFILTERED	HNO3
900208 Arsenic	15402	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium	15402	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	15402	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	15402	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium	15402	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	15402	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
000425 Bicarbonate Alkalinity	15414	WELLWIZARD	4500D	161	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance	15414	WELLWIZARD	120.1	501	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen	15414	WELLWIZARD	360.1	2.2	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)	15414	WELLWIZARD		121.63	MSL	UNFILTERED	
000403 pH	15414	WELLWIZARD	150.1	5.9	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	15414	WELLWIZARD	160.1	159	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	15414	WELLWIZARD	180.1	0.6	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)	15426	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	15426	WELLWIZARD	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

e DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 01/31/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW071

Classification of Groundwater: 62

Well Developed* Prior to

Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCLs (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034566 1,3-Dichlorobenzene		15377	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15377	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15377	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15377	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15377	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15377	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15377	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15377	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15389	WELLWIZARD	415.1	44.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15401	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15401	WELLWIZARD	236.1	0.453	MG/L	UNFILTERED	HNO3
000929 Sodium	100.	15401	WELLWIZARD	273.1	2.59	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15401	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15401	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15401	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15401	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15401	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15401	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
000425 Bicarbonate Alkalinity		15413	WELLWIZARD	45000	4.67	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15413	WELLWIZARD	120.1	35.4	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15413	WELLWIZARD	360.1	1.8	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15413	WELLWIZARD		119.74	MSL	UNFILTERED	
000403 pH	6.5 - 8.5	15413	WELLWIZARD	150.1	5.66	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15413	WELLWIZARD	160.1	16	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15413	WELLWIZARD	180.1	64.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15425	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15425	WELLWIZARD	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 01/31/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW07S

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034566 1,3-Dichlorobenzene		15380	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15380	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15380	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15380	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15380	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15380	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15380	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15380	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15392	WELLWIZARD	415.1	85.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15404	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15404	WELLWIZARD	236.1	0.316	MG/L	UNFILTERED	HNO3
000929 Sodium	160.	15404	WELLWIZARD	273.1	6.51	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15404	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15404	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15404	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15404	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15404	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15404	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
000425 Bicarbonate Alkalinity		15416	WELLWIZARD	4500D	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15416	WELLWIZARD	120.1	49.6	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15416	WELLWIZARD	360.1	2.1	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15416	WELLWIZARD		115.84	MSL	UNFILTERED	
000403 pH	6.5 - 8.5	15416	WELLWIZARD	150.1	6.22	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15416	WELLWIZARD	160.1	15	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15416	WELLWIZARD	180.1	50.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15428	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15428	WELLWIZARD	353.2	0.267	MG/L	UNFILTERED	COOL, 4 DEGREES C

e DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 01/31/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW111

Classification of Groundwater: 62

Well Developed* Prior to
Sample Collection Yes/No: Yes

18.8°C

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL (mg/l)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034566 1,3-Dichlorobenzene		15375	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15375	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15375	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15375	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15375	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15375	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15375	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15375	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15387	@ DBP	415.1	44.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15399	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15399	@ DBP	236.1	0.857	MG/L	UNFILTERED	HNO3
000929 Sodium	160.	15399	@ DBP	273.1	2.75	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15399	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15399	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15399	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15399	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15399	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15399	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
000425 Bicarbonate Alkalinity		15411	@ DBP	4500D	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15411	@ DBP	120.1	39.9	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15411	@ DBP	360.1	2.8	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15411	@ DBP		118.79	MSL	UNFILTERED	
000403 pH	6.5-8.5	15411	@ DBP	150.1	5.42	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15411	@ DBP	160.1	12	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15411	@ DBP	180.1	2000	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15423	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15423	@ DBP	353.2	0.216	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 01/31/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW11S

Classification of Groundwater: 62

Well Developed* Prior to

Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034566 1,3-Dichlorobenzene		15374	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15374	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15374	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15374	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15374	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15374	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15374	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15374	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15386	@ DBP	415.1	41.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15398	@ DBP	204.2	X 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15398	@ DBP	235.1	0.700	MG/L	UNFILTERED	HNO3
000929 Sodium	160	15398	@ DBP	273.1	3.57	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15398	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15398	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15398	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15398	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15398	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15398	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
000425 Bicarbonate Alkalinity		15410	@ DBP	4500D	15.2	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15410	@ DBP	120.1	70.2	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15410	@ DBP	360.1	2.8	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15410	@ DBP		112.10	MSL	UNFILTERED	
000403 pH	6.5 - 8.5	15410	@ DBP	150.1	4.50	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15410	@ DBP	160.1	29	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15410	@ DBP	180.1	1.7	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15422	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10	15422	@ DBP	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 01/31/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name: MW12D

Classification of Groundwater: 62

Well Developed* Prior to
Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034566 1,3-Dichlorobenzene		15371	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15371	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15371	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15371	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15371	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15371	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15371	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15371	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15383	WELLWIZARD	415.1	87.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000425 Bicarbonate Alkalinity		15407	WELLWIZARD	4500D	191	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15407	WELLWIZARD	120.1	388	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15407	WELLWIZARD	360.1	2.1	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15407	WELLWIZARD		120.92	MSL	UNFILTERED	
000403 pH	6.5 - 8.5	15407	WELLWIZARD	150.1	7.1	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15407	WELLWIZARD	160.1	282	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15407	WELLWIZARD	180.1	144	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15419	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10	15419	WELLWIZARD	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

* DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

Southeastern Environmental
Laboratories, Inc.
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

CITY OF JACKSONVILLE - TRAILRIDGE LANDFILL

SAMPLE NUMBER: MW12D
PAGE 1 OF 1

PARAMETER MONITORED	GROUNDWATER CONCENTRATION	DETECTION LIMIT	ANALYSIS RESULT	UNITS	DILUTION FACTOR
ANTIMONY	0.029	0.003	K 0.025	MG/L	1X
IRON	0.3	0.05	1.59	MG/L	1X
SODIUM	160	1.0	4.78	MG/L	1X
ARSENIC	0.05	0.025	U 0.025	MG/L	1X
BERYLLIUM	0.005	0.025	U 0.025	MG/L	1X
CADMIUM	0.01	0.005	U 0.005	MG/L	1X
CHROMIUM	0.05 0.10	0.025	U 0.025	MG/L	1X
LEAD	0.05	0.025	U 0.025	MG/L	1X
SELENIUM	0.01	0.005	U 0.005	MG/L	1X
MERCURY	0.002	0.001	U 0.001	MG/L	1X
GROUND WATER LEVEL (MSL)			120.93	MSL	1X

* NO GROUNDWATER CONCENTRATION LISTED IN GROUNDWATER CONCENTRATION LIST.

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 01/31/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name: MW121

Classification of Groundwater: 62

Well Developed* Prior to
Sample Collection Yes/No: Yes

373~
18.8°C

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Code	Parameter Monitored	FL MCL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034566	1,3-Dichlorobenzene		15370	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571	1,4-Dichlorobenzene	0.075	15370	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030	Benzene	0.001	15370	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301	Chlorobenzene	0.100	15370	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371	Ethylbenzene	0.700	15370	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010	Toluene	1.000	15370	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551	Xylenes	10.000	15370	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231	Methyl T-Butyl Ether		15370	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680	Total Organic Carbon		15382	WELLWIZARD	415.1	40.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097	Antimony		15394	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219	Iron	0.300	15394	WELLWIZARD	236.1	0.423	MG/L	UNFILTERED	HNO3
000929	Sodium	160	15394	WELLWIZARD	273.1	2.98	MG/L	UNFILTERED	HNO3
900208	Arsenic	0.050	15394	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012	Beryllium		15394	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210	Cadmium	0.005	15394	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212	Lead	0.050	15394	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214	Selenium		15394	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213	Mercury	0.002	15394	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
000425	Bicarbonate Alkalinity		15406	WELLWIZARD	4500D	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094	Conductance		15406	WELLWIZARD	120.1	42.1	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300	Dissolved Oxygen		15406	WELLWIZARD	360.1	2.0	MG/L	UNFILTERED	NONE
082545	Ground Water Level (MSL)		15406	WELLWIZARD		118.42	MSL	UNFILTERED	
000403	pH	6.5 - 8.5	15406	WELLWIZARD	150.1	5.45	S.U.	UNFILTERED	NONE
070300	Total Dissolved Solids	500	15406	WELLWIZARD	160.1	11	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078	Turbidity	1 NTU	15406	WELLWIZARD	180.1	70.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000612	Unionized Ammonia (NH4)		15418	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620	Nitrate	10	15418	WELLWIZARD	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 01/31/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW12S

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

3733

16.2°C

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034566 1,3-Dichlorobenzene		15372	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15372	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15372	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15372	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15372	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15372	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15372	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15372	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15384	@ DBP	415.1	96.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000425 Bicarbonate Alkalinity		15408	@ DBP	45000	8.86	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15408	@ DBP	120.1	80.0	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15408	@ DBP	360.1	3.4	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15408	@ DBP		117.27	MSL	UNFILTERED	
000403 pH	4.5 - 8.5	15408	@ DBP	150.1	4.51	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15408	@ DBP	160.1	50	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15408	@ DBP	180.1	9.4	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15420	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10	15420	@ DBP	353.2	0.157	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

Southeastern Environmental Laboratories, Inc.

80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT (Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 01/31/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW20S

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Code	Parameter Monitored	FL MCLs (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034566	1,3-Dichlorobenzene		15376	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571	1,4-Dichlorobenzene	0.075	15376	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030	Benzene	0.001	15376	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301	Chlorobenzene	0.100	15376	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371	Ethylbenzene	0.700	15376	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010	Toluene	1.000	15376	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551	Xylenes	10.000	15376	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231	Methyl T-Butyl Ether		15376	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680	Total Organic Carbon		15388	@ DBP	415.1	52.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097	Antimony		15400	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219	Iron	0.300	15400	@ DBP	236.1	0.359	MG/L	UNFILTERED	HNO3
000929	Sodium	160	15400	@ DBP	273.1	4.96	MG/L	UNFILTERED	HNO3
900208	Arsenic	0.050	15400	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012	Beryllium		15400	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210	Cadmium	0.005	15400	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212	Lead	0.050	15400	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214	Selenium		15400	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213	Mercury	0.002	15400	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
000425	Bicarbonate Alkalinity		15412	@ DBP	45000	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094	Conductance		15412	@ DBP	120.1	72.5	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300	Dissolved Oxygen		15412	@ DBP	360.1	3.8	MG/L	UNFILTERED	NONE
082545	Ground Water Level (NSL)		15412	@ DBP		116.06	NSL	UNFILTERED	
000403	pH		15412	@ DBP	150.1	5.07	S.U.	UNFILTERED	NONE
070300	Total Dissolved Solids	6.5-8.5	15412	@ DBP	160.1	U 5	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078	Turbidity	500	15412	@ DBP	180.1	12.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000612	Unionized Ammonia (NH4)	1 NTU	15424	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620	Nitrate	10	15424	@ DBP	353.2	0.078	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

Southeastern Environmental Laboratories, Inc.

80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT (Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 01/31/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW21S

Classification of Groundwater: 62

Well Developed* Prior to
Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL (mg/l)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034566 1,3-Dichlorobenzene		15373	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15373	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15373	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15373	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15373	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15373	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15373	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15373	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15385	@ DBP	415.1	96.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000425 Bicarbonate Alkalinity		15409	@ DBP	4500D	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15409	@ DBP	120.1	54.0	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15409	@ DBP	360.1	3.1	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15409	@ DBP		113.29	MSL	UNFILTERED	
000403 pH	6.5 - 8.5	15409	@ DBP	150.1	5.03	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15409	@ DBP	160.1	30	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15409	@ DBP	180.1	20.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15421	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15421	@ DBP	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

CMS NO.:

Sample Date: 01/31/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW22S

Classification of Groundwater: 62

Well Developed* Prior to
Sample Collection Yes/No: Yes

3743

16.7°C

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Storet Parameter Code Monitored	FL MCL (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034566 1,3-Dichlorobenzene		15369	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15369	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15369	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15369	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15369	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15369	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15369	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15369	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15381	@ DBP	415.1	102	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15393	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15393	@ DBP	236.1	0.433	MG/L	UNFILTERED	HNO3
000929 Sodium	160.	15393	@ DBP	273.1	5.57	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15393	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15393	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15393	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15393	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15393	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15393	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
000425 Bicarbonate Alkalinity		15405	@ DBP	4500D	18.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15405	@ DBP	120.1	95.5	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15405	@ DBP	360.1	3.6	MG/L	UNFILTERED	NONE
082545 Ground Water Level (MSL)		15405	@ DBP		117.20	MSL	UNFILTERED	
000403 pH	6.5-8.5	15405	@ DBP	150.1	4.57	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15405	@ DBP	160.1	U 5.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
082078 Turbidity	1 NTU	15405	@ DBP	180.1	4.5	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15417	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15417	@ DBP	353.2	0.064	MG/L	UNFILTERED	COOL, 4 DEGREES C

@ DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS # 82315

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

NO.:

Sample Date: 02/01/94

Monitoring Well:

Well Type: COMPLIANCE

Name: MW16S

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Parameter Code	Parameter Monitored	FL MCL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
566	1,3-Dichlorobenzene		15548	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
571	1,4-Dichlorobenzene	0.075	15548	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
34030	Benzene	0.001	15548	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
301	Chlorobenzene	0.100	15548	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
371	Ethylbenzene	0.700	15548	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
34010	Toluene	1.000	15548	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
81551	Xylenes	10.000	15548	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
231	Methyl T-Butyl Ether		15548	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
680	Total Organic Carbon		15560	@ DBP	415.1	42.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
01097	Antimony		15573	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
219	Iron	0.300	15573	@ DBP	236.1	0.511	MG/L	UNFILTERED	HNO3
929	Sodium	160.	15573	@ DBP	273.1	2.07	MG/L	UNFILTERED	HNO3
00208	Arsenic	0.050	15573	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
01012	Beryllium		15573	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
210	Cadmium	0.005	15573	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
0212	Lead	0.050	15573	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
00214	Selenium		15573	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
213	Mercury	0.002	15573	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
425	Bicarbonate Alkalinity		15584	@ DBP	4500D	8.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
00094	Conductance		15584	@ DBP	120.1	33.3	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300	Dissolved Oxygen		15584	@ DBP	360.1	2.6	MG/L	UNFILTERED	NONE
545	Ground Water Level (MSL)		15584	@ DBP		139.96	MSL	UNFILTERED	
000403	pH	6.5-8.5	15584	@ DBP	150.1	5.19	S.U.	UNFILTERED	NONE
070300	Total Dissolved Solids	500	15584	@ DBP	160.1	24	MG/L	UNFILTERED	COOL, 4 DEGREES C
078	Turbidity	1 NTU	15584	@ DBP	180.1	1.4	NTU	UNFILTERED	COOL, 4 DEGREES C
612	Ionized Ammonia (NH4)		15595	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620	Nitrate	10	15595	@ DBP	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

DEDICATED BLADDER PUMP
PH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

NO.:
Monitoring Well:
Well Name : MW17D
Classification of Groundwater: G2
Well Developed* Prior to
Sample Collection Yes/No: Yes

Sample Date: 02/01/94
Well Type: COMPLIANCE

3856

18.6°C

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Parameter Code Monitored	FL MCLL (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
0566 1,3-Dichlorobenzene		15547	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
0571 1,4-Dichlorobenzene	0.075	15547	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15547	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
0301 Chlorobenzene	0.100	15547	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
0371 Ethylbenzene	0.700	15547	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.0000	15547	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15547	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
02231 Methyl T-Butyl Ether		15547	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000680 Total Organic Carbon		15559	@ DBP	415.1	46.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15572	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
02219 Iron	0.300	15572	@ DBP	236.1	0.949	MG/L	UNFILTERED	HNO3
02929 Sodium	160	15572	@ DBP	273.1	6.14	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15572	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15572	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
02210 Cadmium	0.005	15572	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15572	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15572	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
02213 Mercury	0.002	15572	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
02425 Bicarbonate Alkalinity		15583	@ DBP	4500D	13.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15583	@ DBP	120.1	87.8	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
02300 Dissolved Oxygen		15583	@ DBP	360.1	3.2	MG/L	UNFILTERED	NONE
02545 Ground Water Level (MSL)		15583	@ DBP		134.50	MSL	UNFILTERED	
000403 pH		15583	@ DBP	150.1	6.10	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15583	@ DBP	160.1	50	MG/L	UNFILTERED	COOL, 4 DEGREES C
02078 Turbidity	1 NTU	15583	@ DBP	180.1	68.0	NTU	UNFILTERED	COOL, 4 DEGREES C
000612 Unionized Ammonia (NH4)		15594	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15594	@ DBP	353.2	0.097	MG/L	UNFILTERED	COOL, 4 DEGREES C

EDICATED BLADDER PUMP
PH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRD TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

S NO.:

Sample Date: 02/01/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name : MW171

Classification of Groundwater: 62

Well Developed* Prior to
Sample Collection Yes/No: Yes

Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Parameter Code Monitored	FL MCL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
4566 1,3-Dichlorobenzene		15545	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
4571 1,4-Dichlorobenzene	0.075	15545	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15545	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
4301 Chlorobenzene	0.100	15545	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
4371 Ethylbenzene	0.700	15545	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	10.000	15545	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15545	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
0231 Methyl T-Butyl Ether		15545	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
00680 Total Organic Carbon		15557	@ DBP	415.1	45.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15570	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
0219 Iron	0.300	15570	@ DBP	236.1	0.373	MG/L	UNFILTERED	HNO3
0929 Sodium	160	15570	@ DBP	273.1	2.90	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15570	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15570	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
0210 Cadmium	0.005	15570	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15570	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15570	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
0213 Mercury	0.002	15570	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
0425 Bicarbonate Alkalinity		15581	@ DBP	45000	3.81	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15581	@ DBP	120.1	31.6	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15581	@ DBP	360.1	2.8	MG/L	UNFILTERED	NONE
2545 Ground Water Level (MSL)		15581	@ DBP		138.43	MSL	UNFILTERED	
000403 pH		15581	@ DBP	150.1	5.15	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	6.5-8.5	15581	@ DBP	160.1	21	MG/L	UNFILTERED	COOL, 4 DEGREES C
2078 Turbidity	50	15581	@ DBP	180.1	2.5	NTU	UNFILTERED	COOL, 4 DEGREES C
0612 Unionized Ammonia (NH4)	1 NTU	15592	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10	15592	@ DBP	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

DEDICATED BLADDER PUMP

pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

NO.:
Monitoring Well:
Name : MW17S

Sample Date: 02/01/94

Well Type: COMPLIANCE

Classification of Groundwater: G2

Developed* Prior to
Sample Collection Yes/No: Yes

3858

17.1°C

*Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Sample Parameter Code Monitored	FL MCL (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
001566 1,3-Dichlorobenzene		15546	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
001571 1,4-Dichlorobenzene	0.075	15546	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15546	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15546	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
001371 Ethylbenzene	0.7000	15546	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
001010 Toluene	10.0000	15546	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15546	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15546	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
001680 Total Organic Carbon		15558	@ DBP	415.1	50.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15571	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15571	@ DBP	236.1	0.994	MG/L	UNFILTERED	HNO3
001929 Sodium	100	15571	@ DBP	273.1	3.50	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15571	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15571	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15571	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15571	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15571	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15571	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
001425 Bicarbonate Alkalinity		15582	@ DBP	4500D	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15582	@ DBP	120.1	90.6	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15582	@ DBP	360.1	3.8	MG/L	UNFILTERED	NONE
001545 Ground Water Level (MSL)		15582	@ DBP		130.26	MSL	UNFILTERED	
001403 pH	6.5 - 8.5	15582	@ DBP	150.1	5.31	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15582	@ DBP	160.1	70	MG/L	UNFILTERED	COOL, 4 DEGREES C
001078 Turbidity	1 NTU	15582	@ DBP	180.1	310	NTU	UNFILTERED	COOL, 4 DEGREES C
001612 Unionized Ammonia (NH4)		15593	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15593	@ DBP	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

DEDICATED BLADDER PUMP
PH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

Monitoring Well:

Sample Date: 02/01/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name: MW18S

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

3737

18.0°C

*Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Parameter Code Monitored	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
03466 1,3-Dichlorobenzene	15543	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
03471 1,4-Dichlorobenzene	15543	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	15543	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	15543	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034871 Ethylbenzene	15543	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	15543	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	15543	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034231 Methyl T-Butyl Ether	15543	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
000580 Total Organic Carbon	15555	@ DBP	415.1	64.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony	15568	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	15568	@ DBP	236.1	0.327	MG/L	UNFILTERED	HNO3
000329 Sodium	15568	@ DBP	273.1	4.30	MG/L	UNFILTERED	HNO3
900208 Arsenic	15568	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium	15568	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	15568	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900212 Lead	15568	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium	15568	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	15568	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
000425 Bicarbonate Alkalinity	15579	@ DBP	45000	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance	15579	@ DBP	120.1	67.6	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen	15579	@ DBP	360.1	2.2	MG/L	UNFILTERED	NONE
000545 Ground Water Level (MSL)	15579	@ DBP		129.44	MSL	UNFILTERED	
000403 pH	15579	@ DBP	150.1	4.69	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	15579	@ DBP	160.1	36	MG/L	UNFILTERED	COOL, 4 DEGREES C
000078 Turbidity	15579	@ DBP	180.1	3.2	NTU	UNFILTERED	COOL, 4 DEGREES C
000512 Unionized Ammonia (NH4)	15590	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	15590	@ DBP	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

*DEDICATED BLADDER PUMP

PH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

NO.:
Monitoring Well:

Sample Date: 02/01/94

Well Type: COMPLIANCE

Name : MW19D

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

3738

18.9°C

*Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Parameter Code Monitored	FL MCLs mg/L	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
00566 1,3-Dichlorobenzene		15540	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
00571 1,4-Dichlorobenzene	0.075	15540	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
004030 Benzene	0.001	15540	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
004301 Chlorobenzene	0.100	15540	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
004371 Ethylbenzene	0.7000	15540	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
004010 Toluene	10.000	15540	WELLWIZARD	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
001551 Xylenes	10.000	15540	WELLWIZARD	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
004231 Methyl T-Butyl Ether		15540	WELLWIZARD	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
004680 Total Organic Carbon		15552	WELLWIZARD	415.1	73.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15563	WELLWIZARD	204.2	K 0.025	MG/L	UNFILTERED	HNO3
000219 Iron	0.300	15563	WELLWIZARD	236.1	3.69	MG/L	UNFILTERED	HNO3
004929 Sodium	160.	15563	WELLWIZARD	273.1	11.1	MG/L	UNFILTERED	HNO3
000208 Arsenic	0.050	15563	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15563	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
004210 Cadmium	0.005	15563	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
004212 Lead	0.050	15563	WELLWIZARD	6010	U 0.025	MG/L	UNFILTERED	HNO3
000214 Selenium		15563	WELLWIZARD	6010	U 0.005	MG/L	UNFILTERED	HNO3
000213 Mercury	0.002	15563	WELLWIZARD	7470	U 0.001	MG/L	UNFILTERED	HNO3
004425 Bicarbonate Alkalinity		15576	WELLWIZARD	4500D	104	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15576	WELLWIZARD	120.1	310	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15576	WELLWIZARD	360.1	4.2	MG/L	UNFILTERED	NONE
004545 Ground Water Level (MSL)		15576	WELLWIZARD		123.19	MSL	UNFILTERED	
004403 pH	6.5 - 8.5	15576	WELLWIZARD	150.1	6.49	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	500	15576	WELLWIZARD	160.1	68	MG/L	UNFILTERED	COOL, 4 DEGREES C
004078 Turbidity	1 NTU	15576	WELLWIZARD	180.1	112	NTU	UNFILTERED	COOL, 4 DEGREES C
004512 Unionized Ammonia (NH4)		15587	WELLWIZARD	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15587	WELLWIZARD	353.2	0.10	MG/L	UNFILTERED	COOL, 4 DEGREES C

DEDICATED BLADDER PUMP
PH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

NO.:

Sample Date: 02/01/94

Monitoring Well:

Well Type: COMPLIANCE

Well Name: MW191

Classification of Groundwater: G2

Well Developed* Prior to
Sample Collection Yes/No: Yes

* Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Parameter Code Monitored	FL MCLC (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
034566 1,3-Dichlorobenzene		15542	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034571 1,4-Dichlorobenzene	0.075	15542	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034030 Benzene	0.001	15542	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034301 Chlorobenzene	0.100	15542	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034371 Ethylbenzene	0.700	15542	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034010 Toluene	1.000	15542	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
081551 Xylenes	10.000	15542	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
900231 Methyl T-Butyl Ether		15542	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
034680 Total Organic Carbon		15554	@ DBP	415.1	44.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15565	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
900219 Iron	0.300	15565	@ DBP	236.1	2.26	MG/L	UNFILTERED	HNO3
034929 Sodium	160	15565	@ DBP	273.1	2.78	MG/L	UNFILTERED	HNO3
900208 Arsenic	0.050	15565	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15565	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900210 Cadmium	0.005	15565	@ DBP	6010	0.005	MG/L	UNFILTERED	HNO3
900212 Lead	0.050	15565	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
900214 Selenium		15565	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
900213 Mercury	0.002	15565	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
034425 Bicarbonate Alkalinity		15578	@ DBP	4500D	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15578	@ DBP	120.1	38.5	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15578	@ DBP	360.1	3.0	MG/L	UNFILTERED	NONE
034545 Ground Water Level (MSL)		15578	@ DBP		123.43	MSL	UNFILTERED	
034403 pH		15578	@ DBP	150.1	5.09	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	6.6-8.5	15578	@ DBP	160.1	6	MG/L	UNFILTERED	COOL, 4 DEGREES C
034078 Turbidity	500	15578	@ DBP	180.1	320	NTU	UNFILTERED	COOL, 4 DEGREES C
034612 Unionized Ammonia (NH4)	1 NTU	15589	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15589	@ DBP	353.2	0.077	MG/L	UNFILTERED	COOL, 4 DEGREES C

DEDICATED BLADDER PUMP

CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

PARAMETER MONITORING REPORT
(Rule 17-3.402, 17-3.404, 17-3.406)

NO.:
Monitoring Well:
Name: MW19S

Sample Date: 02/01/94

Well Type: COMPLIANCE

Classification of Groundwater: G2

Developed Prior to
Sample Collection Yes/No: Yes

3740

18.9°C

Well development is the process of pumping the well prior to sampling in order to obtain representative ground water sample

Parameter Code Monitored	FL MLL's (mg/L)	Order Number	Sampling Method	Analysis Method	Analysis Result	Units	Sample Filtered/ Unfiltered	Preservatives Added
001566 1,3-Dichlorobenzene		15541	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
001571 1,4-Dichlorobenzene	0.075	15541	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
0034030 Benzene	0.001	15541	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
0034301 Chlorobenzene	0.100	15541	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
001371 Ethylbenzene	0.700	15541	@ DBP	602	U 1.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
001010 Toluene	1.000	15541	@ DBP	602	8.8	UG/L	UNFILTERED	HCL, 4 DEGREES C
001551 Xylenes	10.000	15541	@ DBP	602	U 5.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
001231 Methyl T-Butyl Ether		15541	@ DBP	602	U 10.0	UG/L	UNFILTERED	HCL, 4 DEGREES C
001580 Total Organic Carbon		15553	@ DBP	415.1	53.0	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
001097 Antimony		15564	@ DBP	204.2	K 0.025	MG/L	UNFILTERED	HNO3
000219 Iron	0.300	15564	@ DBP	236.1	0.301	MG/L	UNFILTERED	HNO3
001329 Sodium	160.	15564	@ DBP	273.1	2.83	MG/L	UNFILTERED	HNO3
000208 Arsenic	0.050	15564	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001012 Beryllium		15564	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
001210 Cadmium	0.005	15564	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
001212 Lead	0.050	15564	@ DBP	6010	U 0.025	MG/L	UNFILTERED	HNO3
000214 Selenium		15564	@ DBP	6010	U 0.005	MG/L	UNFILTERED	HNO3
000213 Mercury	0.002	15564	@ DBP	7470	U 0.001	MG/L	UNFILTERED	HNO3
001425 Bicarbonate Alkalinity		15577	@ DBP	45000	U 1.0	MG/L	UNFILTERED	COOL, 4 DEGREES C
000094 Conductance		15577	@ DBP	120.1	42.6	UMHOS/CM	UNFILTERED	COOL, 4 DEGREES C
000300 Dissolved Oxygen		15577	@ DBP	360.1	3.8	MG/L	UNFILTERED	NONE
001545 Ground Water Level (MSL)		15577	@ DBP		122.47	MSL	UNFILTERED	
001403 pH		15577	@ DBP	150.1	5.15	S.U.	UNFILTERED	NONE
070300 Total Dissolved Solids	6.5-8.5	15577	@ DBP	160.1	26	MG/L	UNFILTERED	COOL, 4 DEGREES C
001078 Turbidity	800	15577	@ DBP	180.1	28	NTU	UNFILTERED	COOL, 4 DEGREES C
001512 Unionized Ammonia (NH4)	1. NTU	15588	@ DBP	350.2	U 0.05	MG/L	UNFILTERED	H2SO4, 4 DEGREES C
000620 Nitrate	10.	15588	@ DBP	353.2	U 0.05	MG/L	UNFILTERED	COOL, 4 DEGREES C

DEDICATED BLADDER PUMP
pH, CONDUCTANCE AND DISSOLVED OXYGEN PARAMETERS PERFORMED BY PRO TECH EMPLOYEE

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

3/16-SEL. W

CITY OF JACKSONVILLE - TRAILRIDGE LANDFILL

1-31-94

SAMPLE NUMBER: SW01

PAGE 1 OF 2

3751

PARAMETER MONITORED	GROUNDWATER CONCENTRATION	DETECTION LIMIT	ANALYSIS RESULT	UNITS	DILUTION FACTOR
BROMODICHLOROMETHANE	100	1.0	U 1.0	UG/L	1X
BROMOFORM	100	1.0	U 1.0	UG/L	1X
BROMOMETHANE	20.0	1.0	U 1.0	UG/L	1X
CARBONTETRACHLORIDE	3.0	1.0	U 1.0	UG/L	1X
CHLOROBENZENE	10.0	1.0	U 1.0	UG/L	1X
CHLOROETHANE	6300	1.0	U 1.0	UG/L	1X
2-CHLOROETHYL VINYLETHER	1.0	1.0	U 1.0	UG/L	1X
CIS-1,3-DICHLOROPROPENE	1.0	1.0	U 1.0	UG/L	1X
CHLOROFORM	100	1.0	U 1.0	UG/L	1X
CHLOROMETHANE	3800	1.0	U 1.0	UG/L	1X
DIBROMOCHLOROMETHANE	100	1.0	U 1.0	UG/L	1X
1,2-DICHLOROBENZENE	10.0	1.0	U 1.0	UG/L	1X
1,3-DICHLOROBENZENE	10.0	1.0	U 1.0	UG/L	1X
1,4-DICHLOROBENZENE	75.0	1.0	U 1.0	UG/L	1X
DICHLORODIFLUOROMETHANE	1400	1.0	U 1.0	UG/L	1X
1,1-DICHLOROETHANE	2400	1.0	U 1.0	UG/L	1X
1,2-DICHLOROETHANE	3.0	1.0	U 1.0	UG/L	1X
1,1-DICHLOROETHENE	7.0	1.0	U 1.0	UG/L	1X
TRANS-1,2-DICHLOROETHENE	4.2	1.0	U 1.0	UG/L	1X
1,2-DICHLOROPROPANE	1.0	1.0	U 1.0	UG/L	1X
METHYLENE CHLORIDE	5.0	1.0	U 1.0	UG/L	1X
1,1,2,2-TETRACHLOROETHANE	1.0	1.0	U 1.0	UG/L	1X
TETRACHLOROETHENE	3.0	1.0	U 1.0	UG/L	1X
1,1,1-TRICHLOROETHANE	200	1.0	U 1.0	UG/L	1X
1,1,2-TRICHLOROETHANE	1.0	1.0	U 1.0	UG/L	1X
TRICHLOROETHENE	3.0	1.0	U 1.0	UG/L	1X
TRICHLOROFLUOROMETHANE	2400	1.0	U 1.0	UG/L	1X
VINYL CHLORIDE	1.0	1.0	U 1.0	UG/L	1X
TRANS-1,3-DICHLOROPROPENE	1.0	1.0	U 1.0	UG/L	1X
IRON	0.3	0.05	0.311	MG/L	1X
SODIUM	160	1.0	4.85	MG/L	1X
ARSENIC	0.05	0.025	U 0.025	MG/L	1X
CADMIUM	0.01	0.005	U 0.005	MG/L	1X
CHROMIUM	0.05-0.10	0.025	U 0.025	MG/L	1X
COPPER	1.0	0.05	U 0.05	MG/L	1X
LEAD	0.05	0.025	U 0.025	MG/L	1X
ZINC	5.0	0.05	0.054	MG/L	1X
MERCURY	0.002	0.001	U 0.001	MG/L	1X
BICARBONATE ALKALINITY	*	1.0	7.94	MG/L	1X
BIOCHEMICAL OXYGEN DEMAND	*	1.0	U 1.0	MG/L	1X
CHLORIDE	250	0.10	7.28	MG/L	1X
COLOR	15	5	150	C.U.	1X
CONDUCTANCE	*	10.0	92.0	UMHO	1X

* NO GROUNDWATER CONCENTRATION LISTED IN GROUNDWATER CONCENTRATION LIST.

DHR# 82315

Southeastern Environmental
Laboratories, Inc.
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHR# E-82179

SAMPLE NUMBER: SW01

PAGE 2 OF 2

PARAMETER MONITORED	GROUNDWATER CONCENTRATION	DETECTION LIMIT	ANALYSIS RESULT	UNITS	DILUTION FACTOR
DISSOLVED OXYGEN	*	1.0	6.8 ✓	MG/L	1X
FLUORIDE	4.0	0.10	0.22 ✓	MG/L	1X
pH	6.5-8.5		7.00 ✓	S.U.	1X
SULFATE	250	1.0	U 1.0	MG/L	1X
TOTAL DISSOLVED SOLIDS	500	5	78 ✓	MG/L	1X
TEMPERATURE	*		11.5 ✓	C	1X
TOTAL ALKALINITY	*	1	7.94 ✓	MG/L	1X
TOTAL DISSOLVED VOLATILE SOLIDS	*	5	24 ✓	MG/L	1X
TOTAL FIXED SOLIDS 5/0	*	1	6 ✓	MG/L	1X
TOTAL HARDNESS	*		23 ✓	MG/L	1X
TOTAL VOLATILE SOLIDS 505	*	1	1.5 ✓	MG/L	1X
TOTAL SUSPENDED SOLIDS	*	1	2 ✓	MG/L	1X
TURBIDITY	*	0.10	3.7 ✓	NTU	1X
CHEMICAL OXYGEN DEMAND	*	5.0	53.0 ✓	MG/L	1X
AMMONIA	*	0.05	U 0.05	MG/L	1X
UNIONIZED AMMONIA (NH4)	*	0.05	U 0.05	MG/L	1X
NITRATE & NITRITE	10.0	0.05	0.063 ✓	MG/L	1X
NITRATE	*	0.05	U 0.05	MG/L	1X
TOTAL KJELDAHL NITROGEN	*	0.05	0.466 ✓	MG/L	1X
TOTAL NITROGEN	*	0.15	0.529 ✓	MG/L	1X
TOTAL PHOSPHORUS	*	0.2	U 0.2	MG/L	1X
TOTAL ORGANIC CARBON	*	1.0	23.0 ✓	MG/L	1X
ORTHO PHOSPHORUS	*	0.05	0.075 ✓	MG/L	1X
ODOR	3	1	U 1	OTN	1X

* NO GROUNDWATER CONCENTRATION LISTED IN GROUNDWATER CONCENTRATION LIST.

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

CITY OF JACKSONVILLE - TRAILRIDGE LANDFILL

SAMPLE NUMBER: SW02

PAGE 1 OF 2

3152

PARAMETER MONITORED	GROUNDWATER CONCENTRATION	DETECTION LIMIT	ANALYSIS RESULT	UNITS	DILUTION FACTOR
BROMODICHLOROMETHANE	100	1.0	U 1.0	UG/L	1X
BROMOFORM	100	1.0	U 1.0	UG/L	1X
BROMOMETHANE	20.0	1.0	U 1.0	UG/L	1X
CARBONTETRACHLORIDE	3.0	1.0	U 1.0	UG/L	1X
CHLOROBENZENE	10.0	1.0	U 1.0	UG/L	1X
CHLOROETHANE	6300	1.0	U 1.0	UG/L	1X
2-CHLOROETHYL VINYLETHER	1.0	1.0	U 1.0	UG/L	1X
CIS-1,3-DICHLOROPROPENE	1.0	1.0	U 1.0	UG/L	1X
CHLOROFORM	100	1.0	U 1.0	UG/L	1X
CHLOROMETHANE	3800	1.0	U 1.0	UG/L	1X
DIBROMOCHLOROMETHANE	100	1.0	U 1.0	UG/L	1X
1,2-DICHLOROBENZENE	10.0	1.0	U 1.0	UG/L	1X
1,3-DICHLOROBENZENE	10.0	1.0	U 1.0	UG/L	1X
1,4-DICHLOROBENZENE	75.0	1.0	U 1.0	UG/L	1X
DICHLORODIFLUOROMETHANE	1400	1.0	U 1.0	UG/L	1X
1,1-DICHLOROETHANE	2400	1.0	U 1.0	UG/L	1X
1,2-DICHLOROETHANE	3.0	1.0	U 1.0	UG/L	1X
1,1-DICHLOROETHENE	7.0	1.0	U 1.0	UG/L	1X
TRANS-1,2-DICHLOROETHENE	4.2	1.0	U 1.0	UG/L	1X
1,2-DICHLOROPROPANE	1.0	1.0	U 1.0	UG/L	1X
METHYLENE CHLORIDE	5.0	1.0	U 1.0	UG/L	1X
1,1,2,2-TETRACHLOROETHANE	1.0	1.0	U 1.0	UG/L	1X
TETRACHLOROETHENE	3.0	1.0	U 1.0	UG/L	1X
1,1,1-TRICHLOROETHANE	200	1.0	U 1.0	UG/L	1X
1,1,2-TRICHLOROETHANE	1.0	1.0	U 1.0	UG/L	1X
TRICHLOROETHENE	3.0	1.0	U 1.0	UG/L	1X
TRICHLOROFLUOROMETHANE	2400	1.0	U 1.0	UG/L	1X
VINYL CHLORIDE	1.0	1.0	U 1.0	UG/L	1X
TRANS-1,3-DICHLOROPROPENE	1.0	1.0	U 1.0	UG/L	1X
IRON	0.3	0.05	0.237	MG/L	1X
SODIUM	160	1.0	3.25	MG/L	1X
ARSENIC	0.05	0.025	U 0.025	MG/L	1X
CADMIUM	0.01	0.005	U 0.005	MG/L	1X
CHROMIUM	0.05-0.10	0.025	U 0.025	MG/L	1X
COPPER	1.0	0.05	U 0.05	MG/L	1X
LEAD	0.05	0.025	U 0.025	MG/L	1X
ZINC	5.0	0.05	U 0.05	MG/L	1X
MERCURY	0.002	0.001	U 0.001	MG/L	1X
BICARBONATE ALKALINITY	*	1.0	U 1.0	MG/L	1X
BIOCHEMICAL OXYGEN DEMAND	*	1.0	1.5	MG/L	1X
CHLORIDE	250	0.10	6.86	MG/L	1X
COLOR	15	5	175	C.U.	1X
CONDUCTANCE	*	10.0	51.0	UMHO	1X

* NO GROUNDWATER CONCENTRATION LISTED IN GROUNDWATER CONCENTRATION LIST.

DHRS # 82315

Southeastern Environmental
Laboratories, Inc.
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

SAMPLE NUMBER: SW02

PAGE 2 OF 2

PARAMETER MONITORED	GROUNDWATER CONCENTRATION	DETECTION LIMIT	ANALYSIS RESULT	UNITS	DILUTION FACTOR
DISSOLVED OXYGEN	*	1.0	6.8	MG/L	1X
FLUORIDE	4.0	0.10	0.25	MG/L	1X
pH	6.5-8.5		6.81	S.U.	1X
SULFATE	250	1.0	U 1.0	MG/L	1X
TOTAL DISSOLVED SOLIDS	500	5	126	MG/L	1X
TEMPERATURE	*		10.5	C	1X
TOTAL ALKALINITY	*	1	U 1	MG/L	1X
TOTAL DISSOLVED VOLATILE SOLIDS	*	5	94	MG/L	1X
TOTAL FIXED SOLIDS	*	1	60	MG/L	1X
TOTAL HARDNESS	*		12	MG/L	1X
TOTAL VOLATILE SOLIDS	*	1	U 1	MG/L	1X
TOTAL SUSPENDED SOLIDS	*	1	U 1	MG/L	1X
TURBIDITY	*	0.10	2.4	NTU	1X
CHEMICAL OXYGEN DEMAND	*	5.0	55.8	MG/L	1X
AMMONIA	*	0.05	U 0.05	MG/L	1X
UNIONIZED AMMONIA (NH4)	*	0.05	U 0.05	MG/L	1X
NITRATE & NITRITE	10.0	0.05	0.059	MG/L	1X
NITRATE	*	0.05	U 0.05	MG/L	1X
TOTAL KJELDAHL NITROGEN	*	0.05	U 0.05	MG/L	1X
TOTAL NITROGEN	*	0.15	U 0.15	MG/L	1X
TOTAL PHOSPHORUS	*	0.2	U 0.2	MG/L	1X
TOTAL ORGANIC CARBON	*	1.0	26.0	MG/L	1X
ORTHO PHOSPHORUS	*	0.05	0.065	MG/L	1X
ODOR	3	1	U 1	OTN	1X

* NO GROUNDWATER CONCENTRATION LISTED IN GROUNDWATER CONCENTRATION LIST.

DHRS # 82315

**Southeastern Environmental
Laboratories, Inc.**
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176

DHRS E-82179

CITY OF JACKSONVILLE - TRAILRIDGE LANDFILL

SAMPLE NUMBER: SW03
PAGE 1 OF 2

3753

PARAMETER MONITORED	GROUNDWATER CONCENTRATION	DETECTION LIMIT	ANALYSIS RESULT	UNITS	DILUTION FACTOR
BROMODICHLOROMETHANE	100	1.0	U 1.0	UG/L	1X
BROMOFORM	100	1.0	U 1.0	UG/L	1X
BROMOMETHANE	20.0	1.0	U 1.0	UG/L	1X
CARBONTETRACHLORIDE	3.0	1.0	U 1.0	UG/L	1X
CHLOROBENZENE	10.0	1.0	U 1.0	UG/L	1X
CHLOROETHANE	6300	1.0	U 1.0	UG/L	1X
2-CHLOROETHYL VINYLETHER	1.0	1.0	U 1.0	UG/L	1X
CIS-1,3-DICHLOROPROPENE	1.0	1.0	U 1.0	UG/L	1X
CHLOROFORM	100	1.0	U 1.0	UG/L	1X
CHLOROMETHANE	3800	1.0	U 1.0	UG/L	1X
DIBROMOCHLOROMETHANE	100	1.0	U 1.0	UG/L	1X
1,2-DICHLOROBENZENE	10.0	1.0	U 1.0	UG/L	1X
1,3-DICHLOROBENZENE	10.0	1.0	U 1.0	UG/L	1X
1,4-DICHLOROBENZENE	75.0	1.0	U 1.0	UG/L	1X
DICHLORODIFLUOROMETHANE	1400	1.0	U 1.0	UG/L	1X
1,1-DICHLOROETHANE	2400	1.0	U 1.0	UG/L	1X
1,2-DICHLOROETHANE	3.0	1.0	U 1.0	UG/L	1X
1,1-DICHLOROETHENE	7.0	1.0	U 1.0	UG/L	1X
TRANS-1,2-DICHLOROETHENE	4.2	1.0	U 1.0	UG/L	1X
1,2-DICHLOROPROPANE	1.0	1.0	U 1.0	UG/L	1X
METHYLENE CHLORIDE	5.0	1.0	U 1.0	UG/L	1X
1,1,2,2-TETRACHLOROETHANE	1.0	1.0	U 1.0	UG/L	1X
TETRACHLOROETHENE	3.0	1.0	U 1.0	UG/L	1X
1,1,1-TRICHLOROETHANE	200	1.0	U 1.0	UG/L	1X
1,1,2-TRICHLOROETHANE	1.0	1.0	U 1.0	UG/L	1X
TRICHLOROETHENE	3.0	1.0	U 1.0	UG/L	1X
TRICHLOROFLUOROMETHANE	2400	1.0	U 1.0	UG/L	1X
VINYL CHLORIDE	1.0	1.0	U 1.0	UG/L	1X
TRANS-1,3-DICHLOROPROPENE	1.0	1.0	U 1.0	UG/L	1X
IRON	0.3	0.05	0.318	MG/L	1X
SODIUM	160	1.0	3.76	MG/L	1X
ARSENIC	0.05	0.025	U 0.025	MG/L	1X
CADMIUM	0.01	0.005	U 0.005	MG/L	1X
CHROMIUM	0.05 0.10	0.025	U 0.025	MG/L	1X
COPPER	1.0	0.05	U 0.05	MG/L	1X
LEAD	0.05	0.025	U 0.025	MG/L	1X
ZINC	5.0	0.05	U 0.05	MG/L	1X
MERCURY	0.002	0.001	U 0.001	MG/L	1X
BICARBONATE ALKALINITY	*	1.0	9.05	MG/L	1X
BIOCHEMICAL OXYGEN DEMAND	*	1.0	1.9	MG/L	1X
CHLORIDE	250	0.10	8.19	MG/L	1X
COLOR	15	5	175	C.U.	1X
CONDUCTANCE	*	10.0	59.9	UMHO	1X

* NO GROUNDWATER CONCENTRATION LISTED IN GROUNDWATER CONCENTRATION LIST.

DHRS # 82315

Southeastern Environmental
Laboratories, Inc.
80 Industrial Loop North, Building 5
Orange Park, FL 32073
(904) 269-6176


DHRS E-82179

SAMPLE NUMBER: SW03

PAGE 2 OF 2

PARAMETER MONITORED	GROUNDWATER CONCENTRATION	DETECTION LIMIT	ANALYSIS RESULT	UNITS	DILUTION FACTOR
DISSOLVED OXYGEN	*	1.0	7.2	MG/L	1X
FLUORIDE	4.0	0.10	0.23	MG/L	1X
pH	6.5-8.5		8.72	S.U.	1X
SULFATE	250	1.0	1.1	MG/L	1X
TOTAL DISSOLVED SOLIDS	500	5	108	MG/L	1X
TEMPERATURE	*		10.5	C	1X
TOTAL ALKALINITY	*	1	9.05	MG/L	1X
TOTAL DISSOLVED VOLATILE SOLIDS	*	5	84	MG/L	1X
TOTAL FIXED SOLIDS	*	1	80	MG/L	1X
TOTAL HARDNESS	*		36	MG/L	1X
TOTAL VOLATILE SOLIDS	*	1	U 1	MG/L	1X
TOTAL SUSPENDED SOLIDS	*	1	U 1	MG/L	1X
TURBIDITY	*	0.10	24.0	NTU	1X
CHEMICAL OXYGEN DEMAND	*	5.0	38.4	MG/L	1X
AMMONIA	*	0.05	U 0.05	MG/L	1X
UNIONIZED AMMONIA (NH4)	*	0.05	U 0.05	MG/L	1X
NITRATE & NITRITE	10.0	0.05	0.090	MG/L	1X
NITRATE	*	0.05	U 0.05	MG/L	1X
TOTAL KJELDAHL NITROGEN	*	0.05	U 0.05	MG/L	1X
TOTAL NITROGEN	*	0.15	U 0.15	MG/L	1X
TOTAL PHOSPHORUS	*	0.2	U 0.2	MG/L	1X
TOTAL ORGANIC CARBON	*	1.0	18.0	MG/L	1X
ORTHO PHOSPHORUS	*	0.05	0.073	MG/L	1X
ODOR	3	1	U 1	OTN	1X


* NO GROUNDWATER CONCENTRATION LISTED IN GROUNDWATER CONCENTRATION LIST.



RUST ENVIRONMENT &
INFRASTRUCTURE

TRAIL RIDGE LANDFILL
Jacksonville, Florida


Shallow WATER CONTOURS
First Quarter, 1994



RUST ENVIRONMENT &
INFRASTRUCTURE

TRAIL RIDGE LANDFILL
Jacksonville, Florida

Deep WATER CONTOURS
First Quarter, 1994



RUST ENVIRONMENT &
INFRASTRUCTURE

TRAIL RIDGE LANDFILL
Jacksonville, Florida

Intermed. WATER CONTOURS
First Quarter, 1994