

558,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1285,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8708,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7999,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2045,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

890,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6101,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1716,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8601,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3955,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

221,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7354,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1225,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

1439,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

5646,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

[illegible]

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

7481,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

5695,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

3678,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

6639,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

6698,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

4725,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

2903,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

4524,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

5880,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

8456,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

8395,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

3898,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

4310,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

4179,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

6002,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

3165,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,,1

[illegible]

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]



4710,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 10 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 mg/L (corrected for dilution, if applicable).",,,,1

5537,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1

2781,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1

2946,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1

4661,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 100 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 80 mg/L (corrected for dilution, if applicable).",,,,1

2776,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 10 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 mg/L (corrected for dilution, if applicable).",,,,1

4125,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 10 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 mg/L (corrected for dilution, if applicable).",,,,1

2771,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 10 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 mg/L (corrected for dilution, if applicable).",,,,1

2762,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1

7907,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1

7905,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1

2271,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 10 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 mg/L (corrected for dilution, if applicable).",,,,1

1903,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1

5542,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1

7455,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1

2864,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected

for dilution, if applicable).",,,,1  
 4705,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 10 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 mg/L (corrected for dilution, if applicable).",,,,1  
 4698,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
 4696,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
 4700,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 10 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 mg/L (corrected for dilution, if applicable).",,,,1  
 4694,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
 415,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
 1142,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
 750,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
 1576,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 25 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 20 mg/L (corrected for dilution, if applicable).",,,,1  
 6484,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
 6482,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
 335,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
 330,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
 7457,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
 4628,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 250 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 200 mg/L (corrected for dilution, if applicable).",,,,1  
 5744,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 100 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other

exceeds the project library reporting limit of 80 mg/L (corrected for dilution, if applicable).",,,,1  
5749,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 100 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 80 mg/L (corrected for dilution, if applicable).",,,,1  
5754,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 100 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 80 mg/L (corrected for dilution, if applicable).",,,,1  
5547,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
8868,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
2572,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
4612,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 100 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 80 mg/L (corrected for dilution, if applicable).",,,,1  
8866,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
4645,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 250 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 200 mg/L (corrected for dilution, if applicable).",,,,1  
4230,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 100 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 80 mg/L (corrected for dilution, if applicable).",,,,1  
4678,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
3815,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 10 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 mg/L (corrected for dilution, if applicable).",,,,1  
4080,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 10 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 mg/L (corrected for dilution, if applicable).",,,,1  
325,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1  
4595,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 250 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 200 mg/L (corrected for dilution, if applicable).",,,,1  
3808,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 50 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 40 mg/L (corrected for dilution, if applicable).",,,,1  
7917,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L

reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,,1

4575,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 100 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 80 mg/L (corrected for dilution, if applicable).",,,,,1

8354,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,,1

3077,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 10 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 mg/L (corrected for dilution, if applicable).",,,,,1

7915,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,,1

3801,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 50 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 40 mg/L (corrected for dilution, if applicable).",,,,,1

3418,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,,1

5736,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 50 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 40 mg/L (corrected for dilution, if applicable).",,,,,1

5738,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 50 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 40 mg/L (corrected for dilution, if applicable).",,,,,1

5740,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 50 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 40 mg/L (corrected for dilution, if applicable).",,,,,1

8352,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,,1

3719,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,,1

4659,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 100 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,,1

6072,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 50 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Other exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,,1

6073,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 50 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Other exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,,1

4644,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 100 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,,1

4488,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 20 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,1

4642,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 100 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,1

2862,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 20 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,1

4589,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 50 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,1

4591,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 50 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,1

4609,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 100 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,1

4611,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 100 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,1

4626,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 100 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,1

4637,"0007",,"ReportingLimit",,"The Magnesium Reporting Limit value of 1 mg/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.08 mg/L (corrected for dilution, if applicable).",,,,1

4670,"0007",,"ReportingLimit",,"The Magnesium Reporting Limit value of 0.5 mg/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.08 mg/L (corrected for dilution, if applicable).",,,,1

3097,"0007",,"ReportingLimit",,"The Magnesium Reporting Limit value of 0.5 mg/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.08 mg/L (corrected for dilution, if applicable).",,,,1

5087,"0007",,"ReportingLimit",,"The Magnesium Reporting Limit value of 0.5 mg/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.08 mg/L (corrected for dilution, if applicable).",,,,1

3340,"0007",,"ReportingLimit",,"The Magnesium Reporting Limit value of 0.5 mg/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.08 mg/L (corrected for dilution, if applicable).",,,,1

357,"0007",,"ReportingLimit",,"The Magnesium Reporting Limit value of 0.5 mg/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.08 mg/L (corrected for dilution, if applicable).",,,,1

5107,"0007",,"ReportingLimit",,"The Magnesium Reporting Limit value of 0.5 mg/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.08 mg/L (corrected for dilution, if applicable).",,,,1

377,"0007",,"ReportingLimit",,"The Magnesium Reporting Limit value of 0.5 mg/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.08 mg/L (corrected for dilution, if

[illegible]

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]



[illegible]

[illegible]



[illegible]



reported in this record for Method EPA 6010 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 mg/L (corrected for dilution, if applicable).",,,,1

7309,"0007",,"ReportingLimit",,"The Calcium Reporting Limit value of 0.5 mg/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 mg/L (corrected for dilution, if applicable).",,,,1

5329,"0007",,"ReportingLimit",,"The Calcium Reporting Limit value of 0.5 mg/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 mg/L (corrected for dilution, if applicable).",,,,1

7329,"0007",,"ReportingLimit",,"The Calcium Reporting Limit value of 0.5 mg/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 mg/L (corrected for dilution, if applicable).",,,,1

4397,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8136,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

251,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3985,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3235,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8243,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

2075,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7384,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

144,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

1315,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6131,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8029,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

920,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8738,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7016,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

588,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2429,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8924,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6238,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7123,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8631,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

37,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1746,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3576,"0007",,"ReportingLimit",,"The 4-Bromophenyl phenyl ether Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3555,"0007",,"ReportingLimit",,"The 2,4-Dimethylphenol Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,,1

230,"0007",,"ReportingLimit",,"The 2,4-Dimethylphenol Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,,1

3964,"0007",,"ReportingLimit",,"The 2,4-Dimethylphenol Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,,1

2054,"0007",,"ReportingLimit",,"The 2,4-Dimethylphenol Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,,1

applicable).",,,,1  
 2408,"0007",,"ReportingLimit",,"The 2,4-Dimethylphenol Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1  
 1725,"0007",,"ReportingLimit",,"The 2,4-Dimethylphenol Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1  
 123,"0007",,"ReportingLimit",,"The 2,4-Dimethylphenol Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1  
 4376,"0007",,"ReportingLimit",,"The 2,4-Dimethylphenol Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1  
 8894,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 6208,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 3546,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 2399,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 4367,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 3205,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8213,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 6986,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8106,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 7093,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 114,"0007",,"ReportingLimit",,"The 1,4-Dichlorobenzene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 2539,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater



[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

269,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6256,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8649,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1333,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7402,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7034,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

938,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1764,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

55,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3253,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2447,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8756,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

4003,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8047,"0007",,"ReportingLimit",,"The bis(2-Chloroethoxy)methane Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3607,"0007",,"ReportingLimit",,"The Di-n-Octyl phthalate Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1



[illegible]

applicable).",,,,1  
 3266,"0007",,"ReportingLimit",,"The Di-n-Octyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8274,"0007",,"ReportingLimit",,"The Di-n-Octyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 175,"0007",,"ReportingLimit",,"The Di-n-Octyl phthalate Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8662,"0007",,"ReportingLimit",,"The Di-n-Octyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 4428,"0007",,"ReportingLimit",,"The Di-n-Octyl phthalate Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 1346,"0007",,"ReportingLimit",,"The Di-n-Octyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8060,"0007",,"ReportingLimit",,"The Di-n-Octyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 139,"0007",,"ReportingLimit",,"The 3,3'-Dimethylbenzidine Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 10 ug/L (corrected for dilution, if applicable).",,,,1  
 4392,"0007",,"ReportingLimit",,"The 3,3'-Dimethylbenzidine Reporting Limit value of 10.3 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 ug/L (corrected for dilution, if applicable).",,,,1  
 1741,"0007",,"ReportingLimit",,"The 3,3'-Dimethylbenzidine Reporting Limit value of 10.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 ug/L (corrected for dilution, if applicable).",,,,1  
 3571,"0007",,"ReportingLimit",,"The 3,3'-Dimethylbenzidine Reporting Limit value of 11 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 ug/L (corrected for dilution, if applicable).",,,,1  
 246,"0007",,"ReportingLimit",,"The 3,3'-Dimethylbenzidine Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 10 ug/L (corrected for dilution, if applicable).",,,,1  
 2424,"0007",,"ReportingLimit",,"The 3,3'-Dimethylbenzidine Reporting Limit value of 10.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 ug/L (corrected for dilution, if applicable).",,,,1  
 3980,"0007",,"ReportingLimit",,"The 3,3'-Dimethylbenzidine Reporting Limit value of 10.3 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 ug/L (corrected for dilution, if applicable).",,,,1  
 2070,"0007",,"ReportingLimit",,"The 3,3'-Dimethylbenzidine Reporting Limit value of 11 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 10 ug/L (corrected for dilution, if applicable).",,,,1  
 599,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds

the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

155,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3246,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6142,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6249,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8147,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

931,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8749,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7395,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8935,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3996,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

1757,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

48,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7134,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8254,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7027,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8642,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L

reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1326,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2086,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

4408,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8040,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2440,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3587,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

262,"0007",,"ReportingLimit",,"The Anthracene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

109,"0007",,"ReportingLimit",,"The 1,2,4-Trichlorobenzene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8101,"0007",,"ReportingLimit",,"The 1,2,4-Trichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

4362,"0007",,"ReportingLimit",,"The 1,2,4-Trichlorobenzene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3950,"0007",,"ReportingLimit",,"The 1,2,4-Trichlorobenzene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

885,"0007",,"ReportingLimit",,"The 1,2,4-Trichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

216,"0007",,"ReportingLimit",,"The 1,2,4-Trichlorobenzene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2040,"0007",,"ReportingLimit",,"The 1,2,4-Trichlorobenzene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3541,"0007",,"ReportingLimit",,"The 1,2,4-Trichlorobenzene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

[illegible]

[illegible]

exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

125,"0007",,"ReportingLimit",,"The 2,4-Dinitrotoluene Reporting Limit value of 4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

18,"0007",,"ReportingLimit",,"The 2,4-Dinitrotoluene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

232,"0007",,"ReportingLimit",,"The 2,4-Dinitrotoluene Reporting Limit value of 4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

6219,"0007",,"ReportingLimit",,"The 2,4-Dinitrotoluene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

8224,"0007",,"ReportingLimit",,"The 2,4-Dinitrotoluene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

6997,"0007",,"ReportingLimit",,"The 2,4-Dinitrotoluene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

2056,"0007",,"ReportingLimit",,"The 2,4-Dinitrotoluene Reporting Limit value of 2.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

4378,"0007",,"ReportingLimit",,"The 2,4-Dinitrotoluene Reporting Limit value of 2.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

3407,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

7613,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

7289,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

2641,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

2850,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

4960,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

2260,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

6607,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1

51614\_201203\_swldd\_ErrorLog.txt

ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",....1

```
1892,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater
exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution,
applicable).",,,,1
```

```
5981,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1
```

```

7845,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1

```

applicable):",,,,1  
5859,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1  
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the  
project library reporting limit of 0.8 ug/L (corrected for dilution, if  
applicable).",,,,1

```

applicable).",,,,,1
5676,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,,1

```

```

3708,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater
exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",....1

```

```
5388,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",....1
```

```

applicable).",,,,,1
4896,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,,1

```

```

applicable).",,,,,1
5627,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,,1

```

applicable): ",,,"1  
1066,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1  
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater  
exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if  
applicable)" "0001

```

6736,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable)"

```

```

applicable): ,,,,1
873,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L
reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds
the project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable)" 1

```

```

applicable): ,,,,1
739,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L
reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds
the project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable) "      1

```

```

applicable): ,,,,1
5437,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable)" , 1

```

```

applicable).",,,,,1
2743,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater
exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,,1

```





[illegible]

exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
6923,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
4350,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
4219,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
5920,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
3938,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
8435,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
8496,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
4564,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
6042,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
211,"0007",,"ReportingLimit",,"The Pyrene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
8805,"0007",,"ReportingLimit",,"The Pyrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
4464,"0007",,"ReportingLimit",,"The Pyrene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
7451,"0007",,"ReportingLimit",,"The Pyrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
318,"0007",,"ReportingLimit",,"The Pyrene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
987,"0007",,"ReportingLimit",,"The Pyrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
1813,"0007",,"ReportingLimit",,"The Pyrene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
2142,"0007",,"ReportingLimit",,"The Pyrene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1



project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 4028,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10.3 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 7059,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 1789,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 6281,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 8674,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 8967,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 6174,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 8286,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 8781,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 7427,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 3619,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 11 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 2472,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 80,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 9.9 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 8179,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 963,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 9.9 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,,1  
 2118,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 11 ug/L

reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,1

3278,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 9.9 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,1

187,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,1

7166,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,1

1358,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,1

4440,"0007",,"ReportingLimit",,"The m,p-Cresols Reporting Limit value of 10.3 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,1

4856,"0007",,"ReportingLimit",,"The 1,3-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.3 ug/L (corrected for dilution, if applicable).",,,,1

1026,"0007",,"ReportingLimit",,"The 1,3-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.3 ug/L (corrected for dilution, if applicable).",,,,1

6819,"0007",,"ReportingLimit",,"The 1,3-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.3 ug/L (corrected for dilution, if applicable).",,,,1

1525,"0007",,"ReportingLimit",,"The 1,3-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.3 ug/L (corrected for dilution, if applicable).",,,,1

1228,"0007",,"ReportingLimit",,"The 1,3-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.3 ug/L (corrected for dilution, if applicable).",,,,1

6567,"0007",,"ReportingLimit",,"The 1,3-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.3 ug/L (corrected for dilution, if applicable).",,,,1

4792,"0007",,"ReportingLimit",,"The 1,3-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.3 ug/L (corrected for dilution, if applicable).",,,,1

4728,"0007",,"ReportingLimit",,"The 1,3-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.3 ug/L (corrected for dilution, if applicable).",,,,1

6883,"0007",,"ReportingLimit",,"The 1,3-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.3 ug/L (corrected for dilution, if applicable).",,,,1

4920,"0007",,"ReportingLimit",,"The 1,3-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.3 ug/L (corrected for dilution, if applicable).",,,,1

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

[illegible]





51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]



51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

[illegible]

applicable).",,,,1  
6045,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
4222,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
3941,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
8499,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
4567,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1  
7399,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
603,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
2090,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
3591,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
159,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
4000,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
935,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
1761,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
8646,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
4412,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
8753,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the



project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 1330,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 52,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 3250,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8151,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 6146,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8939,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 7031,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 7138,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 266,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8044,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 6253,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 2444,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8258,"0007",,"ReportingLimit",,"The Benzo(g,h,i)perylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 1785,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 6170,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 4024,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of

2.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

4436,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

8282,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

290,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

6277,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

1354,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

2468,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

8068,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

959,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

8175,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

7423,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

3615,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

76,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

8777,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

7162,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

8670,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

3274,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

7055,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

8963,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

183,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

627,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

2114,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 2.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

5796,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 0.32 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

5816,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 0.32 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

5008,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 0.3 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

5028,"0007",,"ReportingLimit",,"The Indeno(1,2,3-cd)pyrene Reporting Limit value of 0.3 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

8257,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,,1

7137,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,,1

7398,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,,1

602,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,,1

158,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,,1

7030,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,,1

applicable).",,,,1  
 2443,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 3590,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 6252,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 8150,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 1329,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 6145,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 2089,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 934,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 8043,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 1760,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 51,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 265,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 8752,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 4411,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 8645,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 3999,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater

exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 3249,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 8938,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 2154,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 0.11 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 5789,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 5001,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 0.2 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 5021,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 0.2 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 5809,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 3655,"0007",,"ReportingLimit",,"The Benzo(b)fluoranthene Reporting Limit value of 0.11 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1  
 8169,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 70,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 2108,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 6271,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 2462,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 6164,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8664,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 621,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L

reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3268,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

4430,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7417,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

1348,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3609,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

284,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8276,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8062,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

4018,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

953,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8771,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

177,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7049,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

1779,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8957,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7156,"0007",,"ReportingLimit",,"The Fluoranthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

4001,"0007",,"ReportingLimit",,"The Benzo(k)fluoranthene Reporting Limit value of 4.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

267,"0007",,"ReportingLimit",,"The Benzo(k)fluoranthene Reporting Limit value of 8 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2091,"0007",,"ReportingLimit",,"The Benzo(k)fluoranthene Reporting Limit value of 4.4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

4413,"0007",,"ReportingLimit",,"The Benzo(k)fluoranthene Reporting Limit value of 4.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2445,"0007",,"ReportingLimit",,"The Benzo(k)fluoranthene Reporting Limit value of 4.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

160,"0007",,"ReportingLimit",,"The Benzo(k)fluoranthene Reporting Limit value of 8 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3592,"0007",,"ReportingLimit",,"The Benzo(k)fluoranthene Reporting Limit value of 4.4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1762,"0007",,"ReportingLimit",,"The Benzo(k)fluoranthene Reporting Limit value of 4.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6140,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

929,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2084,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

153,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7025,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3244,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8145,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

applicable).",,,,1  
 3585,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 2438,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 6247,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 4406,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 46,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 597,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 7393,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 1755,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 3994,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8252,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8640,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8038,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8933,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 260,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 1324,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 7132,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the



project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8747,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

5785,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 4.2 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

5805,"0007",,"ReportingLimit",,"The Acenaphthylene Reporting Limit value of 4.2 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

167,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3599,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6261,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8654,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8947,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8159,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

274,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8761,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

60,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7146,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8052,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6154,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7039,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the

project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

2452,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

611,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

943,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

4420,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3258,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

4008,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

1769,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

2098,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

1338,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7407,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8266,"0007",,"ReportingLimit",,"The Chrysene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

4055,"0007",,"ReportingLimit",,"The Thionazin Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1

2499,"0007",,"ReportingLimit",,"The Thionazin Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1

4467,"0007",,"ReportingLimit",,"The Thionazin Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1

214,"0007",,"ReportingLimit",,"The Thionazin Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1

2145,"0007",,"ReportingLimit",,"The Thionazin Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1

applicable).",,,,1  
 321,"0007",,"ReportingLimit",,"The Thionazin Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1  
 3646,"0007",,"ReportingLimit",,"The Thionazin Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1  
 1816,"0007",,"ReportingLimit",,"The Thionazin Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1  
 5245,"0007",,"ReportingLimit",,"The Methyl parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1  
 6092,"0007",,"ReportingLimit",,"The Methyl parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1  
 6085,"0007",,"ReportingLimit",,"The Methyl parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1  
 5238,"0007",,"ReportingLimit",,"The Methyl parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1  
 3879,"0007",,"ReportingLimit",,"The Methyl parathion Reporting Limit value of 0.51 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1  
 1637,"0007",,"ReportingLimit",,"The Methyl parathion Reporting Limit value of 0.52 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1  
 3482,"0007",,"ReportingLimit",,"The Methyl parathion Reporting Limit value of 0.58 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1  
 4291,"0007",,"ReportingLimit",,"The Methyl parathion Reporting Limit value of 0.51 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1  
 6620,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.5 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1  
 809,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.48 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1  
 1635,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.52 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1  
 3139,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.5 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1  
 1204,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.49 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

477,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.48 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

6424,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.5 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

3877,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.51 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

5236,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

4289,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.51 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

5229,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.47 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

6076,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.49 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

7719,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.5 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

6083,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

2333,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.49 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

9005,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.5 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

1966,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.5 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

6090,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

9012,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.5 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

7726,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.5 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

6431,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.5 ug/L

reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

5243,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

3480,"0007",,"ReportingLimit",,"The Disulfoton Reporting Limit value of 0.58 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.4 ug/L (corrected for dilution, if applicable).",,,,1

142,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 40 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

3574,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 21.9 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

2073,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 22 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

8241,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

8027,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

2427,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20.3 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

249,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 40 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

1313,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 19.9 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

6236,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

8922,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

7121,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

3233,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 19.8 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

7014,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1

918,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 19.9 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,,1

8134,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,,1

4395,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20.7 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,,1

1744,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20.4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,,1

3983,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,,1

6129,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,,1

8629,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,,1

586,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 19.8 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,,1

35,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 19.8 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,,1

7382,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,,1

8736,"0007",,"ReportingLimit",,"The 4,6-Dinitro-2-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,,1

6263,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

3260,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

1771,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

4010,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

2100,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

applicable).",,,,1  
 4422,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 8268,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 62,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 945,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 8161,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 1340,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 7409,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 8763,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 613,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 169,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 3601,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 6156,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 7148,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 276,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 8054,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 7041,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds

the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

8656,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

8949,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

2454,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

4068,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

3659,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

5793,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 0.42 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

5813,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 0.42 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

1398,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

5025,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 0.4 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

2158,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

5773,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

5005,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 0.4 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

1829,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

4480,"0007",,"ReportingLimit",,"The Dibenzo(a,h)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

7997,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

112,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 10



ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

4365,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8706,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

888,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

556,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

219,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6206,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

2043,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8211,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6099,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7352,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8599,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

2397,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

1283,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3203,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3544,"0007",,"ReportingLimit",,"The 1,3-Dichlorobenzene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

[illegible]

[illegible]

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]

exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1  
 1652,"0007",,"ReportingLimit",,"The 1,1-Dichloropropene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1  
 5876,"0007",,"ReportingLimit",,"The 1,1-Dichloropropene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1  
 4175,"0007",,"ReportingLimit",,"The 1,1-Dichloropropene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1  
 3894,"0007",,"ReportingLimit",,"The 1,1-Dichloropropene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1  
 5998,"0007",,"ReportingLimit",,"The 1,1-Dichloropropene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1  
 4520,"0007",,"ReportingLimit",,"The 1,1-Dichloropropene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1  
 4306,"0007",,"ReportingLimit",,"The 1,1-Dichloropropene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1  
 8391,"0007",,"ReportingLimit",,"The 1,1-Dichloropropene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1  
 8452,"0007",,"ReportingLimit",,"The 1,1-Dichloropropene Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1  
 7722,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1  
 2336,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 0.99 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1  
 3483,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1.2 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1  
 7729,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1  
 3142,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1  
 5239,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 2 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1  
 5246,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 2 ug/L



reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

5232,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 0.94 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

3880,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

6434,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

6623,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

6427,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

6086,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 2 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

1207,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 0.98 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

1638,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

4292,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

9015,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

9008,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

6093,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 2 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

480,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 0.97 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

1969,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 1 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

6079,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 0.98 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1

812,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 0.96 ug/L reported in this record for Method EPA 8141 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

979,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

8983,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

7443,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

4456,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

3294,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

96,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

7182,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

4044,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

6297,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

2488,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

2134,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

8195,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

1805,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

3635,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

647,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

1374,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

8690,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

8797,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

203,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

8302,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

8088,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

6190,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

7075,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

310,"0007",,"ReportingLimit",,"The Parathion Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

7028,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

8750,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

3997,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

8936,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

8643,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

2087,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

4409,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,,1

applicable).",,,,1  
 3588,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 6143,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 1758,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 7396,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 600,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 156,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 49,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 8148,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 2441,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 3247,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 7135,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 8255,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 6250,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 932,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 1327,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1  
 8041,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the

project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

263,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

4062,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

5019,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 0.4 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

1823,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

5767,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

2152,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

5807,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 0.42 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

5787,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 0.42 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

4999,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 0.4 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

3653,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

1392,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

4474,"0007",,"ReportingLimit",,"The Benzo(a)anthracene Reporting Limit value of 0.21 ug/L reported in this record for Method EPA 8270/PAH Low Level in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1

7097,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6105,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

225,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8003,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value

of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

118,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8605,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8898,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6990,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8110,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6212,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

4371,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

562,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

11,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1720,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8217,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

894,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3959,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2403,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8712,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2049,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1289,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3209,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7358,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3550,"0007",,"ReportingLimit",,"The 2,3,4,6-Tetrachlorophenol Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6643,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

4794,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

2226,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

6702,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

6505,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

6761,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

5946,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

503,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

1093,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

1990,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

6569,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

[illegible]



exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

3903,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

8461,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

5885,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

8400,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

6007,"0007",,"ReportingLimit",,"The 2,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,,1

145,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 40 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

252,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 40 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

38,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 19.8 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8030,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7017,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8925,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1316,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 19.9 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8244,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6132,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2076,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 22 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

921,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of

19.9 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8632,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7385,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8739,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

589,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 19.8 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3577,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 21.9 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3986,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1747,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20.4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7124,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8137,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2430,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20.3 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3236,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 19.8 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6239,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

4398,"0007",,"ReportingLimit",,"The 4-Chloro-3-methylphenol Reporting Limit value of 20.7 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

5579,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1

1546,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,,1



[illegible]



51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]



[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

5871,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

8447,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

4301,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

5993,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

2188,"0007",,"ReportingLimit",,"The Tin Reporting Limit value of 50 ug/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 40 ug/L (corrected for dilution, if applicable).",,,,1

6973,"0007",,"ReportingLimit",,"The Tin Reporting Limit value of 50 ug/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 40 ug/L (corrected for dilution, if applicable).",,,,1

6952,"0007",,"ReportingLimit",,"The Tin Reporting Limit value of 50 ug/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 40 ug/L (corrected for dilution, if applicable).",,,,1

2210,"0007",,"ReportingLimit",,"The Tin Reporting Limit value of 50 ug/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 40 ug/L (corrected for dilution, if applicable).",,,,1

1928,"0007",,"ReportingLimit",,"The Tin Reporting Limit value of 50 ug/L reported in this record for Method EPA 6010 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 40 ug/L (corrected for dilution, if applicable).",,,,1

1104,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

1672,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

7875,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

6769,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

1454,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

2363,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

7826,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

2234,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1



[illegible]



ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

4741,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

4193,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

6016,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

8470,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

4324,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

3912,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

4538,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

5894,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

8409,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1

736,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

4765,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

2025,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

7892,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

2639,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

5857,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

51614\_201203\_swldd\_ErrorLog.txt

[illegible]



[illegible]



ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

2931,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

7843,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

8494,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

3936,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

8433,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

5918,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

6040,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

4562,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

4217,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

4348,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

2998,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

4871,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

5842,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

5610,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

1243,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

[illegible]

[illegible]



reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

1456,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

5469,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

5186,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

1867,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

8472,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

8411,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

4326,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

4195,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

5896,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

6018,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

3914,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

4540,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

3754,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

5642,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

2659,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]



[illegible]



51614\_201203\_swldd\_ErrorLog.txt

ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",....1

```
2607,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater
exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1
```

```

824,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater
exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1

```

```
4911,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1
```

```

5122,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",....1

```

3373,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1  
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater  
exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if  
applicable).",,,,1

```

applicable).",,,,1
5354,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1

```

```

applicable).",,,,1
5996,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1

```

4173,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

```

4518,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater
exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1

```

```

applicable).",,,,1
5874,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1

```

```
3892,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater
exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,1
```

```

4304,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater
exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1

```

```

8389,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1

```

```

8450,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1

```

```

7629,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1
ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the
project library reporting limit of 0.8 ug/L (corrected for dilution, if
applicable).",,,,1

```



[illegible]



51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]



[illegible]

[illegible]

51614\_201203\_swl1dd\_ErrorLog.txt

[illegible]



[illegible]

exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1  
8425,"0007",,"ReportingLimit",,"The Dichlorodifluoromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1  
8486,"0007",,"ReportingLimit",,"The Dichlorodifluoromethane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.5 ug/L (corrected for dilution, if applicable).",,,,1  
1787,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
1356,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
185,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
6279,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
7425,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
3617,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
2116,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
7057,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
3276,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
629,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
2470,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
78,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
8779,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
8070,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L

reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7164,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8672,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8965,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

4438,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8284,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6172,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

292,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

4026,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8177,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

961,"0007",,"ReportingLimit",,"The Isophorone Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

2354,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

5128,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

4791,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

7817,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

3038,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

7483,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

2905,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

1988,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

2225,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromo-3-chloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553220001DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromo-3-chloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553220002 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromo-3-chloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromo-3-chloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromo-3-chloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromo-3-chloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dibromo-3-chloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromo-3-chloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553493008DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromo-3-chloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553493009 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromo-3-chloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553570008 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromo-3-chloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553570008DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromo-3-chloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1



[illegible]

[illegible]

[illegible]

, "0010", "Missing record", "ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromoethane must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromoethane must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dibromoethane must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553493008 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromoethane must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553493008DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dibromoethane must be reported for this method and library MatrixID equivalent according to the project library.", 1

7532, "0007", "ReportingLimit", "The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).", 1

6882, "0007", "ReportingLimit", "The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).", 1

3379, "0007", "ReportingLimit", "The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).", 1

5599, "0007", "ReportingLimit", "The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).", 1

5697, "0007", "ReportingLimit", "The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).", 1

4855, "0007", "ReportingLimit", "The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).", 1

7585, "0007", "ReportingLimit", "The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).", 1

2665, "0007", "ReportingLimit", "The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).", 1

7634, "0007", "ReportingLimit", "The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).", 1

1025, "0007", "ReportingLimit", "The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).", 1

6818, "0007", "ReportingLimit", "The 1,2-Dichloropropane Reporting Limit value of 1 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).", 1

[illegible]



51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]



[illegible]



51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

[illegible]



51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]



[illegible]

project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

4561,"0007",,"ReportingLimit",,"The Methyl methacrylate Reporting Limit value of 10 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1

8037,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

259,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8251,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6246,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

928,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7024,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

45,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3993,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3584,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

152,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3243,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

2437,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

1323,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6139,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

4405,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5.2 ug/L

reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8144,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7392,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

596,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8746,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

1754,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8639,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8932,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7131,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

2083,"0007",,"ReportingLimit",,"The Acenaphthene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

278,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8658,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7411,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3262,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

171,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8951,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3603,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

64,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6265,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

4424,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7150,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8270,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

4012,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7043,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

947,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1773,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2456,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6158,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8765,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8163,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1342,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

615,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

applicable).",,,,1  
 2102,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8056,"0007",,"ReportingLimit",,"The Diethyl phthalate Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 1809,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8801,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 7186,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 2492,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 7447,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 983,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 3639,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8092,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 314,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 4460,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 4048,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 207,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8694,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 1378,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8199,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6194,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

2138,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

651,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6301,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8306,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7079,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

100,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3298,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8987,"0007",,"ReportingLimit",,"The Phenanthrene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

178,"0007",,"ReportingLimit",,"The Fluorene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

4019,"0007",,"ReportingLimit",,"The Fluorene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8063,"0007",,"ReportingLimit",,"The Fluorene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8170,"0007",,"ReportingLimit",,"The Fluorene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

6165,"0007",,"ReportingLimit",,"The Fluorene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

3610,"0007",,"ReportingLimit",,"The Fluorene Reporting Limit value of 5.5 ug/L

[illegible]

applicable).",,,,1  
8772,"0007",,"ReportingLimit",,"The Fluorene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
1780,"0007",,"ReportingLimit",,"The Fluorene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
649,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 19.8 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
3637,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 21.9 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
2136,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 22 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
7184,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
8197,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
1807,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20.4 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
4046,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
98,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 19.8 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
8692,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
2490,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20.3 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
8799,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
981,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 19.9 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
8985,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
205,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 40 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the



project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
 3296,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 19.8 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
 7077,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
 4458,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20.7 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
 8304,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
 6299,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
 7445,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
 312,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 40 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
 1376,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 19.9 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
 8090,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
 6192,"0007",,"ReportingLimit",,"The Pentachlorophenol Reporting Limit value of 20 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 12 ug/L (corrected for dilution, if applicable).",,,,1  
 4390,"0007",,"ReportingLimit",,"The 2-Nitrophenol Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 30,"0007",,"ReportingLimit",,"The 2-Nitrophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 581,"0007",,"ReportingLimit",,"The 2-Nitrophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 137,"0007",,"ReportingLimit",,"The 2-Nitrophenol Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 3228,"0007",,"ReportingLimit",,"The 2-Nitrophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 1739,"0007",,"ReportingLimit",,"The 2-Nitrophenol Reporting Limit value of 5.1 ug/L

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

3978,"0007",,"ReportingLimit",,"The 2-Nitrophenol Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7009,"0007",,"ReportingLimit",,"The 2-Nitrophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3569,"0007",,"ReportingLimit",,"The 2-Nitrophenol Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1287,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

116,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2401,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

9,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1718,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8215,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8603,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8108,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

892,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8001,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3957,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

4369,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

223,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

applicable).",,,,1  
 3548,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 7356,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 3207,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 560,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 6210,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8710,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 2047,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 6103,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8896,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 7095,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 6988,"0007",,"ReportingLimit",,"The 1-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 297,"0007",,"ReportingLimit",,"The Naphthalene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,1  
 190,"0007",,"ReportingLimit",,"The Naphthalene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 8 ug/L (corrected for dilution, if applicable).",,,,1  
 6120,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 240,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8620,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the

project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
7005,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
8727,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
3565,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
7373,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
8125,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
8913,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
1304,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
26,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
2064,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
133,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
7112,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
3224,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
6227,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
577,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
1735,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
3974,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5.1

ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8232,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

909,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8018,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

4386,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2418,"0007",,"ReportingLimit",,"The 2-Methylnaphthalene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

22,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8909,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1300,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

1731,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2060,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7108,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3220,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3970,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8228,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

905,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

4382,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7369,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

3561,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7001,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8723,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

573,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6116,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8014,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8121,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6223,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

236,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

129,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

2414,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

8616,"0007",,"ReportingLimit",,"The 2-Chloronaphthalene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

6204,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

7350,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,,1

applicable).",,,,1  
 3542,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 217,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 3,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 2395,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8209,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 886,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 8890,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 2041,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 554,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 3201,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 1281,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 1712,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 4363,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 110,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 7089,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
 7995,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the



project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
8597,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
8704,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
8102,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
6982,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
6097,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
3951,"0007",,"ReportingLimit",,"The 1,2-Dichlorobenzene Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
130,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
3221,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
7370,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
3971,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
1732,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
3562,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
6224,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
6117,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
2061,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5.5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1  
574,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L

reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

2415,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5.1 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

23,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8122,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7109,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

4383,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5.2 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

7002,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

237,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 10 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8229,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

1301,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8724,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8910,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8617,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

906,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

8015,"0007",,"ReportingLimit",,"The 2-Chlorophenol Reporting Limit value of 5 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 ug/L (corrected for dilution, if applicable).",,,,1

220,"0007",,"ReportingLimit",,"The 1,3-Dinitrobenzene Reporting Limit value of 16 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 10 ug/L (corrected for dilution, if applicable).",,,,1

113,"0007",,"ReportingLimit",,"The 1,3-Dinitrobenzene Reporting Limit value of 16 ug/L reported in this record for Method EPA 8270 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 10 ug/L (corrected for dilution, if applicable).",,,,1

,,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for 1,1,1,2-Tetrachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for 1,1,1-Trichloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,1-Trichloroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for 1,1,2,2-Tetrachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553220001DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553220002 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553493008DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,,"0010",,"Missing record",,"ClientSampleID 3553493009 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA

8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553570008 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553570008DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553570009 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-19DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-19DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

[illegible]

must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank CW-20 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-15 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-18 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-19 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-1R is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-20 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank Perimeter pump is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank submersible is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for 1,1-Dichloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1-Dichloroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for 1,1-Dichloroethene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1-Dichloroethene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1-Dichloropropene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1-Dichloropropene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]





[illegible]



51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]



[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

,"0010",,"Missing record",,"ClientSampleID Trip Blank Perimeter pump is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dibromoethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank submersible is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dibromoethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for 1,2-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for 1,2-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichlorobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-19 is missing a record where ReportableResult = YES for 1,2-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553220001DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553220002 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

library."",1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project  
 library."",1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493009 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project  
 library."",1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570008 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project  
 library."",1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570008DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project  
 library."",1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570009 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project  
 library."",1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project  
 library."",1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project  
 library."",1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project  
 library."",1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project  
 library."",1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project  
 library."",1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project  
 library."",1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project  
 library."",1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed



[illegible]

library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank CW-19 is missing a record  
 where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. 4-Isopropyltoluene must be reported for this method and  
 library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank CW-20 is missing a record  
 where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. 4-Isopropyltoluene must be reported for this method and  
 library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-15 is missing a record  
 where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. 4-Isopropyltoluene must be reported for this method and  
 library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-18 is missing a record  
 where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. 4-Isopropyltoluene must be reported for this method and  
 library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-19 is missing a record  
 where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. 4-Isopropyltoluene must be reported for this method and  
 library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-1R is missing a record  
 where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. 4-Isopropyltoluene must be reported for this method and  
 library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-20 is missing a record  
 where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. 4-Isopropyltoluene must be reported for this method and  
 library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in  
 MatrixID 'AQUEOUS-Groundwater'. 4-Isopropyltoluene must be reported for this method  
 and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank submersible is missing a  
 record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in  
 MatrixID 'AQUEOUS-Groundwater'. 4-Isopropyltoluene must be reported for this method  
 and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where  
 ReportableResult = YES for 4-Methyl-2-pentanone analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. 4-Methyl-2-pentanone must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where  
 ReportableResult = YES for 4-Methylphenol analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Other'. 4-Methylphenol must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for 4-Methylphenol analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. 4-Methylphenol must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for 4-Methylphenol analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. 4-Methylphenol must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for 4-Methylphenol analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. 4-Methylphenol must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for 4-Methylphenol analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. 4-Methylphenol must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for 4-Methylphenol analyzed by EPA 8270 in MatrixID





ReportableResult = YES for 4-Nitrophenol analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. 4-Nitrophenol must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for 4-Nitrophenol analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. 4-Nitrophenol must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for 4-Nitrophenol analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. 4-Nitrophenol must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for 4-Nitroquinoline-1-oxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. 4-Nitroquinoline-1-oxide must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for 4-Nitroquinoline-1-oxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4-Nitroquinoline-1-oxide must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for 4-Nitroquinoline-1-oxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4-Nitroquinoline-1-oxide must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-10R is missing a record where ReportableResult = YES for Barium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Barium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-8A is missing a record where ReportableResult = YES for Barium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Barium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-9 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Barium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Field Blank Leachate is missing a record where ReportableResult = YES for Barium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Barium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID P2-1 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Barium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553126007 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Barium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553241002 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Barium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553295001 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Barium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416002 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Barium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Barium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1



equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for b-BHC analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. b-BHC must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for b-BHC analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. b-BHC must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for b-BHC analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. b-BHC must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for b-BHC analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. b-BHC must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for b-BHC analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. b-BHC must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for b-BHC analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. b-BHC must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for b-BHC analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. b-BHC must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for b-BHC analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. b-BHC must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for b-BHC analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. b-BHC must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where  
 ReportableResult = YES for Benzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Benzene must be reported for this method and library MatrixID equivalent according  
 to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where  
 ReportableResult = YES for Benzidine analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Other'. Benzidine must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Benzidine analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Benzidine must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Benzidine analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Benzidine must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for Benzidine analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Benzidine must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for Benzidine analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Benzidine must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for Benzidine analyzed by EPA 8270 in MatrixID

[illegible]

ReportableResult = YES for Benzoic acid analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Benzoic acid must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-1 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-2 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-3 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-4 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-5 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank submersible is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

, "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Chlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Chlorobenzene must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-16 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library

MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Chlorobenzilate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Chlorobenzilate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Chloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Chloroethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Chloroform analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Chloroform must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Chloromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Chloromethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Chloroprene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Chloroprene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Chloroprene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID





where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-20 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank submersible is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where ReportableResult = YES for Chlorpyrifos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Chlorpyrifos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where ReportableResult = YES for Chlorpyrifos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Chlorpyrifos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Chlorpyrifos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorpyrifos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. n-Propylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. n-Propylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. n-Propylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank #1 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. n-Propylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank CW-15 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. n-Propylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank CW-16 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. n-Propylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank CW-19 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. n-Propylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank CW-20 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. n-Propylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-15 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. n-Propylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-18 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. n-Propylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]



51614\_201203\_swldd\_ErrorLog.txt

[illegible]

record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. n-Propylbenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. o-Toluidine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553220001DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. o-Toluidine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553220002 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. o-Toluidine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. o-Toluidine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. o-Toluidine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank #1 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank CW-15 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank CW-16 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank CW-19 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank CW-20 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-15 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-18 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-19 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-1R is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-20 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank Perimeter pump is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank submersible is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichloroethene (mixed isomers) must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for 1,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for 1,2-Diphenylhydrazine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. 1,2-Diphenylhydrazine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for 1,2-Diphenylhydrazine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Diphenylhydrazine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]



[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

[illegible]



51614\_201203\_swldd\_ErrorLog.txt

[illegible]



[illegible]

ReportableResult = YES for 1,4-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for 1,4-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,4-Dichlorobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-19 is missing a record where ReportableResult = YES for 1,4-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for 1,4-Dinitrobenzene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. 1,4-Dinitrobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for 1,4-Dinitrobenzene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dinitrobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for 1,4-Dinitrobenzene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dinitrobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for 1,4-Dinitrobenzene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dinitrobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for 1,4-Dinitrobenzene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dinitrobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for 1,4-Dinitrobenzene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dinitrobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for 1,4-Dinitrobenzene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dinitrobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for 1,4-Dinitrobenzene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dinitrobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for 1,4-Dinitrobenzene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dinitrobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for 1,4-Dinitrobenzene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dinitrobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for 1,4-Dinitrobenzene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dinitrobenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,4-Dioxane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001DUP is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,4-Dioxane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1





51614\_201203\_swldd\_ErrorLog.txt

[illegible]







[illegible]

MatrixID 'AQUEOUS-Groundwater'. 1-Chlorobutane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for 1-Chloronaphthalene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. 1-Chloronaphthalene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for 1-Chloronaphthalene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1-Chloronaphthalene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for 1-Chloronaphthalene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1-Chloronaphthalene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for 1-Chloronaphthalene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1-Chloronaphthalene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for 1-Chloronaphthalene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1-Chloronaphthalene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for 1-Chloronaphthalene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1-Chloronaphthalene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for 1-Chloronaphthalene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1-Chloronaphthalene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for 1-Chloronaphthalene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1-Chloronaphthalene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for 1-Chloronaphthalene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1-Chloronaphthalene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for 1-Chloronaphthalene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1-Chloronaphthalene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for 1-Chloronaphthalene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 1-Chloronaphthalene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2,2-Dichloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2,2-Dichloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2,2-Dichloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2,2-Dichloropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

, "0010", "Missing record", "ClientSampleID Trip Blank MW-20 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2,2-Dichloropropane must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Trip Blank submersible is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2,2-Dichloropropane must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3552160031 is missing a record where ReportableResult = YES for 2,3,7,8-TCDD analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. 2,3,7,8-TCDD must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for 2,3,7,8-TCDD analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 2,3,7,8-TCDD must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-16 is missing a record where ReportableResult = YES for 2,3,7,8-TCDD analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 2,3,7,8-TCDD must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for 2,3,7,8-TCDD analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 2,3,7,8-TCDD must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for 2,3,7,8-TCDD analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 2,3,7,8-TCDD must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for 2,3,7,8-TCDD analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 2,3,7,8-TCDD must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for 2,3,7,8-TCDD analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 2,3,7,8-TCDD must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for 2,3,7,8-TCDD analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 2,3,7,8-TCDD must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for 2,3,7,8-TCDD analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 2,3,7,8-TCDD must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for 2,3,7,8-TCDD analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 2,3,7,8-TCDD must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for 2,3,7,8-TCDD analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 2,3,7,8-TCDD must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553340001 is missing a record where ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'. 2,4-DB must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 92114869004 is missing a record where ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'. 2,4-DB must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 92115343001 is missing a record where ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'. 2,4-DB must be reported for this method and library MatrixID equivalent according to

the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. 2,4-DB must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. 2,4-DB must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. 2,4-DB must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. 2,4-DB must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. 2,4-DB must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. 2,4-DB must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. 2,4-DB must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. 2,4-DB must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. 2,4-DB must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for 2,4-DB analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. 2,4-DB must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where  
 ReportableResult = YES for 2-Butanone analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. 2-Butanone must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a record where  
 ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. 2-Chloroethylvinyl ether must be reported for this method and  
 library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001DUP is missing a record where  
 ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. 2-Chloroethylvinyl ether must be reported for this method and  
 library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220002 is missing a record where  
 ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. 2-Chloroethylvinyl ether must be reported for this method and  
 library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where  
 ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. 2-Chloroethylvinyl ether must be reported for this method and  
 library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where  
 ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]



51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

```

31014-201203-SWAGU-ET-01-LOG.txt
,"0010","Missing record","ClientsSampleID 3553493008DUP is missing a record where
ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Other'. 2-Chlorotoluene must be reported for this method and library
MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID 3553493009 is missing a record where
ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Other'. 2-Chlorotoluene must be reported for this method and library
MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID 3553570008 is missing a record where
ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Other'. 2-Chlorotoluene must be reported for this method and library
MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID 3553570009 is missing a record where
ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Other'. 2-Chlorotoluene must be reported for this method and library
MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID CW-15 is missing a record where
ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library
MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID CW-16 is missing a record where
ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library
MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID CW-19 is missing a record where
ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library
MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID CW-19DUP is missing a record where
ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library
MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID CW-20 is missing a record where
ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library
MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID Eq. Blank submersible is missing a record
where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library
MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a
record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in
MatrixID 'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method
and library MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID MW-10R is missing a record where
ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library
MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID MW-15 is missing a record where
ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library
MatrixID equivalent according to the project library.",,,,1
,"0010","Missing record","ClientsSampleID MW-17 is missing a record where
ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID
'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library

```



'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-20 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank Perimeter pump is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank submersible is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for 2-Hexanone analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Hexanone must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Nitropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Nitropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220002 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Nitropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Nitropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Nitropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Nitropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Nitropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Nitropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Nitropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493009 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Nitropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570008 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Nitropropane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570008DUP is missing a record where



[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]





, "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for 4,4'-DDT analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4,4'-DDT must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for 4,4'-DDT analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4,4'-DDT must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for 4,4'-DDT analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4,4'-DDT must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for 4,4'-DDT analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4,4'-DDT must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for 4,4'-DDT analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4,4'-DDT must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for 4,4'-DDT analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4,4'-DDT must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for 4,4'-DDT analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4,4'-DDT must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for 4,4'-DDT analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4,4'-DDT must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553220001 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553220001DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553220002 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553314003 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 4-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553493008 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Chlorotoluene must be reported for this method and library



51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 4-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-20 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 4-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank Perimeter pump is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 4-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank submersible is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 4-Chlorotoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Isopropyltoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Isopropyltoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220002 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Isopropyltoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Isopropyltoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Isopropyltoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 4-Isopropyltoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Isopropyltoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 4-Isopropyltoluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for 4-Nitroquinoline-1-oxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4-Nitroquinoline-1-oxide must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for 4-Nitroquinoline-1-oxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4-Nitroquinoline-1-oxide must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for 4-Nitroquinoline-1-oxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. 4-Nitroquinoline-1-oxide must be reported for this method and library MatrixID equivalent according to the project

[illegible]

ReportableResult = YES for a-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'.  
a-BHC must be reported for this method and library MatrixID equivalent according to  
the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
ReportableResult = YES for a-BHC analyzed by EPA 8270 in MatrixID  
'AQUEOUS-Groundwater'. a-BHC must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
ReportableResult = YES for a-BHC analyzed by EPA 8270 in MatrixID  
'AQUEOUS-Groundwater'. a-BHC must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
ReportableResult = YES for a-BHC analyzed by EPA 8270 in MatrixID  
'AQUEOUS-Groundwater'. a-BHC must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
ReportableResult = YES for a-BHC analyzed by EPA 8270 in MatrixID  
'AQUEOUS-Groundwater'. a-BHC must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
where ReportableResult = YES for a-BHC analyzed by EPA 8270 in MatrixID  
'AQUEOUS-Groundwater'. a-BHC must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
record where ReportableResult = YES for a-BHC analyzed by EPA 8270 in MatrixID  
'AQUEOUS-Groundwater'. a-BHC must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
ReportableResult = YES for a-BHC analyzed by EPA 8270 in MatrixID  
'AQUEOUS-Groundwater'. a-BHC must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
ReportableResult = YES for a-BHC analyzed by EPA 8270 in MatrixID  
'AQUEOUS-Groundwater'. a-BHC must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
ReportableResult = YES for a-BHC analyzed by EPA 8270 in MatrixID  
'AQUEOUS-Groundwater'. a-BHC must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
ReportableResult = YES for a-BHC analyzed by EPA 8270 in MatrixID  
'AQUEOUS-Groundwater'. a-BHC must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where  
ReportableResult = YES for Acetone analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
Acetone must be reported for this method and library MatrixID equivalent according  
to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where  
ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID  
'AQUEOUS-Other'. Acetonitrile must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where  
ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID  
'AQUEOUS-Other'. Acetonitrile must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where  
ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID  
'AQUEOUS-Groundwater'. Acetonitrile must be reported for this method and library  
MatrixID equivalent according to the project library.",,,,1  
,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where  
ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID  
'AQUEOUS-Other'. Acetonitrile must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1

[illegible]



MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank submersible is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Acetonitrile must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for a-Chlordane analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. a-Chlordane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for a-Chlordane analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. a-Chlordane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for a-Chlordane analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. a-Chlordane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for a-Chlordane analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. a-Chlordane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for a-Chlordane analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. a-Chlordane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for a-Chlordane analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. a-Chlordane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for a-Chlordane analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. a-Chlordane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for a-Chlordane analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. a-Chlordane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for a-Chlordane analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. a-Chlordane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for a-Chlordane analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. a-Chlordane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID

'AQUEOUS-Other'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493009 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570008 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570009 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-17 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-18 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Acrolein must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

, "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for Alachlor analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Alachlor must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for Alachlor analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Alachlor must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Alachlor analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Alachlor must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Alachlor analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Alachlor must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for Alachlor analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Alachlor must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for Alachlor analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Alachlor must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for Alachlor analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Alachlor must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Alachlor analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Alachlor must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Aldrin analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Aldrin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for Aldrin analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aldrin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-16 is missing a record where ReportableResult = YES for Aldrin analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aldrin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for Aldrin analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aldrin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for Aldrin analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aldrin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Aldrin analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aldrin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Aldrin analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aldrin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for Aldrin analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aldrin must be reported for this method and library MatrixID

[illegible]

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

, "0010", "Missing record", "ClientSampleID CW-16 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-10R is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-17 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-18 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-8A is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-9 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Aniline analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Aniline must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for Aniline analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aniline must be reported for this method and library MatrixID



equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Aniline analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Aniline must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for Aniline analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Aniline must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for Aniline analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Aniline must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for Aniline analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Aniline must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for Aniline analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Aniline must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for Aniline analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Aniline must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for Aniline analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Aniline must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for Aniline analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Aniline must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for Aniline analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Aniline must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553126002 is missing a record where  
 ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Other'. Antimony must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553303005 is missing a record where  
 ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Other'. Antimony must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416001 is missing a record where  
 ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Antimony must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-1 is missing a record where  
 ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Antimony must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-2 is missing a record where  
 ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Antimony must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-3 is missing a record where  
 ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Antimony must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-4 is missing a record where  
 ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID

[illegible]

ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Antimony must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Antimony must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Antimony must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Antimony must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Antimony must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID P2-1 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Antimony must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Aramite analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Aramite must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Aramite analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aramite must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Aramite analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aramite must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Aramite analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aramite must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Aramite analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aramite must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Aramite analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aramite must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Aramite analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aramite must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Aramite analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aramite must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Aramite analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aramite must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Aramite analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Aramite must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

[illegible]

equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-17 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-18 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where ReportableResult = YES for Aspon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Aspon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where ReportableResult = YES for Aspon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Aspon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Aspon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Aspon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Aspon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Aspon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Aspon analyzed by EPA 8141 in MatrixID

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]



MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for Azinphos methyl analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Azinphos methyl must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for Azinphos methyl analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Azinphos methyl must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for Azinphos methyl analyzed by EPA 8270 in  
 MatrixID 'AQUEOUS-Groundwater'. Azinphos methyl must be reported for this method  
 and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for Azinphos methyl analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Azinphos methyl must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for Azinphos methyl analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Azinphos methyl must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for Azinphos methyl analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Azinphos methyl must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for Azinphos methyl analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Azinphos methyl must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-1 is missing a record where  
 ReportableResult = YES for Barium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Barium must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-2 is missing a record where  
 ReportableResult = YES for Barium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Barium must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-3 is missing a record where  
 ReportableResult = YES for Barium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Barium must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-4 is missing a record where  
 ReportableResult = YES for Barium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Barium must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-5 is missing a record where  
 ReportableResult = YES for Barium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Barium must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-10R is missing a record where  
 ReportableResult = YES for Beryllium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-8A is missing a record where  
 ReportableResult = YES for Beryllium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-9 is missing a record where  
 ReportableResult = YES for Beryllium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Field Blank Leachate is missing a record  
 where ReportableResult = YES for Beryllium analyzed by EPA 6010 in MatrixID



[illegible]

this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-1 is missing a record where  
 ReportableResult = YES for BOD-Carbonaceous analyzed by SM18 5210 B in MatrixID  
 'AQUEOUS-Groundwater'. BOD-Carbonaceous must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-1DUP is missing a record where  
 ReportableResult = YES for BOD-Carbonaceous analyzed by SM18 5210 B in MatrixID  
 'AQUEOUS-Groundwater'. BOD-Carbonaceous must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-2 is missing a record where  
 ReportableResult = YES for BOD-Carbonaceous analyzed by SM18 5210 B in MatrixID  
 'AQUEOUS-Groundwater'. BOD-Carbonaceous must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-3 is missing a record where  
 ReportableResult = YES for BOD-Carbonaceous analyzed by SM18 5210 B in MatrixID  
 'AQUEOUS-Groundwater'. BOD-Carbonaceous must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-4 is missing a record where  
 ReportableResult = YES for BOD-Carbonaceous analyzed by SM18 5210 B in MatrixID  
 'AQUEOUS-Groundwater'. BOD-Carbonaceous must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-5 is missing a record where  
 ReportableResult = YES for BOD-Carbonaceous analyzed by SM18 5210 B in MatrixID  
 'AQUEOUS-Groundwater'. BOD-Carbonaceous must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Field Blank Leachate is missing a record  
 where ReportableResult = YES for BOD-Carbonaceous analyzed by SM18 5210 B in  
 MatrixID 'AQUEOUS-Groundwater'. BOD-Carbonaceous must be reported for this method  
 and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID P2-1 is missing a record where  
 ReportableResult = YES for BOD-Carbonaceous analyzed by SM18 5210 B in MatrixID  
 'AQUEOUS-Groundwater'. BOD-Carbonaceous must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where  
 ReportableResult = YES for Bolstar analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'.  
 Bolstar must be reported for this method and library MatrixID equivalent according  
 to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where  
 ReportableResult = YES for Bolstar analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'.  
 Bolstar must be reported for this method and library MatrixID equivalent according  
 to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Bolstar analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Bolstar must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Bolstar analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Bolstar must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for Bolstar analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Bolstar must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for Bolstar analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Bolstar must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank submersible is missing a record  
 where ReportableResult = YES for Bolstar analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Bolstar must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for Bolstar analyzed by EPA 8141 in MatrixID





51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

51614\_201203\_swl1dd\_ErrorLog.txt

[illegible]



[illegible]

[illegible]

, "0010", "Missing record", "ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Bromochloromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Bromochloromethane must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Bromodichloromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Bromodichloromethane must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Bromoform analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Bromoform must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Bromomethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Bromomethane must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID C-1 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID C-2 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID C-3 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID C-4 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID C-5 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-10R is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-8A is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-9 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Field Blank Leachate is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID P2-1 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553126007 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Cadmium must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553241002 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Cadmium must be reported for this method and library MatrixID equivalent according

[illegible]

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for Carbazole analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Carbazole must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where  
 ReportableResult = YES for Carbofuran analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Other'. Carbofuran must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Carbofuran analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Carbofuran must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Carbofuran analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Carbofuran must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for Carbofuran analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Carbofuran must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for Carbofuran analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Carbofuran must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for Carbofuran analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Carbofuran must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for Carbofuran analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Carbofuran must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for Carbofuran analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Carbofuran must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for Carbofuran analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Carbofuran must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for Carbofuran analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Carbofuran must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for Carbofuran analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Carbofuran must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where  
 ReportableResult = YES for Carbon disulfide analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. Carbon disulfide must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where  
 ReportableResult = YES for Carbon tetrachloride analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. Carbon tetrachloride must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where  
 ReportableResult = YES for Carbophenothion analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Other'. Carbophenothion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where  
 ReportableResult = YES for Carbophenothion analyzed by EPA 8141 in MatrixID



[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]





'AQUEOUS-Groundwater'. Chlordane- Technical must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Chlordane- Technical analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Chlordane- Technical must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Chlordane- Technical analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Chlordane- Technical must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Chlorfenvinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorfenvinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Chlorpyrifos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorpyrifos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Chlorpyrifos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorpyrifos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Chlorpyrifos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Chlorpyrifos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record









[illegible]

[illegible]

for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank submersible is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID C-1 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID C-2 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID C-3 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID C-4 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID C-5 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-10R is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-8A is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-9 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID Field Blank Leachate is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID P2-1 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553126007 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553241002 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553295001 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416002 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Cobalt must be reported for this method and library MatrixID equivalent according to the project library."",,1





'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-17 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-18 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Copper must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where ReportableResult = YES for Coumaphos analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Other'. Coumaphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where ReportableResult = YES for Coumaphos analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Other'. Coumaphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Coumaphos analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Coumaphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt



MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where  
 ReportableResult = YES for Crotoxyphos analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Other'. Crotoxyphos must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Crotoxyphos analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Crotoxyphos must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Crotoxyphos analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Crotoxyphos must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for Crotoxyphos analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Crotoxyphos must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for Crotoxyphos analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Crotoxyphos must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for Crotoxyphos analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Crotoxyphos must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for Crotoxyphos analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Crotoxyphos must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for Crotoxyphos analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Crotoxyphos must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for Crotoxyphos analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Crotoxyphos must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for Crotoxyphos analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Crotoxyphos must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for Crotoxyphos analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Crotoxyphos must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553340001 is missing a record where  
 ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'.  
 Dalapon must be reported for this method and library MatrixID equivalent according  
 to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 92114869004 is missing a record where  
 ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'.  
 Dalapon must be reported for this method and library MatrixID equivalent according  
 to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 92115343001 is missing a record where  
 ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'.  
 Dalapon must be reported for this method and library MatrixID equivalent according  
 to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. Dalapon must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID

'AQUEOUS-Groundwater'. Dalapon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dalapon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dalapon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dalapon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dalapon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dalapon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dalapon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dalapon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Dalapon analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dalapon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for d-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. d-BHC must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for d-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. d-BHC must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for d-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. d-BHC must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for d-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. d-BHC must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for d-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. d-BHC must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for d-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. d-BHC must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for d-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. d-BHC must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]



'AQUEOUS-Groundwater'. Demeton-O+S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Demeton-O+S analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Demeton-O+S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Demeton-O+S analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Demeton-O+S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Demeton-S analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Demeton-S must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]





MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where  
 ReportableResult = YES for Dibromochloromethane analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. Dibromochloromethane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where  
 ReportableResult = YES for Dibromomethane analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. Dibromomethane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where  
 ReportableResult = YES for Dibromomethane analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. Dibromomethane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553340001 is missing a record where  
 ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'.  
 Dicamba must be reported for this method and library MatrixID equivalent according  
 to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 92114869004 is missing a record where  
 ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'.  
 Dicamba must be reported for this method and library MatrixID equivalent according  
 to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 92115343001 is missing a record where  
 ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'.  
 Dicamba must be reported for this method and library MatrixID equivalent according  
 to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. Dicamba must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. Dicamba must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. Dicamba must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. Dicamba must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. Dicamba must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. Dicamba must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. Dicamba must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. Dicamba must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID  
 'AQUEOUS-Groundwater'. Dicamba must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for Dicamba analyzed by EPA 8151 in MatrixID

'AQUEOUS-Groundwater'. Dicamba must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where ReportableResult = YES for Dichlofenthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Dichlofenthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where ReportableResult = YES for Dichlofenthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Dichlofenthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Dichlofenthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Dichlofenthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Dichlofenthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Dichlofenthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Dichlofenthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Dichlofenthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Dichlofenthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Dichlofenthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Dichlofenthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Dichlofenthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Dichlofenthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Dichlofenthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Dichlofenthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Dichlofenthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Dichlofenthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Dichlofenthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Dichlofenthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Dichlofenthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Dichlofenthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Dichlofenthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-18 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-20 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Trip Blank submersible is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553340001 is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'. Dichlorprop must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 92114869004 is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'. Dichlorprop must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 92115343001 is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'. Dichlorprop must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dichlorprop must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dichlorprop must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dichlorprop must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dichlorprop must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dichlorprop must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dichlorprop must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dichlorprop must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dichlorprop must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dichlorprop must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Dichlorprop analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Dichlorprop must be reported for this method and library



[illegible]

51614\_201203\_swldd\_ErrorLog.txt

```
'ReportableResult' = YES for Dicofol analyzed by EPA 8081 in MatrixID  
'AQUEOUS-Groundwater'. Dicofol must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID MW-20 is missing a record where  
ReportableResult = YES for Dicofol analyzed by EPA 8081 in MatrixID  
'AQUEOUS-Groundwater'. Dicofol must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID 3553336001 is missing a record where  
ReportableResult = YES for Dicrotophos analyzed by EPA 8141 in MatrixID  
'AQUEOUS-Other'. Dicrotophos must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID CW-15 is missing a record where  
ReportableResult = YES for Dicrotophos analyzed by EPA 8141 in MatrixID  
'AQUEOUS-Groundwater'. Dicrotophos must be reported for this method and library  
MatrixID equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID CW-16 is missing a record where  
ReportableResult = YES for Dicrotophos analyzed by EPA 8141 in MatrixID  
'AQUEOUS-Groundwater'. Dicrotophos must be reported for this method and library  
MatrixID equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID CW-19 is missing a record where  
ReportableResult = YES for Dicrotophos analyzed by EPA 8141 in MatrixID  
'AQUEOUS-Groundwater'. Dicrotophos must be reported for this method and library  
MatrixID equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID CW-20 is missing a record where  
ReportableResult = YES for Dicrotophos analyzed by EPA 8141 in MatrixID  
'AQUEOUS-Groundwater'. Dicrotophos must be reported for this method and library  
MatrixID equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID Eq. Blank submersible is missing a record  
where ReportableResult = YES for Dicrotophos analyzed by EPA 8141 in MatrixID  
'AQUEOUS-Groundwater'. Dicrotophos must be reported for this method and library  
MatrixID equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a  
record where ReportableResult = YES for Dicrotophos analyzed by EPA 8141 in MatrixID  
'AQUEOUS-Groundwater'. Dicrotophos must be reported for this method and library  
MatrixID equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID MW-15 is missing a record where  
ReportableResult = YES for Dicrotophos analyzed by EPA 8141 in MatrixID  
'AQUEOUS-Groundwater'. Dicrotophos must be reported for this method and library  
MatrixID equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID MW-19 is missing a record where  
ReportableResult = YES for Dicrotophos analyzed by EPA 8141 in MatrixID  
'AQUEOUS-Groundwater'. Dicrotophos must be reported for this method and library  
MatrixID equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID MW-1R is missing a record where  
ReportableResult = YES for Dicrotophos analyzed by EPA 8141 in MatrixID  
'AQUEOUS-Groundwater'. Dicrotophos must be reported for this method and library  
MatrixID equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID MW-20 is missing a record where  
ReportableResult = YES for Dicrotophos analyzed by EPA 8141 in MatrixID  
'AQUEOUS-Groundwater'. Dicrotophos must be reported for this method and library  
MatrixID equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID 3552160031 is missing a record where  
ReportableResult = YES for Dicrotophos analyzed by EPA 8270 in MatrixID  
'AQUEOUS-Other'. Dicrotophos must be reported for this method and library MatrixID  
equivalent according to the project library.",,,,1  
,"0010","Missing record","ClientsSampleID CW-15 is missing a record where  
ReportableResult = YES for Dicrotophos analyzed by EPA 8270 in MatrixID  
'AQUEOUS-Groundwater'. Dicrotophos must be reported for this method and library  
MatrixID equivalent according to the project library.",,,,1
```

51614\_201203\_swldd\_ErrorLog.txt

[illegible]





[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

, "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for Dioxathion analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dioxathion must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Dioxathion analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dioxathion must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-16 is missing a record where ReportableResult = YES for Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Dipropylene glycol monobutyl ether analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Dipropylene glycol monobutyl ether must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for Dipropylene glycol monobutyl ether analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dipropylene glycol monobutyl ether must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-16 is missing a record where

ReportableResult = YES for Dipropylene glycol monobutyl ether analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dipropylene glycol monobutyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Dipropylene glycol monobutyl ether analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dipropylene glycol monobutyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Dipropylene glycol monobutyl ether analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dipropylene glycol monobutyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Dipropylene glycol monobutyl ether analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dipropylene glycol monobutyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Dipropylene glycol monobutyl ether analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dipropylene glycol monobutyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Dipropylene glycol monobutyl ether analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dipropylene glycol monobutyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Dipropylene glycol monobutyl ether analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dipropylene glycol monobutyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Dipropylene glycol monobutyl ether analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dipropylene glycol monobutyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Dipropylene glycol monobutyl ether analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dipropylene glycol monobutyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Disulfoton analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Disulfoton must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Disulfoton analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Disulfoton must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Disulfoton analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Disulfoton must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Disulfoton analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Disulfoton must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Disulfoton analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Disulfoton must be reported for this method and library





[illegible]



[illegible]



'AQUEOUS-Groundwater'. Endrin ketone must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Endrin ketone analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Endrin ketone must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Endrin ketone analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Endrin ketone must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Endrin ketone analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Endrin ketone must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where ReportableResult = YES for EPN analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. EPN must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where ReportableResult = YES for EPN analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. EPN must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for EPN analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. EPN must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for EPN analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. EPN must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for EPN analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. EPN must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for EPN analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. EPN must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for EPN analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. EPN must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for EPN analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. EPN must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for EPN analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. EPN must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for EPN analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. EPN must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for EPN analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. EPN must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for EPN analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. EPN must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where



51614\_201203\_swldd\_ErrorLog.txt

[illegible]

equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for Ethion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Ethion must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for Ethion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Ethion must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where  
 ReportableResult = YES for Ethoprop analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Other'. Ethoprop must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where  
 ReportableResult = YES for Ethoprop analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Other'. Ethoprop must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Ethoprop analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Ethoprop must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Ethoprop analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Ethoprop must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for Ethoprop analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Ethoprop must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for Ethoprop analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Ethoprop must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for Ethoprop analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Ethoprop must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for Ethoprop analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Ethoprop must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for Ethoprop analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Ethoprop must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for Ethoprop analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Ethoprop must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for Ethoprop analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Ethoprop must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for Ethoprop analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Ethoprop must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where  
 ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Other'. Ethyl methacrylate must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where  
 ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID

[illegible]

ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-15 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-18 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-20 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank submersible is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Ethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethylbenzene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Famphur analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Famphur must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Famphur analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Famphur must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Famphur analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Famphur must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Famphur analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Famphur must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Famphur analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Famphur must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Famphur analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Famphur must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Famphur analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Famphur must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Famphur analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Famphur must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Famphur analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Famphur must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Famphur analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Famphur must be reported for this method and library MatrixID equivalent according to the project library.",,,,1



, "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Famphur analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Famphur must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553336001 is missing a record where ReportableResult = YES for Fenitrothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Fenitrothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553824001 is missing a record where ReportableResult = YES for Fenitrothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Fenitrothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for Fenitrothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fenitrothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-16 is missing a record where ReportableResult = YES for Fenitrothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fenitrothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for Fenitrothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fenitrothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for Fenitrothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fenitrothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Fenitrothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fenitrothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Fenitrothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fenitrothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for Fenitrothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fenitrothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for Fenitrothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fenitrothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for Fenitrothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fenitrothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Fenitrothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fenitrothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553336001 is missing a record where ReportableResult = YES for Fensulfothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Fensulfothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553824001 is missing a record where ReportableResult = YES for Fensulfothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Fensulfothion must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for Fensulfothion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fensulfothion must be reported for this method and library





ReportableResult = YES for Fenthion analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Fenthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where  
 ReportableResult = YES for Fenthion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Other'. Fenthion must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Fenthion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Fenthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Fenthion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Fenthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for Fenthion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Fenthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for Fenthion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Fenthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for Fenthion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Fenthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for Fenthion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Fenthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for Fenthion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Fenthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for Fenthion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Fenthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for Fenthion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Fenthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for Fenthion analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Fenthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where  
 ReportableResult = YES for Fonophos analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Other'. Fonophos must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where  
 ReportableResult = YES for Fonophos analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Other'. Fonophos must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Fonophos analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Fonophos must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Fonophos analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Fonophos must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for Fonophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fonophos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for Fonophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fonophos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Fonophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fonophos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Fonophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fonophos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for Fonophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fonophos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for Fonophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fonophos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for Fonophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fonophos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Fonophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Fonophos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3552160031 is missing a record where ReportableResult = YES for g-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. g-BHC must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for g-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. g-BHC must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-16 is missing a record where ReportableResult = YES for g-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. g-BHC must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for g-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. g-BHC must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for g-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. g-BHC must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for g-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. g-BHC must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for g-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. g-BHC must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for g-BHC analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. g-BHC must be reported for this method and library MatrixID

equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for g-BHC analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. g-BHC must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for g-BHC analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. g-BHC must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for g-BHC analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. g-BHC must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for g-Chlordane analyzed by EPA 8081 in MatrixID  
 'AQUEOUS-Groundwater'. g-Chlordane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for g-Chlordane analyzed by EPA 8081 in MatrixID  
 'AQUEOUS-Groundwater'. g-Chlordane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for g-Chlordane analyzed by EPA 8081 in MatrixID  
 'AQUEOUS-Groundwater'. g-Chlordane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for g-Chlordane analyzed by EPA 8081 in MatrixID  
 'AQUEOUS-Groundwater'. g-Chlordane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for g-Chlordane analyzed by EPA 8081 in MatrixID  
 'AQUEOUS-Groundwater'. g-Chlordane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for g-Chlordane analyzed by EPA 8081 in MatrixID  
 'AQUEOUS-Groundwater'. g-Chlordane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for g-Chlordane analyzed by EPA 8081 in MatrixID  
 'AQUEOUS-Groundwater'. g-Chlordane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for g-Chlordane analyzed by EPA 8081 in MatrixID  
 'AQUEOUS-Groundwater'. g-Chlordane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for g-Chlordane analyzed by EPA 8081 in MatrixID  
 'AQUEOUS-Groundwater'. g-Chlordane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for g-Chlordane analyzed by EPA 8081 in MatrixID  
 'AQUEOUS-Groundwater'. g-Chlordane must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where  
 ReportableResult = YES for Heptachlor analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Other'. Heptachlor must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Heptachlor analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Heptachlor must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Heptachlor analyzed by EPA 8270 in MatrixID

'AQUEOUS-Groundwater'. Heptachlor must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Heptachlor analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Heptachlor analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Heptachlor analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Heptachlor analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Heptachlor analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Heptachlor analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Heptachlor analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Heptachlor epoxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Heptachlor epoxide must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Heptachlor epoxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor epoxide must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Heptachlor epoxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor epoxide must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Heptachlor epoxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor epoxide must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Heptachlor epoxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor epoxide must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Heptachlor epoxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor epoxide must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Heptachlor epoxide analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Heptachlor epoxide must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where





[illegible]

[illegible]

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]



[illegible]

ReportableResult = YES for Hexachlorophene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorophene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where ReportableResult = YES for Iodomethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Iodomethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Iodomethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Iodomethane must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553126007 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553241002 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553295001 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416002 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-17 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Iron must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

51614\_201203\_swldd\_ErrorLog.txt

[illegible]







51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]







[illegible]



51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

[illegible]

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]







51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]







51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]







51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]



51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

[illegible]

'AQUEOUS-Groundwater'. Methyl parathion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Methyl parathion analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Methyl parathion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Methyl parathion analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Methyl parathion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Methyl parathion analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Methyl parathion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Methyl parathion analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Methyl parathion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Methyl parathion analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Methyl parathion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Methyl parathion analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Methyl parathion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Methyl parathion analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Methyl parathion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Methyl parathion analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Methyl parathion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where ReportableResult = YES for Methylene chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methylene chloride must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Methylene chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methylene chloride must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001DUP is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220002 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553314003DUP is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a record where

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]



[illegible]

'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Mevinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Mevinphos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Mirex analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Mirex must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Mirex analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Mirex must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where







[illegible]

ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Monocrotophos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Monocrotophos must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

51614\_201203\_swldd\_ErrorLog.txt

[illegible]



51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]





51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]

, "0010", "Missing record", "ClientSampleID CW-9 is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Nickel must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Field Blank Leachate is missing a record  
 where ReportableResult = YES for Nickel analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Nickel must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID P2-1 is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Nickel must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3553126007 is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  
 Nickel must be reported for this method and library MatrixID equivalent according to  
 the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3553241002 is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  
 Nickel must be reported for this method and library MatrixID equivalent according to  
 the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3553295001 is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  
 Nickel must be reported for this method and library MatrixID equivalent according to  
 the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3553416002 is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  
 Nickel must be reported for this method and library MatrixID equivalent according to  
 the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Nickel must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Nickel must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Nickel must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Nickel must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Nickel must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Nickel must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-10R is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Nickel must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Nickel must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-17 is missing a record where  
 ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Nickel must be reported for this method and library MatrixID



51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]



[illegible]

[illegible]

project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for N-Nitrosodiphenylamine plus Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. N-Nitrosodiphenylamine plus Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for N-Nitrosodiphenylamine plus Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. N-Nitrosodiphenylamine plus Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for N-Nitrosodiphenylamine plus Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. N-Nitrosodiphenylamine plus Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for N-Nitrosodiphenylamine plus Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. N-Nitrosodiphenylamine plus Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for N-Nitrosodiphenylamine plus Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. N-Nitrosodiphenylamine plus Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for N-Nitrosodiphenylamine plus Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. N-Nitrosodiphenylamine plus Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for N-Nitrosodiphenylamine plus Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. N-Nitrosodiphenylamine plus Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for N-Nitrosodiphenylamine plus Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. N-Nitrosodiphenylamine plus Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for N-Nitrosodiphenylamine plus Diphenylamine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. N-Nitrosodiphenylamine plus Diphenylamine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for N-Nitrosomorpholine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. N-Nitrosomorpholine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for N-Nitrosomorpholine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. N-Nitrosomorpholine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for N-Nitrosomorpholine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. N-Nitrosomorpholine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for N-Nitrosomorpholine analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. N-Nitrosomorpholine must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where

[illegible]



51614\_201203\_swldd\_ErrorLog.txt



[illegible]

[illegible]

, "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for Parathion analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Parathion must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for Parathion analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Parathion must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for Parathion analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Parathion must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Parathion analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Parathion must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3552160031 is missing a record where ReportableResult = YES for PCB-1016 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. PCB-1016 must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for PCB-1016 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. PCB-1016 must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-16 is missing a record where ReportableResult = YES for PCB-1016 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. PCB-1016 must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for PCB-1016 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. PCB-1016 must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for PCB-1016 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. PCB-1016 must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for PCB-1016 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. PCB-1016 must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for PCB-1016 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. PCB-1016 must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for PCB-1016 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. PCB-1016 must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for PCB-1016 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. PCB-1016 must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for PCB-1016 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. PCB-1016 must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for PCB-1016 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. PCB-1016 must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for PCB-1016/1242 analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. PCB-1016/1242 must be reported for this method and library



51614\_201203\_swldd\_ErrorLog.txt

[illegible]





51614\_201203\_swldd\_ErrorLog.txt

[illegible]

MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for PCB-1254 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. PCB-1254 must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where  
 ReportableResult = YES for PCB-1260 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Other'. PCB-1260 must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for PCB-1260 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. PCB-1260 must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for PCB-1260 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. PCB-1260 must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for PCB-1260 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. PCB-1260 must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for PCB-1260 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. PCB-1260 must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for PCB-1260 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. PCB-1260 must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for PCB-1260 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. PCB-1260 must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for PCB-1260 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. PCB-1260 must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for PCB-1260 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. PCB-1260 must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for PCB-1260 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. PCB-1260 must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for PCB-1260 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. PCB-1260 must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for PCBs analyzed by EPA 8082 in MatrixID  
 'AQUEOUS-Groundwater'. PCBs must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for PCBs analyzed by EPA 8082 in MatrixID  
 'AQUEOUS-Groundwater'. PCBs must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for PCBs analyzed by EPA 8082 in MatrixID  
 'AQUEOUS-Groundwater'. PCBs must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for PCBs analyzed by EPA 8082 in MatrixID

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

[illegible]



ReportableResult = YES for Phorate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phorate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Phorate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phorate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Phorate analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phorate must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Phosmet analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Phosmet must be reported for this method and library MatrixID equivalent according to the project library.",,,,1







'AQUEOUS-Groundwater'. Phosphamidon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Phosphamidon analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phosphamidon must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553340001 is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 92114869004 is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 92115343001 is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Other'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Picloram analyzed by EPA 8151 in MatrixID 'AQUEOUS-Groundwater'. Picloram must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-10R is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where



51614\_201203\_sw1dd\_ErrorLog.txt





51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]







51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]



51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]







51614\_201203\_swldd\_ErrorLog.txt

[illegible]



, "0010", "Missing record", "ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for Simazine analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Simazine must be reported for this method and library  
 MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID C-5 is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Sodium must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-10R is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Sodium must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-8A is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Sodium must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-9 is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Sodium must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3553126007 is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  
 Sodium must be reported for this method and library MatrixID equivalent according to  
 the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3553241002 is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  
 Sodium must be reported for this method and library MatrixID equivalent according to  
 the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3553295001 is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  
 Sodium must be reported for this method and library MatrixID equivalent according to  
 the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3553416002 is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  
 Sodium must be reported for this method and library MatrixID equivalent according to  
 the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Sodium must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Sodium must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Sodium must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Sodium must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Sodium must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Sodium must be reported for this method and library MatrixID  
 equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-10R is missing a record where  
 ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID  
 'AQUEOUS-Groundwater'. Sodium must be reported for this method and library MatrixID

51614\_201203\_swldd\_ErrorLog.txt

[illegible]



51614\_201203\_swldd\_ErrorLog.txt

[illegible]







[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

, "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Terbufos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Terbufos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Terbufos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Terbufos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for Terbufos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Terbufos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for Terbufos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Terbufos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for Terbufos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Terbufos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Terbufos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Terbufos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3553493008 is missing a record where ReportableResult = YES for Tetrachloroethene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Tetrachloroethene must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Tetrachloroethene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Tetrachloroethene must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Tetrachlorvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Tetrachlorvinphos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for Tetrachlorvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Tetrachlorvinphos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-16 is missing a record where ReportableResult = YES for Tetrachlorvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Tetrachlorvinphos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for Tetrachlorvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Tetrachlorvinphos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for Tetrachlorvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Tetrachlorvinphos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Tetrachlorvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Tetrachlorvinphos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Tetrachlorvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Tetrachlorvinphos must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for Tetrachlorvinphos analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Tetrachlorvinphos must be reported for this method and

[illegible]

[illegible]







51614\_201203\_swldd\_ErrorLog.txt

[illegible]

, "0010", "Missing record", "ClientSampleID 3553336001 is missing a record where ReportableResult = YES for Thionazin analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Thionazin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553824001 is missing a record where ReportableResult = YES for Thionazin analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Thionazin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for Thionazin analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Thionazin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-16 is missing a record where ReportableResult = YES for Thionazin analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Thionazin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for Thionazin analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Thionazin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for Thionazin analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Thionazin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Thionazin analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Thionazin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Thionazin analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Thionazin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for Thionazin analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Thionazin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for Thionazin analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Thionazin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for Thionazin analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Thionazin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Thionazin analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Thionazin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553126002 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Tin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553303005 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Tin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID 3553416001 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Tin must be reported for this method and library MatrixID equivalent according to the project library.", 1

, "0010", "Missing record", "ClientSampleID C-1 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Tin must be reported for this method and library MatrixID



[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-18 is missing a record where  
 ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Titanium must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where  
 ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Titanium must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where  
 ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Titanium must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where  
 ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Titanium must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a record where  
 ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Titanium must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a record where  
 ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Titanium must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID P2-1 is missing a record where  
 ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID  
 'AQUEOUS-Groundwater'. Titanium must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a record where  
 ReportableResult = YES for Tokuthion analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Other'. Tokuthion must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a record where  
 ReportableResult = YES for Tokuthion analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Other'. Tokuthion must be reported for this method and library MatrixID  
 equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where  
 ReportableResult = YES for Tokuthion analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Tokuthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where  
 ReportableResult = YES for Tokuthion analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Tokuthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where  
 ReportableResult = YES for Tokuthion analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Tokuthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where  
 ReportableResult = YES for Tokuthion analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Tokuthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record  
 where ReportableResult = YES for Tokuthion analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Tokuthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a  
 record where ReportableResult = YES for Tokuthion analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Tokuthion must be reported for this method and library  
 MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where  
 ReportableResult = YES for Tokuthion analyzed by EPA 8141 in MatrixID



'AQUEOUS-Groundwater'. Tokuthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Tokuthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Tokuthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Tokuthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Tokuthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Tokuthion analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Tokuthion must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Toluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Toluene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where

ReportableResult = YES for Toxaphene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Toxaphene analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Toxaphene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where ReportableResult = YES for trans-1,2-Dichloroethene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. trans-1,2-Dichloroethene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for trans-1,2-Dichloroethene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. trans-1,2-Dichloroethene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where ReportableResult = YES for trans-1,3-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. trans-1,3-Dichloropropene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for trans-1,3-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. trans-1,3-Dichloropropene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a record where ReportableResult = YES for trans-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. trans-1,4-Dichloro-2-butene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for trans-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. trans-1,4-Dichloro-2-butene must be reported for this method and library MatrixID equivalent according to the project library.",,,,1

, "0010", "Missing record", "ClientSampleID 3553493008 is missing a record where ReportableResult = YES for Trichloroethene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Trichloroethene must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Trichloroethene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Trichloroethene must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3553493008 is missing a record where ReportableResult = YES for Trichlorofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Trichlorofluoromethane must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Trichlorofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Trichlorofluoromethane must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3553336001 is missing a record where ReportableResult = YES for Trichlorofon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Trichlorofon must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID 3553824001 is missing a record where ReportableResult = YES for Trichlorofon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Trichlorofon must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-15 is missing a record where ReportableResult = YES for Trichlorofon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Trichlorofon must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-16 is missing a record where ReportableResult = YES for Trichlorofon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Trichlorofon must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-19 is missing a record where ReportableResult = YES for Trichlorofon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Trichlorofon must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID CW-20 is missing a record where ReportableResult = YES for Trichlorofon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Trichlorofon must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a record where ReportableResult = YES for Trichlorofon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Trichlorofon must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a record where ReportableResult = YES for Trichlorofon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Trichlorofon must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-15 is missing a record where ReportableResult = YES for Trichlorofon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Trichlorofon must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-19 is missing a record where ReportableResult = YES for Trichlorofon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Trichlorofon must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-1R is missing a record where ReportableResult = YES for Trichlorofon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Trichlorofon must be reported for this method and library MatrixID equivalent according to the project library.", 1  
 , "0010", "Missing record", "ClientSampleID MW-20 is missing a record where ReportableResult = YES for Trichlorofon analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Trichlorofon must be reported for this method and library



'AQUEOUS-Groundwater'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-5 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-10R is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-8A is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-9 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Field Blank Leachate is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID P2-1 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553126007 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553241002 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553295001 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416002 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank submersible is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Vanadium must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

[illegible]





[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-19 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Xylene, o- must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-1R is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Xylene, o- must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank MW-20 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Xylene, o- must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank Perimeter pump is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Xylene, o- must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Trip Blank submersible is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Xylene, o- must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9DUP is missing a record where ReportableResult = YES for Xylenes- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Xylenes- Total must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-1 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-2 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-3 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-4 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID C-5 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-10R is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-8A is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-9 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Field Blank Leachate is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID P2-1 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6010 in MatrixID

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Zinc must be reported for this method and library MatrixID equivalent according to the project library.",,,,1  
 ,"0012",,"Missing record",,"1,4-Dinitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0012",,"Missing record",,"Heptachlor epoxide is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0012",,"Missing record",,"Endosulfan sulfate is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0012",,"Missing record",,"4-Methylphenol is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0012",,"Missing record",,"1,4-Phenylenediamine is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0012",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0012",,"Missing record",,"3-Methylphenol is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0012",,"Missing record",,"2-Picoline is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0012",,"Missing record",,"PCB-1260 is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0012",,"Missing record",,"PCB-1254 is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0012",,"Missing record",,"PCB-1221 is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent

as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"PCB-1232 is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Fensulfothion is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Malathion is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"a,a-Dimethylphenethylamine is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 "1  
 ,"0012",,"Missing record",,"Diphenylamine is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Diphenylhydrazine is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 "1  
 ,"0012",,"Missing record",,"PCB-1248 is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"PCB-1016 is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Demeton-S is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Terbufos is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Phosphamidon is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Aramite is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dicotophos is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Kepone is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Carbofuran is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix

according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2,3,7,8-TCDD is not reported as a spiked compound in the  
 LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"EPN is not reported as a spiked compound in the LCS  
 identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Leptophos is not reported as a spiked compound in the  
 LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Tetrachlorvinphos is not reported as a spiked compound  
 in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Mirex is not reported as a spiked compound in the LCS  
 identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Methyl parathion is not reported as a spiked compound in  
 the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Phorate is not reported as a spiked compound in the LCS  
 identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Demeton-O is not reported as a spiked compound in the  
 LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Disulfoton is not reported as a spiked compound in the  
 LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dipropylene glycol monobutyl ether is not reported as a  
 spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with  
 the same matrix equivalent as samples. This analyte must be reported for this  
 method and matrix according to the project library. Make sure that AnalyteType =  
 SPK. ",,,,1  
 ,"0012",,"Missing record",,"Naled is not reported as a spiked compound in the LCS  
 identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Aldrin is not reported as a spiked compound in the LCS  
 identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"a-BHC is not reported as a spiked compound in the LCS  
 identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"b-BHC is not reported as a spiked compound in the LCS  
 identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"d-BHC is not reported as a spiked compound in the LCS  
 identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endosulfan II is not reported as a spiked compound in



the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Bis(2-chloroisopropyl)ether is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlorfenvinphos is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4,4'-DDT is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlorobenzilate is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Famphur is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"PCB-1242 is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endrin ketone is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Fenthion is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Ethion is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Nitroquinoline-1-oxide is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Coumaphos is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlordane is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"g-BHC is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosomorpholine is not reported as a spiked compound

[illegible]

, "0012", "Missing record", "Crotoxyphos is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Mevinphos is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Dioxathion is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Carbophenothion is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Toxaphene is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Demeton-O+S is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Pentachloronitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Azinphos methyl is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Carbazole is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Dinoseb is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "1-Chloronaphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Benzidine is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Endosulfan I is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "N-Nitrosodiphenylamine plus Diphenylamine is not

reported as a spiked compound in the LCS identified as LabSampleID 362859 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"4-Nitrophenol is not reported as a spiked compound in the LCS identified as LabSampleID 362921 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dichlorprop is not reported as a spiked compound in the LCS identified as LabSampleID 362921 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chloramben is not reported as a spiked compound in the LCS identified as LabSampleID 362921 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dicamba is not reported as a spiked compound in the LCS identified as LabSampleID 362921 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Picloram is not reported as a spiked compound in the LCS identified as LabSampleID 362921 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dalapon is not reported as a spiked compound in the LCS identified as LabSampleID 362921 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"MCPP is not reported as a spiked compound in the LCS identified as LabSampleID 362921 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"MCPA is not reported as a spiked compound in the LCS identified as LabSampleID 362921 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"2,4-DB is not reported as a spiked compound in the LCS identified as LabSampleID 362921 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID 363286 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Lithium is not reported as a spiked compound in the LCS identified as LabSampleID 363286 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 363286 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Strontium is not reported as a spiked compound in the LCS identified as LabSampleID 363286 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Thallium is not reported as a spiked compound in the LCS identified as LabSampleID 363286 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 363286 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

,"0012",,"Missing record",,"Alachlor is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Propachlor is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Diallate is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Mirex is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Methyl parathion is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Isodrin is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chlorobenzilate is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"a-Chlordane is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"g-Chlordane is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Endrin ketone is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Parathion is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chlordane is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Hexachlorocyclopentadiene is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Toxaphene is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,2-Dibromo-3-Chloropropane is not reported as a spiked

compound in the LCS identified as LabSampleID 363595 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",1  
,"0012",,"Missing record",,"PCB-1254 is not reported as a spiked compound in the LCS identified as LabSampleID 363607 for Method EPA 8082 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1

,,"0012",,"Missing record",,"PCB-1221 is not reported as a spiked compound in the LCS identified as LabSampleID 363607 for Method EPA 8082 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1

,,"0012",,"Missing record",,"PCB-1232 is not reported as a spiked compound in the LCS identified as LabSampleID 363607 for Method EPA 8082 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1

,,"0012",,"Missing record",,"PCB-1248 is not reported as a spiked compound in the LCS identified as LabSampleID 363607 for Method EPA 8082 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1

,,"0012",,"Missing record",,"PCBs is not reported as a spiked compound in the LCS identified as LabSampleID 363607 for Method EPA 8082 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1

,,"0012",,"Missing record",,"PCB-1242 is not reported as a spiked compound in the LCS identified as LabSampleID 363607 for Method EPA 8082 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1

,,"0012",,"Missing record",,"PCB-1016/1242 is not reported as a spiked compound in the LCS identified as LabSampleID 363607 for Method EPA 8082 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1

,,"0012",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 363618 for Method EPA 8011 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

",1  
,"0012",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

",1  
,"0012",,"Missing record",,"Fensulfothion is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1

,,"0012",,"Missing record",,"Malathion is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1

,,"0012",,"Missing record",,"Fenitrothion is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1

,,"0012",,"Missing record",,"Simazine is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1

,,"0012",,"Missing record",,"Demeton-S is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1

,,"0012",,"Missing record",,"Terbufos is not reported as a spiked compound in the LCS





,"0012",,"Missing record",,"Diazinon is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Tokuthion is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Bolstar is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chlorfenvinphos is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Trichlorofon is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Fenthion is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Methyl chlorpyrifos is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Ethion is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Coumaphos is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dichlorvos is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Monocrotophos is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Phosmet is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Crotoxyphos is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Mevinphos is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dioxathion is not reported as a spiked compound in the LCS identified as LabSampleID 363624 for Method EPA 8141 with the same matrix



the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1  
 ,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1  
 ,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1  
 ,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1  
 ,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"",,,,1  
 ,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix

according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1

, "0012", "Missing record", "1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 363789 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Tetraethyl pyrophosphate is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Fensulfothion is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Malathion is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Fenitrothion is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Simazine is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Demeton-S is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Terbufos is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Phosphamidon is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Ethoprop is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Dicotophos is not reported as a spiked compound in the

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

, "0012", "Missing record", "Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Chlorfenvinphos is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Trichlorofon is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Fenthion is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Methyl chlorpyrifos is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Ethion is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Coumaphos is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Dichlorvos is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Monocrotophos is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Phosmet is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Crotoxyphos is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Mevinphos is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Dioxathion is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Carbophenothion is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Demeton-O+S is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", 1

, "0012", "Missing record", "Azinphos methyl is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix



equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Fonophos is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Stirofos is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dichlofenthion is not reported as a spiked compound in the LCSD identified as LabSampleID 363813 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Acrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260

with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1  
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1  
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1  
,"0012",,"Missing record",,"xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1  
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1  
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix

according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound  
 in the LCS identified as LabSampleID 363904 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in  
 the LCS identified as LabSampleID 363919 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in  
 the LCS identified as LabSampleID 363919 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in  
 the LCS identified as LabSampleID 363919 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound  
 in the LCS identified as LabSampleID 363919 for Method EPA 8260 with the same  
 matrix equivalent as samples. This analyte must be reported for this method and  
 matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the  
 LCS identified as LabSampleID 363919 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in  
 the LCS identified as LabSampleID 363919 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in  
 the LCS identified as LabSampleID 363919 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in  
 the LCS identified as LabSampleID 363919 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Acrylonitrile is not reported as a spiked compound in  
 the LCS identified as LabSampleID 363919 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked  
 compound in the LCS identified as LabSampleID 363919 for Method EPA 8260 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the  
 LCS identified as LabSampleID 363919 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in  
 the LCS identified as LabSampleID 363919 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked  
 compound in the LCS identified as LabSampleID 363919 for Method EPA 8260 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the  
 LCS identified as LabSampleID 363919 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in

the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 "1  
 ,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 "1  
 ,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 "1  
 ,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 "1  
 ,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCSD identified as LabSampleID 363919 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this

method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1

,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1

,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1

,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",,,,1

,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1



, "0012", "Missing record", "1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 363922 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID 363984 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Lithium is not reported as a spiked compound in the LCS identified as LabSampleID 363984 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 363984 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Strontium is not reported as a spiked compound in the LCS identified as LabSampleID 363984 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Thallium is not reported as a spiked compound in the LCS identified as LabSampleID 363984 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Titanium is not reported as a spiked compound in the LCS identified as LabSampleID 363984 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Antimony is not reported as a spiked compound in the LCS identified as LabSampleID 363984 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Boron is not reported as a spiked compound in the LCS identified as LabSampleID 363984 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Aluminum is not reported as a spiked compound in the LCS

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

,"0012",,"Missing record",,"Chromium is not reported as a spiked compound in the LCS identified as LabSampleID 363994 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Cobalt is not reported as a spiked compound in the LCS identified as LabSampleID 363994 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Copper is not reported as a spiked compound in the LCS identified as LabSampleID 363994 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Vanadium is not reported as a spiked compound in the LCS identified as LabSampleID 363994 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Zinc is not reported as a spiked compound in the LCS identified as LabSampleID 363994 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 363994 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Selenium is not reported as a spiked compound in the LCS identified as LabSampleID 363994 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,4-Dinitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Heptachlor epoxide is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Endosulfan sulfate is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"4-Methylphenol is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,4-Phenylenediamine is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"3-Methylphenol is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"2-Picoline is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1



as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dicrotophos is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Kepone is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Carbofuran is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2,3,7,8-TCDD is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"EPN is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Leptophos is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Tetrachlorvinphos is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Mirex is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Methyl parathion is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Phorate is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Demeton-O is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Disulfoton is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dipropylene glycol monobutyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Naled is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Aldrin is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "a-BHC is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "b-BHC is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "d-BHC is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "Endosulfan II is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "Bis(2-chloroisopropyl)ether is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "Chlorfenvinphos is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "4,4'-DDT is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "Chlorobenzilate is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "Famphur is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "PCB-1242 is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "Endrin ketone is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "Fenthion is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "Ethion is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "0012", "Missing record", "4-Nitroquinoline-1-oxide is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "", "", "", 1  
 , "", "", "", "", 1

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Phosmet is not reported as a spiked compound in the LCS  
 identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Endrin aldehyde is not reported as a spiked compound in  
 the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Heptachlor is not reported as a spiked compound in the  
 LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Crotoxyphos is not reported as a spiked compound in the  
 LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Mevinphos is not reported as a spiked compound in the  
 LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Dioxathion is not reported as a spiked compound in the  
 LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Carbophenothion is not reported as a spiked compound in  
 the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Toxaphene is not reported as a spiked compound in the  
 LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Demeton-O+S is not reported as a spiked compound in the  
 LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Pentachloronitrobenzene is not reported as a spiked  
 compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ;"0012";,"Missing record";,"Azinphos methyl is not reported as a spiked compound in  
 the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Carbazole is not reported as a spiked compound in the  
 LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Hexachlorobutadiene is not reported as a spiked compound  
 in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Dinoseb is not reported as a spiked compound in the LCS  
 identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"1-Chloronaphthalene is not reported as a spiked compound  
 in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Benzidine is not reported as a spiked compound in the



LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endosulfan I is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosodiphenylamine plus Diphenylamine is not reported as a spiked compound in the LCS identified as LabSampleID 364156 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked

compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",1,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",1,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",1,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",1,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. "

"",1,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",1,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix

equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked

compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"1  
 , "0012", "Missing record", "Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "1  
 , "0012", "Missing record", "2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "1  
 , "0012", "Missing record", "o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "1  
 , "0012", "Missing record", "1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 "1  
 , "0012", "Missing record", "1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 "1  
 , "0012", "Missing record", "Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "1  
 , "0012", "Missing record", "Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "1  
 , "0012", "Missing record", "t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "1  
 , "0012", "Missing record", "Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "1  
 , "0012", "Missing record", "Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "1  
 , "0012", "Missing record", "4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 364433 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "1  
 , "0012", "Missing record", "Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID 364490 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "1  
 , "0012", "Missing record", "Lithium is not reported as a spiked compound in the LCS identified as LabSampleID 364490 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "1  
 , "0012", "Missing record", "Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 364490 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", "1  
 , "0012", "Missing record", "Strontium is not reported as a spiked compound in the

[illegible]

[illegible]

matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Methylphenol is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,4-Phenylenediamine is not reported as a spiked  
 compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked  
 compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"3-Methylphenol is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Picoline is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"PCB-1260 is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"PCB-1254 is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"PCB-1221 is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"PCB-1232 is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Fensulfotion is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Malathion is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"a,a-Dimethylphenethylamine is not reported as a spiked  
 compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Diphenylamine is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Diphenylhydrazine is not reported as a spiked  
 compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the  
 same matrix equivalent as samples. This analyte must be reported for this method

and matrix according to the project library. Make sure that AnalyteType = SPK.

"0012",,"Missing record",,"PCB-1248 is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"PCB-1016 is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Demeton-S is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Terbufos is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Phosphamidon is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Aramite is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Dicotophos is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Kepone is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Carbofuran is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"2,3,7,8-TCDD is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"EPN is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Leptophos is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Tetrachlorvinphos is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Mirex is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Methyl parathion is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Phorate is not reported as a spiked compound in the LCSD



identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Demeton-O is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Disulfoton is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dipropylene glycol monobutyl ether is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Naled is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Aldrin is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"a-BHC is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"b-BHC is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"d-BHC is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Endosulfan II is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Bis(2-chloroisopropyl)ether is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chlorfenvinphos is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"4,4'-DDT is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chlorobenzilate is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Famphur is not reported as a spiked compound in the LCSD

identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"PCB-1242 is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Endrin ketone is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Fenthion is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Ethion is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"4-Nitroquinoline-1-oxide is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Coumaphos is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chlordane is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"g-BHC is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"N-Nitrosomorpholine is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dimethoate is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dieldrin is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Aniline is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dichlorvos is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Carbaryl is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Benzoic acid is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix

[illegible]

same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"0012", "Missing record", "Azinphos methyl is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "Carbazole is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "Hexachlorobutadiene is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "Dinoseb is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "1-Chloronaphthalene is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "Benzidine is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "Endosulfan I is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "N-Nitrosodiphenylamine plus Diphenylamine is not reported as a spiked compound in the LCSD identified as LabSampleID 364584 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "4-Nitrophenol is not reported as a spiked compound in the LCS identified as LabSampleID 364857 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "Dichlorprop is not reported as a spiked compound in the LCS identified as LabSampleID 364857 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "Chloramben is not reported as a spiked compound in the LCS identified as LabSampleID 364857 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "Dicamba is not reported as a spiked compound in the LCS identified as LabSampleID 364857 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "Picloram is not reported as a spiked compound in the LCS identified as LabSampleID 364857 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 "0012", "Missing record", "Dalapon is not reported as a spiked compound in the LCS identified as LabSampleID 364857 for Method EPA 8151 with the same matrix equivalent

as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"MCP is not reported as a spiked compound in the LCS identified as LabSampleID 364857 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"MCPA is not reported as a spiked compound in the LCS identified as LabSampleID 364857 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2,4-DB is not reported as a spiked compound in the LCS identified as LabSampleID 364857 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

",,,,1  
 ;"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS  
 identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked  
 compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ;"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the  
 LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound  
 in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the  
 LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in  
 the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound  
 in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked  
 compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ;"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked  
 compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ;"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the  
 LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a  
 spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with  
 the same matrix equivalent as samples. This analyte must be reported for this  
 method and matrix according to the project library. Make sure that AnalyteType =  
 SPK. ",,,,1  
 ;"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound  
 in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked  
 compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ;"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound  
 in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound

in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

",,,,,1  
 ,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1  
 ,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1  
 ,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1  
 ,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,,1  
 ,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1  
 ,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1  
 ,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1  
 ,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1  
 ,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1  
 ,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 365204 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1  
 ,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1  
 ,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1  
 ,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,,1



,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "1,4-Dichloro-2-butene is not reported as a spiked

compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",1  
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1  
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1  
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1  
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",1  
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1  
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1  
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",1  
,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1  
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1  
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1  
,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",1  
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"",1  
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",1  
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 365371 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

[illegible]

[illegible]

the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Atrazine is not reported as a spiked compound in the LCS  
 identified as LabSampleID 365498 for Method EPA 8141 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"EPN is not reported as a spiked compound in the LCS  
 identified as LabSampleID 365498 for Method EPA 8141 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Leptophos is not reported as a spiked compound in the  
 LCS identified as LabSampleID 365498 for Method EPA 8141 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Azinphos ethyl is not reported as a spiked compound in  
 the LCS identified as LabSampleID 365498 for Method EPA 8141 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Chlorpyrifos is not reported as a spiked compound in the  
 LCS identified as LabSampleID 365498 for Method EPA 8141 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Thionazin is not reported as a spiked compound in the  
 LCS identified as LabSampleID 365498 for Method EPA 8141 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Demeton-O is not reported as a spiked compound in the  
 LCS identified as LabSampleID 365498 for Method EPA 8141 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Ronnel is not reported as a spiked compound in the LCS  
 identified as LabSampleID 365498 for Method EPA 8141 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Naled is not reported as a spiked compound in the LCS  
 identified as LabSampleID 365498 for Method EPA 8141 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Aspon is not reported as a spiked compound in the LCS  
 identified as LabSampleID 365498 for Method EPA 8141 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Trichloronate is not reported as a spiked compound in  
 the LCS identified as LabSampleID 365498 for Method EPA 8141 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Diazinon is not reported as a spiked compound in the LCS  
 identified as LabSampleID 365498 for Method EPA 8141 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Tokuthion is not reported as a spiked compound in the  
 LCS identified as LabSampleID 365498 for Method EPA 8141 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Bolstar is not reported as a spiked compound in the LCS  
 identified as LabSampleID 365498 for Method EPA 8141 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012";,"Missing record";,"Tetraethyl dithiopyrophosphate is not reported as a  
 spiked compound in the LCS identified as LabSampleID 365498 for Method EPA 8141 with  
 the same matrix equivalent as samples. This analyte must be reported for this  
 method and matrix according to the project library. Make sure that AnalyteType =  
 SPK. ",,,,1  
 ;"0012";,"Missing record";,"Chlorfenvinphos is not reported as a spiked compound in

[illegible]



[illegible]

according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the

LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix

according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound  
 in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same  
 matrix equivalent as samples. This analyte must be reported for this method and  
 matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked  
 compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound  
 in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same  
 matrix equivalent as samples. This analyte must be reported for this method and  
 matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked  
 compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked  
 compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked  
 compound in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound  
 in the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same  
 matrix equivalent as samples. This analyte must be reported for this method and  
 matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 365537 for Method EPA 8260 with the same matrix

equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 365537 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method

and matrix according to the project library. Make sure that AnalyteType = SPK.

"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"0012",,"Missing record",,"xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 "0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in

the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ",,,,1  
 ,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ",,,,1  
 ,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ",,,,1  
 ,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix

according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the  
 LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked  
 compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked  
 compound in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in  
 the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound  
 in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in  
 the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in  
 the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the  
 LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound  
 in the LCS identified as LabSampleID 365816 for Method EPA 8260 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Nitrophenol is not reported as a spiked compound in  
 the LCS identified as LabSampleID 365941 for Method EPA 8151 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dichloroprop is not reported as a spiked compound in the  
 LCS identified as LabSampleID 365941 for Method EPA 8151 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chloramben is not reported as a spiked compound in the  
 LCS identified as LabSampleID 365941 for Method EPA 8151 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dicamba is not reported as a spiked compound in the LCS  
 identified as LabSampleID 365941 for Method EPA 8151 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Picloram is not reported as a spiked compound in the LCS  
 identified as LabSampleID 365941 for Method EPA 8151 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dalapon is not reported as a spiked compound in the LCS  
 identified as LabSampleID 365941 for Method EPA 8151 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1



51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

[illegible]



, "0012", "Missing record", "1,4-Phenylenediamine is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "Tetraethyl pyrophosphate is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "3-Methylphenol is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "2-Picoline is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "PCB-1260 is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "PCB-1254 is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "PCB-1221 is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "PCB-1232 is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "Fensulfothion is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "Malathion is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "a,a-Dimethylphenethylamine is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "Diphenylamine is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "1,2-Diphenylhydrazine is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK."

, "0012", "Missing record", "PCB-1248 is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to

[illegible]

equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Disulfoton is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dipropylene glycol monobutyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Naled is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Aldrin is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"a-BHC is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"b-BHC is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"d-BHC is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endosulfan II is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Bis(2-chloroisopropyl)ether is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlorfenvinphos is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4,4'-DDT is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlorobenzilate is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Famphur is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"PCB-1242 is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent

as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endrin ketone is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Fenthion is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Ethion is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Nitroquinoline-1-oxide is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Coumaphos is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlordane is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"g-BHC is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosomorpholine is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dimethoate is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dieldrin is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Aniline is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dichlorvos is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Carbaryl is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Benzoic acid is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Monocrotophos is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Hexachlorophene is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Endrin is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Methoxychlor is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"4,4'-DDD is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"4,4'-DDE is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Phosmet is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Endrin aldehyde is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Heptachlor is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Crotoxyphos is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Mevinphos is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dioxathion is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Carbophenothion is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Toxaphene is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Demeton-O+S is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Azinphos methyl is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix



equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Carbazole is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dinoseb is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1-Chloronaphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Benzidine is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endosulfan I is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosodiphenylamine plus Diphenylamine is not reported as a spiked compound in the LCS identified as LabSampleID 366231 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,4-Dinitrobenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Heptachlor epoxide is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endosulfan sulfate is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Methylphenol is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,4-Phenylenediamine is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"3-Methylphenol is not reported as a spiked compound in

[illegible]

equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Phosphamidon is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Aramite is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dicotophos is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Kepone is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Carbofuran is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2,3,7,8-TCDD is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"EPN is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Leptophos is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Tetrachlorvinphos is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Mirex is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Methyl parathion is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Phorate is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Demeton-O is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Disulfoton is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dipropylene glycol monobutyl ether is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Naled is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "Aldrin is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "a-BHC is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "b-BHC is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "d-BHC is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "Endosulfan II is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "Bis(2-chloroisopropyl)ether is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "Chlorfenvinphos is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "4,4'-DDT is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "Chlorobenzilate is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "Famphur is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "PCB-1242 is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "Endrin ketone is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "Fenthion is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ", 1  
 , "0012", "Missing record", "Ethion is not reported as a spiked compound in the LCSD

identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Nitroquinoline-1-oxide is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Coumaphos is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlordane is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"g-BHC is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosomorpholine is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dimethoate is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dieldrin is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Aniline is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dichlorvos is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Carbaryl is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Benzoic acid is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Monocrotophos is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorophene is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endrin is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Methoxychlor is not reported as a spiked compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix

according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4,4'-DDD is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4,4'-DDE is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Phosmet is not reported as a spiked compound in the LCSD  
 identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endrin aldehyde is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Heptachlor is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Crotoxyphos is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Mevinphos is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dioxathion is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Carbophenothion is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Toxaphene is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Demeton-O+S is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked  
 compound in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Azinphos methyl is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Carbazole is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound  
 in the LCSD identified as LabSampleID 366232 for Method EPA 8270 with the same  
 matrix equivalent as samples. This analyte must be reported for this method and  
 matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dinoseb is not reported as a spiked compound in the LCSD

identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1-Chloronaphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Benzidine is not reported as a spiked compound in the LCS identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endosulfan I is not reported as a spiked compound in the LCS identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosodiphenylamine plus Diphenylamine is not reported as a spiked compound in the LCS identified as LabSampleID 366232 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dicofol is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Malathion is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlordane- Technical is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Kepone is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Alachlor is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Propachlor is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Diallate is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Mirex is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Methyl parathion is not reported as a spiked compound in

the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Isodrin is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlorobenzilate is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"a-Chlordane is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"g-Chlordane is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endrin ketone is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Parathion is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlordane is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorocyclopentadiene is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Toxaphene is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromo-3-Chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 366248 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dicofol is not reported as a spiked compound in the LCSD identified as LabSampleID 366676 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorobenzene is not reported as a spiked compound in the LCSD identified as LabSampleID 366676 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Malathion is not reported as a spiked compound in the LCSD identified as LabSampleID 366676 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlordane- Technical is not reported as a spiked



Page 545

equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366676 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromo-3-Chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 366676 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS

identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ,,,,1  
 ,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix

equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ",,,,1  
 ,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ",,,,1  
 ,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ",,,,1  
 ,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 366700 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID 366706 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Lithium is not reported as a spiked compound in the LCS

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Heptachlor epoxide is not reported as a spiked compound  
 in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Endosulfan sulfate is not reported as a spiked compound  
 in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"4-Methylphenol is not reported as a spiked compound in  
 the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"1,4-Phenylenediamine is not reported as a spiked  
 compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ",,,,1  
 ;"0012",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked  
 compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 " ",,,,1  
 ;"0012",,"Missing record",,"3-Methylphenol is not reported as a spiked compound in  
 the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"2-Picoline is not reported as a spiked compound in the  
 LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS  
 identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"PCB-1260 is not reported as a spiked compound in the LCS  
 identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"PCB-1254 is not reported as a spiked compound in the LCS  
 identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"PCB-1221 is not reported as a spiked compound in the LCS  
 identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"PCB-1232 is not reported as a spiked compound in the LCS  
 identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Fensulfothion is not reported as a spiked compound in  
 the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Malathion is not reported as a spiked compound in the  
 LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"a,a-Dimethylphenethylamine is not reported as a spiked  
 compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.

```

",,,,1
,"0012",,"Missing record",,"Diphenylamine is not reported as a spiked compound in
the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix
equivalent as samples. This analyte must be reported for this method and matrix
according to the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"1,2-Diphenylhydrazine is not reported as a spiked
compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the
same matrix equivalent as samples. This analyte must be reported for this method
and matrix according to the project library. Make sure that AnalyteType = SPK.
",,,,1
,"0012",,"Missing record",,"PCB-1248 is not reported as a spiked compound in the LCS
identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent
as samples. This analyte must be reported for this method and matrix according to
the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"PCB-1016 is not reported as a spiked compound in the LCS
identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent
as samples. This analyte must be reported for this method and matrix according to
the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"Demeton-S is not reported as a spiked compound in the
LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix
equivalent as samples. This analyte must be reported for this method and matrix
according to the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"Terbufos is not reported as a spiked compound in the LCS
identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent
as samples. This analyte must be reported for this method and matrix according to
the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"Phosphamidon is not reported as a spiked compound in the
LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix
equivalent as samples. This analyte must be reported for this method and matrix
according to the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"Aramite is not reported as a spiked compound in the LCS
identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent
as samples. This analyte must be reported for this method and matrix according to
the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"Dicotophos is not reported as a spiked compound in the
LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix
equivalent as samples. This analyte must be reported for this method and matrix
according to the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"Kepone is not reported as a spiked compound in the LCS
identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent
as samples. This analyte must be reported for this method and matrix according to
the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"Carbofuran is not reported as a spiked compound in the
LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix
equivalent as samples. This analyte must be reported for this method and matrix
according to the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"2,3,7,8-TCDD is not reported as a spiked compound in the
LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix
equivalent as samples. This analyte must be reported for this method and matrix
according to the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"EPN is not reported as a spiked compound in the LCS
identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent
as samples. This analyte must be reported for this method and matrix according to
the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"Leptophos is not reported as a spiked compound in the
LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix
equivalent as samples. This analyte must be reported for this method and matrix
according to the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"Tetrachlorvinphos is not reported as a spiked compound
in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix
equivalent as samples. This analyte must be reported for this method and matrix
according to the project library. Make sure that AnalyteType = SPK. ",,,,1
,"0012",,"Missing record",,"Mirex is not reported as a spiked compound in the LCS

```



identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Methyl parathion is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Phorate is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Demeton-O is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Disulfoton is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dipropylene glycol monobutyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Naled is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Aldrin is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"a-BHC is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"b-BHC is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"d-BHC is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endosulfan II is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Bis(2-chloroisopropyl)ether is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlorfenvinphos is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"4,4'-DDT is not reported as a spiked compound in the LCS

identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chlorobenzilate is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Famphur is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"PCB-1242 is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Endrin ketone is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Fenthion is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Ethion is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"4-Nitroquinoline-1-oxide is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Coumaphos is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chlordane is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"g-BHC is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"N-Nitrosomorpholine is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dimethoate is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dieldrin is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Aniline is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dichlorvos is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix

[illegible]

equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Demeton-O+S is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Azinphos methyl is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Carbazole is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dinoseb is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1-Chloronaphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Benzidine is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endosulfan I is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosodiphenylamine plus Diphenylamine is not reported as a spiked compound in the LCS identified as LabSampleID 366888 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dicofol is not reported as a spiked compound in the LCS identified as LabSampleID 366911 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 366911 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Malathion is not reported as a spiked compound in the LCS identified as LabSampleID 366911 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Chlordane- Technical is not reported as a spiked compound in the LCS identified as LabSampleID 366911 for Method EPA 8081 with the

same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

[illegible]

,"0012",,"Missing record",,"Toxaphene is not reported as a spiked compound in the LCS identified as LabSampleID 366911 for Method EPA 8081 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix

according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked  
 compound in the LCS identified as LabSampleID 366911 for Method EPA 8081 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 "''',1  
 ;"0012",,"Missing record",,"1,2-Dibromo-3-Chloropropane is not reported as a spiked  
 compound in the LCS identified as LabSampleID 366911 for Method EPA 8081 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 "''',1  
 ;"0012",,"Missing record",,"PCB-1254 is not reported as a spiked compound in the LCS  
 identified as LabSampleID 366913 for Method EPA 8082 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"PCB-1221 is not reported as a spiked compound in the LCS  
 identified as LabSampleID 366913 for Method EPA 8082 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"PCB-1232 is not reported as a spiked compound in the LCS  
 identified as LabSampleID 366913 for Method EPA 8082 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"PCB-1248 is not reported as a spiked compound in the LCS  
 identified as LabSampleID 366913 for Method EPA 8082 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"PCBs is not reported as a spiked compound in the LCS  
 identified as LabSampleID 366913 for Method EPA 8082 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"PCB-1242 is not reported as a spiked compound in the LCS  
 identified as LabSampleID 366913 for Method EPA 8082 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"PCB-1016/1242 is not reported as a spiked compound in  
 the LCS identified as LabSampleID 366913 for Method EPA 8082 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"4-Nitrophenol is not reported as a spiked compound in  
 the LCS identified as LabSampleID 367415 for Method EPA 8151 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Dichlorprop is not reported as a spiked compound in the  
 LCS identified as LabSampleID 367415 for Method EPA 8151 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Chloramben is not reported as a spiked compound in the  
 LCS identified as LabSampleID 367415 for Method EPA 8151 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Dicamba is not reported as a spiked compound in the LCS  
 identified as LabSampleID 367415 for Method EPA 8151 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Picloram is not reported as a spiked compound in the LCS  
 identified as LabSampleID 367415 for Method EPA 8151 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Dalapon is not reported as a spiked compound in the LCS  
 identified as LabSampleID 367415 for Method EPA 8151 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"MCPD is not reported as a spiked compound in the LCS identified as LabSampleID 367415 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"MCPA is not reported as a spiked compound in the LCS identified as LabSampleID 367415 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"2,4-DB is not reported as a spiked compound in the LCS identified as LabSampleID 367415 for Method EPA 8151 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,4-Dinitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Heptachlor epoxide is not reported as a spiked compound in the LCS identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Endosulfan sulfate is not reported as a spiked compound in the LCS identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"4-Methylphenol is not reported as a spiked compound in the LCS identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"1,4-Phenylenediamine is not reported as a spiked compound in the LCS identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked compound in the LCS identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"3-Methylphenol is not reported as a spiked compound in the LCS identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"2-Picoline is not reported as a spiked compound in the LCS identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"PCB-1260 is not reported as a spiked compound in the LCS identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"PCB-1254 is not reported as a spiked compound in the LCS identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"PCB-1221 is not reported as a spiked compound in the LCS identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"PCB-1232 is not reported as a spiked compound in the

LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Fensulfothion is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Malathion is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"a,a-Dimethylphenethylamine is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 "1  
 ,"0012",,"Missing record",,"Diphenylamine is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Diphenylhydrazine is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 "1  
 ,"0012",,"Missing record",,"PCB-1248 is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"PCB-1016 is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Demeton-S is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Terbufos is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Phosphamidon is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Aramite is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dicotophos is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Kepone is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Carbofuran is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"2,3,7,8-TCDD is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix



equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"EPN is not reported as a spiked compound in the LCSD  
 identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Leptophos is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Tetrachlorvinphos is not reported as a spiked compound  
 in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same  
 matrix equivalent as samples. This analyte must be reported for this method and  
 matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Mirex is not reported as a spiked compound in the LCSD  
 identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Methyl parathion is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Phorate is not reported as a spiked compound in the LCSD  
 identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Demeton-O is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Disulfoton is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Dipropylene glycol monobutyl ether is not reported as a  
 spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270  
 with the same matrix equivalent as samples. This analyte must be reported for this  
 method and matrix according to the project library. Make sure that AnalyteType =  
 SPK. ",,,,1  
 ;"0012",,"Missing record",,"Naled is not reported as a spiked compound in the LCSD  
 identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Aldrin is not reported as a spiked compound in the LCSD  
 identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"a-BHC is not reported as a spiked compound in the LCSD  
 identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"b-BHC is not reported as a spiked compound in the LCSD  
 identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"d-BHC is not reported as a spiked compound in the LCSD  
 identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0012",,"Missing record",,"Endosulfan II is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Bis(2-chloroisopropyl)ether is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chlorfenvinphos is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"4,4'-DDT is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chlorobenzilate is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Famphur is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"PCB-1242 is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Endrin ketone is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Fenthion is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Ethion is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"4-Nitroquinoline-1-oxide is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Coumaphos is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Chlordane is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"g-BHC is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"N-Nitrosomorpholine is not reported as a spiked compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

[illegible]

according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Mevinphos is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dioxathion is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Carbophenothion is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Toxaphene is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Demeton-O+S is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked  
 compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Azinphos methyl is not reported as a spiked compound in  
 the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Carbazole is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound  
 in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same  
 matrix equivalent as samples. This analyte must be reported for this method and  
 matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dinoseb is not reported as a spiked compound in the LCSD  
 identified as LabSampleID 367424 for Method EPA 8270 with the same matrix equivalent  
 as samples. This analyte must be reported for this method and matrix according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1-Chloronaphthalene is not reported as a spiked compound  
 in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same  
 matrix equivalent as samples. This analyte must be reported for this method and  
 matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Benzidine is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Endosulfan I is not reported as a spiked compound in the  
 LCSD identified as LabSampleID 367424 for Method EPA 8270 with the same matrix  
 equivalent as samples. This analyte must be reported for this method and matrix  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked  
 compound in the LCSD identified as LabSampleID 367424 for Method EPA 8270 with the  
 same matrix equivalent as samples. This analyte must be reported for this method  
 and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"N-Nitrosodiphenylamine plus Diphenylamine is not  
 reported as a spiked compound in the LCSD identified as LabSampleID 367424 for  
 Method EPA 8270 with the same matrix equivalent as samples. This analyte must be  
 reported for this method and matrix according to the project library. Make sure

that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 367875 for Method EPA 8011 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.  
 ",,,,1  
 ,"0012",,"Missing record",,"Fensulfothion is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Malathion is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Fenitrothion is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Simazine is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Demeton-S is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Terbufos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Phosphamidon is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Ethoprop is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Dicotophos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Merphos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Atrazine is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"EPN is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0012",,"Missing record",,"Leptophos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Azinphos ethyl is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Chlorpyrifos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Thionazin is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Demeton-O is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Ronnel is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Naled is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Aspon is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Trichloronate is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Diazinon is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Tokuthion is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Bolstar is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Chlorfenvinphos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Trichlorofon is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Fenthion is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0012", "Missing record", "Methyl chlorpyrifos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix

equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Ethion is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Coumaphos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dichlorvos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Monocrotophos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Phosmet is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Crotoxyphos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Mevinphos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dioxathion is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Carbophenothion is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Demeton-O+S is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Azinphos methyl is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Fonophos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Stirofos is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0012",,"Missing record",,"Dichlofenthion is not reported as a spiked compound in the LCS identified as LabSampleID 367879 for Method EPA 8141 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0018",,"Extra record(s)",,"LCS and/or LCSD reported for Method EPA 410.4 and Matrix AQUEOUS-Other but the project library does not require a LCS for this method and matrix equivalent.",,,,1

,"0018",,"Extra record(s)",,"LCS and/or LCSD reported for Method SM18 2320 B and Matrix AQUEOUS-Other but the project library does not require a LCS for this method

and matrix equivalent.",,,,1  
 ,"0018",,"Extra record(s)",,"LCS and/or LCSD reported for Method SM18 2540 C and Matrix AQUEOUS-Other but the project library does not require a LCS for this method and matrix equivalent.",,,,1  
 ,"0018",,"Extra record(s)",,"LCS and/or LCSD reported for Method SM18 5210 B and Matrix AQUEOUS-Other but the project library does not require a LCS for this method and matrix equivalent.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike results with a matrix equivalent to Water are reported in Method Batch 74373 for method EPA 8082.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike results with a matrix equivalent to Water are reported in Method Batch 74794 for method EPA 8082.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike results with a matrix equivalent to Water are reported in Method Batch 74381 for method EPA 8141.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike results with a matrix equivalent to Water are reported in Method Batch 74448 for method EPA 8260.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike results with a matrix equivalent to Water are reported in Method Batch 74770 for method EPA 8260.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike results with a matrix equivalent to Water are reported in Method Batch 74494 for method EPA 8270.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike results with a matrix equivalent to Water are reported in Method Batch 74950 for method EPA 8270.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike results with a matrix equivalent to Water are reported in Method Batch 75087 for method EPA 8270.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike results with a matrix equivalent to Water are reported in Method Batch 75959 for method EPA 8270/PAH Low Level.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 74373 for method EPA 8082.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 74794 for method EPA 8082.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 74381 for method EPA 8141.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 74411 for method EPA 8260.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 74448 for method EPA 8260.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 74456 for method EPA 8260.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 74534 for method EPA 8260.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 74770 for method EPA 8260.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 74844 for method EPA 8260.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 75048 for method EPA 8260.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 74494 for method EPA 8270.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 74950 for method EPA 8270.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 75087 for method EPA 8270.",,,,1  
 ,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 75959 for method EPA 8270/PAH Low Level.",,,,1  
 ,"0013",,"Missing record",,"1,4-Dinitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0013",,"Missing record",,"Heptachlor epoxide is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK.",,,,1  
 ,"0013",,"Missing record",,"Endosulfan sulfate is not reported as a spiked compound



in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4-Methylphenol is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,4-Phenylenediamine is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"3-Methylphenol is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Picoline is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"PCB-1260 is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"PCB-1254 is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"PCB-1221 is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"PCB-1232 is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Fensulfothion is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Malathion is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"a,a-Dimethylphenethylamine is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Diphenylamine is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Diphenylhydrazine is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","PCB-1248 is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","PCB-1016 is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Demeton-S is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Terbufos is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Phosphamidon is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Aramite is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Dicotophos is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Kepone is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Carbofuran is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","2,3,7,8-TCDD is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","EPN is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Leptophos is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Tetrachlorvinphos is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Mirex is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Methyl parathion is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Phorate is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Demeton-O is not reported as a spiked compound in the MS  
 identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to Water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Disulfoton is not reported as a spiked compound in the  
 MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to Water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Dipropylene glycol monobutyl ether is not reported as a  
 spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA  
 8270. This analyte must be reported for this method and matrix equivalent to Water  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Naled is not reported as a spiked compound in the MS  
 identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to Water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Aldrin is not reported as a spiked compound in the MS  
 identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to Water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"a-BHC is not reported as a spiked compound in the MS  
 identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to Water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"b-BHC is not reported as a spiked compound in the MS  
 identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to Water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"d-BHC is not reported as a spiked compound in the MS  
 identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to Water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Endosulfan II is not reported as a spiked compound in  
 the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte  
 must be reported for this method and matrix equivalent to Water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Tetraethyl dithiopyrophosphate is not reported as a  
 spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA  
 8270. This analyte must be reported for this method and matrix equivalent to Water  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Bis(2-chloroisopropyl)ether is not reported as a spiked  
 compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This  
 analyte must be reported for this method and matrix equivalent to Water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Chlorfenvinphos is not reported as a spiked compound in  
 the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte  
 must be reported for this method and matrix equivalent to Water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"4,4'-DDT is not reported as a spiked compound in the MS  
 identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to Water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Chlorobenzilate is not reported as a spiked compound in  
 the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte  
 must be reported for this method and matrix equivalent to Water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Famphur is not reported as a spiked compound in the MS  
 identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to Water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"PCB-1242 is not reported as a spiked compound in the MS  
 identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be

reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Endrin ketone is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Fenthion is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Ethion is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4-Nitroquinoline-1-oxide is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Coumaphos is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlordane is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"g-BHC is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"N-Nitrosomorpholine is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dimethoate is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dieldrin is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Aniline is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dichlorvos is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Carbaryl is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Benzoic acid is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Monocrotophos is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachlorophene is not reported as a spiked compound in

the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Endrin is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methoxychlor is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4,4'-DDD is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4,4'-DDE is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Phosmet is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Endrin aldehyde is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Heptachlor is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Crotoxyphos is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Mevinphos is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dioxathion is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Carbophenothion is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Toxaphene is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Demeton-O+S is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Azinphos methyl is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Carbazole is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dinoseb is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1-Chloronaphthalene is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Benzidine is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Endosulfan I is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"N-Nitrosodiphenylamine plus Diphenylamine is not reported as a spiked compound in the MS identified as LabSampleID 3552160031MS for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,4-Dinitrobenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Heptachlor epoxide is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Endosulfan sulfate is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"4-Methylphenol is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,4-Phenylenediamine is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"3-Methylphenol is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"2-Picoline is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must

be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"PCB-1260 is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"PCB-1254 is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"PCB-1221 is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"PCB-1232 is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Fensulfothion is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Malathion is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"a,a-Dimethylphenethylamine is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Diphenylamine is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Diphenylhydrazine is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"PCB-1248 is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"PCB-1016 is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Demeton-S is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Terbufos is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Phosphamidon is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Aramite is not reported as a spiked compound in the MSD

identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dicrotophos is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Kepone is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Carbofuran is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"2,3,7,8-TCDD is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"EPN is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Leptophos is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Tetrachlorvinphos is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Mirex is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Methyl parathion is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Phorate is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Demeton-O is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Disulfoton is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dipropylene glycol monobutyl ether is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Naled is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Aldrin is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1



"0013","Missing record","a-BHC is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","b-BHC is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","d-BHC is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Endosulfan II is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Bis(2-chloroisopropyl)ether is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Chlorfenvinphos is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","4,4'-DDT is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Chlorobenzilate is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Famphur is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","PCB-1242 is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Endrin ketone is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Fenthion is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Ethion is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","4-Nitroquinoline-1-oxide is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Coumaphos is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlordane is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"g-BHC is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"N-Nitrosomorpholine is not reported as a spiked compound  
 in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dimethoate is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dieldrin is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Aniline is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dichlorvos is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Carbaryl is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Benzoic acid is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Monocrotophos is not reported as a spiked compound in  
 the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachlorophene is not reported as a spiked compound in  
 the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Endrin is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methoxychlor is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4,4'-DDD is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4,4'-DDE is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Phosmet is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be

reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Endrin aldehyde is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Heptachlor is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Crotoxyphos is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Mevinphos is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dioxathion is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Carbophenothion is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Toxaphene is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Demeton-O+S is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Azinphos methyl is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Carbazole is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dinoseb is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1-Chloronaphthalene is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Benzidine is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Endosulfan I is not reported as a spiked compound in the

MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"N-Nitrosodiphenylamine plus Diphenylamine is not reported as a spiked compound in the MSD identified as LabSampleID 3552160031MSD for Method EPA 8270. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553126001MS for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 3553126001MSD for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MS identified as LabSampleID 3553126002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 3553126002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 3553126002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MS identified as LabSampleID 3553126002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MS identified as LabSampleID 3553126002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 3553126002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MS identified as LabSampleID 3553126002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MS identified as LabSampleID 3553126002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 3553126002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MSD identified as LabSampleID 3553126002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MSD identified as LabSampleID 3553126002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project

[illegible]

[illegible]



,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MSD identified as LabSampleID 3553126007MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MSD identified as LabSampleID 3553126007MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MSD identified as LabSampleID 3553126007MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MSD identified as LabSampleID 3553126007MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 3553126007MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MSD identified as LabSampleID 3553126007MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Ethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Styrene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"cis-1,3-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"trans-1,3-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,4-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1



project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dichloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Acrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Vinyl acetate is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4-Methyl-2-pentanone is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Toluene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"trans-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must

be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dibromochloromethane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Tetrachloroethene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylenes- Total is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"cis-1,2-Dichloroethene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"trans-1,2-Dichloroethene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Carbon tetrachloride is not reported as a spiked



,"0013",,"Missing record",,"Chloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Vinyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Methylene chloride is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Carbon disulfide is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Bromoform is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Bromodichloromethane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,1-Dichloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,1-Dichloroethene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Trichlorofluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Butanone is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,1,2-Trichloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Trichloroethene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,1,2,2-Tetrachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260.

This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 35531430052MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dicofol is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Malathion is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlordane- Technical is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Kepone is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Alachlor is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Propachlor is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Diallate is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Mirex is not reported as a spiked compound in the MS

identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Methyl parathion is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Isodrin is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Chlorobenzilate is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"a-Chlordane is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"g-Chlordane is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Endrin ketone is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Parathion is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Chlordane is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Hexachlorocyclopentadiene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Toxaphene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2-Dibromo-3-Chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1



the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound  
 in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in  
 the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound  
 in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as  
 a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA  
 8260. This analyte must be reported for this method and matrix equivalent to water  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked  
 compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in  
 the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked  
 compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the  
 MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked  
 compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the  
 MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in  
 the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the  
 MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked  
 compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked  
 compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in  
 the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in  
 the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte

must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553143005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dicofol is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachlorobenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Malathion is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlordane- Technical is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Kepone is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Alachlor is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Propachlor is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Diallate is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Mirex is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl parathion is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isodrin is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlorobenzilate is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"a-Chlordane is not reported as a spiked compound in the

MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"g-Chlordane is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Endrin ketone is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Parathion is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlordane is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachlorocyclopentadiene is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Toxaphene is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dibromo-3-Chloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 3553143005MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MS identified as LabSampleID 3553143009MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 3553143009MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 3553143009MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MS identified as LabSampleID 3553143009MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MS identified as LabSampleID 3553143009MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MS identified as LabSampleID 3553143009MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MS identified as LabSampleID 3553143009MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Boron is not reported as a spiked compound in the MS identified as LabSampleID 3553143009MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Silica (SiO<sub>2</sub>) is not reported as a spiked compound in the MSD identified as LabSampleID 3553143009MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Lithium is not reported as a spiked compound in the MSD identified as LabSampleID 3553143009MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 3553143009MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Strontium is not reported as a spiked compound in the MSD identified as LabSampleID 3553143009MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Thallium is not reported as a spiked compound in the MSD identified as LabSampleID 3553143009MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Titanium is not reported as a spiked compound in the MSD identified as LabSampleID 3553143009MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Antimony is not reported as a spiked compound in the MSD identified as LabSampleID 3553143009MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Boron is not reported as a spiked compound in the MSD identified as LabSampleID 3553143009MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the

project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA

8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound

in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553143013MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MS identified as LabSampleID 3553143022MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 3553143022MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]



51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Dicofol is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Hexachlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Malathion is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Chlordane- Technical is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Kepone is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Alachlor is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Propachlor is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013",,"Missing record",,"Diallate is not reported as a spiked compound in the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Mirex is not reported as a spiked compound in the MS  
 identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Methyl parathion is not reported as a spiked compound in  
 the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Isodrin is not reported as a spiked compound in the MS  
 identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Chlorobenzilate is not reported as a spiked compound in  
 the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"a-Chlordane is not reported as a spiked compound in the  
 MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"g-Chlordane is not reported as a spiked compound in the  
 MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Endrin ketone is not reported as a spiked compound in  
 the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Parathion is not reported as a spiked compound in the MS  
 identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Chlordane is not reported as a spiked compound in the MS  
 identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Hexachlorocyclopentadiene is not reported as a spiked  
 compound in the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Toxaphene is not reported as a spiked compound in the MS  
 identified as LabSampleID 3553143027MS for Method EPA 8081. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked  
 compound in the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"1,2-Dibromo-3-Chloropropane is not reported as a spiked  
 compound in the MS identified as LabSampleID 3553143027MS for Method EPA 8081. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in  
 the MSD identified as LabSampleID 3553143027MSD for Method EPA 6010. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553143027MSD for Method EPA 6010. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553143027MSD for Method EPA 6010. This analyte must

be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dicofol is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachlorobenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Malathion is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlordane- Technical is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Kepone is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Alachlor is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Propachlor is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Diallate is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Mirex is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl parathion is not reported as a spiked compound in

the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isodrin is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlorobenzilate is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"a-Chlordane is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"g-Chlordane is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Endrin ketone is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Parathion is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlordane is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachlorocyclopentadiene is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Toxaphene is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pentachloronitrobenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dibromo-3-Chloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 3553143027MSD for Method EPA 8081. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 3553143029MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MS identified as LabSampleID 3553143029MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MS identified as LabSampleID 3553143029MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 3553143029MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

51614\_201203\_swldd\_ErrorLog.txt

[illegible]



51614\_201203\_swldd\_ErrorLog.txt

[illegible]

[illegible]



,"0013",,"Missing record",,"PCB-1242 is not reported as a spiked compound in the MSD identified as LabSampleID 3553143029MSD for Method EPA 8082. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"PCB-1016/1242 is not reported as a spiked compound in the MSD identified as LabSampleID 3553143029MSD for Method EPA 8082. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"4-Nitrophenol is not reported as a spiked compound in the MSD identified as LabSampleID 3553143029MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dichlorprop is not reported as a spiked compound in the MSD identified as LabSampleID 3553143029MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Chloramben is not reported as a spiked compound in the MSD identified as LabSampleID 3553143029MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dicamba is not reported as a spiked compound in the MSD identified as LabSampleID 3553143029MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Picloram is not reported as a spiked compound in the MSD identified as LabSampleID 3553143029MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dalapon is not reported as a spiked compound in the MSD identified as LabSampleID 3553143029MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"MCPP is not reported as a spiked compound in the MSD identified as LabSampleID 3553143029MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"MCPA is not reported as a spiked compound in the MSD identified as LabSampleID 3553143029MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"2,4-DB is not reported as a spiked compound in the MSD identified as LabSampleID 3553143029MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the

project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte

must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553220002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound







[illegible]

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

51614\_201203\_swldd\_ErrorLog.txt

[illegible]

reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Fensulfothion is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Malathion is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Fenitrothion is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Simazine is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Demeton-S is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Terbufos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Phosphamidon is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Ethoprop is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dicotophos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Merphos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Atrazine is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"EPN is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Leptophos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Azinphos ethyl is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlorpyrifos is not reported as a spiked compound in the

MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Thionazin is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Demeton-O is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Ronnel is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Naled is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Aspon is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Trichloronate is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Diazinon is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Tokuthion is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Bolstar is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Chlorfenvinphos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Trichlorofon is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Fenthion is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Methyl chlorpyrifos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Ethion is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Coumaphos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dichlorvos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Monocrotophos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Phosmet is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Crotoxyphos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Mevinphos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dioxathion is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Carbophenothion is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Demeton-O+S is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Azinphos methyl is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Fonophos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Stirofos is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dichlofenthion is not reported as a spiked compound in the MS identified as LabSampleID 3553336001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Fensulfothion is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Malathion is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1



library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Fenitrothion is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Simazine is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Demeton-S is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Terbufos is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Phosphamidon is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Ethoprop is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dicotophos is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Merphos is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Atrazine is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"EPN is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Leptophos is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Azinphos ethyl is not reported as a spiked compound in  
 the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlorpyrifos is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Thionazin is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Demeton-O is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Ronnel is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be

reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Naled is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Aspon is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Trichloronate is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Diazinon is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Tokuthion is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Bolstar is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlorfenvinphos is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Trichlorofon is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Fenthion is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl chlorpyrifos is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Ethion is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Coumaphos is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dichlorvos is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Monocrotophos is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Phosmet is not reported as a spiked compound in the MSD

identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Crotoxyphos is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Mevinphos is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Dioxathion is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Carbophenothion is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Demeton-O+S is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Azinphos methyl is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Fonophos is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Stirofos is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Dichlofenthion is not reported as a spiked compound in the MSD identified as LabSampleID 3553336001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "4-Nitrophenol is not reported as a spiked compound in the MS identified as LabSampleID 3553340001MS for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Dichlorprop is not reported as a spiked compound in the MS identified as LabSampleID 3553340001MS for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Chloramben is not reported as a spiked compound in the MS identified as LabSampleID 3553340001MS for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Dicamba is not reported as a spiked compound in the MS identified as LabSampleID 3553340001MS for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Picloram is not reported as a spiked compound in the MS identified as LabSampleID 3553340001MS for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Dalapon is not reported as a spiked compound in the MS identified as LabSampleID 3553340001MS for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","MCP is not reported as a spiked compound in the MS identified as LabSampleID 3553340001MS for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","MCPA is not reported as a spiked compound in the MS identified as LabSampleID 3553340001MS for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","2,4-DB is not reported as a spiked compound in the MS identified as LabSampleID 3553340001MS for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","4-Nitrophenol is not reported as a spiked compound in the MSD identified as LabSampleID 3553340001MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Dichlorprop is not reported as a spiked compound in the MSD identified as LabSampleID 3553340001MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Chloramben is not reported as a spiked compound in the MSD identified as LabSampleID 3553340001MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Dicamba is not reported as a spiked compound in the MSD identified as LabSampleID 3553340001MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Picloram is not reported as a spiked compound in the MSD identified as LabSampleID 3553340001MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Dalapon is not reported as a spiked compound in the MSD identified as LabSampleID 3553340001MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","MCP is not reported as a spiked compound in the MSD identified as LabSampleID 3553340001MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","MCPA is not reported as a spiked compound in the MSD identified as LabSampleID 3553340001MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","2,4-DB is not reported as a spiked compound in the MSD identified as LabSampleID 3553340001MSD for Method EPA 8151. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Silica (SiO<sub>2</sub>) is not reported as a spiked compound in the MS identified as LabSampleID 3553416001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Lithium is not reported as a spiked compound in the MS identified as LabSampleID 3553416001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 3553416001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

"0013","Missing record","Strontium is not reported as a spiked compound in the MS identified as LabSampleID 3553416001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project

[illegible]

51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]



[illegible]



project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte

must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in

the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553416005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound  
 in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in  
 the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound  
 in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked  
 compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260.  
 This analyte must be reported for this method and matrix equivalent to water  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked  
 compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260.  
 This analyte must be reported for this method and matrix equivalent to water  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a  
 spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA  
 8260. This analyte must be reported for this method and matrix equivalent to water  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound  
 in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked  
 compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260.  
 This analyte must be reported for this method and matrix equivalent to water  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound  
 in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound  
 in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound  
 in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in  
 the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must

be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked

compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MSD identified as LabSampleID 3553416005MSD for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553416009MS for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 3553416009MSD for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water



according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound  
 in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked  
 compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound  
 in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound  
 in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound  
 in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in  
 the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the  
 MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked  
 compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound  
 in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as  
 a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA  
 8260. This analyte must be reported for this method and matrix equivalent to water  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked  
 compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in  
 the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in  
 the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound  
 in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked  
 compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This  
 analyte must be reported for this method and matrix equivalent to water according to  
 the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound  
 in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte

must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553493009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in

the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

, "0013", "Missing record", "1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to

the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 3553570009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 3553597001MS for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 3553597001MSD for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Fensulfothion is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Malathion is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Fenitrothion is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Simazine is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Demeton-S is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Terbufos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Phosphamidon is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be

reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Ethoprop is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dicotophos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Merphos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Atrazine is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"EPN is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Leptophos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Azinphos ethyl is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Chlorpyrifos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Thionazin is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Demeton-O is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Ronnel is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Naled is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Aspon is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Trichloronate is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Diazinon is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Tokuthion is not reported as a spiked compound in the MS

identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Bolstar is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Tetraethyl dithiopyrophosphate is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Chlorfenvinphos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Trichlorofon is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Fenthion is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Methyl chlorpyrifos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Ethion is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Coumaphos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dichlorvos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Monocrotophos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Phosmet is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Crotoxyphos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Mevinphos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dioxathion is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Carbophenothion is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Demeton-O+S is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Azinphos methyl is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Fonophos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Stirofos is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dichlofenthion is not reported as a spiked compound in the MS identified as LabSampleID 3553824001MS for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Tetraethyl pyrophosphate is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Fensulfothion is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Malathion is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Fenitrothion is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Simazine is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Demeton-S is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Terbufos is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Phosphamidon is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Ethoprop is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Dicotophos is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1

,"0013",,"Missing record",,"Merphos is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project



library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Atrazine is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"EPN is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Leptophos is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Azinphos ethyl is not reported as a spiked compound in  
 the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Chlorpyrifos is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Thionazin is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Demeton-O is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Ronnel is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Naled is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Aspon is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Trichloronate is not reported as a spiked compound in  
 the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte  
 must be reported for this method and matrix equivalent to water according to the  
 project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Diazinon is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Tokuthion is not reported as a spiked compound in the  
 MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must  
 be reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Bolstar is not reported as a spiked compound in the MSD  
 identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Tetraethyl dithiopyrophosphate is not reported as a  
 spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA  
 8141. This analyte must be reported for this method and matrix equivalent to water  
 according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ;"0013",,"Missing record",,"Chlorfenvinphos is not reported as a spiked compound in  
 the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte

must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Trichlorofon is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Fenthion is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Methyl chlorpyrifos is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Ethion is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Coumaphos is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dichlorvos is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Monocrotophos is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Phosmet is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Crotoxyphos is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Mevinphos is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dioxathion is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Carbophenothion is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Demeton-O+S is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Azinphos methyl is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Fonophos is not reported as a spiked compound in the MSD identified as LabSampleID 3553824001MSD for Method EPA 8141. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Stirofos is not reported as a spiked compound in the MSD



51614\_201203\_sw1dd\_ErrorLog.txt

[illegible]

library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dicamba is not reported as a spiked compound in the MSD  
 identified as LabSampleID 92115343001MSD for Method EPA 8151. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Picloram is not reported as a spiked compound in the MSD  
 identified as LabSampleID 92115343001MSD for Method EPA 8151. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"Dalapon is not reported as a spiked compound in the MSD  
 identified as LabSampleID 92115343001MSD for Method EPA 8151. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"MCPP is not reported as a spiked compound in the MSD  
 identified as LabSampleID 92115343001MSD for Method EPA 8151. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"MCPA is not reported as a spiked compound in the MSD  
 identified as LabSampleID 92115343001MSD for Method EPA 8151. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0013",,"Missing record",,"2,4-DB is not reported as a spiked compound in the MSD  
 identified as LabSampleID 92115343001MSD for Method EPA 8151. This analyte must be  
 reported for this method and matrix equivalent to water according to the project  
 library. Make sure that AnalyteType = SPK. ",,,,1  
 ,"0018",,"Extra record(s)",,"MS and/or MSD reported for Method EPA 410.4 and Matrix  
 AQUEOUS-Other but the project library does not require a matrix spike for this  
 method and matrix equivalent.",,,,1  
 ,"0018",,"Extra record(s)",,"MS and/or MSD reported for Method EPA 8081 and Matrix  
 AQUEOUS-Groundwater but the project library does not require a matrix spike for this  
 method and matrix equivalent.",,,,1  
 ,"0014",,"Missing record(s)",,"No Lab Duplicate results (where QCType = DUP) are  
 reported for method EPA 8082 and matrix equivalent to water in MethodBatchID 74373.  
 ",,"lab ran lcs/lcsd rather than ms/dup",,,,1  
 ,"0014",,"Missing record(s)",,"No Lab Duplicate results (where QCType = DUP) are  
 reported for method EPA 8082 and matrix equivalent to water in MethodBatchID 74794.  
 ",,"lab ran lcs/lcsd rather than ms/dup",,,,1  
 ,"0014",,"Missing record(s)",,"No Lab Duplicate results (where QCType = DUP) are  
 reported for method EPA 8141 and matrix equivalent to water in MethodBatchID 74381.  
 ",,"lab ran lcs/lcsd rather than ms/dup",,,,1  
 ,"0014",,"Missing record(s)",,"No Lab Duplicate results (where QCType = DUP) are  
 reported for method EPA 8260 and matrix equivalent to water in MethodBatchID 74448.  
 ",,"lab ran lcs/lcsd rather than ms/dup",,,,1  
 ,"0014",,"Missing record(s)",,"No Lab Duplicate results (where QCType = DUP) are  
 reported for method EPA 8260 and matrix equivalent to water in MethodBatchID 74770.  
 ",,"lab ran lcs/lcsd rather than ms/dup",,,,1  
 ,"0014",,"Missing record(s)",,"No Lab Duplicate results (where QCType = DUP) are  
 reported for method EPA 8270 and matrix equivalent to water in MethodBatchID 74494.  
 ",,"lab ran lcs/lcsd rather than ms/dup",,,,1  
 ,"0014",,"Missing record(s)",,"No Lab Duplicate results (where QCType = DUP) are  
 reported for method EPA 8270 and matrix equivalent to water in MethodBatchID 74950.  
 ",,"lab ran lcs/lcsd rather than ms/dup",,,,1  
 ,"0014",,"Missing record(s)",,"No Lab Duplicate results (where QCType = DUP) are  
 reported for method EPA 8270 and matrix equivalent to water in MethodBatchID 75087.  
 ",,"lab ran lcs/lcsd rather than ms/dup",,,,1  
 ,"0014",,"Missing record(s)",,"No Lab Duplicate results (where QCType = DUP) are  
 reported for method EPA 8270/PAH Low Level and matrix equivalent to water in  
 MethodBatchID 75959. ",,"lab ran lcs/lcsd rather than ms/dup",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a surrogate record  
 for Phenol-d5 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. Phenol-d5 must be  
 reported for this method and library MatrixID equivalent according to the project  
 library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a surrogate record

for p-Terphenyl-d14 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'.  
 p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'.  
 Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3552160031 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270 in MatrixID 'AQUEOUS-Other'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553126001 is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'.  
 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553126001 is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'.  
 Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553126001 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'.  
 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553126001 is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'.  
 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220001 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220002 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553220002 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

, "0010", "Missing record", "ClientSampleID 3553220002 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553220002 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553220002 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553220002 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553220002 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553223002 is missing a surrogate record for o-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Other'. o-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553223002 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Other'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553223002 is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Other'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553223002 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Other'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553314003 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553314003 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553314003 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553314003 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553314003 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553314003 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID 3553314003 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID

equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a surrogate record for Tributyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Tributyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553336001 is missing a surrogate record for Triphenyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Triphenyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416005 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.



1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416009 is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'.  
 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416009 is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'.  
 Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416009 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'.  
 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553416009 is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'.  
 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493008 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493009 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493009 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493009 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493009 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493009 is missing a surrogate record

for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493009 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553493009 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570002 is missing a surrogate record for o-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Other'.  
 o-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570002 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Other'.  
 Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570002 is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Other'.  
 p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570002 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Other'.  
 p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570008 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570008 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570008 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570008 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570008 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570008 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570008 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570009 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID 3553570009 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  
 Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553570009 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553570009 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553570009 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553570009 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553570009 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553597001 is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553597001 is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553597001 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553597001 is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'. 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a surrogate record for Tributyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Tributyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID 3553824001 is missing a surrogate record for Triphenyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Other'. Triphenyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent

according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Dibutyl Chlorendate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Dibutyl Chlorendate analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Tributyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Tributyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Triphenyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Triphenyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Phenol-d5 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phenol-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'.

p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for o-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. o-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-15 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Dibutyl Chloroethane analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for

Dibutyl Chlorendate analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Tributyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Tributyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Triphenyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Triphenyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Phenol-d5 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phenol-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for o-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. o-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID CW-16 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

, "0010", "Missing record", "ClientSampleID CW-16 is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-16 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for Dibutyl Chlorendate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for Dibutyl Chlorendate analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for Tributyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Tributyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for Triphenyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Triphenyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID CW-19 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent

according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  
 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID  
 equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  
 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  
 Bromofluorobenzene must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  
 Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  
 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID  
 equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 Phenol-d5 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phenol-d5 must be  
 reported for this method and library MatrixID equivalent according to the project  
 library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 p-Terphenyl-d14 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'.  
 p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 Dibromofluoromethane analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'.  
 Dibromofluoromethane must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 p-Terphenyl analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl  
 must be reported for this method and library MatrixID equivalent according to the  
 project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 o-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'.  
 o-Terphenyl must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 Nitrobenzene-d5 analyzed by EPA 8270/PAH Low Level in MatrixID  
 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library  
 MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 p-Terphenyl-d14 analyzed by EPA 8270/PAH Low Level in MatrixID  
 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library  
 MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-19 is missing a surrogate record for  
 p-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'.  
 p-Terphenyl must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for  
 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'.  
 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID  
 equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for  
 Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'.  
 Pentachloroethane must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for  
 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'.



2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'".  
 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'".  
 Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'".  
 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for Dibutyl Chlorendate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'". Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'".  
 Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'".  
 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for Dibutyl Chlorendate analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'". Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for Tributyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'". Tributyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for Triphenyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'".  
 Triphenyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'".  
 Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'".  
 Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'".  
 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'".  
 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'".  
 Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'".  
 Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for

1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  
 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID  
 equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for  
 Phenol-d5 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phenol-d5 must be  
 reported for this method and library MatrixID equivalent according to the project  
 library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for  
 p-Terphenyl-d14 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'.  
 p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for  
 Dibromofluoromethane analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'.  
 Dibromofluoromethane must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for  
 p-Terphenyl analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl  
 must be reported for this method and library MatrixID equivalent according to the  
 project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for  
 o-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'.  
 o-Terphenyl must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for  
 Nitrobenzene-d5 analyzed by EPA 8270/PAH Low Level in MatrixID  
 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library  
 MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for  
 p-Terphenyl-d14 analyzed by EPA 8270/PAH Low Level in MatrixID  
 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library  
 MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID CW-20 is missing a surrogate record for  
 p-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'.  
 p-Terphenyl must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a  
 surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID  
 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method  
 and library MatrixID equivalent according to the project library surrogate  
 table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a  
 surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID  
 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and  
 library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a  
 surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID  
 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and  
 library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a  
 surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID  
 'AQUEOUS-Groundwater'. 4-Bromofluorobenzene must be reported for this method and  
 library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a  
 surrogate record for Decachlorobiphenyl analyzed by EPA 8081 in MatrixID  
 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and  
 library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a  
 surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8081 in MatrixID  
 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this  
 method and library MatrixID equivalent according to the project library surrogate  
 table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a  
 surrogate record for Dibutyl Chlorendate analyzed by EPA 8081 in MatrixID

'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8082 in MatrixID  
 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8082 in MatrixID  
 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for Dibutyl Chlorendate analyzed by EPA 8082 in MatrixID  
 'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for Tributyl phosphate analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Tributyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for Triphenyl phosphate analyzed by EPA 8141 in MatrixID  
 'AQUEOUS-Groundwater'. Triphenyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID  
 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for Phenol-d5 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Phenol-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Eq. Blank submersible is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8270 in MatrixID  
 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

, "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a surrogate record for p-Terphenyl analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a surrogate record for o-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. o-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Eq. Blank submersible is missing a surrogate record for p-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a surrogate record for Dibutyl Chloroethane analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1  
 , "0010", "Missing record", "ClientSampleID Equip Blank Perimeter pump is missing a surrogate record for Dibutyl Chloroethane analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

51614\_201203\_sw1dd\_ErrorLog.txt

```

"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for Tributyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Tributyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for Triphenyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Triphenyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for Phenol-d5 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phenol-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for p-Terphenyl analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for o-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. o-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1
"0010","Missing record","ClientsSampleID Equip Blank Perimeter pump is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library

```

MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID Equip Blank Perimeter pump is missing a surrogate record for p-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-10R is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'.

4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Dibutyl Chlorendate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Dibutyl Chlorendate analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Tributyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Tributyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Triphenyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Triphenyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for

Phenol-d5 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phenol-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for o-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. o-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-15 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-17 is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-17 is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-17 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-17 is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-17 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-17 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-17 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-17 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1



, "0010", "Missing record", "ClientSampleID MW-17 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-17 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-17 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-18 is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-18 is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-18 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-18 is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-18 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-18 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-18 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-18 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-18 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-18 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-18 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-19 is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-19 is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent

according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'.  
 2-Bromo-1-chloropropane must be reported for this method and library MatrixID  
 equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'.  
 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 Decachlorobiphenyl analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'.  
 Decachlorobiphenyl must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'.  
 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID  
 equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 Dibutyl Chlorendate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl  
 Chlorendate must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 Decachlorobiphenyl analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'.  
 Decachlorobiphenyl must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'.  
 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID  
 equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 Dibutyl Chlorendate analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl  
 Chlorendate must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 Tributyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Tributyl  
 phosphate must be reported for this method and library MatrixID equivalent according  
 to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 Triphenyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'.  
 Triphenyl phosphate must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  
 Dibromofluoromethane must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  
 Pentafluorobenzene must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  
 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID  
 equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  
 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  
 Bromofluorobenzene must be reported for this method and library MatrixID equivalent  
 according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for  
 Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.

Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for Phenol-d5 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phenol-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for o-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. o-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-19 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for

Dibutyl Chlorendate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for Dibutyl Chlorendate analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for Tributyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Tributyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for Triphenyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Triphenyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for Phenol-d5 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phenol-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

,"0010",,"Missing record",,"ClientSampleID MW-1R is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1

, "0010", "Missing record", "ClientSampleID MW-1R is missing a surrogate record for p-Terphenyl analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-1R is missing a surrogate record for o-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. o-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-1R is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-1R is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-1R is missing a surrogate record for p-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a surrogate record for Dibutyl Chlorendate analyzed by EPA 8081 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a surrogate record for Decachlorobiphenyl analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Decachlorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a surrogate record for 2,4,5,6-Tetrachloro-m-xylene analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. 2,4,5,6-Tetrachloro-m-xylene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a surrogate record for Dibutyl Chlorendate analyzed by EPA 8082 in MatrixID 'AQUEOUS-Groundwater'. Dibutyl Chlorendate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1

, "0010", "Missing record", "ClientSampleID MW-20 is missing a surrogate record for Tributyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Tributyl phosphate must be reported for this method and library MatrixID equivalent according

to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for Triphenyl phosphate analyzed by EPA 8141 in MatrixID 'AQUEOUS-Groundwater'. Triphenyl phosphate must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for Phenol-d5 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Phenol-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270 in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for o-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. o-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for p-Terphenyl-d14 analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'. p-Terphenyl-d14 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-20 is missing a surrogate record for p-Terphenyl analyzed by EPA 8270/PAH Low Level in MatrixID 'AQUEOUS-Groundwater'.

p-Terphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-8A is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a surrogate record for 1,1,1,2-Tetrachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,1,1,2-Tetrachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a surrogate record for Pentachloroethane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a surrogate record for 4-Bromofluorobenzene analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 4-Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.",,,,1  
 ,"0010",,"Missing record",,"ClientSampleID MW-9 is missing a surrogate record for

[illegible]



[illegible]







, "0010", "Missing record", "ClientSampleID Trip Blank Perimeter pump is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1, 1, 1, 1, 1

, "0010", "Missing record", "ClientSampleID Trip Blank Perimeter pump is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1, 1, 1, 1, 1

, "0010", "Missing record", "ClientSampleID Trip Blank Perimeter pump is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1, 1, 1, 1, 1

, "0010", "Missing record", "ClientSampleID Trip Blank Perimeter pump is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1, 1, 1, 1, 1

, "0010", "Missing record", "ClientSampleID Trip Blank Perimeter pump is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1, 1, 1, 1, 1

, "0010", "Missing record", "ClientSampleID Trip Blank submersible is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1, 1, 1, 1, 1

, "0010", "Missing record", "ClientSampleID Trip Blank submersible is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1, 1, 1, 1, 1

, "0010", "Missing record", "ClientSampleID Trip Blank submersible is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1, 1, 1, 1, 1

, "0010", "Missing record", "ClientSampleID Trip Blank submersible is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1, 1, 1, 1, 1

, "0010", "Missing record", "ClientSampleID Trip Blank submersible is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1, 1, 1, 1, 1

, "0010", "Missing record", "ClientSampleID Trip Blank submersible is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1, 1, 1, 1, 1

, "0010", "Missing record", "ClientSampleID Trip Blank submersible is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and library MatrixID equivalent according to the project library surrogate table.", 1, 1, 1, 1, 1

, "0016", "DateCollected", "Two different DateCollected values are entered for ClientSampleID CW-20MS, Method EPA 8260, and MatrixID AQUEOUS-Other. Only one DateCollected value must be entered among these records.", 1, 1, 1, 1, 1