DEP Form # 62-522.900(2)
Form Title GROUND WATER MON. REPORT
Effective Date
DEP Application No.

Florida Department of Environmental Protection

Twin Towers Office Bldg. 2600 Blair Stone Road Tallahassee, Florida 32399-2400

GROUND WATER MONITORING REPORT

Rule 62-522.600(11)

40612

PART I GENERAL INFORMATION

Facility Name Hardee County Solid Waste Disposal Facility

Address P.O. Box 246

City Wauchula, FL Zip 33873

Telephone Number (941) 773-5089

The GMS Identification Number 4025C30001

DEP Permit Number S025-214306

Authorized Representative Name Bruce Cummings

Address 10405 US 27 South

City Sebring, FL Zip 33870

Telephone Number (941) 655-4022

Type of Discharge

Method of Discharge

Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date: 07-30-97

for Hardee County BOCC

Signature of Owner or Authorized Representative

PART II QUALITY ASSURANCE REQUIREMENTS

Sample Organization Comp QAP # 880516

Analytical Lab Comp QAP #/HRS Certification # 880516, E85458

*Comp QAP #/HRS Certification # E84098

Lab Name Short Environmental Laboratories, Inc.

Address 10405 US 27 South, Sebring, FL 33870

Phone Number (941) 655-4022

685 AIRPORT ROAD
WAUCHULA, FL 33873
TELEPHONE: (941) 773-5089
FAX: (941) 773-3907

HARDEE COUNTY

SOLID WASTE DEPARTMENT
MATERIAL RECOVERY FACILITY

August 15, 1997

Department of Environmental Protections
Attention: Allison Amram, Environmental Specialist III
Waste Management Section
3804 Coconut Palm Drive
Tampa, FL 33619-8318

RE: Biannual Water Sampling – Groundwater elevations – Methane Gas Sampling

Dear Ms. Amram:

Enclosed for your review are the above referenced. As always, feel free to contact us should you have any questions or comments.

Sincerely,

Janice Williamson

Janice Williamson
Executive Secretary/Recycling Coordinator

Cc: Chongman Lee – DEP, Tallahassee
Maureen Morecillo – PBS & J – Winter Park
Andy Maddox – COW, Waste Water Treatment Plant (Leachate Only)

From the desk of:
Janice Williamson,
Executive Secretary/Recycling Coordinator

HARDEE COUNTY SANITARY LANDFILL

GROUNDWATER ELEVATIONS

DATE: 06/10/97

RECORDED BY: Rick Greene

LOCATION	ELEVATION TOP OF CASING	ELEVATION AT LAND SURFACE	HEIGHT OF CASING ABOVE L.S.	WATER DEPTH FROM TOP OF CASING	GROUNDWATER ELEVATION
MW-1	87.97	86.24	1.73	6.05	81.92
MW-2	85.86	83.68	2.18	6.95	78.91
MW-3	87.75	86.07	1.68	8.30	79.45
MW-4	87.16	84.44	2.72	7.40	79.76
MW-5	88.76	85.76	3.00	9.50	79.26
MW-6	87.94	84.68	3.26	9.10	78.84
MW-7	87.51	84.55	2.96	8.90	78.61
********	*********	*********	*********	*********	***********
P-1	91.27	88.97	2.30	10.90	80.37
P-2	90.66	87.66	3.00	11.45	79.21
P-3	89.05	86.60	2.45	9.40	79.65
P-4	88.34	85.34	3.00	8.45	79.89
P-5	89.25	86.42	2.83	9.50	79.75
P-6	85.94	83.44	2.50	7.25	78.69
P-7	84.04	81.84	2.20	6.45	77.59
P-8	84.74	82.67	2.08	6.85	77.89
P-9	87.06	84.81	2.25	8.65	78.41
P-10	88.56	86.40	2.16	9.60	78.96
P-11	87.16	85.08	2.08	7.90	79.26
P-12	88.71	85.71	3.00	9.30	79.41
P-13	87.60	84.60	3.00	8.65	78.65
P-14	86.75	83.75	3.00	8.50	78.25

WATER ELEVATION IN THE DEWATERING DITCH: ____________________

PART III ANALYTICAL RESULTS

(5222C055.20N)

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1305

Test Site ID #: 4025A14569

Report Period: 01/01/97 to 06/30/97

Well Name: MW-1 Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 81.92 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
000094	Specific Conductivity (field)	Bailer	No	EPA 120.1	06-10-97 @ 1305	208. umhos/cm	1. umhos/cm
004060	pH (Field)	Bailer	No	EPA 150.1	06-10-97 @ 1305	4.69 S.U.	NA
000299	Dissolved Oxygen (field)	Bailer	No	EPA 360.1	06-10-97 @ 1305	5.2 mg/L	0.1 mg/L
082078	Turbidity (field)	Bailer	No	EPA 180.1	06-10-97 @ 1305	10.5 NTU	0.1 NTU
000010	Temperature (field)	Bailer	No	EPA 170.1	06-10-97 @ 1305	24.8 C	NA
085326	Colors & Sheens (by observation)	Bailer	No	EPA	06-10-97 @ 1305	NO NA	NA
000610	Total Ammonia - N	Bailer	No	EPA 350.1	06-26-97 @ 1009	0.31 mg/L	0.04 mg/L
000940	Chlorides	Bailer	No	EPA 325.3	06-16-97 @ 1211	31. mg/L	0.5 mg/L
001045	Iron	Bailer	No	EPA 236.1	06-20-97 @ 1158	10.6 mg/L	0.01 mg/L
071900	Mercury	Bailer	No	EPA 245.2	06-18-97 @ 0932	< 0.001 mg/L	0.001 mg/L
000620	Nitrate	Bailer	No	EPA 353.2	07-01-97 @ 1020	0.04 mg/L	0.02 mg/L
000929	Sodium	Bailer	No	EPA 273.1	07-02-97 @ 1122	12.7 mg/L	0.1 mg/L
070300	Total dissolved solids (TDS)	Bailer	No	EPA 160.1	06-12-97 @ 1400	220. mg/L	1. mg/L
	Appendix I - Inorganic						
001097	Antimony	Bailer	No	EPA 204.2	07-02-97 @ 1315	< 0.003 mg/L	0.003 mg/L
001002	Arsenic	Bailer	No	EPA 206.3	06-25-97 @ 1700	0.006 mg/L	0.005 mg/L
001007	Barium	Bailer	No	EPA 208.1	06-17-97 @ 1550	< 0.02 mg/L	0.02 mg/L
001012	Beryllium	Bailer	No	EPA 210.2	07-03-97 @ 1500	< 0.001 mg/L	0.001 mg/L
001027	Cadmium	Bailer	No	EPA 213.1	06-26-97 @ 0850	< 0.002 mg/L	0.002 mg/L
001034	Chromium	Bailer	No	EPA 218.1	06-30-97 @ 1032	< 0.02 mg/L	0.02 mg/L
001037	Cobalt	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.05 mg/L	0.05 mg/L
001042	Copper	Bailer	No	EPA 220.1	06-19-97 @ 1455	0.02 mg/L	0.01 mg/L
001051	Lead	Bailer	No	EPA 239.2	06-18-97 @ 1008	< 0.001 mg/L	0.001 mg/L
001067	Nickel	Bailer	No	EPA 249.1	06-27-97 @ 0854	0.02 mg/L	0.01 mg/L
001147	Selenium	Bailer	No	EPA 270.2	06-25-97 @ 1053	< 0.005 mg/L	0.005 mg/L
001077	Silver	Bailer	No	EPA 272.2	06-23-97 @ 1745	< 0.001 mg/L	0.001 mg/L
001059	Thallium	Bailer	No	EPA 279.2	07-03-97 @ 0940	< 0.002 mg/L	0.002 mg/L
001087	Vanadium	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.1 mg/L	0.1 mg/L
001092	Zinc	Bailer	No	EPA 289.1	06-27-97 @ 0856	< 0.002 mg/L	0.002 mg/L
	Appendix I - Organic						
081552	Acetone	Bailer	No	EPA 8260	06-13-97	< 2.5 ug/L	2.5 ug/L
034215	Acrylonitrile	Bailer	No	EPA 8260	06-13-97	< 1.5 ug/L	1.5 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1305

Test Site ID #: 4025A14569

Report Period: 01/01/97 to 06/30/97

Well Name: MW-1 Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 81.92 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034030	Benzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
073085	Bromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
032101	Bromodichloromethane	Bailer	No	EPA 8260	06-13-97	< 0.08 ug/L	0.08 ug/L
032104	Bromoform	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
046372	Carbon disulfide	Bailer	No	EPA 8260	06-13-97	< 5. ug/L	5. ug/L
032102	Carbon tetrachloride	Bailer	No	EPA 8260	06-13-97	< 0.21 ug/L	0.21 ug/L
034301	Chlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034311	Chloroethane	Bailer	No	EPA 8260	06-13-97	< 0.10 ug/L	0.10 ug/L
032106	Chloroform	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
032105	Dibromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
037860	1,2-Dibromo-3-chloropropane (DBCP)	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
046369	1,2-Dibromomethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
034536	o-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
034571	p-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
077268	trans-1,4-Dichloro-2-butene	Bailer	No	EPA 8260	06-13-97	< 10. ug/L	10. ug/L
034496	1,1-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034531	1,2-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034501	1,1-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
077093	cis-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034546	trans-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034541	1,2-Dichloropropane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034704	cis-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
034699	trans-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034371	Ethylbenzene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
077103	2-Hexanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
034413	Methyl bromide	Bailer	No	EPA 8260	06-13-97	< 0.11 ug/L	0.11 ug/L
034418	Methyl chloride	Bailer	No	EPA 8260	06-13-97	< 0.13 ug/L	0.13 ug/L
046361	Methylene bromide	Bailer	No	EPA 8260	06-13-97	< 0.3 ug/L	0.3 ug/L
034423	Methylene chloride	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
081595	Methyl ethyl ketone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077424	Methyl iodode	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
078133	4-Methyl-2-pentanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077128	Styrene	Bailer	No	EPA 8260	06-13-97	< 1.0 ug/L	1.0 ug/L
077562	1,1,1,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034516	1,1,2,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034475	Tetrachloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.14 ug/L	0.14 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1305

Test Site ID #: 4025A14569

Report Period: 01/01/97 to 06/30/97

Well Name: MW-1

Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 81.92 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034010	Toluene	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L
034506	1,1,1-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
034511	1,1,2-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.10 ug/L	0.10 ug/L
039180	Trichloroethylene	Bailer	No	EPA 8260	06/13/97	< 0.19 ug/L	0.19 ug/L
034488	Trichlorofluoromethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
077443	1,2,3-Trichloropropane	Bailer	No	EPA 8260	06/13/97	< 0.3 ug/L	0.3 ug/L
077057	Vinyl acetate	Bailer	No	EPA 8260	06/13/97	< 10. ug/L	10. ug/L
039175	Vinyl chloride	Bailer	No	EPA 8260	06/13/97	< 0.17 ug/L	0.17 ug/L
034020	Xylenes	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1120

Test Site ID #: 4025A14570

Report Period: 01/01/97 to 06/30/97

Well Name: MW-2 Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 78.91 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
000094	Specific Conductivity (field)	Bailer	No	EPA 120.1	06-10-97 @ 1120	289. umhos/cm	1. umhos/cm
004060	pH (Field)	Bailer	No	EPA 150.1	06-10-97 @ 1120	5.82 S.U.	NA
000299	Dissolved Oxygen (field)	Bailer	No	EPA 360.1	06-10-97 @ 1120	2.8 mg/L	0.1 mg/L
082078	Turbidity (field)	Bailer	No	EPA 180.1	06-10-97 @ 1120	1.6 NTU	0.1 NTU
000010	Temperature (field)	Bailer	No	EPA 170.1	06-10-97 @ 1120	24.0 C	NA
085326	Colors & Sheens (by observation)	Bailer	No	EPA	06-10-97 @ 1120	NO NA	NA
000610	Total Ammonia - N	Bailer	No	EPA 350.1	06-26-97 @ 1009	0.18 mg/L	0.04 mg/L
000940	Chlorides	Bailer	No	EPA 325.3	06-16-97 @ 1211	15. mg/L	0.5 mg/L
001045	Iron	Bailer	No	EPA 236.1	06-20-97 @ 1158	6.55 mg/L	0.01 mg/L
071900	Mercury	Bailer	No	EPA 245.2	06-18-97 @ 0932	< 0.001 mg/L	0.001 mg/L
000620	Nitrate	Bailer	No	EPA 353.2	07-01-97 @ 1020	< 0.02 mg/L	0.02 mg/L
000929	Sodium	Bailer	No	EPA 273.1	07-02-97 @ 1122	9.7 mg/L	0.1 mg/L
070300	Total dissolved solids (TDS)	Bailer	No	EPA 160.1	06-12-97 @ 1400	166. mg/L	1. mg/L
	Appendix I - Inorganic						
001097	Antimony	Bailer	No	EPA 204.2	07-02-97 @ 1315	< 0.003 mg/L	0.003 mg/L
001002	Arsenic	Bailer	No	EPA 206.3	06-25-97 @ 1700	< 0.005 mg/L	0.005 mg/L
001007	Barium	Bailer	No	EPA 208.1	06-17-97 @ 1550	< 0.02 mg/L	0.02 mg/L
001012	Beryllium	Bailer	No	EPA 210.2	07-03-97 @ 1500	< 0.001 mg/L	0.001 mg/L
001027	Cadmium	Bailer	No	EPA 213.1	06-26-97 @ 0850	< 0.002 mg/L	0.002 mg/L
001034	Chromium	Bailer	No	EPA 218.1	06-30-97 @ 1032	< 0.02 mg/L	0.02 mg/L
001037	Cobalt	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.05 mg/L	0.05 mg/L
001042	Copper	Bailer	No	EPA 220.1	06-19-97 @ 1455	< 0.01 mg/L	0.01 mg/L
001051	Lead	Bailer	No	EPA 239.2	06-18-97 @ 1008	< 0.001 mg/L	0.001 mg/L
001067	Nickel	Bailer	No	EPA 249.1	06-27-97 @ 0854	0.02 mg/L	0.01 mg/L
001147	Selenium	Bailer	No	EPA 270.2	06-25-97 @ 1053	< 0.005 mg/L	0.005 mg/L
001077	Silver	Bailer	No	EPA 272.2	06-23-97 @ 1745	< 0.001 mg/L	0.001 mg/L
001059	Thallium	Bailer	No	EPA 279.2	07-03-97 @ 0940	< 0.002 mg/L	0.002 mg/L
001087	Vanadium	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.1 mg/L	0.1 mg/L
001092	Zinc	Bailer	No	EPA 289.1	06-27-97 @ 0856	< 0.002 mg/L	0.002 mg/L
	Appendix I - Organic						
081552	Acetone	Bailer	No	EPA 8260	06-13-97	< 2.5 ug/L	2.5 ug/L
034215	Acrylonitrile	Bailer	No	EPA 8260	06-13-97	< 1.5 ug/L	1.5 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1120

Test Site ID #: 4025A14570

Report Period: 01/01/97 to 06/30/97

Well Name: MW-2   Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 78.91 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034030	Benzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
073085	Bromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
032101	Bromodichloromethane	Bailer	No	EPA 8260	06-13-97	< 0.08 ug/L	0.08 ug/L
032104	Bromoform	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
046372	Carbon disulfide	Bailer	No	EPA 8260	06-13-97	< 5. ug/L	5. ug/L
032102	Carbon tetrachloride	Bailer	No	EPA 8260	06-13-97	< 0.21 ug/L	0.21 ug/L
034301	Chlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034311	Chloroethane	Bailer	No	EPA 8260	06-13-97	< 0.10 ug/L	0.10 ug/L
032106	Chloroform	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
032105	Dibromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
037860	1,2-Dibromo-3-chloropropane (DBCP)	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
046369	1,2-Dibromomethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
034536	o-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
034571	p-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
077268	trans-1,4-Dichloro-2-butene	Bailer	No	EPA 8260	06-13-97	< 10. ug/L	10. ug/L
034496	1,1-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034531	1,2-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034501	1,1-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
077093	cis-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034546	trans-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034541	1,2-Dichloropropane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034704	cis-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
034699	trans-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034371	Ethylbenzene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
077103	2-Hexanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
034413	Methyl bromide	Bailer	No	EPA 8260	06-13-97	< 0.11 ug/L	0.11 ug/L
034418	Methyl chloride	Bailer	No	EPA 8260	06-13-97	< 0.13 ug/L	0.13 ug/L
046361	Methylene bromide	Bailer	No	EPA 8260	06-13-97	< 0.3 ug/L	0.3 ug/L
034423	Methylene chloride	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
081595	Methyl ethyl ketone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077424	Methyl iodode	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
078133	4-Methyl-2-pentanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077128	Styrene	Bailer	No	EPA 8260	06-13-97	< 1.0 ug/L	1.0 ug/L
077562	1,1,1,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034516	1,1,2,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034475	Tetrachloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.14 ug/L	0.14 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1120

Test Site ID #: 4025A14570

Report Period: 01/01/97 to 06/30/97

Well Name: MW-2

Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 78.91 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034010	Toluene	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L
034506	1,1,1-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
034511	1,1,2-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.10 ug/L	0.10 ug/L
039180	Trichloroethylene	Bailer	No	EPA 8260	06/13/97	< 0.19 ug/L	0.19 ug/L
034488	Trichlorofluoromethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
077443	1,2,3-Trichloropropane	Bailer	No	EPA 8260	06/13/97	< 0.3 ug/L	0.3 ug/L
077057	Vinyl acetate	Bailer	No	EPA 8260	06/13/97	< 10. ug/L	10. ug/L
039175	Vinyl chloride	Bailer	No	EPA 8260	06/13/97	< 0.17 ug/L	0.17 ug/L
034020	Xylenes	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1500

Test Site ID #: 4025A14571

Report Period: 01/01/97 to 06/30/97

Well Name: MW-3 Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 79.45 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
000094	Specific Conductivity (field)	Bailer	No	EPA 120.1	06-10-97 @ 1500	79. umhos/cm	1. umhos/cm
004060	pH (Field)	Bailer	No	EPA 150.1	06-10-97 @ 1500	4.68 S.U.	NA
000299	Dissolved Oxygen (field)	Bailer	No	EPA 360.1	06-10-97 @ 1500	2.7 mg/L	0.1 mg/L
082078	Turbidity (field)	Bailer	No	EPA 180.1	06-10-97 @ 1500	0.9 NTU	0.1 NTU
000010	Temperature (field)	Bailer	No	EPA 170.1	06-10-97 @ 1500	25.0 C	NA
085326	Colors & Sheens (by observation)	Bailer	No	EPA	06-10-97 @ 1500	NO NA	NA
000610	Total Ammonia - N	Bailer	No	EPA 350.1	06-26-97 @ 1009	0.12 mg/L	0.04 mg/L
000940	Chlorides	Bailer	No	EPA 325.3	06-16-97 @ 1211	6.6 mg/L	0.5 mg/L
001045	Iron	Bailer	No	EPA 236.1	06-20-97 @ 1158	0.71 mg/L	0.01 mg/L
071900	Mercury	Bailer	No	EPA 245.2	06-18-97 @ 0932	< 0.001 mg/L	0.001 mg/L
000620	Nitrate	Bailer	No	EPA 353.2	07-01-97 @ 1020	< 0.02 mg/L	0.02 mg/L
000929	Sodium	Bailer	No	EPA 273.1	07-02-97 @ 1122	2.8 mg/L	0.1 mg/L
070300	Total dissolved solids (TDS)	Bailer	No	EPA 160.1	06-12-97 @ 1400	40. mg/L	1. mg/L
	Appendix I - Inorganic						
001097	Antimony	Bailer	No	EPA 204.2	07-02-97 @ 1315	< 0.003 mg/L	0.003 mg/L
001002	Arsenic	Bailer	No	EPA 206.3	06-25-97 @ 1700	< 0.005 mg/L	0.005 mg/L
001007	Barium	Bailer	No	EPA 208.1	06-17-97 @ 1550	< 0.02 mg/L	0.02 mg/L
001012	Beryllium	Bailer	No	EPA 210.2	07-03-97 @ 1500	< 0.001 mg/L	0.001 mg/L
001027	Cadmium	Bailer	No	EPA 213.1	06-26-97 @ 0850	< 0.002 mg/L	0.002 mg/L
001034	Chromium	Bailer	No	EPA 218.1	06-30-97 @ 1032	< 0.02 mg/L	0.02 mg/L
001037	Cobalt	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.05 mg/L	0.05 mg/L
001042	Copper	Bailer	No	EPA 220.1	06-19-97 @ 1455	< 0.01 mg/L	0.01 mg/L
001051	Lead	Bailer	No	EPA 239.2	06-18-97 @ 1008	< 0.001 mg/L	0.001 mg/L
001067	Nickel	Bailer	No	EPA 249.1	06-27-97 @ 0854	0.01 mg/L	0.01 mg/L
001147	Selenium	Bailer	No	EPA 270.2	06-25-97 @ 1053	< 0.005 mg/L	0.005 mg/L
001077	Silver	Bailer	No	EPA 272.2	06-23-97 @ 1745	< 0.001 mg/L	0.001 mg/L
001059	Thallium	Bailer	No	EPA 279.2	07-03-97 @ 0940	< 0.002 mg/L	0.002 mg/L
001087	Vanadium	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.1 mg/L	0.1 mg/L
001092	Zinc	Bailer	No	EPA 289.1	06-27-97 @ 0856	< 0.002 mg/L	0.002 mg/L
	Appendix I - Organic						
081552	Acetone	Bailer	No	EPA 8260	06-13-97	< 2.5 ug/L	2.5 ug/L
034215	Acrylonitrile	Bailer	No	EPA 8260	06-13-97	< 1.5 ug/L	1.5 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001 Sampling Date/Time: 06/10/97 @ 1500

Test Site ID #: 4025A14571 Report Period: 01/01/97 to 06/30/97

Well Name: MW-3 Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 79.45 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034030	Benzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
073085	Bromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
032101	Bromodichloromethane	Bailer	No	EPA 8260	06-13-97	< 0.08 ug/L	0.08 ug/L
032104	Bromoform	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
046372	Carbon disulfide	Bailer	No	EPA 8260	06-13-97	< 5. ug/L	5. ug/L
032102	Carbon tetrachloride	Bailer	No	EPA 8260	06-13-97	< 0.21 ug/L	0.21 ug/L
034301	Chlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034311	Chloroethane	Bailer	No	EPA 8260	06-13-97	< 0.10 ug/L	0.10 ug/L
032106	Chloroform	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
032105	Dibromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
037860	1,2-Dibromo-3-chloropropane (DBCP)	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
046369	1,2-Dibromomethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
034536	o-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
034571	p-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
077268	trans-1,4-Dichloro-2-butene	Bailer	No	EPA 8260	06-13-97	< 10. ug/L	10. ug/L
034496	1,1-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034531	1,2-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034501	1,1-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
077093	cis-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034546	trans-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034541	1,2-Dichloropropane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034704	cis-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
034699	trans-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034371	Ethylbenzene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
077103	2-Hexanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
034413	Methyl bromide	Bailer	No	EPA 8260	06-13-97	< 0.11 ug/L	0.11 ug/L
034418	Methyl chloride	Bailer	No	EPA 8260	06-13-97	< 0.13 ug/L	0.13 ug/L
046361	Methylene bromide	Bailer	No	EPA 8260	06-13-97	< 0.3 ug/L	0.3 ug/L
034423	Methylene chloride	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
081595	Methyl ethyl ketone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077424	Methyl iodode	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
078133	4-Methyl-2-pentanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077128	Styrene	Bailer	No	EPA 8260	06-13-97	< 1.0 ug/L	1.0 ug/L
077562	1,1,1,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034516	1,1,2,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034475	Tetrachloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.14 ug/L	0.14 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1500

Test Site ID #: 4025A14571

Report Period: 01/01/97 to 06/30/97

Well Name: MW-3 Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 79.45 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034010	Toluene	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L
034506	1,1,1-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
034511	1,1,2-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.10 ug/L	0.10 ug/L
039180	Trichloroethylene	Bailer	No	EPA 8260	06/13/97	< 0.19 ug/L	0.19 ug/L
034488	Trichlorofluoromethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
077443	1,2,3-Trichloropropane	Bailer	No	EPA 8260	06/13/97	< 0.3 ug/L	0.3 ug/L
077057	Vinyl acetate	Bailer	No	EPA 8260	06/13/97	< 10. ug/L	10. ug/L
039175	Vinyl chloride	Bailer	No	EPA 8260	06/13/97	< 0.17 ug/L	0.17 ug/L
034020	Xylenes	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1205

Test Site ID #: 4025A14572

Report Period: 01/01/97 to 06/30/97

Well Name: MW-4 Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [x] Background
[ ] Intermediate
[ ] Compliance
[ ] Other

Groundwater Elevation (MSL): 79.76 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
000094	Specific Conductivity (field)	Bailer	No	EPA 120.1	06-10-97 @ 1205	204. umhos/cm	1. umhos/cm
004060	pH (Field)	Bailer	No	EPA 150.1	06-10-97 @ 1205	5.60 S.U.	NA
000299	Dissolved Oxygen (field)	Bailer	No	EPA 360.1	06-10-97 @ 1205	2.6 mg/L	0.1 mg/L
082078	Turbidity (field)	Bailer	No	EPA 180.1	06-10-97 @ 1205	9.6 NTU	0.1 NTU
000010	Temperature (field)	Bailer	No	EPA 170.1	06-10-97 @ 1205	23.4 C	NA
085326	Colors & Sheens (by observation)	Bailer	No	EPA	06-10-97 @ 1205	NO NA	NA
000610	Total Ammonia - N	Bailer	No	EPA 350.1	06-26-97 @ 1009	0.31 mg/L	0.04 mg/L
000940	Chlorides	Bailer	No	EPA 325.3	06-16-97 @ 1211	21. mg/L	0.5 mg/L
001045	Iron	Bailer	No	EPA 236.1	06-20-97 @ 1158	26.9 mg/L	0.01 mg/L
071900	Mercury	Bailer	No	EPA 245.2	06-18-97 @ 0932	< 0.001 mg/L	0.001 mg/L
000620	Nitrate	Bailer	No	EPA 353.2	07-01-97 @ 1020	0.05 mg/L	0.02 mg/L
000929	Sodium	Bailer	No	EPA 273.1	07-02-97 @ 1122	6.5 mg/L	0.1 mg/L
070300	Total dissolved solids (TDS)	Bailer	No	EPA 160.1	06-12-97 @ 1400	150. mg/L	1. mg/L
	Appendix I - Inorganic						
001097	Antimony	Bailer	No	EPA 204.2	07-02-97 @ 1315	< 0.003 mg/L	0.003 mg/L
001002	Arsenic	Bailer	No	EPA 206.3	06-25-97 @ 1700	0.020 mg/L	0.005 mg/L
001007	Barium	Bailer	No	EPA 208.1	06-17-97 @ 1550	< 0.02 mg/L	0.02 mg/L
001012	Beryllium	Bailer	No	EPA 210.2	07-03-97 @ 1500	< 0.001 mg/L	0.001 mg/L
001027	Cadmium	Bailer	No	EPA 213.1	06-26-97 @ 0850	< 0.002 mg/L	0.002 mg/L
001034	Chromium	Bailer	No	EPA 218.1	06-30-97 @ 1032	< 0.02 mg/L	0.02 mg/L
001037	Cobalt	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.05 mg/L	0.05 mg/L
001042	Copper	Bailer	No	EPA 220.1	06-19-97 @ 1455	< 0.01 mg/L	0.01 mg/L
001051	Lead	Bailer	No	EPA 239.2	06-18-97 @ 1008	< 0.001 mg/L	0.001 mg/L
001067	Nickel	Bailer	No	EPA 249.1	06-27-97 @ 0854	< 0.01 mg/L	0.01 mg/L
001147	Selenium	Bailer	No	EPA 270.2	06-25-97 @ 1053	< 0.005 mg/L	0.005 mg/L
001077	Silver	Bailer	No	EPA 272.2	06-23-97 @ 1745	< 0.001 mg/L	0.001 mg/L
001059	Thallium	Bailer	No	EPA 279.2	07-03-97 @ 0940	< 0.002 mg/L	0.002 mg/L
001087	Vanadium	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.1 mg/L	0.1 mg/L
001092	Zinc	Bailer	No	EPA 289.1	06-27-97 @ 0856	< 0.002 mg/L	0.002 mg/L
	Appendix I - Organic						
081552	Acetone	Bailer	No	EPA 8260	06-13-97	< 2.5 ug/L	2.5 ug/L
034215	Acrylonitrile	Bailer	No	EPA 8260	06-13-97	< 1.5 ug/L	1.5 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1205

Test Site ID #: 4025A14572

Report Period: 01/01/97 to 06/30/97

Well Name: MW-4 Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [x] Background
[ ] Intermediate
[ ] Compliance
[ ] Other

Groundwater Elevation (MSL): 79.76 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034030	Benzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
073085	Bromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
032101	Bromodichloromethane	Bailer	No	EPA 8260	06-13-97	< 0.08 ug/L	0.08 ug/L
032104	Bromoform	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
046372	Carbon disulfide	Bailer	No	EPA 8260	06-13-97	< 5. ug/L	5. ug/L
032102	Carbon tetrachloride	Bailer	No	EPA 8260	06-13-97	< 0.21 ug/L	0.21 ug/L
034301	Chlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034311	Chloroethane	Bailer	No	EPA 8260	06-13-97	< 0.10 ug/L	0.10 ug/L
032106	Chloroform	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
032105	Dibromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
037860	1,2-Dibromo-3-chloropropane (DBCP)	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
046369	1,2-Dibromomethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
034536	o-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
034571	p-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
077268	trans-1,4-Dichloro-2-butene	Bailer	No	EPA 8260	06-13-97	< 10. ug/L	10. ug/L
034496	1,1-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034531	1,2-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034501	1,1-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
077093	cis-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034546	trans-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034541	1,2-Dichloropropane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034704	cis-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
034699	trans-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034371	Ethylbenzene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
077103	2-Hexanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
034413	Methyl bromide	Bailer	No	EPA 8260	06-13-97	< 0.11 ug/L	0.11 ug/L
034418	Methyl chloride	Bailer	No	EPA 8260	06-13-97	< 0.13 ug/L	0.13 ug/L
046361	Methylene bromide	Bailer	No	EPA 8260	06-13-97	< 0.3 ug/L	0.3 ug/L
034423	Methylene chloride	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
081595	Methyl ethyl ketone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077424	Methyl iodode	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
078133	4-Methyl-2-pentanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077128	Styrene	Bailer	No	EPA 8260	06-13-97	< 1.0 ug/L	1.0 ug/L
077562	1,1,1,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034516	1,1,2,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034475	Tetrachloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.14 ug/L	0.14 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1205

Test Site ID #: 4025A14572

Report Period: 01/01/97 to 06/30/97

Well Name: MW-4

Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [x] Background
[ ] Intermediate
[ ] Compliance
[ ] Other

Groundwater Elevation (MSL): 79.76 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034010	Toluene	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L
034506	1,1,1-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
034511	1,1,2-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.10 ug/L	0.10 ug/L
039180	Trichloroethylene	Bailer	No	EPA 8260	06/13/97	< 0.19 ug/L	0.19 ug/L
034488	Trichlorofluoromethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
077443	1,2,3-Trichloropropane	Bailer	No	EPA 8260	06/13/97	< 0.3 ug/L	0.3 ug/L
077057	Vinyl acetate	Bailer	No	EPA 8260	06/13/97	< 10. ug/L	10. ug/L
039175	Vinyl chloride	Bailer	No	EPA 8260	06/13/97	< 0.17 ug/L	0.17 ug/L
034020	Xylenes	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Test Site ID #: 4025A14573

Sampling Date/Time: 06/10/97 @ 1345

Report Period: 01/01/97 to 06/30/97

Well Name: MW-5

Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 79.26 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
000094	Specific Conductivity (field)	Bailer	No	EPA 120.1	06-10-97 @ 1345	75. umhos/cm	1. umhos/cm
004060	pH (Field)	Bailer	No	EPA 150.1	06-10-97 @ 1345	4.81 S.U.	NA
000299	Dissolved Oxygen (field)	Bailer	No	EPA 360.1	06-10-97 @ 1345	2.8 mg/L	0.1 mg/L
082078	Turbidity (field)	Bailer	No	EPA 180.1	06-10-97 @ 1345	5.2 NTU	0.1 NTU
000010	Temperature (field)	Bailer	No	EPA 170.1	06-10-97 @ 1345	24.6 C	NA
085326	Colors & Sheens (by observation)	Bailer	No	EPA	06-10-97 @ 1345	NO NA	NA
000610	Total Ammonia - N	Bailer	No	EPA 350.1	06-26-97 @ 1009	0.12 mg/L	0.04 mg/L
000940	Chlorides	Bailer	No	EPA 325.3	06-16-97 @ 1211	7.5 mg/L	0.5 mg/L
001045	Iron	Bailer	No	EPA 236.1	06-20-97 @ 1158	3.90 mg/L	0.01 mg/L
071900	Mercury	Bailer	No	EPA 245.2	06-18-97 @ 0932	< 0.001 mg/L	0.001 mg/L
000620	Nitrate	Bailer	No	EPA 353.2	07-01-97 @ 1020	0.02 mg/L	0.02 mg/L
000929	Sodium	Bailer	No	EPA 273.1	07-02-97 @ 1122	4.7 mg/L	0.1 mg/L
070300	Total dissolved solids (TDS)	Bailer	No	EPA 160.1	06-12-97 @ 1400	56. mg/L	1. mg/L
	Appendix I - Inorganic						
001097	Antimony	Bailer	No	EPA 204.2	07-02-97 @ 1315	< 0.003 mg/L	0.003 mg/L
001002	Arsenic	Bailer	No	EPA 206.3	06-25-97 @ 1700	< 0.005 mg/L	0.005 mg/L
001007	Barium	Bailer	No	EPA 208.1	06-17-97 @ 1550	< 0.02 mg/L	0.02 mg/L
001012	Beryllium	Bailer	No	EPA 210.2	07-03-97 @ 1500	< 0.001 mg/L	0.001 mg/L
001027	Cadmium	Bailer	No	EPA 213.1	06-26-97 @ 0850	< 0.002 mg/L	0.002 mg/L
001034	Chromium	Bailer	No	EPA 218.1	06-30-97 @ 1032	< 0.02 mg/L	0.02 mg/L
001037	Cobalt	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.05 mg/L	0.05 mg/L
001042	Copper	Bailer	No	EPA 220.1	06-19-97 @ 1455	< 0.01 mg/L	0.01 mg/L
001051	Lead	Bailer	No	EPA 239.2	06-18-97 @ 1008	< 0.001 mg/L	0.001 mg/L
001067	Nickel	Bailer	No	EPA 249.1	06-27-97 @ 0854	< 0.01 mg/L	0.01 mg/L
001147	Selenium	Bailer	No	EPA 270.2	06-25-97 @ 1053	< 0.005 mg/L	0.005 mg/L
001077	Silver	Bailer	No	EPA 272.2	06-23-97 @ 1745	< 0.001 mg/L	0.001 mg/L
001059	Thallium	Bailer	No	EPA 279.2	07-03-97 @ 0940	< 0.002 mg/L	0.002 mg/L
001087	Vanadium	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.1 mg/L	0.1 mg/L
001092	Zinc	Bailer	No	EPA 289.1	06-27-97 @ 0856	0.003 mg/L	0.002 mg/L
	Appendix I - Organic						
081552	Acetone	Bailer	No	EPA 8260	06-13-97	< 2.5 ug/L	2.5 ug/L
034215	Acrylonitrile	Bailer	No	EPA 8260	06-13-97	< 1.5 ug/L	1.5 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1345

Test Site ID #: 4025A14573

Report Period: 01/01/97 to 06/30/97

Well Name: MW-5

Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 79.26 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034030	Benzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
073085	Bromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
032101	Bromodichloromethane	Bailer	No	EPA 8260	06-13-97	< 0.08 ug/L	0.08 ug/L
032104	Bromoform	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
046372	Carbon disulfide	Bailer	No	EPA 8260	06-13-97	< 5. ug/L	5. ug/L
032102	Carbon tetrachloride	Bailer	No	EPA 8260	06-13-97	< 0.21 ug/L	0.21 ug/L
034301	Chlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034311	Chloroethane	Bailer	No	EPA 8260	06-13-97	< 0.10 ug/L	0.10 ug/L
032106	Chloroform	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
032105	Dibromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
037860	1,2-Dibromo-3-chloropropane (DBCP)	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
046369	1,2-Dibromomethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
034536	o-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
034571	p-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
077268	trans-1,4-Dichloro-2-butene	Bailer	No	EPA 8260	06-13-97	< 10. ug/L	10. ug/L
034496	1,1-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034531	1,2-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034501	1,1-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
077093	cis-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034546	trans-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034541	1,2-Dichloropropane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034704	cis-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
034699	trans-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034371	Ethylbenzene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
077103	2-Hexanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
034413	Methyl bromide	Bailer	No	EPA 8260	06-13-97	< 0.11 ug/L	0.11 ug/L
034418	Methyl chloride	Bailer	No	EPA 8260	06-13-97	< 0.13 ug/L	0.13 ug/L
046361	Methylene bromide	Bailer	No	EPA 8260	06-13-97	< 0.3 ug/L	0.3 ug/L
034423	Methylene chloride	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
081595	Methyl ethyl ketone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077424	Methyl iodode	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
078133	4-Methyl-2-pentanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077128	Styrene	Bailer	No	EPA 8260	06-13-97	< 1.0 ug/L	1.0 ug/L
077562	1,1,1,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034516	1,1,2,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034475	Tetrachloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.14 ug/L	0.14 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1345

Test Site ID #: 4025A14573

Report Period: 01/01/97 to 06/30/97

Well Name: MW-5 Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 79.26 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034010	Toluene	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L
034506	1,1,1-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
034511	1,1,2-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.10 ug/L	0.10 ug/L
039180	Trichloroethylene	Bailer	No	EPA 8260	06/13/97	< 0.19 ug/L	0.19 ug/L
034488	Trichlorofluoromethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
077443	1,2,3-Trichloropropane	Bailer	No	EPA 8260	06/13/97	< 0.3 ug/L	0.3 ug/L
077057	Vinyl acetate	Bailer	No	EPA 8260	06/13/97	< 10. ug/L	10. ug/L
039175	Vinyl chloride	Bailer	No	EPA 8260	06/13/97	< 0.17 ug/L	0.17 ug/L
034020	Xylenes	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Test Site ID #: 4025A14574

Sampling Date/Time: 06/10/97 @ 1630

Report Period: 01/01/97 to 06/30/97

Well Name: MW-6 Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 78.84 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
000094	Specific Conductivity (field)	Bailer	No	EPA 120.1	06-10-97 @ 1630	123. umhos/cm	1. umhos/cm
004060	pH (Field)	Bailer	No	EPA 150.1	06-10-97 @ 1630	4.58 S.U.	NA
000299	Dissolved Oxygen (field)	Bailer	No	EPA 360.1	06-10-97 @ 1630	2.3 mg/L	0.1 mg/L
082078	Turbidity (field)	Bailer	No	EPA 180.1	06-10-97 @ 1630	2.3 NTU	0.1 NTU
000010	Temperature (field)	Bailer	No	EPA 170.1	06-10-97 @ 1630	23.1 C	NA
085326	Colors & Sheens (by observation)	Bailer	No	EPA	06-10-97 @ 1630	NO NA	NA
000610	Total Ammonia - N	Bailer	No	EPA 350.1	06-26-97 @ 1009	0.06 mg/L	0.04 mg/L
000940	Chlorides	Bailer	No	EPA 325.3	06-16-97 @ 1211	21. mg/L	0.5 mg/L
001045	Iron	Bailer	No	EPA 236.1	06-20-97 @ 1158	3.86 mg/L	0.01 mg/L
071900	Mercury	Bailer	No	EPA 245.2	06-18-97 @ 0932	< 0.001 mg/L	0.001 mg/L
000620	Nitrate	Bailer	No	EPA 353.2	07-01-97 @ 1020	< 0.02 mg/L	0.02 mg/L
000929	Sodium	Bailer	No	EPA 273.1	07-02-97 @ 1122	15.0 mg/L	0.1 mg/L
070300	Total dissolved solids (TDS)	Bailer	No	EPA 160.1	06-12-97 @ 1400	56. mg/L	1. mg/L
	Appendix I - Inorganic						
001097	Antimony	Bailer	No	EPA 204.2	07-02-97 @ 1315	< 0.003 mg/L	0.003 mg/L
001002	Arsenic	Bailer	No	EPA 206.3	06-25-97 @ 1700	< 0.005 mg/L	0.005 mg/L
001007	Barium	Bailer	No	EPA 208.1	06-17-97 @ 1550	< 0.02 mg/L	0.02 mg/L
001012	Beryllium	Bailer	No	EPA 210.2	07-03-97 @ 1500	< 0.001 mg/L	0.001 mg/L
001027	Cadmium	Bailer	No	EPA 213.1	06-26-97 @ 0850	< 0.002 mg/L	0.002 mg/L
001034	Chromium	Bailer	No	EPA 218.1	06-30-97 @ 1032	< 0.02 mg/L	0.02 mg/L
001037	Cobalt	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.05 mg/L	0.05 mg/L
001042	Copper	Bailer	No	EPA 220.1	06-19-97 @ 1455	< 0.01 mg/L	0.01 mg/L
001051	Lead	Bailer	No	EPA 239.2	06-18-97 @ 1008	< 0.001 mg/L	0.001 mg/L
001067	Nickel	Bailer	No	EPA 249.1	06-27-97 @ 0854	< 0.01 mg/L	0.01 mg/L
001147	Selenium	Bailer	No	EPA 270.2	06-25-97 @ 1053	< 0.005 mg/L	0.005 mg/L
001077	Silver	Bailer	No	EPA 272.2	06-23-97 @ 1745	< 0.001 mg/L	0.001 mg/L
001059	Thallium	Bailer	No	EPA 279.2	07-03-97 @ 0940	< 0.002 mg/L	0.002 mg/L
001087	Vanadium	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.1 mg/L	0.1 mg/L
001092	Zinc	Bailer	No	EPA 289.1	06-27-97 @ 0856	< 0.002 mg/L	0.002 mg/L
	Appendix I - Organic						
081552	Acetone	Bailer	No	EPA 8260	06-13-97	< 2.5 ug/L	2.5 ug/L
034215	Acrylonitrile	Bailer	No	EPA 8260	06-13-97	< 1.5 ug/L	1.5 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001 Sampling Date/Time: 06/10/97 @ 1630

Test Site ID #: 4025A14574 Report Period: 01/01/97 to 06/30/97

Well Name: MW-6 Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 78.84 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034030	Benzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
073085	Bromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
032101	Bromodichloromethane	Bailer	No	EPA 8260	06-13-97	< 0.08 ug/L	0.08 ug/L
032104	Bromoform	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
046372	Carbon disulfide	Bailer	No	EPA 8260	06-13-97	< 5. ug/L	5. ug/L
032102	Carbon tetrachloride	Bailer	No	EPA 8260	06-13-97	< 0.21 ug/L	0.21 ug/L
034301	Chlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034311	Chloroethane	Bailer	No	EPA 8260	06-13-97	< 0.10 ug/L	0.10 ug/L
032106	Chloroform	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
032105	Dibromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
037860	1,2-Dibromo-3-chloropropane (DBCP)	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
046369	1,2-Dibromomethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
034536	o-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
034571	p-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
077268	trans-1,4-Dichloro-2-butene	Bailer	No	EPA 8260	06-13-97	< 10. ug/L	10. ug/L
034496	1,1-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034531	1,2-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034501	1,1-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
077093	cis-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034546	trans-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034541	1,2-Dichloropropane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034704	cis-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
034699	trans-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034371	Ethylbenzene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
077103	2-Hexanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
034413	Methyl bromide	Bailer	No	EPA 8260	06-13-97	< 0.11 ug/L	0.11 ug/L
034418	Methyl chloride	Bailer	No	EPA 8260	06-13-97	< 0.13 ug/L	0.13 ug/L
046361	Methylene bromide	Bailer	No	EPA 8260	06-13-97	< 0.3 ug/L	0.3 ug/L
034423	Methylene chloride	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
081595	Methyl ethyl ketone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077424	Methyl iodode	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
078133	4-Methyl-2-pentanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077128	Styrene	Bailer	No	EPA 8260	06-13-97	< 1.0 ug/L	1.0 ug/L
077562	1,1,1,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034516	1,1,2,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034475	Tetrachloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.14 ug/L	0.14 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1630

Test Site ID #: 4025A14574

Report Period: 01/01/97 to 06/30/97

Well Name: MW-6

Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 78.84 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034010	Toluene	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L
034506	1,1,1-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
034511	1,1,2-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.10 ug/L	0.10 ug/L
039180	Trichloroethylene	Bailer	No	EPA 8260	06/13/97	< 0.19 ug/L	0.19 ug/L
034488	Trichlorofluoromethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
077443	1,2,3-Trichloropropane	Bailer	No	EPA 8260	06/13/97	< 0.3 ug/L	0.3 ug/L
077057	Vinyl acetate	Bailer	No	EPA 8260	06/13/97	< 10. ug/L	10. ug/L
039175	Vinyl chloride	Bailer	No	EPA 8260	06/13/97	< 0.17 ug/L	0.17 ug/L
034020	Xylenes	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001 Sampling Date/Time: 06/10/97 @ 1545

Test Site ID #: 4025A14575 Report Period: 01/01/97 to 06/30/97

Well Name: MW-7 Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 78.61 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
000094	Specific Conductivity (field)	Bailer	No	EPA 120.1	06-10-97 @ 1545	158. umhos/cm	1. umhos/cm
004060	pH (Field)	Bailer	No	EPA 150.1	06-10-97 @ 1545	4.43 S.U.	NA
000299	Dissolved Oxygen (field)	Bailer	No	EPA 360.1	06-10-97 @ 1545	2.2 mg/L	0.1 mg/L
082078	Turbidity (field)	Bailer	No	EPA 180.1	06-10-97 @ 1545	2.0 NTU	0.1 NTU
000010	Temperature (field)	Bailer	No	EPA 170.1	06-10-97 @ 1545	23.4 C	NA
085326	Colors & Sheens (by observation)	Bailer	No	EPA	06-10-97 @ 1545	NO NA	NA
000610	Total Ammonia - N	Bailer	No	EPA 350.1	06-26-97 @ 1009	0.35 mg/L	0.04 mg/L
000940	Chlorides	Bailer	No	EPA 325.3	06-16-97 @ 1211	35. mg/L	0.5 mg/L
001045	Iron	Bailer	No	EPA 236.1	06-20-97 @ 1158	3.87 mg/L	0.01 mg/L
071900	Mercury	Bailer	No	EPA 245.2	06-18-97 @ 0932	< 0.001 mg/L	0.001 mg/L
000620	Nitrate	Bailer	No	EPA 353.2	07-01-97 @ 1020	< 0.02 mg/L	0.02 mg/L
000929	Sodium	Bailer	No	EPA 273.1	07-02-97 @ 1122	19.0 mg/L	0.1 mg/L
070300	Total dissolved solids (TDS)	Bailer	No	EPA 160.1	06-12-97 @ 1400	82. mg/L	1. mg/L
	Appendix I - Inorganic						
001097	Antimony	Bailer	No	EPA 204.2	07-02-97 @ 1315	< 0.003 mg/L	0.003 mg/L
001002	Arsenic	Bailer	No	EPA 206.3	06-25-97 @ 1700	< 0.005 mg/L	0.005 mg/L
001007	Barium	Bailer	No	EPA 208.1	06-17-97 @ 1550	< 0.02 mg/L	0.02 mg/L
001012	Beryllium	Bailer	No	EPA 210.2	07-03-97 @ 1500	< 0.001 mg/L	0.001 mg/L
001027	Cadmium	Bailer	No	EPA 213.1	06-26-97 @ 0850	< 0.002 mg/L	0.002 mg/L
001034	Chromium	Bailer	No	EPA 218.1	06-30-97 @ 1032	< 0.02 mg/L	0.02 mg/L
001037	Cobalt	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.05 mg/L	0.05 mg/L
001042	Copper	Bailer	No	EPA 220.1	06-19-97 @ 1455	< 0.01 mg/L	0.01 mg/L
001051	Lead	Bailer	No	EPA 239.2	06-18-97 @ 1008	< 0.001 mg/L	0.001 mg/L
001067	Nickel	Bailer	No	EPA 249.1	06-27-97 @ 0854	< 0.01 mg/L	0.01 mg/L
001147	Selenium	Bailer	No	EPA 270.2	06-25-97 @ 1053	< 0.005 mg/L	0.005 mg/L
001077	Silver	Bailer	No	EPA 272.2	06-23-97 @ 1745	< 0.001 mg/L	0.001 mg/L
001059	Thallium	Bailer	No	EPA 279.2	07-03-97 @ 0940	< 0.002 mg/L	0.002 mg/L
001087	Vanadium	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.1 mg/L	0.1 mg/L
001092	Zinc	Bailer	No	EPA 289.1	06-27-97 @ 0856	< 0.002 mg/L	0.002 mg/L
	Appendix I - Organic						
081552	Acetone	Bailer	No	EPA 8260	06-13-97	< 2.5 ug/L	2.5 ug/L
034215	Acrylonitrile	Bailer	No	EPA 8260	06-13-97	< 1.5 ug/L	1.5 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1545

Test Site ID #: 4025A14575

Report Period: 01/01/97 to 06/30/97

Well Name: MW-7

Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 78.61 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034030	Benzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
073085	Bromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
032101	Bromodichloromethane	Bailer	No	EPA 8260	06-13-97	< 0.08 ug/L	0.08 ug/L
032104	Bromoform	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
046372	Carbon disulfide	Bailer	No	EPA 8260	06-13-97	< 5. ug/L	5. ug/L
032102	Carbon tetrachloride	Bailer	No	EPA 8260	06-13-97	< 0.21 ug/L	0.21 ug/L
034301	Chlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034311	Chloroethane	Bailer	No	EPA 8260	06-13-97	< 0.10 ug/L	0.10 ug/L
032106	Chloroform	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
032105	Dibromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
037860	1,2-Dibromo-3-chloropropane (DBCP)	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
046369	1,2-Dibromomethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
034536	o-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
034571	p-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
077268	trans-1,4-Dichloro-2-butene	Bailer	No	EPA 8260	06-13-97	< 10. ug/L	10. ug/L
034496	1,1-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034531	1,2-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034501	1,1-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
077093	cis-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034546	trans-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034541	1,2-Dichloropropane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034704	cis-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
034699	trans-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034371	Ethylbenzene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
077103	2-Hexanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
034413	Methyl bromide	Bailer	No	EPA 8260	06-13-97	< 0.11 ug/L	0.11 ug/L
034418	Methyl chloride	Bailer	No	EPA 8260	06-13-97	< 0.13 ug/L	0.13 ug/L
046361	Methylene bromide	Bailer	No	EPA 8260	06-13-97	< 0.3 ug/L	0.3 ug/L
034423	Methylene chloride	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
081595	Methyl ethyl ketone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077424	Methyl iodode	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
078133	4-Methyl-2-pentanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077128	Styrene	Bailer	No	EPA 8260	06-13-97	< 1.0 ug/L	1.0 ug/L
077562	1,1,1,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034516	1,1,2,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034475	Tetrachloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.14 ug/L	0.14 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1545

Test Site ID #: 4025A14575

Report Period: 01/01/97 to 06/30/97

Well Name: MW-7

Well Purged (Y/N) Yes

Classification of Groundwater G-II

Well Type: [ ] Background
[ ] Intermediate
[x] Compliance
[ ] Other

Groundwater Elevation (MSL): 78.61 ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034010	Toluene	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L
034506	1,1,1-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
034511	1,1,2-Trichloroethane	Bailer	No	EPA 8260	06/13/97	< 0.10 ug/L	0.10 ug/L
039180	Trichloroethylene	Bailer	No	EPA 8260	06/13/97	< 0.19 ug/L	0.19 ug/L
034488	Trichlorofluoromethane	Bailer	No	EPA 8260	06/13/97	< 0.08 ug/L	0.08 ug/L
077443	1,2,3-Trichloropropane	Bailer	No	EPA 8260	06/13/97	< 0.3 ug/L	0.3 ug/L
077057	Vinyl acetate	Bailer	No	EPA 8260	06/13/97	< 10. ug/L	10. ug/L
039175	Vinyl chloride	Bailer	No	EPA 8260	06/13/97	< 0.17 ug/L	0.17 ug/L
034020	Xylenes	Bailer	No	EPA 8260	06/13/97	< 0.11 ug/L	0.11 ug/L

PART III ANALYTICAL RESULTS

(S222C055.20L)

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1020

Test Site ID #: 4025A

5351

Report Period: 01/01/97 to 06/30/97

Well Name: Leachate   Well Purged (Y/N)

Classification of Groundwater

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[x] Other

Groundwater Elevation (MSL): ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
000094	Specific Conductivity (field)	Bailer	No	EPA 120.1	06-10-97 @ 1020	356. umhos/cm	5. umhos/cm
004060	pH (Field)	Bailer	No	EPA 150.1	06-10-97 @ 1020	6.29 S.U.	NA
000299	Dissolved Oxygen (field)	Bailer	No	EPA 360.1	06-19-96 @ 1020	3.0 mg/L	0.1 mg/L
000010	Temperature (field)	Bailer	No	EPA 170.1	06-10-97 @ 1020	26.3 C	NA
085326	Colors & Sheens (by observation)	Bailer	No	EPA	06-10-97 @ 1020	NO NA	NA
000610	Total Ammonia - N	Bailer	No	EPA 350.1	06-26-97 @ 1009	1.68 mg/L	0.04 mg/L
	Bicarbonate	Bailer	No	EPA 310.1	06-11-97 @ 1215	134. mg/L	1.0 mg/L
000940	Chlorides	Bailer	No	EPA 325.3	06-16-97 @ 1211	23. mg/L	0.5 mg/L
001045	Iron	Bailer	No	EPA 236.1	06-20-97 @ 1158	6.24 mg/L	0.01 mg/L
071900	Mercury	Bailer	No	EPA 245.2	06-18-97 @ 0932	< 0.001 mg/L	0.001 mg/L
000620	Nitrate	Bailer	No	EPA 353.2	07-01-97 @ 1020	0.12 mg/L	0.02 mg/L
000929	Sodium	Bailer	No	EPA 273.1	07-02-97 @ 1122	11.0 mg/L	0.1 mg/L
070300	Total dissolved solids (TDS)	Bailer	No	EPA 160.1	06-12-97 @ 1400	210. mg/L	1. mg/L
	Appendix I - Inorganic						
001097	Antimony	Bailer	No	EPA 204.2	07-02-97 @ 1315	< 0.003 mg/L	0.003 mg/L
001002	Arsenic	Bailer	No	EPA 206.3	07-16-97 @ 1750	< 0.005 mg/L	0.005 mg/L
001007	Barium	Bailer	No	EPA 208.1	06-17-97 @ 1550	< 0.02 mg/L	0.02 mg/L
001012	Beryllium	Bailer	No	EPA 210.2	07-03-97 @ 1500	< 0.001 mg/L	0.001 mg/L
001027	Cadmium	Bailer	No	EPA 213.1	06-26-97 @ 0850	< 0.002 mg/L	0.002 mg/L
001034	Chromium	Bailer	No	EPA 218.1	06-30-97 @ 1032	< 0.02 mg/L	0.02 mg/L
001037	Cobalt	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.05 mg/L	0.05 mg/L
001042	Copper	Bailer	No	EPA 220.1	06-19-97 @ 1455	< 0.01 mg/L	0.01 mg/L
001051	Lead	Bailer	No	EPA 239.2	06-18-97 @ 1008	< 0.001 mg/L	0.001 mg/L
001067	Nickel	Bailer	No	EPA 249.1	06-27-97 @ 0854	0.01 mg/L	0.01 mg/L
001147	Selenium	Bailer	No	EPA 270.2	06-25-97 @ 1053	< 0.005 mg/L	0.005 mg/L
001077	Silver	Bailer	No	EPA 272.2	06-23-97 @ 1745	< 0.001 mg/L	0.001 mg/L
001059	Thallium	Bailer	No	EPA 279.2	07-03-97 @ 0940	< 0.002 mg/L	0.002 mg/L
001087	Vanadium	Bailer	No	EPA 6010	06-17-97 @ 1441	< 0.1 mg/L	0.1 mg/L
001092	Zinc	Bailer	No	EPA 289.1	06-27-97 @ 0856	0.003 mg/L	0.002 mg/L
	Appendix I - Organic						
081552	Acetone	Bailer	No	EPA 8260	06-13-97	< 2.5 ug/L	2.5 ug/L
034215	Acrylonitrile	Bailer	No	EPA 8260	06-13-97	< 1.5 ug/L	1.0 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001 Sampling Date/Time: 06/10/97 @ 1020

Test Site ID #: 4025A Report Period: 01/01/97 to 06/30/97

Well Name: Leachate Well Purged (Y/N)

Classification of Groundwater Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[x] Other

Groundwater Elevation (MSL): ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034030	Benzene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
073085	Bromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
032101	Bromodichloromethane	Bailer	No	EPA 8260	06-13-97	< 0.08 ug/L	0.08 ug/L
032104	Bromoform	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
046372	Carbon disulfide	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
032102	Carbon tetrachloride	Bailer	No	EPA 8260	06-13-97	< 0.21 ug/L	0.21 ug/L
034301	Chlorobenzene	Bailer	No	EPA 8260	06-13-97	1.44 ug/L	0.04 ug/L
034311	Chloroethane	Bailer	No	EPA 8260	06-13-97	< 0.10 ug/L	0.10 ug/L
032106	Chloroform	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
032105	Dibromochloromethane	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
037860	1,2-Dibromo-3-chloropropane (DBCP)	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
046369	1,2-Dibromomethane	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
034536	o-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
034571	p-Dichlorobenzene	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
077268	trans-1,4-Dichloro-2-butene	Bailer	No	EPA 8260	06-13-97	< 10. ug/L	10. ug/L
034496	1,1-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034531	1,2-Dichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034501	1,1-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.12 ug/L	0.12 ug/L
077093	cis-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034546	trans-1,2-Dichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
034541	1,2-Dichloropropane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034704	cis-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.05 ug/L	0.05 ug/L
034699	trans-1,3-Dichloropropene	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034371	Ethylbenzene	Bailer	No	EPA 8260	06-13-97	< 0.06 ug/L	0.06 ug/L
077103	2-Hexanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
034413	Methyl bromide	Bailer	No	EPA 8260	06-13-97	< 0.11 ug/L	0.11 ug/L
034418	Methyl chloride	Bailer	No	EPA 8260	06-13-97	< 0.13 ug/L	0.13 ug/L
046361	Methylene bromide	Bailer	No	EPA 8260	06-13-97	< 0.3 ug/L	0.3 ug/L
034423	Methylene chloride	Bailer	No	EPA 8260	06-13-97	< 0.03 ug/L	0.03 ug/L
081595	Methyl ethyl ketone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077424	Methyl iodode	Bailer	No	EPA 8260	06-13-97	< 0.5 ug/L	0.5 ug/L
078133	4-Methyl-2-pentanone	Bailer	No	EPA 8260	06-13-97	< 5.0 ug/L	5.0 ug/L
077128	Styrene	Bailer	No	EPA 8260	06-13-97	< 1.0 ug/L	1.0 ug/L
077562	1,1,1,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.1 ug/L	0.1 ug/L
034516	1,1,2,2-Tetrachloroethane	Bailer	No	EPA 8260	06-13-97	< 0.04 ug/L	0.04 ug/L
034475	Tetrachloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.14 ug/L	0.14 ug/L

PART III ANALYTICAL RESULTS

Facility GMS #: 4025C30001

Sampling Date/Time: 06/10/97 @ 1020

Test Site ID #: 4025A

Report Period: 01/01/97 to 06/30/97

Well Name: Leachate Well Purged (Y/N)

Classification of Groundwater

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[x] Other

Groundwater Elevation (MSL): ft.

STORET Code	Parameter Monitored	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Date/Time	Analysis Results/Units	Detection Limits/Units
034010	Toluene	Bailer	No	EPA 8260	06-13-97	< 0.11 ug/L	0.11 ug/L
034506	1,1,1-Trichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.08 ug/L	0.08 ug/L
034511	1,1,2-Trichloroethane	Bailer	No	EPA 8260	06-13-97	< 0.10 ug/L	0.10 ug/L
039180	Trichloroethylene	Bailer	No	EPA 8260	06-13-97	< 0.19 ug/L	0.19 ug/L
034488	Trichlorofluoromethane	Bailer	No	EPA 8260	06-13-97	< 0.08 ug/L	0.08 ug/L
077443	1,2,3-Trichloropropane	Bailer	No	EPA 8260	06-13-97	< 0.3 ug/L	0.3 ug/L
077057	Vinyl acetate	Bailer	No	EPA 8260	06-13-97	< 10. ug/L	10. ug/L
039175	Vinyl chloride	Bailer	No	EPA 8260	06-13-97	< 0.17 ug/L	0.17 ug/L
034020	Xylenes	Bailer	No	EPA 8260	06-13-97	< 0.11 ug/L	0.11 ug/L

SHORT ENVIRONMENTAL LABORATORIES

10405 U.S. 27 South
Sebring, Fl 33870
(813) 655-4022

CHAIN OF CUSTODY and TRANSMITTAL FORM

SAMPLERS NAME (Please Print): [signature]

SAMPLERS SIGNATURE: [signature]

PROJECT NAME: HARDEE County

PROJECT LOCATION: LANDFILL

LABORATORY ANALYSES: S+M: Cl, NO_2, TDS | N: NO_3, NH_3, NO_x | M: Cd, Cr, Cu, Hg, Na, Fe, Pb, Ni, Se | V: As, Mg, Ba, Be, Tl, Zn, Sb, Co | VOC: Part 258 App I VOC | Co V

FIELD ID #	SAMPLE ID	DATE & TIME	SAMPLE TYPE	COMP	GRAB	WELL	LABORATORY ID	# OF CONTAINERS
610B1-5	MW-2	6/10/97 1120	GW			X	67605	5
610C1-5	MW-4	6/10/97 1205	GW			X	67607	5
610D1-5	MW-1	6/10/97 1305	GW			X	67604	5
610E1-5	MW-5	6/10/97 1345	GW			X	67608	5
610F1-5	MW-3	6/10/97 1500	GW			X	67606	5
610G1-5	MW-7	6/10/97 1545	GW			X	67610	5
610H1-5	MW-6	6/10/97 1630	GW			X	67609	5

Batch 538

COMMENTS: Hydrocarbons (ppm) - office - 0.0 ; shop - 0.0, tool room 0.0, sorting office 0.0 sorting Building 0.0

CONTAINERS RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:	SAMPLES RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:
SAMPLES RELINQUISHED BY: [signature]	DATE & TIME: 6/10/97 1715	RECEIVED BY: A. Watkins	SAMPLES RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:
SAMPLES RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:	SAMPLES RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:

SHORT ENVIRONMENTAL LABORATORIES

10405 U.S. 27 South
Sebring, Fl 33870
(813) 655-4022

CHAIN OF CUSTODY
and
TRANSMITTAL FORM

SAMPLERS NAME (Please Print):

SAMPLERS SIGNATURE:

PROJECT NAME: HARDEE County

PROJECT LOCATION: LANDFILL

LABORATORY ANALYSES

FIELD ID #	SAMPLE ID	DATE & TIME	SAMPLE TYPE	COMP	GRAB	WELL	LABORATORY ID	# OF CONTAINERS	Cl TDS NO_2 Alk	NO_3 NH_3 NO_x NH_4	Cd Cr Cu Pb Ni Se Na Fe Hg	Sb Zn Tl Ag As Ba Be	Part 258 App I VOC	Co V			
610A1-5	Leachate	6/10/97 1020	ww		x		107611	5									

COMMENTS: Batch 539

CONTAINERS RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:	SAMPLES RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:
SAMPLES RELINQUISHED BY:	DATE & TIME: 6/10/97 1715	RECEIVED BY: A. Watkins	SAMPLES RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:
SAMPLES RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:	SAMPLES RELINQUISHED BY:	DATE & TIME:	RECEIVED BY: