

4029C30075


HILLSBOROUGH COUNTY

FLORIDA

Office of the County Administrator
Daniel A. Kleman

BOARD OF COUNTY COMMISSIONERS

Dottie Berger
Joe Chillura
Chris Hart
Jim Norman
Jan Platt
Thomas Scott
Ed Turanchik



October 14, 1998

Deputy County Administrator
Patricia Bean

Assistant County Administrators
Edwin Hunzeker
Jimmie Keel

Ms. Allison Amram, P.G.
Department of Environmental Protection
Waste Management Section
3804 Coconut Palm Drive
Tampa, FL 33619 8318

41193

RE: Permit #S029-256427 - (Southeast County Sanitary Landfill)

Dear Ms. Amram:

In accordance with Permit No. SO29-256427 the Hillsborough County Solid Waste Management Department (SWMD) is pleased to provide the analytical results of the semi-annual water quality monitoring of the Southeast Landfill. Samples were collected by the SWMD during August 24-27, 1998 and analyzed by Post, Buckley, Schuh and Jernigan, Inc.


A map depicting monitoring locations, water quality summary tables for groundwater and surface water, and a groundwater elevation contour diagram are also provided.

Should you have any questions or comments on this information, please feel free to contact me directly at (813)276-2944.

Sincerely,

David S. Adams 10/14/98

David S. Adams, P.G.
Senior Hydrologist
Solid Waste Management Department



DSA/jgc
Enclosures

xc: Chongman Lee, Department of Environmental Protection
Paul Schipfer, EPC
Matt Mathews, Solid Waste Management Department
Irene Barnes, Southeast Hillsborough Civic Association
Thomas G. Smith, Solid Waste Management Department
Greg Walk, General Manager Southeast Landfill
Sheree Henninger, Waste Management Southeast Landfill
Sarah Hill, Solid Waste Management Department

RECEIVED

OCT 29 1998

Solid Waste Section



**Chemical Constituents Detected in the Groundwater Samples Collected at the
Southeast Landfill Groundwater Monitoring Wells
August 24 - 27, 1998**

GENERAL	Floridan Aquifer		Surficial Aquifer Wells						(MCL) STANDARD
PARAMETERS	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	F.A.C. 62-550
depth to water (feet)	82.68	96.03	5.55	26.64	24.00	9.13	19.74	28.32	NS
water table elevation (NGVD)	47.26	29.20	124.17	105.44	105.44	123.62	108.35	99.35	NS
Colors and sheens (field)	none	none	none	none	none	none	none	none	15**
conductivity (umhos/cm) (field)	433	363	269	182	211	194	170	346	NS
pH (field)	7.19	6.87	4.48	5.25	4.91	5.52	5.56	5.66	(6.5 - 8.5)**
total dissolved solids (mg/l)	268	224	180	108	120	120	100	200	500**
temperature (°C) (field)	23.7	23.8	23.5	23.3	23.2	24.7	26.7	23.9	NS
turbidity (NTU) (field)	1.1	3.2	12.8	1.3	9.1	4.7	4	3.6	NS
chloride (mg/l)	8	9	32	35	34	9	20	16	250**
ammonia nitrogen (mg/l as N)	0.31	0.35	0.43	0.8	1.43	6.23	1.41	1.43	NS
nitrate (mg/l as N)	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.01	10*
dissolved oxygen (mg/l) (field)	0.35	0.46	1.49	1.08	0.54	1.24	7.49	2.15	NS
Metals: (mg/l)	Floridan Aquifer		Surficial Aquifer Wells						(MCL) STANDARD
	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	F.A.C. 62-550
iron	BDL	0.040	0.58	1.680	0.25	7.450	0.59	8.320	0.3**
copper	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1**
barium	0.005	0.005	0.089	BDL	0.016	0.002	0.004	0.011	2*
chromium	BDL	BDL	0.004	0.001	0.003	0.003	0.002	0.002	
arsenic	BDL	BDL	BDL	BDL	BDL	0.011	BDL	0.025	0.05*
lead	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.015*
sodium	13.9	15.8	6.4	8.9	10.1	9.9	8.8	9.1	160*
zinc	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5**
Organics: (µg/l)	Floridan Aquifer		Surficial Aquifer Wells						(MCL) STANDARD
E.P.A. Methods 8260	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	F.A.C. 62-550
Organic Parameters Detected	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	
1,1-dichloroethene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7*
1,1-dichloroethane	BDL	BDL	BDL	BDL	2	BDL	BDL	BDL	70***
NOTE: Reference Groundwater Guidance Concentrations, FDEP June 1994									
NS = NO STANDARD									
MCL = MAXIMUM CONTAMINANT LEVEL									
BDL = BELOW DETECTION LIMIT									
ND = NO SURVEY DATA AVAILABLE									
* = DENOTES PRIMARY DRINKING WATER STANDARD									
** = DENOTES SECONDARY DRINKING WATER STANDARD									
*** = GUIDANCE CONCENTRATION									
4.48 : EXCEEDS PRIMARY OR SECONDARY DRINKING WATER STANDARDS, OR FLORIDA GUIDANCE CONCENTRATION MCL (shaded and bold)									
NTU = NEPHELOMETRIC TURBIDITY UNITS									
pCi/l = PICOCURIES PER LITER									
µg/l = MICROGRAMS PER LITER									
mg/l = MILLIGRAMS PER LITER									
NOTE: a dash entry (-) indicates that the sample was not analyzed for this parameter									

Chemical Constituents Detected in the Surface Water Samples Collected at the Southeast Landfill August 27, 1998


GENERAL										(MCL) STANDARD
PARAMETERS	3A	1A-1E	3B2B	3C2	S.L. 1-A	S.L. 1-B	S.L. 1-C	S.L. 1-D	S.L. 1-E	F.A.C. 62-302
staff gauge reading	0.45	2.40	1.22	1.32	-	-	-	-	-	NS
water level NGVD	122.65	121.14	95.85	90.31	-	-	-	-	-	NS
conductivity (umhos/cm) (field)	332	196	267	243	-	-	-	-	-	1275
pH (field)	6.1	6.63	6.51	6.78	-	-	-	-	-	(6.0 - 8.5)
total dissolved solids (mg/l)	228	144	172	168	-	-	-	-	-	NS
total suspended solids (mg/l)	18	28	10	6	-	-	-	-	-	NS
temperature (°C) in field	26.1	30.5	25.3	26.6	-	-	-	-	-	NS
turbidity (field) (NTU)	7.2	27.3	2.1	3.9	-	-	-	-	-	29
nitrate (mg/l)	0.41	BDL	0.2	0.18	-	-	-	-	-	NS
dissolved oxygen (mg/l) (field)	3.34	4.4	2.76	4.25	-	-	-	-	-	Must Be > OR=5.0
total phosphorous (mg/l)	0.05	7.75	0.42	0.54	-	-	-	-	-	NS
biochem. oxygen demand (mg/l)	BDL	4	BDL	BDL	-	-	-	-	-	NS
chemical oxygen demand (mg/l)	10	71	29	22	-	-	-	-	-	NS
total organic carbon (mg/l as C)	7	21	9	10	-	-	-	-	-	NS
chlorophyl-A (MG/M3)	17	76	3	BDL	-	-	-	-	-	NS
total hardness (mg/l as CaCO)	105	68.9	85.5	88.1	-	-	-	-	-	NS
fecal coliform (Col/100ml)	1144	-	160	71	32	14	44	240	58	800
Metals: (mg/l)	3A	1A-1E	3B2B	3C2	S.L. 1-A	S.L. 1-B	S.L. 1-C	S.L. 1-D	S.L. 1-E	(MCL) STANDARD F.A.C. 62-302
iron	0.360	0.100	0.360	0.240	-	-	-	-	-	1
copper	BDL	BDL	BDL	BDL	-	-	-	-	-	**
barium	0.03	0.005	0.019	0.009	-	-	-	-	-	NS
vanadium	BDL	BDL	BDL	BDL	-	-	-	-	-	NS
chromium	0.002	0.002	0.001	0.001	-	-	-	-	-	***
nickel	BDL	BDL	BDL	BDL	-	-	-	-	-	****
zinc	0.026	BDL	BDL	BDL	-	-	-	-	-	110.46*(for 3A)
mercury	BDL	BDL	BDL	BDL	-	-	-	-	-	0.000012
NOTE: Water Levels taken on Aug. 24, 1998										
NOTE: Referenced, Surface Water Quality Standards Title 62 Chapter 62-302, Class III: Fresh										
NS = NO STANDARD										
MCL = MAXIMUM CONTAMINANT LEVEL										
S.L. Comp. = SMITH LAKE COMPOSITE SAMPLE										
S.L. 1-A = SMITH LAKE SAMPLE 1-A										
BDL = BELOW DETECTION LIMIT										
* = $Zn < \text{or} = e(0.8473[\ln H] + 0.7614)$, note: H=Hardness, for 3A standard is 105.99										
** = $Cu < \text{or} = e(0.8545[\ln H] - 1.465)$										
*** = $Cr < \text{or} = e(0.819[\ln H] + 1.561)$										
**** = $Ni < \text{or} = e(0.846[\ln H] + 1.1645)$										
Calculated Cr standards, 3A: 215.42, 1A-1E: 152.55, 3B2B: 182.05, 3C2: 186.58										
3.34 : EXCEEDS TITLE 62 CHAPTER 62-302 SURFACE WATER QUALITY STANDARDS										
NTU = NEPHELOMETRIC TURBIDITY UNITS										
µg/l = MICROGRAMS PER LITER										
mg/l = MILLIGRAMS PER LITER										
NOTE: a dash entry (-) indicates that the sample was not analyzed for this parameter										
NGVD: National Geodetic Vertical Datum										

**Chemical Constituents Detected in the Groundwater Samples Collected at the
Southeast Landfill Private Supply Wells
August 27, 1998**

GENERAL				
PARAMETERS		Private Wells		(MCL) STANDARD
	Weeks	McBride	Barnes	F.A.C. 62-550
conductivity (umhos/cm) (field)	537	348	374	NS
pH (field)	7.08	7.48	7.5	(6.5 - 8.5)**
total dissolved solids (mg/l)	344	232	244	500**
temperature (°C) (field)	24	25	26.6	NS
turbidity (NTU) (field)	2.9	1.4	2.2	NS
chloride (mg/l)	19	6	6	250**
ammonia nitrogen (mg/l as N)	0.09	0.13	0.19	NS
nitrate (mg/l as N)	0.03	0.03	0.03	10*
total alpha (pCi/l)	13.2	1.1	3.8	15*
radium 226 (pCi/l)	6.4	-	-	5*
Metals: (mg/l)		Private Wells		(MCL) STANDARD
	Weeks	McBride	Barnes	F.A.C. 62-550
iron	0.480	0.200	BDL	0.3**
arsenic	0.006	BDL	BDL	0.05*
copper	BDL	BDL	BDL	1**
barium	0.005	0.003	0.005	2*
selenium	BDL	BDL	BDL	0.05*
lead	BDL	BDL	BDL	0.015*
sodium	8.6	7.8	11.3	160*
zinc	0.280	0.130	0.120	5**
NOTE: All wells tested for EPA Test Method 8260, no parameters detected NOTE: Reference Groundwater Guidance Concentrations, FDEP June 1994 NS = NO STANDARD MCL = MAXIMUM CONTAMINANT LEVEL BDL = BELOW DETECTION LIMIT * = DENOTES PRIMARY DRINKING WATER STANDARD ** = DENOTES SECONDARY DRINKING WATER STANDARD 6.4 : EXCEEDS PRIMARY OR SECONDARY DRINKING WATER STANDARDS, OR FLORIDA GUIDANCE CONCENTRATION MCL NTU = NEPHELOMETRIC TURBIDITY UNITS pCi/l = PICOCURIES PER LITER µg/l = MICROGRAMS PER LITER mg/l = MILLIGRAMS PER LITER NOTE: a dash entry (-) indicates that the sample was not analyzed for this parameter				

**Water Level Data Base
Southeast Landfill
Hillsborough County, Florida**

Measuring Point I.D.	T.O.C. Elevations (NGVD)	8/15/97		2/16/98		8/24/98	
		W.L. B.T.O.C.	W.L. (NGVD)	W.L. B.T.O.C.	W.L. (NGVD)	W.L. B.T.O.C.	W.L. (NGVD)
P-1D	129.45	5.36	124.09	4.25	125.20	8.00	121.45
P-1S	129.85	2.94	126.91	2.46	127.39	6.20	123.65
P-2D	138.73	16.89	121.84	15.10	123.63	17.26	121.47
P-2S	138.82	6.71	132.11	5.83	132.99	7.10	131.72
P-3D	143.19	19.58	123.61	17.77	125.42	19.98	123.21
P-3S	143.20	6.29	136.91	5.28	137.92	7.25	135.95
P-4D	141.80	21.78	120.02	19.28	122.52	21.10	120.70
P-4S	141.98	4.67	137.31	3.75	138.23	5.44	136.54
P-5D	156.84	21.03	135.81	19.94	136.90	25.49	131.35
P-6D	159.10	34.90	124.20	31.95	127.15	35.00	124.10
TH-19*	130.05	91.95	38.10	82.84	47.21	99.88	30.17
TH-22	128.82	4.65	124.17	3.60	125.22	5.55	123.27
TH-28	130.60	26.20	104.40	25.22	105.38	34.30	96.30
TH-30	128.37	23.90	104.47	23.28	105.09	24.00	104.37
TH-32	129.25	14.12	115.13	13.43	115.82	14.43	114.82
TH-35	145.19	27.35	117.84	25.73	119.46	27.37	117.82
TH-36A	152.70	31.65	121.05	30.89	121.81	31.94	120.76
TH-38A	131.20	8.62	122.58	7.61	123.59	9.13	122.07
TH-40*	124.77	88.19	36.58	79.12	45.65	96.03	28.74
TH-56	131.69	14.27	117.42	12.23	119.46	14.27	117.42
TH-57	128.09	19.00	109.09	18.45	109.64	19.74	108.35
TH-58	127.67	28.02	99.65	27.50	100.17	28.32	99.35
SW-3A	3.33=125.53	0.62	122.82	1.69	123.89	0.45	122.65
SW-3B2B	3.34=97.97	1.50	96.13	2.87	97.50	1.22	95.85
SW-3C2	3.34=92.33	1.53	90.52	3.30	92.29	1.32	90.31
SMITH LAKE	6.66=125.40	2.58	121.31	3.57	122.31	2.40	121.14
NGVD = National Geodetic Vertical Datum							
T.O.C. = Top of Casing							
B.T.O.C. = Below Top of Casing							
* = Floridan Well							
W.L. = Water Level							



Surficial Aquifer Groundwater Elevation and Contour Map
Southeast County Landfill, Hillsborough County, Florida.
August 24, 1998

Well Diameter (in): 2
Total Depth: 153.60
Evacuation (gal): 38.75
Sample Appearance:

Elevation (NVGD): 129.94
Water Level (ft): 99.88
Ground Water Elevation (NGVD): 30.06

Facility GMS #: 4029C30075
Test Site ID #: 4029A12031

Sample Date/Time: 8/24/98 7:55:00 AM
Report Period: 98/3

Well Name: TH-19

9808260 01

Well Purged (Y/N): Y

Classification of Ground Water: G II

Ground Water Elevation (NGVD): 30.06

Ground Water Elevation (ft. MSL):

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	433 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	7.19 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	268 mg/L	12 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.7 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	1.1 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	8 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.31 mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.35 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	5 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	13.9 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2
Total Depth: 27.90
Evacuation (gal): 14
Sample Appearance:

Elevation (NVGD): 129.72
Water Level (ft): 5.55
Ground Water Elevation (NGVD): 124.17

Facility GMS #: 4029C30075
Test Site ID #: 4029A12634

Sample Date/Time: 8/24/98 10:41:00 AM
Report Period: 98/3

Well Name: TH-22 9808260 02

Well Purged (Y/N): Y

Classification of Ground Water: G II

Ground Water Elevation (NGVD): 124.17

Ground Water Elevation (ft. MSL):

Well Type: ☒ Background
☐ Intermediate
☐ Compliance
☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	269 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	4.48 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	180 mg/L	12 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.5 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	12.8 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	32 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.43 mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.49 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	89 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	4 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	580 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	6.4 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2 Elevation (INVGD): 132.08
 Total Depth: 34.30 Water Level (ft): 26.64
 Evacuation (gal): Ground Water Elevation (NGVD): 105.44
 Sample Appearance:

Facility GMS #: 4029C30075 Sample Date/Time: 8/24/98 8:56:00 AM
 Test Site ID #: 4029A12636 Report Period: 98/3

Well Name: TH-28 9808260 03 Well Purged (Y/N): Y

Classification of Ground Water: G II

Ground Water Elevation (NGVD): 105.44

Ground Water Elevation (ft. MSL):

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	182 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	5.25 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	108 mg/L	12 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.3 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	1.3 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	35 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.8 mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.08 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	1 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	1680 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	8.9 mg/L	.2mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2 Elevation (NVGD): 129.44
 Total Depth: 46.19 Water Level (ft): 24.00
 Evacuation (gal): 53 Ground Water Elevation (NGVD): 105.44
 Sample Appearance:

Facility GMS #: 4029C30075 Sample Date/Time: 8/24/98 9:21:00 AM
 Test Site ID #: 4029A14113 Report Period: 98/3

Well Name: TH-30 9808260 04

Well Purged (Y/N): Y

Classification of Ground Water: G II

Ground Water Elevation (NGVD): 105.44

Ground Water Elevation (ft. MSL):

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	211 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	4.91 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	120 mg/L	12 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.2 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	9.1 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	34 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	1.43 mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.54 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	16 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	3 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	250 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	10.1 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	2 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2
Total Depth: 23.10
Evacuation (gal): 19.8
Sample Appearance:

Elevation (NVGD): 132.75
Water Level (ft): 9.13
Ground Water Elevation (NGVD): 123.62

Facility GMS #: 4029C30075
Test Site ID #: 4029A14415

Sample Date/Time: 8/24/98 7:37:00 AM
Report Period: 98/3

Well Name: TH-38-A 9808260 07

Well Purged (Y/N): Y

Classification of Ground Water: G II

Ground Water Elevation (NGVD): 123.62

Ground Water Elevation (ft. MSL):

Well Type:
☐ Background
☐ Intermediate
☐ Compliance
☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	194 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	5.52 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	120 mg/L	12 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	24.7 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	4.7 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	9 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	6.23 mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.24 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	11 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	2 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	3 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	7450 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	9.9 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2
Total Depth: 165.90
Evacuation (gal): 63
Sample Appearance:

Elevation (NVGD): 125.23
Water Level (ft): 96.03
Ground Water Elevation (NGVD): 29.20

Facility GMS #: 4029C30075

Sample Date/Time: 8/24/98 11:01:00 AM

Test Site ID #: 4029A12632

Report Period: 98/3

Well Name: TH-40

9808260 08

Well Purged (Y/N): Y

Classification of Ground Water: G II

Ground Water Elevation (NGVD): 29.2

Ground Water Elevation (ft. MSL):

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	363 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	6.87 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	224 mg/L	12 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.8 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	3.2 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	9 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.35 mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.46 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	6 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	40 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	15.8 mg/L	.2mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2
Total Depth: 26.83
Evacuation (gal): 32
Sample Appearance:

Elevation (NVGD):
Water Level (ft): 19.74
Ground Water Elevation (NGVD): 108.35

Facility GMS #: 4029C30075

Sample Date/Time: 8/24/98 9:55:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: TH-57

9808260 09

Well Purged (Y/N): Y

Classification of Ground Water: G II

Ground Water Elevation (NGVD):

Ground Water Elevation (ft. MSL):

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	170 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	5.56 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	100 mg/L	12 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	26.7 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	4 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	20 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	1.41 mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	7.49 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	4 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	2 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	590 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	8.8 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2
Total Depth: 32.92
Evacuation (gal): 13.6
Sample Appearance:

Elevation (NVGD):
Water Level (ft): 28.32
Ground Water Elevation (NGVD):

Facility GMS #: 4029C30075

Sample Date/Time: 8/24/98 9:37:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: TH-58

9808260 10

Well Purged (Y/N): Y

Classification of Ground Water: G II

Ground Water Elevation (NGVD):

Ground Water Elevation (ft. MSL):

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

7574

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	346 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	5.66 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	200 mg/L	12 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.9 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	3.6 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	16 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	1.43 mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	2.15 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	25 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	11 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	2 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	8320 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	9.1 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in):

Elevation (NVGD):

Total Depth:

Water Level (ft):

Evacuation (gal):

Ground Water Elevation (NGVD):

Sample Appearance:

Facility GMS #:

Sample Date/Time: 8/24/98

Test Site ID #:

Report Period: 98/3

Well Name: DUP

9808260 11

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

☐ Background

☐ Intermediate

☐ Compliance

☒ Other

Ground Water Elevation (NGVD):

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	248 3g/L	123g/L
00940	CHLORIDE	GRAB	N	EPA325.2	9 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.28 mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	5 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	14.4 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 8/24/98 12:53:00 PM

Test Site ID #:

Report Period: 98/3

Well Name: COMP LEACH PUMP STAT 3&5

980826201

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
☐ Intermediate
☒ Compliance
☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

3243

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	12610 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	7.27 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	7540 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	32.8 DEG C	Fld DEG C
00425	BICARBONATES	GRAB	N	EPA310.1	249 mg/L HCO3	1 mg/L HCO3
00940	CHLORIDE	GRAB	N	EPA325.2	3550 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	212 mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	3.63 mg/L	Fld mg/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	14 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	14 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	18 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	12 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	22 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	9080 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	98 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	2190 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	19 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L

Facility GMS #:

Sample Date/Time: 8/24/98 12:22:00 PM

Test Site ID #:

Report Period: 98/3

Well Name: LEACHATE PUMP STATION 5

980826101

Well Purged (Y/N): N

Classification of Ground Water: GH

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

3243

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	10860 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	6.93 pH UNITS	Fld pH UNITS
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	30.9 DEG C	Fld DEG C
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	2.32 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	76 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	2 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	3	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 8/27/98 9:25:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: SURF SITE 3A

980831501

Well Purged (Y/N): N

Classification of Ground Water: G II

Ground Water Elevation (NGVD):

Depth to Water (ft.):

Well Type:

- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .02 mg/L	.02 mg/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	332 umhos/cm	Fld umhos/cm
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	105 mg/L CaCO ₃	.5 mg/L CaCO ₃
00406	pH IN FIELD	GRAB	N	EPA150.1	6.1 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	228 mg/L	12 mg/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	18 mg/L	4 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	26.1 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	7.2 ntu	Fld ntu
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	.8 mg/L	.1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	1.2 mg/L	.1 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.41 mg/L	.01 mg/L
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	.42 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	3.34 mg/L	Fld mg/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	.05 mg/L	.02 mg/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	EPA405.1	< 1 mg/L	1 mg/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	10 mg/L	2 mg/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	7 mg/L	1 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	30 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	16.5 mg/L	.2 mg/L
01034	Chromium	GRAB	N	EPA6010	2 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	360 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	15.5 mg/L	.05 mg/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	26 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 8/27/98 8:56:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: SURF SITE 3C2

980831503

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

2648

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .02	mg/L	.02 mg/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	243	umhos/cm	Fld umhos/cm
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	88.1	mg/L CaCO	.5 mg/L CaCO
00406	pH IN FIELD	GRAB	N	EPA150.1	6.78	pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	168	mg/L	12 mg/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	6	mg/L	4 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	26.6	DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	3.9	ntu	Fld ntu
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	.6	mg/L	.1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	.8	mg/L	.1 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.18	mg/L	.01 mg/L
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	.19	mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	4.25	mg/L	Fld mg/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	.54	mg/L	.02 mg/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	EPA405.1	< 1	mg/L	1 mg/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	22	mg/L	2 mg/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	10	mg/L	1 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	9	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	19.4	mg/L	.2 mg/L
01034	Chromium	GRAB	N	EPA6010	1	ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	240	ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	9.63	mg/L	.05 mg/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 8/27/98 9:10:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: SURF SITE 3B2B

980831502

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

☐

Background

☐

Intermediate

☐

Compliance

☒

Other

Ground Water Elevation (NGVD):


Depth to Water (ft.):

2647

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .02 mg/L	.02 mg/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	267 umhos/cm	Fld umhos/cm
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	85.5 mg/L CaCO	.5 mg/L CaCO
00406	pH IN FIELD	GRAB	N	EPA150.1	6.51 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	172 mg/L	12 mg/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	10 mg/L	4 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	25.3 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	2.1 ntu	Fld ntu
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	.6 mg/L	.1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	.8 mg/L	.1 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.2 mg/L	.01 mg/L
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	.2 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	2.76 mg/L	Fld mg/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	.42 mg/L	.02 mg/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	EPA405.1	< 1 mg/L	1 mg/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	29 mg/L	2 mg/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	9 mg/L	1 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	19 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	16.5 mg/L	.2 mg/L
01034	Chromium	GRAB	N	EPA6010	1 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	360 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	15.5 mg/L	.05 mg/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	3	mg/m3	3 mg/m3
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	160	Col/100 mL	Col/100 mL

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	17	mg/m3	3 mg/m3
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	1144	Col/100 mL	Col/100 mL



STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	< 3	mg/m3	3 mg/m3
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	71	Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 8/27/98 8:34:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: SURF SITE 1A-1E

980831506

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

2640

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .02	mg/L	.02 mg/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	196	umhos/cm	Fld umhos/cm
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	68.9	mg/L CaCO ₃	.5 mg/L CaCO ₃
00406	pH IN FIELD	GRAB	N	EPA150.1	6.63	pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	144	mg/L	12 mg/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	28	mg/L	4 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	30.5	DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	27.3	ntu	Fld ntu
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	2.5	mg/L	.1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	2.5	mg/L	.1 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	.01	mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	4.4	mg/L	Fld mg/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	7.75	mg/L	.02 mg/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	EPA405.1	4	mg/L	1 mg/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	71	mg/L	2 mg/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	21	mg/L	1 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	5	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	17.5	mg/L	.2 mg/L
01034	Chromium	GRAB	N	EPA6010	2	ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	100	ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	6.11	mg/L	.05 mg/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Name: SURF SITE 1A-1E

980831506

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	76 mg/m3	3 mg/m3

Facility GMS #:

Sample Date/Time: 8/27/98 8:15:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: SMITH LAKE 1-A

980831601

Well Purged (Y/N): N

Classification of Ground Water: G II

Ground Water Elevation (NGVD):

Depth to Water (ft.):

Well Type:

- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

2641

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	32 Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 8/27/98 8:21:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: SMITH LAKE 1-B

980831602

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:


- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD):

2642

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	14 Col/100 mL	Col/100 mL



Facility GMS #:

Sample Date/Time: 8/27/98 8:06:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: SMITH LAKE 1-C

980831603

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD):

2643

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	44 Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 8/27/98 7:56:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: SMITH LAKE 1-D

980831604

Well Purged (Y/N): N

Classification of Ground Water: G II

Ground Water Elevation (NGVD):

Depth to Water (ft.):

2644

Well Type:

- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	240 Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 8/27/98 7:50:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: SMITH LAKE 1-E

980831605

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: ☐ Background

Ground Water Elevation (NGVD):

☐ Intermediate

Depth to Water (ft.):

☐ Compliance

☒ Other

2645

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	58	Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 8/25/98

Test Site ID #:

Report Period: 98/3

Well Name: DUP

980830203

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	248 mg/L	12 mg/L
00940	CHLORIDE	GRAB	N	EPA325.2	6 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.23 mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.04 mg/L	.01 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	6 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40 ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	11.8 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	130 ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	7.3	pCi/L	.1 pCi/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	2.6	pCi/L	pCi/L
09501	RADIUM 226 IN WATER	GRAB	N	EPA903.1	2.9	pCi/L	.1 pCi/L
09502	RADIUM 226-counting error	GRAB	N	EPA903.1	.2	pCi/L	pCi/L

Facility GMS #:

Sample Date/Time: 8/25/98 7:51:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: EQUIP BLANK

980830207

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: ☐ Background

Ground Water Elevation (NGVD):

☐ Intermediate

Depth to Water (ft.):

☐ Compliance☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 12	mg/L	12 mg/L
00940	CHLORIDE	GRAB	N	EPA325.2	< 1	mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02	mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40	ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	< .2	mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	.2	pCi/L	.1 pCi/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	.7	pCi/L	pCi/L

Facility GMS #:

Sample Date/Time: 8/25/98 7:48:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: TRAVEL BLANK

980830208

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

☐

Background

☐

Intermediate

☐

Compliance

☒

Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L

Well Name: TRAVEL BLANK

980830208

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 8/27/98 8:32:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: EQUIP BLANK

980831507

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: ☐ Background

Ground Water Elevation (NGVD):

☐ Intermediate

Depth to Water (ft.):

☐ Compliance☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .02	mg/L	.02 mg/L
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	< .5	mg/L CaCO	.5 mg/L CaCO
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 12	mg/L	12 mg/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	< 4	mg/L	4 mg/L
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	< .1	mg/L	.1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	< .1	mg/L	.1 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	< .02	mg/L	.02 mg/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	EPA405.1	< 1	mg/L	1 mg/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	< 2	mg/L	2 mg/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	< 1	mg/L	1 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	< .2	mg/L	.2 mg/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40	ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	< .05	mg/L	.05 mg/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	< 3	mg/m3	3 mg/m3

Facility GMS #:

Sample Date/Time: 8/27/98 8:29:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: TRAVEL BLANK

980831508

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLORETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L

Well Name: TRAVEL BLANK

980831508

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 8/24/98 12:10:00 PM

Test Site ID #:

Report Period: 9813

Well Name: TRAVEL BLANK

980826102

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L

Well Name: TRAVEL BLANK

980826102

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 8/24/98 12:12:00 PM

Test Site ID #:

Report Period: 98/3

Well Name: PRE EQUIP BLANK

980826202

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 12	mg/L	* mg/L
00425	BICARBONATES	GRAB	N	EPA310.1	1.87	mg/L HCO ₃	1 mg/L HCO ₃
00940	CHLORIDE	GRAB	N	EPA325.2	< 1	mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02	mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40	ug/L	40 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	< .2	mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L

Well Diameter (in):

Elevation (NVGD):

Total Depth:

Water Level (ft):

Evacuation (gal):

Ground Water Elevation (NGVD):

Sample Appearance:

Facility GMS #:

Sample Date/Time: 8/12/98 7:31:00 AM

Test Site ID #:

Report Period: 98/3

Well Name: EQUIP BLANK

9808260 12

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	88500 mg/L	12 mg/L
00940	CHLORIDE	GRAB	N	EPA325.2	< 1 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02 mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
38437	DIBROMOCHLOROPROPANE			EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE			EPA504	< .02 ug/L	.02 ug/L
01097	Antimony			EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic			EPA6010	< 5 ug/L	5 ug/L
01007	Barium			EPA6010	< 1 ug/L	1 ug/L
01012	Beryllium			EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium			EPA6010	< 1 ug/L	1 ug/L
01034	Chromium			EPA6010	< 1 ug/L	1 ug/L
01037	Cobalt			EPA6010	< 5 ug/L	5 ug/L
01042	Copper			EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD			EPA6010	< 40 ug/L	40 ug/L
01051	Lead			EPA6010	< 4 ug/L	4 ug/L
01067	Nickel			EPA6010	< 5 ug/L	5 ug/L
01147	Selenium			EPA6010	< 5 ug/L	5 ug/L
01077	Silver			EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD			EPA6010	< .2 mg/L	.2 mg/L
01059	Thallium			EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium			EPA6010	< 5 ug/L	5 ug/L
01092	Zinc			EPA6010	< 25 ug/L	25 ug/L
71900	MERCURY			EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE			EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE			EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE			EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE			EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE			EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE			EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE			EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE			EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE			EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE			EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE			EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE			EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE			EPA8260	< 10 ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
81552	ACETONE			EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE			EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE			EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE			EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE			EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM			EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE			EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE			EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE			EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE			EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM			EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE			EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE			EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE			EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE			EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE			EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE			EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE			EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE			EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE			EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE			EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE			EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE			EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE			EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE			EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE			EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE			EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE			EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE			EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE			EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE			EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES			EPA8260	< 1 ug/L	1 ug/L

Well Diameter (in):

Elevation (NVGD):

Total Depth:

Water Level (ft):

Evacuation (gal):

Ground Water Elevation (NGVD):

Sample Appearance:

Facility GMS #:

Sample Date/Time: 8/24/98 4:00:00 PM

Test Site ID #:

Report Period: 98/3

Well Name: TRAVEL BLANK

9808260 13

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

Well Name: TRAVEL BLANK

980826013

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L